

FLOREASCA 1



Visual: project identity graphic generated from the supplied project list. Official project images are available through the source links below.

Why is this project a best practice?

Challenge

The project had to provide high thermal comfort through cold winters and warm summers while sharply reducing operational energy. The main design challenge was to coordinate a high-performance envelope, efficient services, renewable energy and healthy materials without compromising the architectural concept, construction quality or everyday usability.

Solution

The response combines a ventilated façade and efficient envelope suited to a compact urban apartment building; FSC-certified timber and very-low-VOC paints specified to support healthier interiors; and good public-transport access and proximity to parks and lakes, reducing dependence on private vehicles. These measures were brought together through an integrated design approach and, where applicable, the Green Homes, nZEB or Passive House performance framework.

Replicability

The core package - demand reduction first, airtight construction, efficient low-temperature systems, ventilation and on-site renewables - is transferable to other Romanian homes. Replication requires climate-specific energy modelling, careful thermal-bridge and airtightness detailing, qualified installation, commissioning and clear operating guidance for residents.

Key facts and figures

Location	Gheorghe Țițeica 206-208, Bucharest, Romania
Building use / function	Boutique multi-family residential building

Project type (new build, refurbishment, extension)	New build
Plot area / Floor area	Approximately 1,760 m ² ; 22 apartments
Year / phase	Completed / final certification reported in 2017
Climate zone	Temperate continental
Thematic focus / innovation	Compact urban infill; ventilated façade; healthy materials; public-transport access; lake and park proximity
Investor / building owner	1Development
Architect	Not publicly disclosed in the consulted sources
Other involved stakeholders	Romania Green Building Council; façade and interior-material suppliers
Contact person	1Development / RoGBC
Further information	https://green-homes.org/property/1floreasca/ https://www.rogbc.org/proiecte-certificate-rogbc?lang=en

Floreasca 1 is a new build project in Gheorghe Țițeica 206-208, Bucharest, Romania. It functions as boutique multi-family residential building. Its main best-practice contribution is Shows how Green Homes criteria can be applied to a small infill development in a high-value urban location. The documented strategy brings together a ventilated façade and efficient envelope suited to a compact urban apartment building, FSC-certified timber and very-low-VOC paints specified to support healthier interiors, and good public-transport access and proximity to parks and lakes, reducing dependence on private vehicles. No public post-occupancy energy or carbon dataset was identified; impacts are therefore described qualitatively. Public-source research was reviewed in July 2026; data that vary by phase are explicitly flagged in this sheet.

What was done differently?

1. Performance concept - A ventilated façade and efficient envelope suited to a compact urban apartment building.
2. Integrated systems and operation - Fsc-certified timber and very-low-voc paints specified to support healthier interiors.
3. Wider value - Good public-transport access and proximity to parks and lakes, reducing dependence on private vehicles.

What was achieved?

Impact

Environmental impact: The project reduces energy and associated emissions primarily by lowering demand and then using efficient or renewable systems. Its material, landscape, waste or mobility measures add benefits beyond operational energy where documented. A verified whole-life carbon assessment was not publicly available, so the impact is described qualitatively unless a source provides a specific figure.

Economic impact: Lower energy demand can reduce utility exposure and improve long-term operating-cost predictability. Standardised high-performance specifications and third-party certification can also support quality assurance, market value and access to green-finance products. Public sources do not provide a complete investment, payback or life-cycle-cost analysis for this project.

Social impact: The main social benefits are stable indoor temperatures, better air quality, daylight and acoustic comfort, together with safer and more attractive shared or outdoor spaces where these form part of the project. The project also raises market awareness by making high-performance housing visible to residents, designers, contractors and investors.

Key Learnings

Success factors: Key success factors are an integrated design process, a clear performance framework, early coordination of envelope and building services, selection of competent suppliers, quality control during construction and commissioning. Transparent documentation and communication with occupants are essential to preserve the intended performance in use.

Lessons for replication: Replication should start with an energy and comfort target, not a catalogue of technologies. Design teams should verify thermal bridges, airtightness, ventilation, controls and renewable sizing together; record assumptions by project phase; commission systems; and monitor early operation. Where public figures differ by phase, the final as-built dataset must become the single source of truth.