STAKEHOLDER_ROUTING.md — Distribution Logic

> **Version:** 1.0.0
> **References:** RULE-150 through RULE-153 (RENDER_RULES.md)

Overview

GBOGEB/ABACUS routes generated outputs to different stakeholder groups based on distribution tags embedded in each slide's semantic card. This ensures the right content reaches the right audience automatically.

Distribution Tags

Tag	Target	Content Type
`[KEB]`	Executive / Strategic Team	Executive summaries, high-level architecture views, decision frameworks, KPIs
`[DOW]`	Technical / Implementation Team	Detailed specifications, implementation guides, API references, code samples
`[ALL]`	All Stakeholders	Cross-cutting content, announcements, shared references

---

Routing Rules

Rule 1: Tag Assignment

Every slide or page **must** have at least one routing tag in its semantic card:

```yaml
---
slide_id: arch-overview-001
purpose: "Present system architecture at 10,000ft level"
audience: "Executive stakeholders"
routing:
  - KEB
---
```

Rule 2: Multi-Tag Content

Content may be tagged for multiple audiences:

```
routing:
  - KEB
  - DOW
```

This generates separate output artifacts optimized for each audience.

Rule 3: Default Routing

- If no routing tag is specified, content defaults to `[ALL]`
- `[ALL]` content is included in every distribution package

Rule 4: Content Adaptation

Aspect	`[KEB]`	`[DOW]`
Detail Level	Summary / highlights	Full technical detail
Visualizations	Charts, KPIs, trends	Architecture diagrams, data flows
Language	Business terminology	Technical terminology
Slide Count	Condensed (≤15 slides)	Comprehensive (no limit)
Speaker Notes	Executive talking points	Implementation notes

Routing Pipeline



Implementation

Routing metadata is:
1. **Defined** in the semantic card of each slide (YAML front matter)
2. **Validated** by `RENDER_LINTER.py` (semantic_card_required rule)
3. **Tracked** in `lineage_manifest.json` (stakeholder_routing field)
4. **Enforced** via CI/CD — PRs without routing tags trigger warnings

Manifest Integration

Each lineage record includes routing information:

```
{
  "slide_id": "arch-overview-001",
  "stakeholder_routing": ["KEB"],
  "derived_from": "themes/engineering/slides/architecture.yaml",
  "generated_outputs": [
    {"format": "html", "path": "_site/keb/arch-overview-001.html"},
    {"format": "pdf", "path": "output/keb/architecture-summary.pdf"}
  ]
}
```