

Metric-consistent neural networks for genomic prediction and selection: a standardized-MSE Pearson loss, affine calibration, and selection-aware evaluation

Grégory Beurier^{*,†,1}, Denis Cornet^{*,†}, Lauriane Rouan^{*,†} and David Cros^{*,†}

^{*}CIRAD, UMR AGAP Institut, Montpellier, France, [†]UMR AGAP Institut, Univ Montpellier, CIRAD, INRAE, Institut Agro, Montpellier, France

ABSTRACT Genomic prediction models are trained almost universally to minimize the mean squared error (MSE), yet they are evaluated, and used for selection, by the Pearson correlation r between predicted and observed phenotypes and by genotype ranking. That maximizing r equals minimizing the MSE of standardized variables, $\text{MSE}(z_y, z_{\hat{y}}) = 2(1 - r)$, is elementary, and correlation, concordance (CCC) and ranking losses have been used before; our contribution is a systematic, calibration- and selection-metric-aware empirical characterization of these losses across 101 trait–dataset combinations from 12 panels/sources spanning 10 species (EasyGeSe, CIMMYT wheat, SoyNAM), with a closed-form affine recalibration. We use it only as a stable training target; one affine map restores scale and offset, leaving r and all rankings unchanged whenever the validation-fitted map is increasing, which holds in $> 99\%$ of folds (r -sign flips in only 0.91%). Holding architecture, splits and tuning fixed so that only the loss differs, and comparing each architecture against its own MSE baseline, correlation and CCC losses raised predictive ability (cell-level Δr from $+0.038$ to $+0.044$; Holm-corrected paired Wilcoxon $p < 10^{-7}$, corroborated by a mixed model whose confidence intervals exclude zero) and selection metrics (NDCG@10 $+0.016$; relative efficiency $+0.04$). The benefit is strongly architecture-dependent — large for the Transformer and CNN, negligible for the MLP. Only CCC lowered pooled calibrated RMSE in the per-cell bootstrap (not corroborated by the mixed model). No neural loss unseated the GBLUP or ridge baselines on mean rank. Correlation-consistent training is thus a useful, well-characterized tool, not a universal replacement for MSE.

KEYWORDS

genomic prediction
genomic selection
deep learning
loss functions
calibration

INTRODUCTION

Genomic selection (Meuwissen *et al.* 2001) predicts the genetic merit of candidate individuals from genome-wide markers, and has become central to modern plant and animal breeding (Heffner *et al.* 2009; Jannink *et al.* 2010; Desta and Ortiz 2014). The dominant parametric baseline, genomic best linear unbiased prediction (GBLUP)/ridge-regression BLUP (VanRaden 2008; Endelman 2011), is increasingly complemented by machine-learning and deep-learning predictors (Ma *et al.* 2018; Wang *et al.* 2023; Montesinos-López *et al.* 2021b,a). Whether deep learning improves on GBLUP remains dataset-dependent: recent comparisons

find that neither systematically dominates, and that outcomes hinge on tuning, architecture and the choice of evaluation metric (Montesinos-López *et al.* 2025).

That last point is the subject of this paper. Genomic predictors are trained, by near-universal default, to minimize the mean squared error (MSE). But they are *assessed* with the Pearson correlation r between predicted and observed phenotypes — the “predictive ability” reported in essentially every genomic prediction study (Crossa *et al.* 2010) — and they are *used* to rank candidates and select the best ones. There is therefore a systematic mismatch between the training objective and the objective that actually matters. Waldmann (2019) showed that selecting a model by r can disagree with selecting it by MSE or R^2 . Ornella *et al.* (2014) argued that r is a poor guide to performance in the tails of the distribution, where selection actually operates, and evaluated the recovery of the best

Manuscript compiled: Friday 29th May, 2026

[†]Corresponding author: CIRAD, UMR AGAP Institut, Montpellier, France. E-mail: gregory.beurier@cirad.fr

$\alpha \in \{10, \dots, 40\}\%$ of individuals. Blondel et al. (2015) reframed genomic selection as a ranking problem, introduced NDCG from information retrieval as an accuracy measure, and reported that r correlates poorly with ranking quality.

If correlation is the target, why not train for it directly? A recent convolutional architecture for genomic selection states plainly that “Pearson correlation cannot be set as the loss function” and substitutes a family of L_p losses (Wang et al. 2024). We show this premise is false. The Pearson correlation is a loss — a standardized MSE — and training with it is both well posed and numerically stable. The remaining objection to a correlation loss, that it ignores scale and offset, is real but easily and provably remedied by an affine recalibration applied after training.

Contributions:

- 1. A standardized-MSE Pearson loss (Section The Pearson loss is a standardized MSE).** We give the exact identity $\text{MSE}(z_y, z_{\hat{y}}) = 2(1 - r)$ and use it as a stable, differentiable training objective, verified numerically (to single-precision tolerance for the loss; to float64 machine precision for the calibration identity).
- 2. Affine calibration with a closed form (Section Affine calibration restores scale without changing rank).** We prove that the optimal post-hoc affine map yields residual error $\sigma_y^2(1 - r^2)$ and restores scale and offset while preserving r and all rankings — turning the scale-invariance “weakness” of correlation into a controlled, two-parameter calibration step.
- 3. Mini-batch analysis (Section Mini-batch versus global Pearson).** We show the mini-batch Pearson loss is a biased surrogate for the global objective and quantify the effect of batch size empirically.
- 4. A reproducible, selection-aware benchmark (Sections Materials and Methods–Results).** Across 101 trait–datasets from 12 panels/sources spanning 10 species, with architecture, splits and tuning held fixed so that only the loss changes, we report both predictive and selection-oriented metrics, a confirmatory mixed-model analysis, and a meta-analysis of when correlation-consistent training helps. All data are public and all code, splits and tuned configurations are released.

We do not claim that a Pearson loss is uniformly superior to MSE; that would be false. We provide a principled, reproducible framework for training, calibrating and evaluating neural genomic predictors when the breeding objective is correlation and ranking rather than raw squared error.

THEORY

Throughout, $y, \hat{y} \in \mathbb{R}^n$, with sample means $\bar{y}, \bar{\hat{y}}$ and population variances $\sigma_x^2 = \frac{1}{n} \sum_i (x_i - \bar{x})^2$. The Pearson correlation is $r = r(y, \hat{y}) = \frac{1}{n} \sum_i z_{y,i} z_{\hat{y},i}$ where $z_{x,i} = (x_i - \bar{x})/\sigma_x$ is the standardized variable.

The Pearson loss is a standardized MSE

Proposition 1. For non-degenerate $y, \hat{y}$ (i.e. $\sigma_y, \sigma_{\hat{y}} > 0$),

$$\text{MSE}(z_y, z_{\hat{y}}) = \frac{1}{n} \sum_{i=1}^n (z_{y,i} - z_{\hat{y},i})^2 = 2(1 - r).$$

Consequently $1 - r = \frac{1}{2} \text{MSE}(z_y, z_{\hat{y}})$, and minimizing the standardized MSE is exactly maximizing the Pearson correlation.

Proof. Expanding the square, $\frac{1}{n} \sum_i (z_{y,i} - z_{\hat{y},i})^2 = \frac{1}{n} \sum_i z_{y,i}^2 - 2 \frac{1}{n} \sum_i z_{y,i} z_{\hat{y},i} + \frac{1}{n} \sum_i z_{\hat{y},i}^2 = 1 - 2r + 1 = 2(1 - r)$, because $\frac{1}{n} \sum_i z_{x,i}^2 = 1$ by construction and $\frac{1}{n} \sum_i z_{y,i} z_{\hat{y},i} = r$. $\square$

This gives the loss $\mathcal{L}_P(\hat{y}, y) = 1 - r(\hat{y}, y)$, implemented as $\frac{1}{2} \text{MSE}(z_y, z_{\hat{y}})$ with a small ε guarding the standardization denominators. It is differentiable everywhere $\sigma_{\hat{y}} > 0$; we verify the gradient against finite differences and verify the identity to single-precision tolerance in Section Numerical validation of the equivalences. The negative-correlation loss $-r$ differs from $\mathcal{L}_P$ by a constant and has identical gradients.

Affine calibration restores scale without changing rank

Correlation is invariant to strictly increasing affine transformations of $\hat{y}$: a model trained on $\mathcal{L}_P$ controls the *shape* of the prediction but not its scale or offset. This is corrected exactly and cheaply.

Proposition 2. Let $p \in \mathbb{R}^n$ be raw predictions and $r = r(y, p)$. The affine map $\hat{y} = a p + b$ minimizing $\frac{1}{n} \sum_i (a p_i + b - y_i)^2$ has

$$a^* = \frac{\text{cov}(y, p)}{\text{var}(p)}, \quad b^* = \bar{y} - a^* \bar{p}, \quad \text{MSE}_{\min} = \sigma_y^2(1 - r^2).$$

If $a^* > 0$, the map is strictly increasing and hence preserves r , the Spearman correlation, and every top- k /ranking quantity, while setting the calibration slope to 1 and intercept to 0.

Proof. Ordinary least squares for a single predictor gives a^*, b^* as stated; the minimized residual variance of simple linear regression is $\sigma_y^2(1 - r^2)$. A strictly increasing transform preserves the order of p and leaves correlation-type and rank-based statistics unchanged. $\square$

We fit (a^*, b^*) on held-out validation predictions (never on the test set) and apply them to the test predictions. Isotonic regression provides a monotone non-linear alternative when the raw-vs-true relationship is monotone but curved. Calibration cannot change r but can dramatically improve RMSE, bias and the calibration slope (Figure 2; Section Calibration effects).

Mini-batch versus global Pearson

Proposition 3. For a partition of the data into batches $B_1, \dots, B_K$, the batch-averaged loss $\frac{1}{K} \sum_k (1 - r_{B_k})$ is not equal to $1 - r_{\text{global}}$ in general, because r is a non-linear (ratio-of-moments) functional of the data. The discrepancy and the variance of the gradient estimate grow as the batch size decreases.

A full-batch (or large-batch) evaluation of $\mathcal{L}_P$ therefore optimizes the global objective, whereas small batches optimize a noisier surrogate. We quantify the practical consequence for training stability and predictive ability in Section Batch size and optimization stability.

Multi-trait and group-aware variants

The loss extends naturally to T traits, $\mathcal{L} = \frac{1}{T} \sum_{t=1}^T (1 - r_t)$ (or a weighted sum $\sum_t w_t (1 - r_t)$), and to a group-aware objective $\mathcal{L} = \frac{1}{G} \sum_{g=1}^G (1 - r_g)$ where g indexes environments, years, families or sites — aligning training with the within-environment correlation that multi-environment breeding programs actually care about. As in Proposition 3, neither variant equals the pooled global correlation.

MATERIALS AND METHODS

Datasets

We use three public sources, for a total of 101 trait–dataset combinations across 12 panels/sources spanning 10 species. (i) *EasyGeSe* (Quesada-Traver *et al.* 2025): a benchmark of ten species (barley, common bean, lentil, maize, eastern oyster, pig, loblolly pine, rice, soybean and wheat) providing genotypes, phenotypes and *fixed* cross-validation partitions; the maize set is the global genotype-by-environment competition panel (Washburn *et al.* 2025). (ii) The CIMMYT *wheat* panel (Crossa *et al.* 2010): 599 lines, 1,279 DArT markers and grain yield in four environments, used for cross-environment transfer. (iii) *SoyNAM* (Xavier *et al.* 2016): ~5,500 recombinant inbred lines in 40 biparental families, used for leave-family-out prediction. Genotypes are coded as allele dosages; pre-processing (unsupervised, no phenotype) applies a minor-allele frequency filter (≥ 0.01), mean imputation, and a top-variance cap at 20,000 markers for the seven panels whose marker count exceeded 20,000 (barley, lentil, maize, oyster, pig, rice and soybean). Table 1 and Figure 3 summarize the data.

Models

The parametric baseline is GBLUP with REML-estimated variance components, implemented in the spectral basis of the linear genomic kernel $K = XX^T/p$ and validated against the rrBLUP package (Endelman 2011) to floating-point precision (cross-implementation correlation 1.0000). We also include ridge regression as a linear baseline. The neural predictors are a multilayer perceptron (MLP), a one-dimensional convolutional network over ordered markers (1D-CNN), and a light Transformer over marker patches. Crucially, *the architecture is held fixed across losses*: it is tuned once per (dataset, model) with a neutral MSE objective and then frozen, so that the only thing that changes in the loss comparison is the loss.

Loss functions

We compare MSE; the standardized-MSE Pearson loss $1 - r$ (Proposition 1); a hybrid $(1 - r) + \lambda \text{MSE}$ with $\lambda = 0.1$; and a concordance-correlation loss $1 - \rho_c$ (Lin 1989), which penalizes correlation, scale and offset jointly. The negative-Pearson and explicit standardized-MSE forms are included in the numerical checks.

Calibration

For every model and loss we report predictions under three post-hoc maps: raw (identity), affine (Proposition 2) and isotonic. Calibrators are fit on validation predictions only.

Cross-validation

We use the fixed EasyGeSe partitions (5 folds $\times$ 2 repeats = 10 folds per trait), repeated K -fold for wheat and SoyNAM, leave-family-out for SoyNAM, and cross-environment transfer for wheat. Within each training fold an inner 80/20 split (group-aware for family CV) provides early-stopping and calibration data; markers are standardized with training statistics only; targets are standardized with training statistics for the neural networks and predictions are returned in the original units. Neural networks early-stop on the validation value of the loss being trained. The test fold is never used for fitting, early stopping, calibration or hyper-parameter selection.

Evaluation metrics

Predictive: Pearson r , Spearman ρ , RMSE, MAE, R^2 , mean bias, and the calibration slope and intercept (ideal 1 and 0).

Selection-aware, at intensities $k \in \{5, 10, 15, 20\}\%$: top- k overlap, precision@ k , recall@ k , NDCG@ k (Järvelin and Kekäläinen 2002), selection differential, mean phenotype of the selected, and relative efficiency (achieved gain divided by the oracle gain).

Statistical Analysis

For each cell we average over folds and form $\Delta m = m_{\text{loss}} - m_{\text{MSE}}$ within the same architecture. We report bootstrap confidence intervals (bias-corrected and accelerated, BCa, when $n \geq 12$; the percentile bootstrap otherwise, as for the $n = 8$ sorghum contrast), paired Wilcoxon tests with Holm and Benjamini–Hochberg (Benjamini and Hochberg 1995) correction, and mean method ranks. As a corroborative analysis we fit a linear mixed model (Bates *et al.* 2015) on cell-level means (one observation per dataset $\times$ trait $\times$ model $\times$ loss, which avoids fold-level pseudoreplication), $\text{metric} \sim \text{loss} + \text{model} + (1 \mid \text{dataset}) + (1 \mid \text{dataset}:\text{trait})$ with MSE as the reference level. The primary inference is the cell-level paired contrast; the mixed model only corroborates it. (We do not interpret a split-scheme effect in this model, as scheme is confounded with dataset source; difficult-split generalization is addressed directly in Section Robustness under difficult splits.) The framework is released as the Python package *cggp*, built on PyTorch (Paszke *et al.* 2019), scikit-learn (Pedregosa *et al.* 2011) and NumPy (Harris *et al.* 2020), with the neural networks trained using the Adam optimizer (Kingma and Ba 2015), fixed seeds, the exact CV partitions, tuned configurations and a pinned environment. *Limitation*: hyper-parameters are tuned on full-data validation splits with a neutral MSE objective and frozen across losses; because the architecture is shared identically by every loss, this cannot bias the relative (loss/calibration) comparisons that constitute our claims, though it may mildly and symmetrically inflate absolute accuracies.

Data Availability

All datasets are public: EasyGeSe (Zenodo, DOI 10.5281/zenodo.15348871), the CIMMYT wheat panel (BGLR R package (Pérez and de los Campos 2014)) and SoyNAM (SoyNAM R package). Code, fixed cross-validation partitions, tuned configurations and a pinned environment are released as the *cggp* package, with source at <https://github.com/GBeurier/selgen-loss> (a versioned archive will be deposited at Zenodo, DOI to be assigned). The sorghum case-study data (Section Real breeding case study: sorghum crop-model parameters) are proprietary and not redistributed; all other datasets are public and download automatically.

RESULTS

Numerical validation of the equivalences

We first confirm that the identities of Section Theory hold not only symbolically but to floating-point precision (Figure 1). Across 80 randomly generated cases, the implemented Pearson loss, the closed form $1 - r$, and $\frac{1}{2}\text{MSE}(z_y, z_{\hat{y}})$ agree to a maximum absolute difference of 5.0×10^{-8} (mean 7.4×10^{-9}), i.e. at the level expected from single-precision float tolerance (Proposition 1). On real GBLUP predictions for the lentil days-to-flowering trait ($r = 0.868$), the identity is exact (absolute difference 0.0). The optimal affine recalibration of Proposition 2 attains the predicted residual $\sigma_y^2(1 - r^2)$ to a maximum absolute difference of 1.2×10^{-15} over 200 cases (mean 1.8×10^{-16}), i.e. float64 machine precision. Finally, both the Pearson and the concordance-correlation losses pass `torch.autograd.gradcheck`, and the negative-correlation loss $-r$

1 shares its gradient with $1 - r$ exactly (maximum gradient differ-
2 ence 0.0), confirming that the two are the same objective. The
3 identity is elementary; what these checks establish is that it yields
4 a usable, numerically stable training target.

5 Same architecture, different loss

6 Holding the architecture, splits and tuned hyper-parameters fixed
7 so that only the loss changes, every correlation-based loss improves
8 predictive ability over MSE on average (Figure 4). Pooling all $n =$
9 251 (dataset, trait, model) cells — one Δ -vs-MSE per cell, per loss
10 — the affine-calibrated Pearson loss raises the Pearson correlation
11 by $\Delta r = +0.038$ (BCa 95% CI [0.028, 0.050]; Holm-corrected paired
12 Wilcoxon $p = 1.2 \times 10^{-8}$), the hybrid loss by +0.041 ([0.031, 0.052];
13 $p_{\text{Holm}} = 4.4 \times 10^{-11}$), and the CCC loss by +0.044 ([0.034, 0.056];
14 $p_{\text{Holm}} = 3.7 \times 10^{-13}$). The Spearman correlation moves almost
15 identically (+0.037 to +0.043), and R^2 rises modestly (+0.015 to
16 +0.025, all CIs excluding zero). This pool is, however, *architecturally*
17 *unbalanced*: the CNN and the MLP were each run on all 101 trait-
18 datasets (12 panels/sources, 10 species), whereas the Transformer
19 — which carries the largest per-model effect (see below) — was
20 run on only 49 trait-datasets across four species (lentil, maize, rice,
21 soybean), giving $101 + 101 + 49 = 251$. The pooled Δ is therefore
22 an unweighted average over cells that differ in architecture and
23 dataset coverage and is best read alongside the model-stratified
24 estimates that follow.

25 These pooled averages conceal a strong dependence on archi-
26 tecture, which is the central qualifier of our loss result. The gain
27 is concentrated in the harder-to-train networks: for the Trans-
28 former, the Pearson loss improves r by +0.101 ([0.071, 0.131];
29 $p_{\text{Holm}} = 5.6 \times 10^{-9}$) and the CNN by +0.044 ([0.026, 0.066];
30 $p_{\text{Holm}} = 0.018$), whereas for the MLP the effect is negligible and
31 not robust (+0.0027, [-0.0004, 0.0055]; $p_{\text{Holm}} = 0.046$). The same
32 pattern holds for the hybrid and CCC losses, whose MLP Δr
33 are +0.0044 and +0.0004 respectively, the latter not significant
34 ($p_{\text{Holm}} = 0.17$). The Transformer estimate is the largest but rests on
35 the narrowest, non-random dataset base, so the cross-architecture
36 ordering (Transformer > CNN > MLP) should be read as a com-
37 parison on different dataset bases rather than on a common one. In
38 other words, when an architecture already optimizes well under
39 MSE (the MLP, which was tuned with an MSE objective), aligning
40 the loss with the evaluation metric buys little; the benefit appears
41 precisely where MSE optimization is fragile.

42 Crucially, this correlation gain does not transfer to the scale of
43 the phenotype. After affine calibration the Pearson loss leaves
44 pooled RMSE essentially unchanged ($\Delta \text{RMSE} = -0.010$, BCa
45 CI [-0.055, +0.079]). The paired-Wilcoxon test is nominally sig-
46 nificant ($p_{\text{Holm}} = 0.0049$) only because it is sign-based: most
47 cells move very slightly in the negative direction once calibra-
48 tion removes the scale error, but the magnitude is negligible and
49 the BCa interval crosses zero, so we do not interpret this as an
50 RMSE improvement. The hybrid loss, which retains an explicit
51 MSE term, likewise does *not* reliably improve calibrated RMSE
52 ($\Delta \text{RMSE} = +0.006$, [-0.041, +0.097]; the point estimate is positive,
53 i.e. marginally worse, and the sign-based $p_{\text{Holm}} = 1.5 \times 10^{-4}$ again
54 disagrees with the magnitude-based interval). Only the CCC loss,
55 which penalizes scale and offset jointly, lowers RMSE materially
56 and reliably in the pool (-0.057, [-0.133, -0.027], CI excluding
57 zero), and within the CNN (-0.038, [-0.070, -0.003]) and Trans-
58 former (-0.129, [-0.219, -0.074]). The verdict for this section is
59 therefore deliberately mixed: correlation-consistent losses reliably
60 improve correlation, most for weaker-optimizing architectures, but
61 only the CCC loss improves phenotypic-scale error.

Calibration effects

62 Applying the post-hoc maps of Proposition 2 to the Pearson-trained
63 networks behaves as the theory predicts in the mean (Figure 5).
64 The mean Pearson correlation is essentially unchanged before and
65 after affine calibration (0.531 raw vs. 0.533 affine), and the mono-
66 tone isotonic map leaves it close as well (0.516). The mean-level
67 invariance is what Proposition 2 guarantees only when the fit-
68 ted slope $a^* > 0$; since $a^* = \text{cov}(y, p) / \text{var}(p)$ is estimated on
69 validation predictions, a fold whose validation covariance is neg-
70 ative yields a *decreasing* map on the test fold, which reverses the
71 sign of the correlation. This is rare but not absent: 90 of 9,943
72 fold-level cells (0.91%) flip the sign of Pearson r between raw and
73 affine predictions, with per-fold $|r_{\text{raw}} - r_{\text{affine}}|$ as large as 0.89 in
74 those degenerate folds (all of these fold-level counts are computed
75 from the deposited `results_main_full.parquet`). The categor-
76 ical statement that affine calibration preserves every correlation
77 therefore holds only when $a^* > 0$ (almost always; fewer than 1%
78 of folds flip), and we qualify it accordingly; the mean-level claim
79 (0.531 $\rightarrow$ 0.533) is unaffected.

80 What changes systematically is everything related to scale and
81 offset. The mean RMSE drops from 8.68 (raw) to 7.07 (affine), the
82 calibration slope moves from 4.25 toward 1 (to 2.27 on average for
83 the affine map; the isotonic map has a mean fitted slope of 0.76,
84 i.e. it is monotone non-decreasing as it must be), and the intercept
85 collapses from a wildly miscalibrated -378.8 in raw units to 0.10
86 after affine calibration. The mean bias likewise shrinks from -0.755
87 to +0.044. These figures aggregate datasets on heterogeneous
88 phenotypic scales, so their absolute magnitudes and large standard
89 deviations should be read qualitatively; moreover, like all absolute
90 accuracies here they may be mildly and symmetrically inflated by
91 the shared HPO step (Section Discussion). The consistent message
92 is that a two-parameter affine map fitted on validation predictions
93 recovers calibrated predictions at essentially no cost to ranking.
94 This is the operational resolution of the scale-invariance objection
95 to correlation training: train for shape, then calibrate for scale.

Selection-oriented performance

96 Because breeding decisions are made by ranking and selecting
97 the top candidates, we ask whether the correlation gains translate
98 into better selection (Figure 4). They do, but again most clearly
99 for the architectures that gained predictive ability. Pooling all
100 cells, NDCG@10 improves by +0.016 (Pearson loss, [0.011, 0.021],
101 $p_{\text{Holm}} = 2.0 \times 10^{-7}$) to +0.017 (hybrid and CCC); the top-10%
102 overlap with the true best genotypes rises by +0.014 to +0.018; and
103 the relative efficiency at 10% (achieved over oracle selection gain)
104 increases by $\approx +0.038$ to +0.040 across all three losses. Selection
105 differential at 10% also improves (Pearson +0.25 in trait units,
106 [0.019, 0.612], $p_{\text{Holm}} = 2.4 \times 10^{-6}$). As with predictive ability,
107 these pooled means mix the unbalanced architecture coverage
108 (101/101/49 for CNN/MLP/Transformer). The per-architecture
109 decomposition mirrors Section Same architecture, different loss:
110 the Transformer and CNN gain substantially on every selection
111 metric (e.g. NDCG@10 +0.029 and +0.023 for the Pearson loss),
112 while the MLP gains are small and not robust after Holm correction
113 (NDCG@10 +0.0026, $p_{\text{Holm}} = 0.28$; overlap@10 +0.0015, $p_{\text{Holm}} =$
114 1.0). Thus, for the networks where it helps at all, a better global
115 correlation does carry through to better top- k selection here; but the
116 effect is neither automatic nor uniform, supporting our argument
117 that selection-aware metrics must be reported alongside r rather
118 than inferred from it.

119 A second, sobering observation comes from the mean method
120 ranks (Table from `ranks.csv`). Aggregated over all datasets, the
121
122

simple linear baselines win: ridge regression has the best mean rank for both Pearson (2.85) and NDCG@10 (4.01), followed by GBLUP (3.45 and 4.32). The neural predictors rank below them, and the best-ranked network configuration is the MLP with the hybrid loss (Pearson rank 5.28, NDCG@10 rank 4.80). Within every neural architecture, however, MSE is consistently the worst-ranked loss (e.g. MLP: hybrid 5.28 < Pearson 5.47 < CCC 5.62 < MSE 6.14, with the MSE Transformer last overall at 12.67). The ordering *among* the three correlation losses, by contrast, differs by architecture: for the MLP it is hybrid < Pearson < CCC, for the CNN it is CCC (6.47) < hybrid (7.22) < Pearson (7.93), and for the Transformer it is CCC (8.57) < Pearson (9.67) < hybrid (9.88). We note that these are *absolute* ranks, so the shared-HPO optimism that may mildly inflate absolute neural accuracies works in favor of the neural nets here; the linear-baselines-win conclusion is therefore conservative, since the bias runs against it. The honest reading is that correlation-consistent training improves neural predictors relative to their own MSE-trained counterparts without making them beat well-regularized linear models on these benchmarks.

Robustness under difficult splits

The advantage of correlation-consistent training is contingent on the generalization regime (`splits_summary.csv`). We re-ran all three neural architectures with an MSE baseline under each scheme, so the loss contrasts below cover the CNN and Transformer as well as the MLP; the evidence nonetheless remains far thinner than the main grid — the SoyNAM random and leave-family-out contrasts and the wheat within-environment contrast each pool $n = 12$ (dataset, model) cells, and the cross-environment contrast pools $n = 36$ ordered transfer pairs that are non-independent (four wheat environments on the same 599 lines). These results are therefore suggestive and underpowered rather than confirmatory.

Under random K -fold CV the benefit persists and, as in the main grid, is largest for the harder-to-train architectures. Pooled over architectures, the CCC loss raises Pearson by +0.025 (BCa CI [0.012, 0.054], $p_{\text{Holm}} = 0.006$), the hybrid by +0.019 ([0.007, 0.043]) and the Pearson loss by +0.016 ([0.003, 0.042]); the Transformer alone gains $\Delta r = +0.025$ ([0.013, 0.034]) under random SoyNAM CV and +0.063 ([0.029, 0.100]) within wheat environments. Under the harder, breeding-relevant schemes the gain disappears across *every* architecture: for SoyNAM leave-family-out prediction the pooled Pearson-loss $\Delta r = -0.006$ ([-0.017, 0.004]) and for wheat cross-environment transfer $\Delta r = -0.002$ ([-0.011, 0.007]), with every interval spanning zero and all Holm-corrected p -values equal to one; the per-architecture deltas agree — none of the MLP, CNN or Transformer shows a reliable gain under family or environment structure. The practical implication is that the case for a correlation-consistent loss is clearest under random CV and weakest exactly where breeders most need generalization, across families and environments; with this few independent hard splits the directional reads are tentative, and the loss should be validated per breeding program rather than assumed to transfer.

Batch size and optimization stability

Proposition 3 predicts that the mini-batch Pearson loss is a biased surrogate for the global objective, with the discrepancy growing as the batch shrinks. Empirically (`batch_summary.csv`) the effect is real but small at the scales tested. For the Pearson loss, full-batch training (-1) and large batches give the best validation correlation ($r = 0.5782$ at full-batch, 0.5790 at batch 512) and the lowest RMSE (7.56 and 7.55), while small batches are slightly worse ($r = 0.5774$ at batch 32, 0.5777 at batch 128, with RMSE ≈ 7.61); NDCG@10

follows the same ordering (0.782 at full/large batch vs. 0.775 at small batch). As expected for an objective that is already a sum of squared errors, MSE training is essentially flat across batch sizes ($r \approx 0.568$ at 32, 128, 512 and full-batch). These are absolute validation correlations and, like the calibration table, may be mildly and symmetrically inflated by the shared HPO step; the batch-size *comparison* is within the Pearson loss and is unaffected. The recommendation that follows is conservative and cheap: evaluate the Pearson loss on as large a batch as memory allows (full-batch is feasible for the panel sizes here), which optimizes the intended global objective and removes a source of avoidable mini-batch noise without materially increasing cost.

When does correlation-consistent training help?

A confirmatory linear mixed model, fitted on the affine-calibrated predictions with MSE as the reference level and random intercepts for dataset and dataset:trait, summarizes the average effect of each loss (Figure 6). To avoid fold-level pseudoreplication we fit the model on cell-aggregate values — one row per (dataset, trait, model, loss) cell, $n = 1,004$ cells (the cell-level table is `results/analysis/lmm_long.csv`, 1,004 rows per calibration) — rather than on the 10,040 NN affine fold-rows deposited in `results_main_full.parquet`; fitting at the fold level would treat the 10 fold-level rows per cell (5 folds $\times$ 2 repeats), which reuse the same tuned architecture and overlapping training data, as independent and would overstate precision. For predictive ability, every correlation loss has a positive, CI-excluding-zero fixed effect: +0.0384 for the Pearson loss ([0.028, 0.049], $t = 7.11$), +0.0412 for the hybrid ([0.031, 0.052], $t = 7.63$), and +0.0438 for the CCC loss ([0.033, 0.054], $t = 8.12$). These are the reported loss effects: the cell-aggregate model is our primary LMM precisely because it does not inflate the effective sample size. The loss CIs for correlation and ranking thus exclude zero after the model already accounts for pseudoreplication; the model reports no denominator- df -based p -values, so we rely on the CIs.

Two structural caveats bound the model's interpretation. First, the `model` terms are additive *main* effects, not interactions with the loss: `model_mlp` = +0.060 ([0.0525, 0.0692]) and `model_transformer` = -0.019 ([-0.0309, -0.0086]) say that the MLP has the highest *baseline* accuracy and the Transformer the lowest, not that architecture moderates the loss benefit. The genuine moderation evidence is the stratified per-model deltas of Section [Same architecture, different loss](#) (Transformer +0.101 vs. MLP +0.0027), which the additive LMM cannot establish. Second, split scheme is fully confounded with dataset source: in these data a “predefined” scheme would comprise exactly the ten EasyGeSe species and a “random” scheme exactly SoyNAM (four traits) plus the CIMMYT wheat panel. Any such scheme term would therefore be a main-effect contrast between two dataset groups, not a contrast between structured and random splitting, and we accordingly omit a scheme term from the model; the leave-family-out and cross-environment contrasts are not levels of any such factor and live entirely in the separate splits experiment (Section [Robustness under difficult splits](#)). The NDCG@10 model tells the same story with smaller coefficients (Pearson +0.0161, $t = 6.09$; hybrid +0.0173, $t = 6.52$; CCC +0.0173, $t = 6.51$; all CIs excluding zero; MLP +0.024, Transformer -0.010). By contrast, the RMSE mixed model finds *no* reliable loss effect after affine calibration: the Pearson (-0.010), hybrid (+0.006) and CCC (-0.057) coefficients all have intervals spanning zero, whereas the architecture effects are large (MLP -0.435, Transformer -0.126).

Taken together, the meta-analysis supports a precise and quali-

fied conclusion. Correlation-consistent training delivers a small, model-averaged improvement in correlation- and ranking-based accuracy ($\approx +0.04$ in r and $+0.017$ in NDCG@10) that survives correction for pseudoreplication; it does not by itself improve calibrated phenotypic error (that is the job of affine calibration or the CCC loss); and the size of the benefit is governed far more by the architecture than by which correlation loss is chosen. The mixed model cannot speak to robustness across split types — split scheme is confounded with dataset source, so we omit a scheme term — so the question of whether the benefit persists under family- and environment-structured splits is answered (tentatively, on thin data) by the splits experiment, not here.

Real breeding case study: sorghum crop-model parameters

As an external check on private data of a different nature, we applied the identical protocol to a sorghum panel of 136 genotypes ($\sim 31,700$ SNPs, capped to 20,000 by variance) in which the prediction targets are eight parameters of an ecophysiological crop-growth model (e.g. radiation-use efficiency and leaf-appearance rates) rather than measured phenotypes. Averaged over the eight parameters under 5-fold $\times$ 3-repeat cross-validation, the affine-calibrated MLP trained with the Pearson loss raised predictive ability over its MSE baseline by $\Delta r = +0.041$ (percentile-bootstrap CI $[0.004, 0.076]$; $n = 8$), with the hybrid ($+0.033$) and CCC ($+0.029$) losses close behind, and NDCG@10 improved by $+0.018$ to $+0.021$. The effect size matches the public benchmark almost exactly, although with only eight targets it is not individually significant (Holm $p = 0.33$). That an independent, proprietary dataset — a different species, a different target type, and a different research group — reproduces the same qualitative pattern is reassuring: aligning the neural training objective with the correlation metric improves that metric, and affine calibration restores the parameter scale. We report this as illustrative external evidence, not as an additional powered test.

DISCUSSION

Related work and what is new here

The algebraic core of our loss is not new, and we do not present it as such. The identity $1 - r = \frac{1}{2} \text{MSE}(z_y, z_g)$ is the elementary fact that the Pearson correlation equals the inner product of the z -scored vectors, so minimizing the MSE between standardized variables is the same as maximizing r ; this has been used implicitly wherever a correlation or cosine objective is optimized. Correlation-, concordance- and ranking-based training objectives also already exist in both the statistical-genetics and machine-learning literatures: Lin's concordance correlation (Lin 1989) has long served as a scale-and-offset-aware agreement criterion — and its many-to-many relationship to the mean squared error, which the CCC loss exploits, has been characterized explicitly (Pandit and Schuller 2019) — Blondel *et al.* (2015) reframed genomic selection as a learning-to-rank problem with NDCG, and a recent convolutional genomic-prediction architecture substitutes a family of L_p correlation-style losses for MSE (Wang *et al.* 2024) — although, as we note in the introduction, it mistakenly asserts that “Pearson correlation cannot be set as the loss function.” Differentiable Spearman and other ranking surrogates are likewise established in the broader ML literature. Our contribution is therefore *not* the loss or the identity. What we add is (i) a systematic, calibration-aware and selection-metric-aware empirical characterization of correlation-consistent training across 101 trait-datasets, in which architecture — not the loss — emerges as the dominant moderator; and (ii) a closed-form, rank-preserving

post-hoc affine recalibration (Proposition 2) framed explicitly as the remedy for the scale-invariance that any correlation objective discards. The numerically stable $\frac{1}{2} \text{MSE}(z_y, z_g)$ formulation is a usable training target rather than a formal novelty.

A Pearson loss is a useful default, not a universal winner

Our central empirical message is deliberately unromantic. Training a neural genomic predictor with the standardized-MSE Pearson loss instead of MSE does move predictive ability in the right direction — pooled across the 251 (dataset, trait, model) cells (one Δ -vs-MSE per cell, per loss) the mean improvement is $\Delta r = +0.038$ (BCa 95% CI $[0.028, 0.050]$, $p_{\text{Holm}} = 1.2 \times 10^{-8}$), with matching gains in Spearman ρ ($+0.037$, $[0.028, 0.048]$) and in NDCG@10 ($+0.016$, $[0.011, 0.021]$) — but it is not the best loss, and the gain is concentrated in a subset of architectures. The concordance-correlation loss ($\Delta r = +0.044$, $[0.034, 0.056]$) and the hybrid loss ($+0.041$, $[0.031, 0.052]$) both edge out the pure Pearson loss on most predictive and ranking metrics (the high-variance selection differential is an exception, where the hybrid interval includes zero); the three correlation-aware objectives are statistically separable from MSE but only marginally separable from one another (Figure 4). The pooled $n = 251$ figure is, however, an *unweighted* average over an architecturally unbalanced set of cells, and this must be kept in view: the CNN and MLP were each run on all 101 trait-datasets, but the Transformer was run on only 49 trait-datasets spanning four species (lentil, maize, rice, soybean), so $251 = 101 + 101 + 49$. Because the Transformer also carries the largest per-architecture effect, the pooled mean is pulled upward by a smaller, non-random subset of datasets, and per-architecture effects are not estimated on a common dataset base. The stratified estimates make the heterogeneity explicit: the gain is large for the Transformer ($\Delta r = +0.101$, $[0.071, 0.131]$, on its 49-dataset subset) and the 1D-CNN ($+0.044$, $[0.026, 0.066]$) yet is small on the MLP and, for the Pearson and CCC losses, not robust: the Pearson-loss MLP effect is $+0.0027$ ($[-0.0004, 0.0055]$, confidence interval including zero) and the CCC-loss MLP effect is null ($+0.0004$, $p_{\text{Holm}} = 0.17$), whereas the hybrid-loss MLP effect, while small, is significant ($+0.0044$, $p_{\text{Holm}} = 0.0018$). The MLP benefit is therefore small and, for Pearson and CCC, not robust, rather than uniformly negligible.

The confirmatory mixed model is consistent with this picture but must be read for what it actually estimates. It is additive in loss + model, with no loss $\times$ model interaction, so the Pearson-loss fixed effect ($+0.038$, $[0.028, 0.049]$, $t = 7.11$) is an average loss effect and the model terms are *baseline* contrasts, not moderators. The $\text{model}_{\text{MLP}} = +0.060$ coefficient means the MLP has the highest intrinsic accuracy among the three networks (relative to the CNN reference), not that architecture modulates the loss benefit; the genuine evidence for moderation is the stratified per-model Δ above (Transformer $+0.101$ versus MLP $+0.0027$), which is what we rely on when we say architecture dominates. We fit the model on cell-aggregate values — one row per dataset $\times$ trait $\times$ model $\times$ loss cell, $n = 1004$ cells — precisely so that the loss intervals are not inflated by the ten within-cell folds (5 folds $\times$ 2 repeats), which reuse the same frozen architecture and overlapping markers and are therefore not independent; a naive fold-level fit would treat the 10,040 fold-rows as independent and overstate precision. The cell-level mixed model and the unstratified per-cell BCa intervals above, which aggregate to one Δ per cell, agree and are the estimates we treat as primary.

The blunter reading is that none of the neural predictors, under any loss, was competitive with the simple parametric baselines on

these data. By mean rank across all cells, ridge regression (rank 2.85 on r , 4.01 on NDCG@10) and GBLUP (rank 3.45, 4.32) outrank every neural-network/loss combination; the best neural entry is the MLP with the hybrid loss (rank 5.28 on r), and the worst is the Transformer with MSE (rank 12.67). These mean ranks compare networks against baselines on *absolute* performance, and the same HPO caveat discussed below (the architecture is tuned on full-data validation splits) can mildly inflate the neural numbers; that inflation works *in favour* of the networks and therefore only strengthens, rather than threatens, the conclusion that the linear baselines win. The Pearson loss narrows the gap between a neural network and a ridge model — and on the deeper, more loss-sensitive architectures it narrows it substantially — but it does not close it. This is consistent with the now-standard finding that neither deep learning nor GBLUP systematically dominates in genomic prediction (Montesinos-López *et al.* 2025, 2021a): the loss function is one lever among several, and on additive, marker-dense traits the linear baselines remain hard to beat. The honest claim is therefore the conditional one: *if* a practitioner has already chosen a non-linear architecture — particularly a convolutional or attention-based one — whose default MSE training is poorly aligned with the correlation metric used for reporting and selection, then switching to a correlation-consistent loss is a low-cost, reliably positive change. It is not a reason to abandon GBLUP or ridge.

Calibration is mandatory whenever phenotypic scale matters

The flip side of Proposition 1 is that a correlation loss is *blind* to scale and offset, and the raw outputs of a Pearson-trained network confirm how badly this matters. On the Pearson-trained networks the raw predictions carry a mean calibration slope of 4.25 and a catastrophic mean intercept of -378.8 (with enormous spread, intercept std $\approx 5.1 \times 10^3$): the predictions have the right *shape* but live on the wrong axis entirely. A single closed-form affine map (Proposition 2), fit on validation predictions only, repairs this almost completely — the mean bias collapses from -0.76 to $+0.044$, the slope and intercept move toward their ideals, and RMSE drops from 8.68 to 7.07 — while leaving the Pearson correlation essentially unchanged at the mean level (0.531 raw versus 0.533 affine; the residual difference is noise). The fitted affine slope $a^* = \text{cov}(y, p) / \text{var}(p)$ is estimated on validation data, so the rank-preservation guarantee of Proposition 2 holds only when $a^* > 0$. This is the case for almost every cell — the affine map is increasing ($a^* > 0$) in over 99% of folds, equivalently the test r -sign flips in only 0.91% of them (90 of 9,943), and the post-calibration diagnostic slope is positive in $\approx 97\%$ of folds — but it is not universal: pooling all four neural-network losses, in 0.91% ($< 1\%$) of folds (90 of 9,943 — the 10,040 NN affine fold-rows minus 97 folds with undefined raw or affine r) a negative validation covariance produces a decreasing map on test, flipping the sign of the per-fold Pearson, with per-fold raw-versus-affine differences as large as 0.89 in the worst cases. Most of these flips come from the MSE folds (66 of 90); for the Pearson loss specifically the rate is only 8 of 2,486 (0.32%). We therefore qualify the theoretical statement: a strictly increasing affine map ($a^* > 0$) preserves every correlation-type and rank-based statistic exactly, and because the test r -sign is preserved in over 99% of folds the correlation is preserved on average; the categorical phrasing that it *must* be preserved holds only conditionally on $a^* > 0$. Isotonic calibration is marginally worse on r (0.516). Isotonic regression is monotone non-decreasing by construction (its mean fitted slope is $+0.76$), so the loss of correlation is *not* due to non-monotonicity; it arises because the isotonic fit maps distinct inputs to identical plateau values (piecewise-constant ties), which

is the well-known nonlinearity-versus-rank trade-off of isotonic regression. The practical consequence is unambiguous: a Pearson or CCC loss should *never* be deployed without recalibration when the downstream use requires phenotypic values on their natural scale — breeding values in trait units, RMSE-based model comparison, or any decision that mixes predictions with measured phenotypes (Figure 5). Affine calibration is the cheapest way to recover the property the loss discards, and it costs two numbers.

That said, calibration is a corrective, not a source of accuracy, and our RMSE results warn against expecting more from it than it can give. All RMSE deltas here are computed on affine-calibrated predictions. Pooled, the Pearson loss does *not* reliably reduce calibrated RMSE relative to MSE: the point estimate is $\Delta\text{RMSE} = -0.010$ with a BCa CI that crosses zero ($[-0.055, 0.079]$). The paired Wilcoxon test is nominally significant ($p_{\text{Holm}} = 0.0049$), but this is a sign/median statement, not a magnitude one — the signed-rank test detects a consistent direction in the per-cell differences while the mean effect and its CI are indistinguishable from zero. We do not interpret this pooled effect as an RMSE improvement. The hybrid loss is similar in the pool (point estimate $+0.006$, CI $[-0.041, 0.097]$ spanning zero with a worse sign; $p_{\text{Holm}} = 1.5 \times 10^{-4}$ again reflects only a weak directional regularity, not a meaningful change in magnitude), and for the CNN calibrated RMSE is not reliably changed (point estimate $+0.080$, CI $[-0.024, 0.326]$ spanning zero). The pooled nulls, however, mask a clear *per-architecture* exception: on the Transformer both the Pearson and the hybrid loss reliably lower calibrated RMSE (Pearson -0.090 , $[-0.153, -0.050]$; hybrid -0.119 , $[-0.247, -0.061]$, both CIs excluding zero), so the “only CCC” verdict holds only pooled, not for the Transformer. Among the losses only CCC — which penalizes scale and offset *inside* the objective rather than after it — lowers pooled calibrated RMSE by a per-cell bootstrap interval that excludes zero (-0.057 , $[-0.133, -0.027]$), and even that is driven by the CNN and Transformer. This CCC reduction is, however, supported by the per-cell bootstrap but *not* corroborated by the cell-level mixed model: the confirmatory RMSE LMM nulls the CCC effect just as it nulls the Pearson and hybrid effects (CCC -0.0565 , $t = -0.83$, CI $[-0.190, 0.077]$ crossing zero; Pearson -0.010 , $t = -0.15$; hybrid $+0.006$; all spanning zero). In short, once predictions are correctly calibrated, the choice of correlation loss buys ranking quality, not magnitude accuracy; if calibrated magnitude is the explicit goal, the CCC loss is the better starting point, but its calibrated-RMSE advantage should be read as suggestive rather than firmly established.

Selection quality requires top- k and ranking metrics, and it is noisier than r

Because breeders act on the tails of the predicted distribution rather than on the average fit, we evaluated selection directly. Here the correlation-consistent losses again help on average — relative efficiency at the top 10% improves by $\Delta = +0.038$ to $+0.040$ across the three losses, top-10% overlap by $+0.014$ to $+0.018$, and NDCG@10 by $+0.016$ to $+0.017$ — and the gains track the predictive-ability gains, again concentrated in the CNN and Transformer and again negligible for the MLP. For the MLP specifically the selection effects of the Pearson loss are not distinguishable from zero ($\Delta\text{NDCG@10} = +0.0026$, $p_{\text{Holm}} = 0.28$; $\Delta\text{overlap@10} = +0.0015$, $p_{\text{Holm}} = 1.0$; both Holm-corrected, the convention we use throughout). Two cautions follow. First, a better r does not *guarantee* better selection of the extremes: the relationship between Δr and $\Delta\text{NDCG@10}$ across cells is positive but loose, exactly as Blondel *et al.* (2015) and Ornella *et al.* (2014) warned, which is precisely why we report

selection-aware metrics rather than inferring selection quality from r alone. Second, the most decision-relevant quantity is also the noisiest: selection differential at $k = 10\%$ has a positive pooled mean for the Pearson loss (+0.25) but with an interval that, while excluding zero ([0.019, 0.612]), is extremely wide because it depends on a handful of top individuals per fold. NDCG@ k and relative efficiency are the better-behaved summaries and are what we recommend reporting. The broader point reinforces Waldmann (2019): the metric used to choose and evaluate a model changes the answer, and a genomic-selection study that reports only global r is not reporting the quantity it actually cares about.

Robustness under difficult splits is, at best, suggestive

We probed whether the benefit survives harder generalization regimes (leave-family-out on SoyNAM, cross-environment transfer on CIMMYT wheat, within-environment, and random K -fold) in a separate experiment, re-run so that all three neural architectures (CNN, Transformer and MLP) carry an MSE baseline under every scheme and the loss contrasts therefore cover each architecture. The honest summary is that the gain holds under random and within-environment CV but attenuates to zero under family- and environment-structured splits across every architecture, and that the evidence base for these directional statements remains thin. The SoyNAM random, leave-family-out and wheat within-environment contrasts each pool $n = 12$ (dataset, model) cells, and the cross-environment contrast pools $n = 36$ ordered environment pairs derived from the same four environments on the same 599 wheat lines, which are not mutually independent. With those caveats stated plainly: under random K -fold CV the benefit persists and is largest for the harder-to-train architectures, mirroring the main grid (pooled CCC $\Delta r = +0.025$, BCa CI [0.012, 0.054], $p_{\text{Holm}} = 0.006$; the Transformer alone +0.025 under random SoyNAM CV and +0.063 within wheat environments). Under the harder, breeding-relevant schemes the gain disappears across every architecture: the pooled Pearson-loss $\Delta r = -0.006$ ([−0.017, 0.004]) for leave-family-out and −0.002 ([−0.011, 0.007]) for cross-environment transfer, with every interval spanning zero and all Holm-corrected p -values equal to one, and none of the MLP, CNN or Transformer showing a reliable gain under family or environment structure. The practically defensible reading is that the loss benefit is clearest under random partitioning and is not demonstrated to carry over to family- or environment-level extrapolation on the limited hard splits available here.

Recommendations for breeders and practitioners

We distil the above into concrete, defensible guidance.

- 1. Match the loss to the architecture, not to fashion.** For linear predictors (GBLUP, ridge), keep their native estimators — they were the strongest methods in this study and have no loss to tune. Reserve the correlation-consistent loss for non-linear networks (CNN, Transformer), where it gave the clearest and most reliable gains; for a plain MLP it is essentially neutral and not worth the change.
- 2. Always calibrate before reading predictions on their natural scale.** If the deliverable is a ranking, raw correlation-trained outputs suffice; if it is a breeding value, an RMSE, or anything compared against measured phenotypes, apply the closed-form affine map fit on held-out data. It preserves the ranking exactly whenever the fitted slope is positive, so the test r -sign is preserved in over 99% of folds, and is free.

3. Report selection-aware metrics alongside r . At minimum report NDCG@ k and relative efficiency (or top- k overlap) at the selection intensities the program actually uses (here $k \in \{5, 10, 15, 20\}\%$). Treat selection differential as informative but high-variance.

4. Prefer the CCC loss when calibrated scale and ranking both matter. Among the objectives tested, the CCC loss was the *only* one to reduce pooled calibrated RMSE with a per-cell bootstrap interval excluding zero while matching the other correlation-aware losses on ranking, giving a single training run that serves both magnitude and selection use-cases; this CCC advantage is, however, supported by the bootstrap but not corroborated by the cell-level mixed model (which nulls it), so treat it as suggestive. Per architecture, the picture differs: on the Transformer both the Pearson and the hybrid loss reliably lowered calibrated RMSE (Pearson −0.090, hybrid −0.119, both CIs excluding zero), whereas pooled neither did, and for the CNN the hybrid loss did not reliably change RMSE (point estimate +0.080, CI [−0.024, 0.326] spanning zero), so a calibrated-RMSE benefit should not be generalized across architectures.

5. Do not expect a loss change to substitute for a better model. On additive, marker-dense traits the linear baselines remained ahead of all neural variants; the loss is a refinement, not a replacement for sound model choice.

Limitations and future work

Several limitations temper these conclusions. First, and most importantly for honest interpretation, our hyper-parameter search selected each network's architecture on full-data validation splits under a neutral MSE objective, after which the architecture was frozen and shared identically across all losses. Some test-fold genotypes' phenotypes can therefore have informed the architecture choice, so any *absolute* accuracy we report — raw and calibrated r values, the calibration-table RMSE figures, the batch-size correlations, and the neural rows of the mean-rank table — may be mildly, and we stress symmetrically, optimistically biased; none of these absolute numbers should be read as an unbiased estimate of out-of-sample accuracy. Because every loss and every calibration is compared *within* the same frozen architecture, and our inferential targets are always expressed as Δ versus MSE, this cannot bias the relative loss/calibration comparisons that constitute our claims; GBLUP, having no tuned hyper-parameters, is unaffected entirely, and the baseline-versus-network ranking is if anything conservative because the bias favours the networks. A fully nested HPO would remove even the cosmetic inflation of absolute numbers and is the natural next step.

Second, the gains, while statistically supported on random splits, are modest in absolute terms ($\Delta r \approx 0.04$ pooled) and uneven across architectures and species; they should not be oversold, and the pooled mean is computed over an architecturally unbalanced set of cells (CNN and MLP on all 101 trait-datasets, Transformer on only 49 across four species), with the largest per-architecture effect attaching to the smaller Transformer subset. Third, the most breeding-relevant metric, the selection differential, is estimated with high variance from few top individuals per fold, and larger panels or pooled multi-fold estimators would sharpen it. Fourth, our evidence on harder generalization regimes is limited. We caution against over-reading the LMM with respect to split strategy: a split *scheme* factor has only two levels here, “predefined” (the ten EasyGeSe species, their native five-fold CV partitions) and

“random” (K -fold on SoyNAM’s four traits and CIMMYT wheat), so it is fully confounded with dataset source — a contrast between two dataset groups, *not* between structured and random splitting — and we therefore do not include a scheme term in the mixed model. The leave-family-out and cross-environment contrasts are not levels of this factor and are estimated only in the separate splits experiment, which — as discussed above — shows the benefit attenuating to zero under family- and environment-level extrapolation rather than persisting. The hard-split experiment now covers all three architectures (CNN, Transformer and MLP), each with its own MSE baseline, and the attenuation under family and environment structure holds across every one of them, so the remaining limitation is statistical power rather than architecture coverage: the number of genuinely independent hard splits is small ($n = 12$ pooled cells per scheme, $n = 36$ non-independent environment pairs), and establishing whether correlation-consistent training helps under realistic structured prediction will require substantially more, and more independent, hard-split data. Finally, our networks did not beat the linear baselines, so the practical ceiling on the value of any loss here is bounded by the predictors that benefit from it.

Future work follows directly. The group-aware variant of the loss (Section [Multi-trait and group-aware variants](#)), which targets within-environment or within-family correlation rather than the pooled value, is the most promising extension for multi-environment breeding and was not exercised here. The mini-batch bias of the correlation loss (Proposition 3) motivates principled large-batch or statistic-accumulation training schemes. And a multi-trait formulation $\mathcal{L} = \sum_t w_t(1 - r_t)$ would let a single network serve correlated breeding objectives jointly. In each case the same discipline applies: align the training objective with the evaluation objective, calibrate when scale matters, and judge selection by selection metrics.

CONCLUSION

A standardized-MSE Pearson loss aligns neural-network training with the predictive-ability metric used throughout genomic prediction; because correlation is scale-free, affine calibration or a hybrid loss is required when calibrated phenotypic values matter; and for breeding decisions, global correlation should be complemented by top- k and ranking-aware metrics. Empirically, across 101 trait-datasets the benefit of correlation-consistent training is real but architecture-dependent — substantial for CNNs and Transformers, negligible for a well-tuned MLP — and on these benchmarks no neural loss unseated GBLUP or ridge on mean rank. The framework is thus a principled, well-characterized tool to be applied judiciously, not a universal replacement for MSE.

LITERATURE CITED

Bates, D., M. Mächler, B. Bolker, and S. Walker, 2015 Fitting linear mixed-effects models using lme4. *Journal of Statistical Software* **67**: 1–48.

Benjamini, Y. and Y. Hochberg, 1995 Controlling the false discovery rate: a practical and powerful approach to multiple testing. *Journal of the Royal Statistical Society: Series B* **57**: 289–300.

Blondel, M., A. Onogi, H. Iwata, and N. Ueda, 2015 A ranking approach to genomic selection. *PLoS ONE* **10**: e0128570.

Crossa, J., G. de los Campos, P. Pérez, D. Gianola, J. Burgueño, *et al.*, 2010 Prediction of genetic values of quantitative traits in plant breeding using pedigree and molecular markers. *Genetics* **186**: 713–724.

Desta, Z. A. and R. Ortiz, 2014 Genomic selection: genome-wide prediction in plant improvement. *Trends in Plant Science* **19**: 592–601.

Endelman, J. B., 2011 Ridge regression and other kernels for genomic selection with R package rrBLUP. *The Plant Genome* **4**: 250–255.

Harris, C. R., K. J. Millman, S. J. van der Walt, *et al.*, 2020 Array programming with NumPy. *Nature* **585**: 357–362.

Heffner, E. L., M. E. Sorrells, and J.-L. Jannink, 2009 Genomic selection for crop improvement. *Crop Science* **49**: 1–12.

Jannink, J.-L., A. J. Lorenz, and H. Iwata, 2010 Genomic selection in plant breeding: from theory to practice. *Briefings in Functional Genomics* **9**: 166–177.

Järvelin, K. and J. Kekäläinen, 2002 Cumulated gain-based evaluation of IR techniques. *ACM Transactions on Information Systems* **20**: 422–446.

Kingma, D. P. and J. Ba, 2015 Adam: A method for stochastic optimization. In *International Conference on Learning Representations (ICLR)*.

Lin, L. I.-K., 1989 A concordance correlation coefficient to evaluate reproducibility. *Biometrics* **45**: 255–268.

Ma, W., Z. Qiu, J. Song, J. Li, Q. Cheng, *et al.*, 2018 A deep convolutional neural network approach for predicting phenotypes from genotypes. *Planta* **248**: 1307–1318.

Meuwissen, T. H. E., B. J. Hayes, and M. E. Goddard, 2001 Prediction of total genetic value using genome-wide dense marker maps. *Genetics* **157**: 1819–1829.

Montesinos-López, O. A. *et al.*, 2025 Artificial intelligence meets genomic selection: comparing deep learning and GBLUP across diverse plant datasets. *Frontiers in Genetics* **16**: 1568705.

Montesinos-López, O. A., A. Montesinos-López, C. M. Hernandez-Suarez, J. A. Barrón-López, and J. Crossa, 2021a Deep-learning power and perspectives for genomic selection. *The Plant Genome* **14**: e20122.

Montesinos-López, O. A., A. Montesinos-López, P. Pérez-Rodríguez, *et al.*, 2021b A review of deep learning applications for genomic selection. *BMC Genomics* **22**: 19.

Ornella, L., P. Pérez, E. Tapia, J. M. González-Camacho, *et al.*, 2014 Genomic-enabled prediction with classification algorithms. *Heredity* **112**: 616–626.

Pandit, V. and B. Schuller, 2019 The many-to-many mapping between the concordance correlation coefficient and the mean square error. *arXiv preprint arXiv:1902.05180*.

Paszke, A., S. Gross, F. Massa, *et al.*, 2019 PyTorch: An imperative style, high-performance deep learning library. In *Advances in Neural Information Processing Systems*, volume 32.

Pedregosa, F., G. Varoquaux, A. Gramfort, *et al.*, 2011 Scikit-learn: Machine learning in Python. *Journal of Machine Learning Research* **12**: 2825–2830.

Pérez, P. and G. de los Campos, 2014 Genome-wide regression and prediction with the BGLR statistical package. *Genetics* **198**: 483–495.

Quesada-Traver, C., D. Ariza-Suarez, B. Studer, and S. Yates, 2025 EasyGeSe: a resource for benchmarking genomic prediction methods. *BMC Genomics* **26**: 953.

VanRaden, P. M., 2008 Efficient methods to compute genomic predictions. *Journal of Dairy Science* **91**: 4414–4423.

Waldmann, P., 2019 On the use of the pearson correlation coefficient for model evaluation in genome-wide prediction. *Frontiers in Genetics* **10**: 899.

Wang, K., M. A. Abid, A. Rasheed, J. Crossa, S. Hearne, *et al.*, 2023 DNNGP, a deep neural network-based method for genomic




Figure 1 Geometry of the standardized-MSE / Pearson identity (Proposition 1).




Figure 2 Controlled simulation of Proposition 2: a well-correlated but mis-scaled prediction (left) is corrected by affine calibration (middle) — RMSE falls while Pearson r is unchanged — and the top-20% selection overlap is identical before and after (right).




Figure 3 Dataset map: size, dimensionality and predictability across species.




Figure 4 Loss comparison: Δ versus MSE for Pearson, hybrid and CCC losses.




Figure 5 Affine calibration restores scale and offset while leaving Pearson unchanged.




Figure 6 When does correlation-consistent training help?

■ **Table 1** The 101 trait–dataset combinations across 12 panels/sources (10 species; 10 panels from EasyGeSe, plus CIMMYT wheat and SoyNAM). *n* is the number of genotypes, *p* the markers used (after MAF filtering and the 20,000-marker variance cap), and GBLUP *r* the mean within-dataset predictive ability of GBLUP (a difficulty index).

Species	<i>n</i>	<i>p</i>	traits	GBLUP <i>r</i>	source
rice	352	20,000	36	0.46	EasyGeSe
pine	925	4,421	17	0.82	EasyGeSe
wheatG	371	12,546	16	0.59	EasyGeSe
maize	4421	20,000	6	0.83	EasyGeSe
bean	444	16,707	5	0.57	EasyGeSe
lentil	324	20,000	5	0.79	EasyGeSe
soybeanNAM	5487	4,401	4	0.71	SoyNAM
wheat	599	1,279	4	0.46	BGLR/CIMMYT
barley	1438	20,000	2	0.58	EasyGeSe
oyster	372	20,000	2	0.38	EasyGeSe
pig	1709	20,000	2	0.31	EasyGeSe
soybean	346	20,000	2	0.40	EasyGeSe

The count of 12 panels/sources (spanning 10 species) treats related germplasm sharing a common crop as distinct panels: wheatG (EasyGeSe) and wheat (CIMMYT) are separate sources, as are soybean (EasyGeSe) and soybeanNAM (SoyNAM) panels of the same species drawn from different sources.

1 prediction using multi-omics data in plants. *Molecular Plant* **16**:

2 279–293.

3 Wang, Z. *et al.*, 2024 PNNGS, a multi-convolutional parallel neural

4 network for genomic selection. *Frontiers in Plant Science* **15**:

5 1410596.

6 Washburn, J. D. *et al.*, 2025 Global genotype by environment pre-

7 diction competition reveals that diverse modeling strategies can

8 deliver satisfactory maize yield estimates. *Genetics* **229**: iyae195.

9 Xavier, A., W. M. Muir, and K. M. Rainey, 2016 Assessing predictive

10 properties of genome-wide selection in soybeans. *G3: Genes,*

11 *Genomes, Genetics* **6**: 2611–2616.