## **NE 155**

## Introduction to Numerical Simulations in **Radiation Transport**

**Lecture 33: Probability and Statics** 

R. N. Slaybaugh

April 15, 2015

• **PDFs**: the physical/mathematical system must be described by a set of pdfs.

- **PDFs**: the physical/mathematical system must be described by a set of pdfs.
- Random number generator: a source of random #s uniformly distributed on the unit interval.

- **PDFs**: the physical/mathematical system must be described by a set of pdfs.
- Random number generator: a source of random #s uniformly distributed on the unit interval.
- **Sampling rule**: prescription for sampling the pdf (given having random #s)

- **PDFs**: the physical/mathematical system must be described by a set of pdfs.
- Random number generator: a source of random #s uniformly distributed on the unit interval.
- **Sampling rule**: prescription for sampling the pdf (given having random #s)
- **Scoring**: the outcomes must be accumulated/<u>tallied</u> for quantities of interest

- **PDFs**: the physical/mathematical system must be described by a set of pdfs.
- Random number generator: a source of random #s uniformly distributed on the unit interval.
- **Sampling rule**: prescription for sampling the pdf (given having random #s)
- **Scoring**: the outcomes must be accumulated/<u>tallied</u> for quantities of interest
- *Error estimation*: an estimate of the statistical error (<u>variance</u>) of the solution

- **PDFs**: the physical/mathematical system must be described by a set of pdfs.
- Random number generator: a source of random #s uniformly distributed on the unit interval.
- **Sampling rule**: prescription for sampling the pdf (given having random #s)
- **Scoring**: the outcomes must be accumulated/<u>tallied</u> for quantities of interest
- *Error estimation*: an estimate of the statistical error (<u>variance</u>) of the solution
- Variance Reduction: methods for reducing the variance and computation time simultaneously

- **PDFs**: the physical/mathematical system must be described by a set of pdfs.
- Random number generator: a source of random #s uniformly distributed on the unit interval.
- **Sampling rule**: prescription for sampling the pdf (given having random #s)
- **Scoring**: the outcomes must be accumulated/<u>tallied</u> for quantities of interest
- *Error estimation*: an estimate of the statistical error (<u>variance</u>) of the solution
- Variance Reduction: methods for reducing the variance and computation time simultaneously
- Parallelization: efficient use of computers

R. N. Slaybaugh NE 155 April 15, 2015

## **OUTLINE / LEARNING OBJECTIVES**

- 1 Probability Density Functions
- 2 Standard Statistical Quantities
- 3 Accuracy vs. Precision
- 4 Central Limit Theorem
- **5** Relative Error

- 1 Understand the derivation of basic statistical quantities
- ② Be able to explain the difference between accuracy and precision
- 3 Understand how to interpret and apply confidence intervals

3 / 10

Understand derivation and use of relative error


Notes derived from Jasmina Vujic and Paul Wilson

#### **FUNDAMENTAL CONCEPT**

- Many individual particle histories are simulated
- Each physical event is determined by randomly sampling a probability distribution
- Each history can contribute to the physical measurement of interest
  - $x_i$  = contribution of history i
  - Different ways to calculate score
    - Does particle cross surface?
    - How much time does particle spend in particular region?

#### FUNDAMENTAL CONCEPT

• Set of individual contributions,  $x_i$ , forms a *probability distribution* 



• We are interested in the mean value of that contribution,  $\overline{x_i}$ , and its variance,  $S_{\overline{x}}^2$ 

# TWO ENCOUNTERS WITH PROBABILITY DISTRIBUTIONS

- Probability distributions for the outcome of each physical event
- We use Random Sampling techniques to evaluate these at each occurrence
- Underlying probability distribution for each physical measurement of interest
- We estimate the statistical moments of these distributions to get our physical answers

#### TO THE BOARD



7/10 7 / 10

#### TWO TYPES OF MC METHODOLOGY

#### Analog

- Natural laws are preserved
- The game is the "analog" of the physical problem of interest (the history of each particle is simulated exactly)

#### TWO TYPES OF MC METHODOLOGY

#### Analog

- Natural laws are preserved
- The game is the "analog" of the physical problem of interest (the history of each particle is simulated exactly)

#### Non-Analog

- To reduce computation time, the strict analog simulation of particles is abandoned (i.e. we CHEAT)
- Variance Reduction techniques:
  - Absorption suppression
  - Russian Roulette (history termination)
  - Splitting (history propagation)
  - Forced collisions
  - Source biasing
  - Hybrid methods

#### ANALOG VS. WEIGHTED MC

#### Analog

- No alteration of PDFs
- At collision, particle is killed if absorption
- Particle is born with weight 1
- weight unchanged throughout history
- Score when tallying events is 1

### ANALOG VS. WEIGHTED MC

#### Analog

- No alteration of PDFs
- At collision, particle is killed if absorption
- Particle is born with weight 1
- weight unchanged throughout history
- Score when tallying events is 1

#### Non-Analog (weighted)

- Alter PDFs to favor events of interest
- Particle can have different birth weight
- Weight is altered if biased PDF is used
- Particle survives "absorption" and weight is changed
- Splitting and RR can change weight
- Score current weight when tallying

R. N. Slaybaugh NE 155 April 15, 2015 9 / 10

• Rich variety of statistical analysis is possible.

- Rich variety of statistical analysis is possible.
- The difference between accuracy and precision is important

- Rich variety of statistical analysis is possible.
- The difference between accuracy and precision is important
- Accuracy is not always known and can be difficult to improve

- Rich variety of statistical analysis is possible.
- The difference between accuracy and precision is important
- Accuracy is not always known and can be difficult to improve
- Precision can be improved by more histories in a measurement, but not always more histories in a problem