


Write a command for this scenario ?

Enable dhcp on R1 for this two department



Command line interface

R1

```

R1>en
R1# conf t
R1(conf)# int e0/0
R1(conf)# ip add 10.0.0.1 255.0.0.0
R1(conf-if)# no sh
R1(conf-if)# ex
R1(conf)# int e0/1
R1(conf-if)# ip add 11.0.0.1 255.0.0.0
R1(conf-if)# no sh
R1(conf)# ip dhcp pool HR
R1(conf)# network 10.0.0.0 255.0.0.0
R1(conf)# default-router 10.0.0.1
R1(conf)# dns-server 8.8.8.8
R1(conf)# lease 1 2 3
R1(conf-if)# ex
  
```

```

R1(conf)# ip dhcp excluded-address
10.0.0.1 10.0.0.50
R1(conf)# ip dhcp pool SALES
R1(conf-if)# network 12.0.0.0 255.0.0.0
R1(conf-if)# default-router 12.0.0.1
R1(conf-if)# dns-server 8.8.8.8
R1(conf-if)# lease 1 2 3
R1(conf-if)# ex
R1(conf)# ip dhcp excluded-address
12.0.0.1 12.0.0.50
R1(conf)# exit
  
```

R2

```

R2>en
R2# conf t
R2(conf t)# int e0/0
R2(conf)# ip helper-address 11.0.0.1
  
```