


TASK 3: VLAN CONFIGURATION IN SWITCH 1


PAGP PROTOCOL



```
SW1
SW1(config)#vlan 10
SW1(config-vlan)#name VLAN10
SW1(config-vlan)#ex
SW1(config)#
SW1(config)#int range e1/0 - 1
SW1(config-if-range)#switchport trunk encapsulation dot1q
SW1(config-if-range)#switchport mode trunk
SW1(config-if-range)#channel-group 1 mode auto
Creating a port-channel interface Port-channel 1
SW1(config-if-range)#no sh
SW1(config-if-range)#ex
*Aug 17 10:04:45.811: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet1/0, changed state to down
*Aug 17 10:04:45.811: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet1/1, changed state to down
SW1(config-if-range)#ex
SW1(config)#
*Aug 17 10:04:54.806: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet1/0, changed state to up
*Aug 17 10:04:55.752: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet1/1, changed state to up
SW1(config)#
SW1(config)#int
SW1(config)#int
*Aug 17 10:04:59.172: %LINK-3-UPDOWN: Interface Port-channel1, changed state to up
*Aug 17 10:05:00.173: %LINEPROTO-5-UPDOWN: Line protocol on Interface Port-channel1, changed state to up
SW1(config)#int e0/3
SW1(config-if)#switchport trunk encapsulation dot1q
SW1(config-if)#switchport mode trunk
SW1(config-if)#channel-group 1 mode auto
SW1(config-if)#no sh
SW1(config-if)#ex
*Aug 17 10:05:39.087: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet0/3, changed state to down
SW1(config-if)#ex
SW1(config)#
*Aug 17 10:05:47.627: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet0/3, changed state to up
SW1(config)#
SW1(config)#int Port-channel1
SW1(config-if)#switchport trunk encapsulation dot1q
SW1(config-if)#switchport mode trunk
SW1(config-if)#switchport trunk allowed vlan 10
SW1(config-if)#ex
```

Physical 01:00:00


LACP PROTOCOL



```
SW1
SW1(config)#
SW1(config)#
SW1(config)#
SW1(config)#
SW1(config)#
SW1(config)#
SW1(config)#
SW1(config)#
SW1(config)#
SW1(config)#
SW1(config)#int e0/0
*Aug 17 10:07:54.798: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
SW1(config)#int range e0/0 - 2
SW1(config-if-range)#switchport trunk encapsulation dot1q
SW1(config-if-range)#switchport mode trunk
SW1(config-if-range)#channel-group 2 mode active
Creating a port-channel interface Port-channel 2
SW1(config-if-range)#no sh
SW1(config-if-range)#ex
SW1(config)#
*Aug 17 10:08:56.156: %LINK-3-UPDOWN: Interface Port-channel2, changed state to up
*Aug 17 10:08:57.156: %LINEPROTO-5-UPDOWN: Line protocol on Interface Port-channel2, changed state to up
SW1(config)#int Port-channel2
^
% Invalid input detected at '^' marker.
SW1(config)#int Port-channel2
SW1(config-if)#switchport trunk encapsulation dot1q
SW1(config-if)#switchport mode trunk
SW1(config-if)#switchport trunk allowed vlan 10
SW1(config-if)#ex
SW1(config)#
```

TASK 4: VLAN CONFIGURATION IN SWITCH 3

LACP PROTOCOL



TASK 5: CONNECTION ESTABLISHMENT VERIFICATION USING ping

