

HEALTH BEACON

CNA EXAM PREP

Practice Exam 01

70 practice questions | Printable Practice Exam

Instructions Select the single best answer for each question. An answer key with explanations begins after the question section.

PART A - QUESTIONS

1.

Scenario

A nurse aide is preparing to take a resident with an indwelling urinary catheter to the dining room in a wheelchair.

Which action best protects the resident from infection and impaired urine flow?

- A) Attach the drainage bag below bladder level without letting it touch the floor
- B) Place the drainage bag on the resident's lap under a blanket
- C) Hang the drainage bag from the walker beside the wheelchair
- D) Clamp the catheter tubing until the resident returns to bed

2.

Scenario

During lunch, a resident coughs after a sip of juice and develops a wet-sounding voice.

What should the nurse aide do first?

- A) Stop feeding, keep the resident upright, and alert the nurse
- B) Offer a larger sip to help clear the resident's throat
- C) Lower the head of the chair and allow the resident to rest
- D) Continue with solid food but withhold all liquids

3.

Scenario

A resident with severe vision loss is startled when staff touch the resident without warning.

Which approach should the nurse aide use?

- A) Enter quietly and begin care without speaking
- B) Ask the roommate to announce each staff member
- C) Identify oneself, explain the care, and warn the resident before touching
- D) Speak only after the resident asks who is present

4.**Which infection-control action is required after removing disposable gloves?**

- A) Wash the gloves before discarding them
- B) Perform hand hygiene immediately
- C) Put on a second pair of gloves
- D) Wipe the hands with a dry paper towel

5.**Scenario**

A resident with dementia becomes worried each afternoon and says, "I must pick up my children from school."

What is the nurse aide's best response?

- A) Acknowledge the worry and redirect the resident to a familiar activity
- B) Explain repeatedly that the children are now adults
- C) Tell the resident the school called and canceled pickup
- D) Ignore the statement so the behavior is not reinforced

6.**Scenario**

A resident is receiving a shower in a shared bathing room when a staff member opens the door to ask a routine question.

What should the nurse aide do?

- A) Continue the shower because both workers are facility employees
- B) Cover only the resident's face while answering the question
- C) Close the door or privacy curtain and discuss the routine matter later
- D) Ask the resident to answer the staff member

7.**What is the safest way to handle dentures while cleaning them?**

- A) Hold them over an empty porcelain sink
- B) Scrub them with hot water to remove debris
- C) Hold them over a towel-lined basin or a basin partly filled with water
- D) Soak them in undiluted mouthwash after every meal

8.**Scenario**

A resident has weakness on the left side and can help with dressing.

When helping the resident put on a shirt, which action supports safe independence?

- A) Dress the stronger arm first and remove it last
- B) Complete the task quickly without asking the resident to help
- C) Pull both sleeves on at the same time while the resident lies flat
- D) Guide the weaker arm into the sleeve first and let the resident do the parts that are manageable

9.**Scenario**

A nurse aide notices a puddle of water in a busy hallway and no cleaning supplies are nearby.

What should the nurse aide do first?

- A) Leave to find a mop before someone sees the spill
- B) Place a towel over the puddle and continue rounds
- C) Ask a resident walking nearby to warn others
- D) Stay by the spill, keep people away, and summon help to clean it

10.**Scenario**

The nurse tells a nurse aide to "ambulate the resident as tolerated," but the care plan lists two different mobility devices.

What should the nurse aide do?

- A) Choose the device that is closest to the resident's room
- B) Ask the nurse to clarify the instruction before beginning
- C) Let the resident decide which device is safest
- D) Skip ambulation and document that the resident refused

11.**Scenario**

A resident on a scheduled toileting program presses the call light and says there is an urgent need to use the toilet.

What is the nurse aide's best action?

- A) Ask the resident to wait until the next scheduled round
- B) Assist promptly according to the care plan and provide privacy
- C) Place an absorbent brief on the resident instead
- D) Tell the resident to avoid drinking until after lunch

12.**Scenario**

A nurse aide sees a coworker pinch a resident who is resisting care.

What should the nurse aide do?

- A) Wait to see whether the coworker does it again
- B) Discuss the incident only with other nurse aides
- C) Ask the resident not to resist care next time
- D) Protect the resident from further harm and report the incident immediately

13.**Scenario**

A nurse aide collects a urine specimen as directed and is still at the resident's bedside.

What should the nurse aide do before taking the specimen from the room?

- A) Ask the next shift to identify the specimen later
- B) Label the container using the required resident identifiers
- C) Place the unlabeled container in the specimen refrigerator
- D) Write only the room number on the lid

14.**Scenario**

A usually sociable resident has stayed in bed, declined activities, and spoken very little for two days.

What is the nurse aide's best response?

- A) Listen without pressure and report the change in behavior to the nurse
- B) Tell the resident that staying busy will solve the problem
- C) Promise not to tell anyone if the resident explains why
- D) Wait a week because mood changes are expected in long-term care

15.**Scenario**

During a bath, a resident says the water feels too hot.

What should the nurse aide do?

- A) Explain that warm water is needed for proper cleaning
- B) Finish washing quickly before the water cools
- C) Add cold water while the resident remains in the tub
- D) Stop, make the water safe and comfortable, and confirm the temperature with the resident

16.**Scenario**

A resident refuses a scheduled morning bath and says, "Not now."

What should the nurse aide do?

- A) Explain that refusal is not allowed on bath day
- B) Ask a family member to persuade the resident
- C) Respect the refusal, ask about preferences, offer another time, and report it
- D) Bathe the resident in bed without further discussion

17.**Scenario**

While walking in the hall, a resident suddenly reports chest pressure and looks pale.

What should the nurse aide do first?

- A) Walk the resident back to the room for privacy
- B) Help the resident sit safely, stay nearby, and call for immediate assistance
- C) Offer water and recheck the resident after ten minutes
- D) Ask the resident to finish the walk slowly

18.**Scenario**

A resident understands speech but has difficulty forming words after a stroke.

Which communication technique is best?

- A) Ask simple yes-or-no questions and allow enough time for a response
- B) Complete each sentence as soon as the resident pauses
- C) Direct all questions to the resident's family
- D) Speak much louder and repeat the same sentence rapidly

19.**Scenario**

A resident with a weak right leg uses a walker and follows a care plan that permits walking with one-person assistance.

Which sequence should the nurse aide cue?

- A) Strong leg, weak leg, then walker
- B) Weak leg, strong leg, then walker
- C) Walker, weak leg, then strong leg
- D) Walker, strong leg, then weak leg

20.**Scenario**

A resident reports abdominal discomfort and says there has been no bowel movement for four days.

What should the nurse aide do?

- A) Give the resident a laxative from the bedside drawer
- B) Insert a rectal suppository without an order
- C) Tell the resident this is normal with aging
- D) Report the complaint and observation to the nurse promptly

21.

Which personal protective equipment is appropriate when splashing of body fluids is reasonably expected?

- A) A mask only, regardless of the task
- B) Gloves only because standard precautions require no other barriers
- C) Shoe covers and a hair cover for every care activity
- D) Gloves and face or eye protection, with a gown if clothing may be soiled

22.

Scenario

While making an occupied bed, a nurse aide hears another resident call, "I cannot breathe."

What should the nurse aide do?

- A) Make the first resident safe, respond immediately, and call for help
- B) Finish changing the bed before checking the other resident
- C) Tell the other resident to use the call light again
- D) Ask a visitor to decide whether the problem is urgent

23.

Scenario

A resident whose spouse recently died begins crying while looking at photographs.

What is the nurse aide's best response?

- A) Sit quietly, listen if the resident wants to talk, and allow grief to be expressed
- B) Put the photographs away to prevent more sadness
- C) Say, "You need to be strong and move on"
- D) Change the subject to something cheerful immediately

24.

Scenario

A resident reports difficulty falling asleep because the unit is noisy at night.

Which action is most appropriate for the nurse aide?

- A) Encourage a long late-afternoon nap
- B) Reduce avoidable noise and support the resident's usual bedtime routine
- C) Turn on the television to cover hallway sounds
- D) Tell the resident that facility noise cannot be changed

25.**Scenario**

While measuring a resident's radial pulse, a nurse aide notices that the beats are unevenly spaced.

What should the nurse aide do?

- A) Record the pulse as regular because the rate is within the usual range
- B) Massage the wrist until the rhythm becomes even
- C) Count for a full minute and report the irregular rhythm to the nurse
- D) Ask the resident to count the pulse instead

26.**Scenario**

A resident asks for private time with a long-term partner during visiting hours.

What is the nurse aide's best response?

- A) Support the request for privacy within the same reasonable rules used for other visitors
- B) Refuse because only legal spouses may visit privately
- C) Stay in the room to monitor the conversation
- D) Ask other residents whether they approve

27.**Scenario**

A resident tells the nurse aide about a plan to fast from sunrise to sunset for a religious observance.

What should the nurse aide do?

- A) Tell the resident that facility meal times cannot be changed
- B) Assume the resident will refuse all care during the fast
- C) Ask how the resident would like to be supported and communicate the request to the nurse
- D) Bring meals at the usual times without discussing the preference

28.**Scenario**

A resident who cannot reposition independently has slid toward the foot of the bed. The care plan calls for two-person assistance.

Which action best reduces friction and shear?

- A) Pull the resident up by the wrists
- B) Raise the head of the bed fully and drag the resident upward
- C) Ask the resident to hold the side rails while one aide pulls the sheet
- D) Obtain a second worker and use the designated repositioning sheet according to the care plan

29.**Scenario**

A meal tray labeled for another resident arrives in the room of a resident who has a texture-modified diet.

What should the nurse aide do?

- A) Serve only the foods that appear soft
- B) Ask the resident whether the tray looks acceptable
- C) Blend the regular food before serving it
- D) Hold the tray and obtain the correct meal before assisting the resident

30.**Scenario**

A resident who speaks little English must receive instructions about an unfamiliar transfer. A family member offers to interpret but appears unsure of the instructions.

What should the nurse aide do?

- A) Request the facility's qualified language assistance and follow the clarified care instructions
- B) Use gestures and begin the transfer without confirming understanding
- C) Ask another resident who speaks the language to interpret
- D) Skip the explanation because the family member is present

31.**Scenario**

A nurse aide is about to measure an oral temperature when the resident finishes a glass of ice water.

What is the best action?

- A) Take the oral temperature immediately and add one degree
- B) Wait the required interval under facility procedure, then measure the temperature
- C) Ask the resident to hold the thermometer longer than usual
- D) Record the temperature as normal without measuring it

32.**Scenario**

During assisted range-of-motion exercises listed in the care plan, a resident reports sharp shoulder pain and the joint resists movement.

What should the nurse aide do?

- A) Move the joint faster to pass the stiff area
- B) Stop the movement and report the pain and resistance to the nurse
- C) Complete ten repetitions before stopping
- D) Ask the resident to exercise the joint without assistance

33.**Scenario**

Near sunset, a resident with dementia begins pacing and pulling at clothing in a crowded lounge.

Which action is best?

- A) Approach calmly, reduce stimulation, and offer a familiar purposeful activity
- B) Block the resident's path and demand an explanation
- C) Correct the behavior in front of the other residents
- D) Apply a restraint so the resident remains seated

34.**When providing perineal care to a female resident, in which direction should the nurse aide cleanse?**

- A) From the anus toward the urinary opening
- B) In circles from the outer area inward
- C) Back and forth with the same part of the washcloth
- D) From the urinary opening toward the anus, using a clean area for each stroke

35.**Scenario**

A grateful resident offers a nurse aide a large amount of cash and asks that it be kept secret.

What should the nurse aide do?

- A) Accept it because the resident offered voluntarily
- B) Divide it among the staff to avoid favoritism
- C) Decline the gift and follow facility policy for reporting the offer
- D) Keep it temporarily and return it after the resident is discharged

36.**Which safety measure is appropriate when oxygen is in use in a resident's room?**

- A) Apply petroleum jelly around the resident's nostrils
- B) Enforce no-smoking rules and keep ignition sources away
- C) Cover the oxygen concentrator with a blanket to reduce noise
- D) Change the oxygen flow rate when the resident feels short of breath

37.**Scenario**

A staff member wants to borrow a resident's cardigan for a cold trip home and promises to return it the next day.

What should the nurse aide do?

- A) Allow it if the cardigan has no name label
- B) Ask the resident's roommate for permission
- C) Record the loan in the resident's chart
- D) Explain that the resident's property may not be used by staff

38.**Scenario**

A resident can choose clothing and put on a shirt but needs help with fasteners.

How should the nurse aide assist?

- A) Offer suitable choices and help only with the parts the resident cannot complete
- B) Select and apply all clothing to keep the morning schedule
- C) Choose clothing based on the nurse aide's preference
- D) Ask the family to dress the resident every day

39.**How should a nurse aide handle soiled bed linen?**

- A) Roll the soiled area inward, hold the linen away from the uniform, and place it in the designated container
- B) Shake the linen to remove crumbs before bagging it
- C) Place the linen on the floor until care is complete
- D) Carry the linen against the uniform to prevent dropping it

40.**Scenario**

A resident's updated care plan requires a two-person transfer, but a coworker says, "We can do it alone this once."

What should the nurse aide do?

- A) Follow the updated plan and obtain the second trained worker
- B) Transfer alone if the resident agrees
- C) Ask the resident to stand without assistance
- D) Use the old transfer method because it is familiar

41.**Scenario**

A resident says, "It burns when I urinate," and the nurse aide observes cloudy amber urine.

Which report to the nurse is most appropriate?

- A) "The resident probably has a urinary infection"
- B) "The resident is getting dehydrated again"
- C) "The resident has a bladder disease"
- D) "The resident said urination burns, and I observed cloudy amber urine"

42.**Scenario**

A nurse aide finishes using a reusable blood pressure cuff on one resident and needs it for another resident.

What should the nurse aide do between residents?

- A) Put the cuff away for one hour
- B) Cover the cuff with a clean towel
- C) Clean and disinfect the cuff according to facility procedure
- D) Spray the cuff while it is still on the first resident

43.**Scenario**

A resident who usually eats most meals consumes only a few bites of lunch and tells the nurse aide, "I feel nauseated."

What should the nurse aide do?

- A) Remove the tray without recording the intake
- B) Tell the resident to finish half the meal before resting
- C) Record the amount eaten and report the nausea and change in intake
- D) Offer food from another resident's tray

44.**Scenario**

A resident with memory loss accuses the nurse aide of stealing a missing sweater.

What is the best response?

- A) Insist that the accusation is false and demand an apology
- B) Tell the resident that memory loss is causing the problem
- C) Acknowledge the concern, help look for the sweater, and report repeated accusations
- D) Avoid the resident for the rest of the shift

45.**Scenario**

A resident with intact decision-making asks for help accessing voting information and completing any permitted assistance process.

What should the nurse aide do?

- A) Mark choices based on what the family prefers
- B) Help arrange appropriate access while protecting the resident's privacy and choices
- C) Tell the resident that people in facilities cannot vote
- D) Discuss the resident's choices with other staff

46.**Scenario**

A resident in bed begins having a seizure.

Which action should the nurse aide take?

- A) Clear nearby hazards, protect the resident's head, and call for help
- B) Hold the resident's arms and legs firmly
- C) Put an object between the resident's teeth
- D) Offer water as soon as the movements begin

47.**Scenario**

A resident can wash the face and upper body independently but becomes tired and asks to pause before continuing the bath. The care plan permits rest breaks.

What should the nurse aide do?

- A) Finish the entire bath while the resident rests
- B) Allow a rest break, then encourage the resident to resume and assist only as needed
- C) End all future self-care attempts because the resident tires
- D) Tell the resident to continue without stopping

48.

A resident consumes 240 mL of ice chips. If ice chips are recorded as half their measured volume when melted, how much intake should the nurse aide record?

- A) 60 mL
- B) 240 mL
- C) 120 mL
- D) 480 mL

49.**Scenario**

A resident who usually produces several hundred milliliters of urine during the shift has produced only a small amount of dark urine.

What should the nurse aide do?

- A) Wait until the next day to compare totals
- B) Measure accurately and report the change promptly
- C) Add water to the drainage container before recording
- D) Document only that the resident used the bathroom

50.**Scenario**

A coworker asks a nurse aide to chart that oral care was completed for a resident even though it was not done.

What should the nurse aide do?

- A) Chart the care because the coworker usually completes it
- B) Leave the chart blank and say nothing
- C) Copy the entry from the previous shift
- D) Refuse to falsify the record and report the situation through the proper chain

51.**Scenario**

A bedbound resident asks to use a bedpan and can raise the hips as described in the care plan.

Which action by the nurse aide is appropriate?

- A) Place the bedpan without gloves to avoid embarrassing the resident
- B) Provide privacy, use gloves, position the bedpan safely, and leave the call light within reach
- C) Raise the bed to its highest position and leave the room
- D) Ask the resident to wait until incontinence care rounds

52.**Scenario**

A resident's daughter asks the nurse aide to explain a new laboratory result.

What is the nurse aide's best response?

- A) Interpret the result using information from the internet
- B) Refer the daughter to the nurse for clinical information
- C) Guess what the result means based on the resident's symptoms
- D) Read the entire medical record aloud

53.**Scenario**

A resident who cannot reposition independently has a care plan for scheduled turning and heel protection. The nurse aide notices persistent redness on one heel.

What should the nurse aide do?

- A) Massage the reddened heel firmly
- B) Relieve pressure as directed by the care plan and report the redness promptly
- C) Place a heating pad under the heel
- D) Wait until the skin opens before reporting it

54.**Scenario**

Near the end of the shift, a resident's hearing aid cannot be found after the bed linens were changed.

What should the nurse aide do before leaving?

- A) Report the missing device and follow the facility's lost-property procedure
- B) Leave a note in the room without telling the care team
- C) Replace it with another resident's hearing aid
- D) Wait until the next workday to see whether it appears

55.**Scenario**

A resident asks the nurse aide to trim thick toenails, but the care plan directs that nail care be performed by another qualified professional.

What should the nurse aide do?

- A) Trim only the thinnest nails
- B) Follow the care plan and report the resident's request
- C) Soak the feet and cut the nails very short
- D) Ask the resident to trim the nails without assistance

56.**Before transferring or repositioning a resident in a bed with wheels, what should the nurse aide do?**

- A) Raise all side rails regardless of the care plan
- B) Lock the bed wheels
- C) Place the bed in the highest position
- D) Move the call light out of the way

57.**Scenario**

A resident quietly tells the nurse aide, "There is no reason for me to keep living."

What should the nurse aide do?

- A) Say that everyone feels that way sometimes
- B) Promise to keep the statement confidential
- C) Leave the resident alone to regain composure
- D) Take the statement seriously, stay with the resident, and notify the nurse immediately

58.**Scenario**

Two staff members begin discussing a resident's incontinence in a public elevator.

What should the nurse aide do?

- A) Join the conversation quietly
- B) Continue because no resident is in the elevator
- C) Stop the public discussion and move any necessary communication to a private setting
- D) Mention the resident's room number instead of the name

59.**Scenario**

A resident with impaired vision is served a meal and wants to eat independently.

How should the nurse aide help?

- A) Mix all foods together so the resident can find them
- B) Feed the resident without describing the tray
- C) Identify the foods and describe their locations using a clock-face reference
- D) Move the tray whenever the resident reaches for an item

60.**Scenario**

A resident becomes dizzy when rising from bed with the nurse aide.

What should the nurse aide do first?

- A) Encourage the resident to walk until the dizziness passes
- B) Leave the resident standing while getting a wheelchair
- C) Help the resident sit or lie safely, stay nearby, and report the change
- D) Ask the resident to close the eyes and continue standing

61.**Scenario**

A resident learning to use an adaptive spoon spills a small amount of food but remains safe and wants to continue.

What should the nurse aide do?

- A) Encourage continued practice and provide only the assistance needed
- B) Remove the utensil and feed the resident
- C) End the meal to avoid further spills
- D) Tell the resident the device is not working

62.**After washing a resident's skin folds, what should the nurse aide do to reduce moisture-related irritation?**

- A) Rub the areas briskly until warm
- B) Leave the areas damp so they do not crack
- C) Pat the areas dry thoroughly
- D) Apply any available powder without checking the care plan

63.**How should a resident's arm be positioned when the nurse aide measures blood pressure with an upper-arm cuff?**

- A) Hanging unsupported below the side of the chair
- B) Raised straight above the resident's head
- C) Bent tightly with the hand behind the neck
- D) Relaxed and supported at approximately heart level

64.**Scenario**

A nurse asks a newly hired nurse aide to perform a procedure the aide has not been trained or authorized to do.

What should the nurse aide do?

- A) Attempt the procedure while reading the instructions
- B) Explain the lack of training and request appropriate guidance or reassignment
- C) Ask another new aide to perform it
- D) Refuse all remaining assignments for the shift

65.**Scenario**

A nurse aide notices that the electrical cord on a resident's lift has exposed wiring.

What should the nurse aide do?

- A) Keep the equipment out of use and report the hazard according to procedure
- B) Cover the damaged area with adhesive tape and use the lift
- C) Use the lift only for residents who weigh less
- D) Plug the lift into a different outlet

66.**Scenario**

During morning care, a resident suddenly develops facial drooping on one side and slurred speech.

What should the nurse aide do?

- A) Finish morning care before reporting the change
- B) Give the resident food to test swallowing
- C) Ask the resident to sleep for thirty minutes
- D) Keep the resident safe and summon the nurse or emergency help immediately

67.**Which method provides the most useful comparison when obtaining a resident's routine daily weight?**

- A) Use the same scale at about the same time with similar clothing
- B) Use any available scale after the largest meal
- C) Subtract an estimated amount for clothing
- D) Round every weight to the nearest ten pounds

68.**Scenario**

A resident's care plan permits a one-person pivot transfer to a wheelchair and identifies the left leg as stronger.

How should the nurse aide prepare the wheelchair?

- A) Leave the footrests down so the resident can step over them
- B) Place the wheelchair on the weaker side with brakes released
- C) Position the wheelchair far enough away to allow a full turn
- D) Place it on the stronger side, lock the brakes, and move the footrests out of the way

69.**Scenario**

A sign directs staff to use contact precautions before providing incontinence care to a resident.

What should the nurse aide do?

- A) Enter without protective equipment and put it on only if clothing becomes soiled
- B) Wear a mask only and reuse it for the next resident
- C) Perform hand hygiene and put on the indicated gown and gloves before contact
- D) Ask the resident to complete care without assistance

70.**Scenario**

A nurse aide discovers smoke coming from a wastebasket in a resident's room. The resident is in immediate danger.

What should the nurse aide do first?

- A) Open the window to clear the smoke
- B) Search for the source of ignition
- C) Finish moving equipment out of the hallway
- D) Remove the resident from immediate danger and activate the emergency response according to procedure

PART B - ANSWER KEY AND EXPLANATIONS

Question numbering below corresponds to the questions in Part A.

1	A	2	A	3	C	4	B	5	A
6	C	7	C	8	D	9	D	10	B
11	B	12	D	13	B	14	A	15	D
16	C	17	B	18	A	19	C	20	D
21	D	22	A	23	A	24	B	25	C
26	A	27	C	28	D	29	D	30	A
31	B	32	B	33	A	34	D	35	C
36	B	37	D	38	A	39	A	40	A
41	D	42	C	43	C	44	C	45	B
46	A	47	B	48	C	49	B	50	D
51	B	52	B	53	B	54	A	55	B
56	B	57	D	58	C	59	C	60	C
61	A	62	C	63	D	64	B	65	A
66	D	67	A	68	D	69	C	70	D

1. Correct: A - Attach the drainage bag below bladder level without letting it touch the floor

Keeping the bag below the bladder supports drainage, while keeping it off the floor reduces contamination risk.

2. Correct: A - Stop feeding, keep the resident upright, and alert the nurse

Coughing and a wet voice during intake may indicate unsafe swallowing; feeding should stop while the resident remains upright and the nurse is notified.

3. Correct: C - Identify oneself, explain the care, and warn the resident before touching

Verbal orientation before contact reduces surprise and helps a resident with vision loss understand what is happening.

4. Correct: B - Perform hand hygiene immediately

Gloves can have small defects and hands may become contaminated during removal, so hand hygiene is still required.

5. Correct: A - Acknowledge the worry and redirect the resident to a familiar activity

Validation and calm redirection reduce distress without arguing or deceiving the resident.

6. Correct: C - Close the door or privacy curtain and discuss the routine matter later

Personal care requires privacy, and a routine interruption does not justify exposing the resident.

7. Correct: C - Hold them over a towel-lined basin or a basin partly filled with water

A soft or water-filled surface helps prevent dentures from breaking if they are dropped.

8. Correct: D - Guide the weaker arm into the sleeve first and let the resident do the parts that are manageable

Dressing the weaker side first is safer and allowing participation preserves function and independence.

9. Correct: D - Stay by the spill, keep people away, and summon help to clean it

Guarding the hazard immediately prevents falls while assistance and supplies are obtained.

10. Correct: B - Ask the nurse to clarify the instruction before beginning

Conflicting mobility information creates a safety risk; the aide should obtain clear direction rather than guess.

11. Correct: B - Assist promptly according to the care plan and provide privacy

Prompt toileting supports continence, comfort, dignity, and the established care plan.

12. Correct: D - Protect the resident from further harm and report the incident immediately

Pinching is potential abuse; the resident's immediate safety and prompt reporting take priority.

13. Correct: B - Label the container using the required resident identifiers

Labeling at the bedside before transport helps ensure the specimen is matched to the correct resident.

14. Correct: A - Listen without pressure and report the change in behavior to the nurse

A significant change from the resident's usual behavior should be reported, while calm listening provides appropriate support.

15. Correct: D - Stop, make the water safe and comfortable, and confirm the temperature with the resident

The resident's report must be respected immediately to prevent burns and maintain comfort.

16. Correct: C - Respect the refusal, ask about preferences, offer another time, and report it

Residents may refuse care; exploring preferences and reporting the refusal supports choice and continuity of care.

17. Correct: B - Help the resident sit safely, stay nearby, and call for immediate assistance

Sudden chest pressure and pallor require immediate safety measures and urgent help, not continued activity.

18. Correct: A - Ask simple yes-or-no questions and allow enough time for a response

Simple questions and adequate response time support communication without speaking for the resident.

19. Correct: C - Walker, weak leg, then strong leg

Advancing the walker first provides support, followed by the weak leg and then the stronger leg.

20. Correct: D - Report the complaint and observation to the nurse promptly

The aide should report the change and symptoms rather than diagnose or independently give medication.

21. Correct: D - Gloves and face or eye protection, with a gown if clothing may be soiled

PPE should match the expected exposure; splash risk calls for hand, mucous-membrane, and possibly clothing protection.

22. Correct: A - Make the first resident safe, respond immediately, and call for help

Breathing difficulty may be an emergency, so the aide should secure the current resident and respond without delay.

23. Correct: A - Sit quietly, listen if the resident wants to talk, and allow grief to be expressed

Presence and listening support normal grieving without forcing conversation or minimizing the loss.

24. Correct: B - Reduce avoidable noise and support the resident's usual bedtime routine

A quiet environment and familiar routine promote rest without disrupting the sleep-wake cycle.

25. Correct: C - Count for a full minute and report the irregular rhythm to the nurse

A full-minute count improves accuracy, and an irregular rhythm is an objective change the aide should report.

26. Correct: A - Support the request for privacy within the same reasonable rules used for other visitors

Residents have rights to privacy, relationships, and equal treatment without staff imposing personal judgments.

27. Correct: C - Ask how the resident would like to be supported and communicate the request to the nurse

Asking avoids assumptions, respects religious practice, and allows the care team to plan safely with the resident.

28. Correct: D - Obtain a second worker and use the designated repositioning sheet according to the care plan

Adequate help and a repositioning aid reduce dragging, friction, shear, and injury to both resident and staff.

29. Correct: D - Hold the tray and obtain the correct meal before assisting the resident

Serving an incorrect texture can create a serious swallowing risk; the tray must be verified and corrected.

30. Correct: A - Request the facility's qualified language assistance and follow the clarified care instructions

Qualified language support improves accurate informed communication for an unfamiliar safety-sensitive task.

31. Correct: B - Wait the required interval under facility procedure, then measure the temperature

A cold drink can distort an oral temperature, so the aide should wait the approved interval instead of adjusting the result.

32. Correct: B - Stop the movement and report the pain and resistance to the nurse

Range-of-motion movement should not be forced through sharp pain or resistance; the new finding requires reporting.

33. Correct: A - Approach calmly, reduce stimulation, and offer a familiar purposeful activity

A calm environment and meaningful redirection can reduce distress while preserving dignity and freedom of movement.

34. Correct: D - From the urinary opening toward the anus, using a clean area for each stroke

Cleansing front to back and using a clean surface for each stroke reduces transfer of organisms toward the urinary opening.

35. Correct: C - Decline the gift and follow facility policy for reporting the offer

A large secret cash gift violates professional boundaries and may raise concerns about exploitation or favoritism.

36. Correct: B - Enforce no-smoking rules and keep ignition sources away

Oxygen supports combustion, so flames, smoking, sparks, and other ignition sources must be kept away.

37. Correct: D - Explain that the resident's property may not be used by staff

A resident retains the right to personal possessions, and staff may not borrow them for personal use.

38. Correct: A - Offer suitable choices and help only with the parts the resident cannot complete

Choice and partial assistance preserve autonomy and promote the resident's remaining abilities.

39. Correct: A - Roll the soiled area inward, hold the linen away from the uniform, and place it in the designated container

Containing soil, avoiding contact with clothing, and not shaking linen limit the spread of microorganisms.

40. Correct: A - Follow the updated plan and obtain the second trained worker

The current care plan reflects the resident's present safety needs and must not be bypassed for convenience.

41. Correct: D - "The resident said urination burns, and I observed cloudy amber urine"

The aide should report the resident's exact statement and objective observation without making a diagnosis.

42. Correct: C - Clean and disinfect the cuff according to facility procedure

Reusable equipment must be processed between residents to reduce cross-contamination.

43. Correct: C - Record the amount eaten and report the nausea and change in intake

Accurate intake documentation and prompt reporting help the nurse evaluate a significant change from the resident's usual eating pattern.

44. Correct: C - Acknowledge the concern, help look for the sweater, and report repeated accusations

A nonconfrontational response addresses the resident's distress, while repeated behavioral changes should be communicated.

45. Correct: B - Help arrange appropriate access while protecting the resident's privacy and choices

The resident retains civic rights and must be free from staff influence or disclosure of personal choices.

46. Correct: A - Clear nearby hazards, protect the resident's head, and call for help

Seizure care focuses on preventing injury and obtaining help; restraining the person or placing objects in the mouth is unsafe.

47. Correct: B - Allow a rest break, then encourage the resident to resume and assist only as needed

Planned rest and limited assistance let the resident conserve energy while maintaining self-care ability.

48. Correct: C - 120 mL

Ice chips are counted as half their measured volume, so 240 mL of ice chips is recorded as 120 mL of intake.

49. Correct: B - Measure accurately and report the change promptly

A marked change in urine amount or appearance is an objective finding that the aide should measure and report.

50. Correct: D - Refuse to falsify the record and report the situation through the proper chain

Documentation must reflect care actually provided; knowingly making a false entry is unethical and unsafe.

51. Correct: B - Provide privacy, use gloves, position the bedpan safely, and leave the call light within reach

This approach protects dignity, infection control, positioning safety, and the resident's ability to request help.

52. Correct: B - Refer the daughter to the nurse for clinical information

Interpreting laboratory results requires licensed clinical judgment and is outside the nurse aide's role.

53. Correct: B - Relieve pressure as directed by the care plan and report the redness promptly

Persistent redness may signal pressure damage; pressure should be relieved and the change reported rather than massaged.

54. Correct: A - Report the missing device and follow the facility's lost-property procedure

Prompt team communication and the proper search process protect the resident's property and support continuity between shifts.

55. Correct: B - Follow the care plan and report the resident's request

The aide should not perform care assigned to another qualified professional and should communicate the resident's need.

56. Correct: B - Lock the bed wheels

A stable bed prevents unexpected movement during transfers and repositioning.

57. Correct: D - Take the statement seriously, stay with the resident, and notify the nurse immediately

A statement suggesting self-harm requires continuous safety support and immediate licensed-nurse notification.

58. Correct: C - Stop the public discussion and move any necessary communication to a private setting

Health information must be protected from unnecessary disclosure in public areas.

59. Correct: C - Identify the foods and describe their locations using a clock-face reference

Orienting the resident to the tray supports safe independent eating without taking over the meal.

60. Correct: C - Help the resident sit or lie safely, stay nearby, and report the change

Returning the resident to a safe position prevents a fall, and the new dizziness should be reported.

61. Correct: A - Encourage continued practice and provide only the assistance needed

Safe practice with an adaptive device promotes function and independence even when performance is not perfect.

62. Correct: C - Pat the areas dry thoroughly

Gently drying skin folds reduces retained moisture and friction that can contribute to irritation.

63. Correct: D - Relaxed and supported at approximately heart level

Supporting a relaxed arm near heart level promotes a more accurate blood pressure measurement.

64. Correct: B - Explain the lack of training and request appropriate guidance or reassignment

The aide must remain within training and role while promptly communicating so the resident still receives needed care.

65. Correct: A - Keep the equipment out of use and report the hazard according to procedure

Exposed wiring creates shock and fire risk; damaged equipment should not be used or informally repaired.

66. Correct: D - Keep the resident safe and summon the nurse or emergency help immediately

Sudden facial drooping and slurred speech are urgent changes that require immediate response and reporting.

67. Correct: A - Use the same scale at about the same time with similar clothing

Consistent conditions make routine weights more comparable and useful for detecting actual change.

68. Correct: D - Place it on the stronger side, lock the brakes, and move the footrests out of the way

Correct placement and locked brakes provide a stable destination and reduce tripping during the pivot.

69. Correct: C - Perform hand hygiene and put on the indicated gown and gloves before contact

Contact precautions require the posted barriers before anticipated contact, along with proper hand hygiene.

70. Correct: D - Remove the resident from immediate danger and activate the emergency response according to procedure

In a fire, rescuing a person in immediate danger comes before investigating the source or moving nonessential equipment.