HEALTH BEACON

CNA EXAM PREP

Practice Exam 02

70 practice questions | Printable Practice Exam

Instructions	Select the single best answer for each question. An answer key with explanations begins after the question section.

PART A - QUESTIONS

1.

Scenario

A nurse aide enters a room and finds a resident sitting on the floor beside the bed. The resident says the knee hurts.

What should the nurse aide do first?

A) Lift the resident into bed immediately, apply ice to the knee, and report the fall afterward
B) Ask the resident to crawl to a nearby chair
C) Leave the room to look for the resident's family
D) Stay with the resident and call for help without moving the resident

2.

Scenario

A nurse aide is behind on a scheduled shower when several call lights come on at once.

What is the best action?

A) Silence each call light, finish the shower, then answer every call in the order received
B) Ask a visitor to answer the call lights
C) Skip the remaining care without telling anyone
D) Notify the nurse promptly, identify urgent needs, and obtain help reprioritizing the work

3.

Scenario

A resident says, "Please do not call me Sweetie. I want to be called Ms. Alvarez."

What should the nurse aide do?

A) Explain that friendly nicknames are used for everyone
B) Continue using the nickname when the unit is busy
C) Ask the family to approve the resident's preferred name before changing what staff call her
D) Address the resident as Ms. Alvarez and communicate the preference to the care team

4.

When a nurse aide's hands are visibly soiled, which hand-hygiene method is appropriate?

A) Wash with soap and running water
B) Rub the hands with a dry paper towel
C) Put clean gloves over the soiled hands
D) Use hand lotion until the soil is no longer visible

5.

Scenario

After providing care for fecal incontinence, a nurse aide must help the same resident with oral care.

What should the nurse aide do before beginning oral care?

A) Remove the gloves, perform hand hygiene, and put on clean gloves
B) Rinse the used gloves and continue with them
C) Wipe the gloves on a towel and begin oral care
D) Wear the same gloves because both tasks are being done for the same resident

6.

Scenario

A sealed letter arrives for a resident who is attending an activity. A family member asks the nurse aide to open it and read it aloud.

What should the nurse aide do?

A) Open it because the family member requested it
B) Keep the letter sealed and deliver or store it according to procedure
C) Read it privately and summarize it later
D) Give the sealed letter to the resident's roommate for safekeeping until the activity ends

7.

Scenario

A resident who uses a picture communication board points to a symbol that the nurse aide does not understand.

What should the nurse aide do?

A) Ask focused questions to confirm the message and keep the board available
B) Pretend to understand so the resident does not become embarrassed
C) Remove the board and ask a family member to interpret the symbols during the next visit
D) Choose the most likely meaning without checking

8.

Scenario

A resident begins coughing repeatedly in a crowded common room.

Which action by the nurse aide best limits the spread of respiratory droplets?

A) Ask the resident to cough into bare hands
B) Move the resident beside the food-service cart
C) Offer tissues or a mask as appropriate, support hand hygiene, and notify the nurse
D) Close the common-room doors, seat the resident farther from the group, and continue the activity

9.

How can a nurse aide count respirations without causing the resident to change the breathing pattern?

A) Ask the resident to breathe deeply while counting each full breath out loud
B) Continue appearing to take the pulse while observing chest movement
C) Tell the resident to count each breath aloud
D) Count only while the resident is talking

10.

Scenario

During a care conference, the team asks what a resident can do independently at meals.

Which information should the nurse aide provide?

A) Specific observations about tasks the resident completes and assistance that is needed
B) A diagnosis explaining why the resident needs help
C) A recommendation to change the prescribed diet
D) A promise to the team and family that the resident will be independent at meals by next week

11.

Scenario

A resident who is not allowed food or fluids by mouth says the mouth feels sticky and uncomfortable.

What should the nurse aide do?

A) Give several sips of water between oral-care steps
B) Offer hard candy to increase saliva
C) Skip mouth care because nothing may be placed inside the resident's mouth
D) Give care-plan oral care without offering food or fluids

12.

What is the safest way to handle broken glass contaminated with blood?

A) Pick it up with gloved hands
B) Push it into a regular trash bag with a shoe
C) Block access and use the designated mechanical tool and container according to procedure
D) Wrap each piece in several paper towels and carry the bundle by hand to regular trash

13.

Scenario

A resident with hand weakness can eat independently after containers are opened and food is prepared as directed.

How should the nurse aide assist?

A) Feed the entire meal to prevent spills
B) Leave all packages and food unopened so the resident can practice stronger hand muscles
C) Prepare the tray so the resident can eat independently
D) Ask another resident to prepare the tray

14.

Scenario

A family member angrily complains that the resident's clean laundry was returned late.

What is the nurse aide's best response?

A) Listen calmly, clarify the concern, and communicate it to the appropriate staff member
B) Argue that laundry problems belong to another department and tell the family to take the complaint there
C) Promise that the delay will never happen again
D) Walk away until the family member apologizes

15.

Scenario

A resident prefers to sleep until 8:30 a.m., but the usual unit routine begins at 6:30 a.m.

What should the nurse aide do?

A) Wake the resident at 6:30 because all schedules must match
B) Leave breakfast on the bedside table until the resident wakes, even if the food becomes cold
C) Tell the resident that personal routines end after admission
D) Communicate the preference and support a reasonable individualized schedule with the care team

16.

Scenario

A resident who is lying flat suddenly begins vomiting.

What should the nurse aide do first?

A) Offer water to clear the taste
B) Leave to obtain fresh linens
C) Keep the resident flat, turn the face upward, and wait until vomiting has completely stopped
D) Turn the resident onto the side and summon the nurse

17.

Scenario

While helping a resident dress, a nurse aide notices that one lower leg is newly warm, red, and swollen.

What should the nurse aide do?

A) Massage the area until the swelling decreases
B) Apply a heating pad and continue dressing
C) Avoid rubbing the leg and report the findings promptly
D) Ask the resident to walk down the hallway before reporting so circulation improves

18.

Scenario

A resident requests a caregiver of the same gender for personal care because of religious modesty.

What is the nurse aide's best response?

A) Say that religious preferences cannot affect staffing
B) Acknowledge the request, protect privacy, and communicate it so accommodation can be considered
C) Promise that the preferred caregiver will always be available
D) Ask the resident to explain the religious requirement to each caregiver before any personal care can begin

19.

Scenario

A resident can propel a wheelchair slowly and safely and wants to go to the garden. The care plan requires supervision.

What should the nurse aide do?

A) Push the wheelchair to save time
B) Supervise self-propulsion and assist only around hazards
C) Tell the resident the garden is too far away
D) Ask another resident to pull the wheelchair

20.

Scenario

A resident's knees begin to buckle during assisted walking with a gait belt.

What should the nurse aide do?

A) Pull upward on the resident's arms
B) Try to hold the resident standing until another aide arrives
C) Use the gait belt to lower the resident safely
D) Step away so the resident does not fall on the nurse aide

21.

When should standard precautions be used?

A) Only when a resident has a confirmed infection
B) Only during care that involves blood
C) With every resident, based on the body-fluid exposure expected for the task
D) Only after the nurse confirms an infection and posts a sign on the resident's door

22.

Scenario

A resident with no fluid restriction often forgets to drink between meals.

Which action is most appropriate?

A) Offer preferred allowed fluids frequently and record the amount consumed
B) Leave one full pitcher each morning and assume it is consumed
C) Withhold drinks until the resident asks
D) Replace water with caffeinated drinks at every offering

23.

Scenario

A resident has a loose stool that soils the skin and bed linens.

What should the nurse aide do?

A) Wait for the next scheduled bath
B) Scrub the skin vigorously with scented soap until all odor and redness are gone
C) Clean and dry the skin promptly, then report repeated stools
D) Apply an unapproved medicated cream before cleaning

24.

When collecting a stool specimen, what should the nurse aide do?

A) Mix stool with urine so the specimen remains moist during transport to the laboratory
B) Keep urine and toilet tissue out of the collected stool
C) Fill the container completely regardless of instructions
D) Take stool directly from toilet water after flushing

25.

Scenario

An activity director wants to photograph a resident for the facility newsletter.

What must happen before the photograph is taken?

A) The resident's roommate must agree
B) Any staff member may approve on the resident's behalf
C) The resident's permission must be obtained and a refusal respected
D) The photograph may be taken if the resident's name is omitted

26.

Scenario

During shift handoff, a nurse aide knows that a resident slept poorly and requested a later breakfast.

What should the nurse aide communicate?

A) That the resident is becoming difficult
B) That the next shift should ignore the breakfast request
C) The observed sleep difficulty and the resident's exact request
D) A guess about why the resident could not sleep

27.

Scenario

The nurse asks for a resident's total intake, but the breakfast amount is missing from the record.

What should the nurse aide do?

A) Report the missing amount and seek a reliable source
B) Copy the amount recorded for yesterday's breakfast
C) Enter an average based on previous meals and do not mention the missing entry
D) Report that the resident consumed nothing

28.

Scenario

A nurse aide finds a resident's elastic stocking rolled into a tight band behind the knee. The resident reports discomfort.

What should the nurse aide do?

A) Roll the band more tightly so it does not slide
B) Cut the stocking below the rolled area
C) Leave it in place until bedtime
D) Correct the stocking as directed and report the discomfort

29.

Which action protects the integrity of electronic care records?

A) Sharing a password with a trusted coworker
B) Leaving the electronic record open so the next shift can finish charting more quickly
C) Documenting under the nurse's login when asked
D) Using only one's own login and keeping the password private

30.

Scenario

A frightened resident says, "Voices in the wall are going to hurt me."

What is the nurse aide's best response?

A) Acknowledge that the experience is frightening, provide calm reassurance of safety, and report it
B) Confirm the voices are real, promise security will find the people, and tell the resident to wait alone
C) Tell the resident to stop imagining things
D) Search inside the wall to prove no one is there

31.

Scenario

A resident can brush the teeth physically but forgets the sequence of steps.

How should the nurse aide help?

A) Complete all oral care and tell the resident to watch each step for future use
B) Cue one step at a time and let the resident perform it
C) Provide all instructions rapidly before starting
D) Remove the toothbrush if the resident pauses

32.

Scenario

During bathing, a resident becomes angry, raises a fist, and tells the nurse aide to leave.

What should the nurse aide do?

A) Continue quickly before the behavior worsens
B) Hold the resident's arms down
C) Challenge the resident to explain the behavior before staff agrees to leave the room
D) Step back, maintain safety, speak calmly, and allow space

33.

Scenario

A nurse aide is giving a partial bed bath that includes the face, upper body, and perineal area.

Which sequence follows clean-to-dirty principles?

A) Wash the perineal area first, then the face
B) Wash the face and upper body before providing perineal care
C) Use the same washcloth surface for every area
D) Wash only visibly soiled areas and skip any clean-appearing skin during the bed bath

34.

Scenario

A resident with cognitive impairment becomes confused when given several directions at once.

Which approach is best?

A) Repeat the full list more loudly
B) Give the directions to the roommate instead
C) Stop explaining and complete every part of care silently while the resident watches
D) Give one short direction at a time and wait

35.

Scenario

A resident has been taught to use a reacher and drops a shirt on the floor while dressing.

What should the nurse aide do?

A) Place the reacher within safe reach and cue the resident to use it
B) Pick up the shirt immediately without offering the device
C) Tell the resident to bend from the waist to retrieve it
D) Put the reacher away and pick up the shirt so the resident does not depend on the device

36.

How should the nurse aide read liquid output in a graduated container?

A) Hold the container above eye level
B) Estimate the amount while the container is tilted
C) Place it on a level surface and read the marking at eye level
D) Round the amount to the nearest cup and record the estimate at the end of the shift

37.

Scenario

A resident must remain in bed while the nurse aide changes the sheets.

Which action best protects comfort and dignity?

A) Keep the resident covered, turn safely according to the care plan, and change one side at a time
B) Remove all linens at once, ask the resident to lie on the bare mattress, and remake the bed before providing a cover
C) Ask the resident to hold the dirty linen during the change
D) Pull the bottom sheet out while the resident lies flat on it

38.

Scenario

A nurse aide notices crumbs and deep wrinkles under a resident who cannot reposition independently.

What should the nurse aide do?

A) Place another sheet over the crumbs
B) Remove the crumbs, smooth the linens, and reposition as planned
C) Wait until the weekly linen change
D) Massage any reddened area through the sheet

39.

Scenario

A resident can transfer to a chair using a grab bar while a nurse aide supervises, as directed by the care plan.

How should the nurse aide assist?

A) Lift the resident under the arms
B) Move the grab bar out of reach
C) Perform the transfer for the resident
D) Supervise while the resident completes the planned transfer steps

40.

What should a nurse aide do with an unlabeled spray bottle that appears to contain a cleaning solution?

A) Smell the liquid to identify it
B) Test it on a small section of floor
C) Write the most likely product name on the bottle, use it only in resident bathrooms, and ask housekeeping later
D) Do not use it, keep others from using it, and report it according to procedure

41.

Scenario

A resident who is normally oriented suddenly cannot identify the room or the time of day.

What should the nurse aide do?

A) Correct the resident repeatedly until the answers are accurate
B) Stay with the resident as needed for safety and report the sudden change promptly
C) Wait until the next shift, then ask whether the confusion continued before making any report
D) Tell the resident that confusion is expected with age

42.

Scenario

A resident's long hair has several tangles after sleep.

How should the nurse aide comb the hair?

A) Support each tangle and comb gently from the ends toward the scalp
B) Pull from the scalp downward in one firm motion
C) Cut out the tangles without asking
D) Wet the hair with any available cleaning solution

43.

Scenario

A resident begins shivering after a shower.

What should the nurse aide do?

A) Leave the resident uncovered so the skin air-dries
B) Return the resident to the dining room immediately
C) Start another warm shower without checking
D) Dry and warm the resident, then report persistent chills

44.

Scenario

A resident asks how to review information in the personal care record.

What should the nurse aide do?

A) Say that residents are never allowed to see records
B) Hand over another resident's record as an example
C) Notify the nurse and follow the record-access process
D) Read selected sections aloud without authorization

45.

Scenario

A resident with advanced dementia grimaces and guards the left hip whenever the nurse aide turns the resident but does not speak.

What should the nurse aide report?

A) That the resident has a fractured hip
B) That the resident is exaggerating to avoid care
C) That the resident needs a specific pain medicine
D) The observed grimacing and guarding, including when they occurred

46.

Which body-mechanics technique reduces the nurse aide's risk of injury when moving an object?

A) Keep the feet together and twist at the waist
B) Hold the object away from the body
C) Lock the knees before lifting
D) Bend the knees, keep the load close, and avoid twisting

47.

Scenario

A resident has a dry mouth, cracked lips, and no restriction on routine mouth care.

What should the nurse aide do?

A) Rub the lips with alcohol
B) Avoid oral care until the cracks heal
C) Give mouth care, apply approved lip moisturizer, and report lesions
D) Apply another resident's lip product

48.

Scenario

A resident safely chews each bite but takes longer than other residents to finish a meal.

How should the nurse aide assist?

A) Allow enough time and wait until the resident is ready before offering the next bite
B) Place several bites in the resident's mouth at once
C) Remove the tray at the usual time even if the resident wants to continue
D) Tell the resident not to talk or pause during the meal

49.

Scenario

A coworker plans to tie a sheet around a resident's waist in a chair to prevent the resident from standing.

What should the nurse aide do?

A) Help tie the sheet loosely
B) Ask the resident's roommate to monitor the sheet
C) Stop the action and notify the nurse for safer alternatives
D) Use the sheet only when visitors are absent

50.

Scenario

A resident is anxious about sharing the room with a new roommate and asks whether they will get along.

What is the nurse aide's best response?

A) Guarantee that the roommates will become friends
B) Listen to the concerns, explain what is known, and communicate specific needs to the nurse
C) Tell the resident that room assignments are none of the resident's business
D) List problems the new roommate had on another unit

51.

If blood or another body fluid splashes into a nurse aide's eyes, what should the aide do?

A) Finish the shift before mentioning it
B) Flush the eyes immediately and report the exposure according to procedure
C) Wipe the closed eyelids with a dry towel only
D) Put on goggles after the exposure and continue working

52.

Scenario

A resident says, "I feel lonely. I miss playing cards with people."

What should the nurse aide do?

A) Offer choices such as a card activity or one-to-one visit and respect the resident's preference
B) Say that loneliness is part of living in a facility
C) Enroll the resident in every activity without asking
D) Tell the resident to wait for family visits

53.

Scenario

A resident removes dentures at bedtime and asks the nurse aide where to put them.

What should the nurse aide do?

A) Wrap them in a tissue and place them on the meal tray
B) Clean the dentures and store them in the labeled cup
C) Leave them dry on the bedside table
D) Put them in the roommate's denture cup to save space

54.

Scenario

A resident with a prescribed fluid restriction asks the nurse aide for an unmeasured second pitcher of water.

What should the nurse aide do?

A) Give the pitcher because the resident requested it
B) Hide the pitcher and say no fluids are available
C) Tell the resident to drink from the bathroom faucet
D) Follow the care plan, offer approved comfort measures, and report persistent thirst to the nurse

55.

Scenario

During a meal, a resident begins choking but is still coughing forcefully and can speak.

What should the nurse aide do first?

A) Encourage continued coughing, stay with the resident, and summon help
B) Begin abdominal thrusts immediately despite the effective cough
C) Give water to wash the food down
D) Put fingers into the resident's mouth to remove the food

56.

Scenario

A resident asks the nurse aide to clean smudged eyeglasses before reading.

What should the nurse aide do?

A) Use lukewarm water or approved cleaner and a soft cloth, then return the glasses within reach
B) Scrub the lenses with a rough paper towel
C) Soak the glasses in hot water for thirty minutes
D) Clean only one lens so the resident can compare them

57.

Scenario

A resident can perform independent weight shifts in a wheelchair as part of a restorative plan.

What should the nurse aide do?

A) Reposition the resident without giving a chance to participate
B) Skip reminders because the resident already learned the skill
C) Cue the resident at planned times and supervise the resident's own weight shift
D) Replace weight shifting with a pillow under one hip all day

58.

Scenario

At bedtime, a resident says the lower back feels uncomfortable in the current position.

What should the nurse aide do?

A) Tell the resident to remain still until morning
B) Help reposition with pillows as directed by the care plan and report new or persistent pain
C) Place a heating pad under the back without an order
D) Raise the foot of the bed as high as possible without asking

59.

Scenario

A nurse aide notices that drainage has soaked through a resident's wound dressing.

What should the nurse aide do?

A) Remove the dressing and inspect the wound independently
B) Report the drainage promptly without altering the dressing unless directed
C) Cover the dressing with a bath towel and say nothing
D) Press firmly on the wound to stop all drainage

60.

Which statement about social media is correct for a nurse aide?

A) Resident photographs and care details must not be posted, even when the resident's name is omitted
B) A resident's story may be posted after the aide's shift ends
C) Private group messages are acceptable places to discuss residents
D) Facility uniforms make resident photographs public information

61.

Scenario

A resident appears flushed and has a temperature of 101.6°F obtained according to procedure.

What should the nurse aide do?

A) Change the recorded temperature to the resident's usual value
B) Report the temperature and appearance promptly to the nurse
C) Give an over-the-counter fever medicine
D) Place the resident in a cold bath

62.

Scenario

A nurse aide accidentally breaks a resident's eyeglasses and is worried about getting in trouble.

What should the nurse aide do?

A) Hide the glasses and say they were lost
B) Tell the resident and nurse promptly and follow the reporting procedure honestly
C) Replace them with another resident's glasses
D) Wait to see whether the resident notices

63.

Which action helps prevent self-contamination when removing a used gown?

A) Pull the gown over the head with the contaminated surface against the face
B) Shake the gown before placing it in the laundry
C) Peel it away while touching the clean inner surface, roll the contaminated side inward, and perform hand hygiene
D) Leave the gown hanging in the room for reuse on another resident

64.

Scenario

A resident looks confused when a staff member uses medical jargon to explain routine care.

What should the nurse aide do?

A) Repeat the same technical words more loudly
B) Use simple concrete language and check the resident's understanding
C) Ask the resident to sign that the explanation was understood
D) End the conversation and speak only with the family

65.

Scenario

A resident with dementia repeatedly gathers towels from carts and hides them in a drawer.

Which response is most appropriate?

A) Scold the resident and demand that every towel be returned
B) Lock the resident alone in the room
C) Check for safety, offer a safe basket of items to sort, and redirect calmly
D) Tell other residents to guard the carts

66.

Scenario

A nurse aide notices that a resident now walks farther during the planned exercise without needing a rest.

What should the nurse aide do?

A) Double the walking distance without telling anyone
B) Change the restorative goal in the care plan
C) Stop documenting because the resident has improved
D) Report the progress and continue the plan until it is changed

67.

Scenario

A resident develops a nosebleed while sitting in the activity room.

What should the nurse aide do?

A) Tilt the resident's head backward
B) Have the resident lie flat
C) Pack the nose deeply with tissues, tilt the head backward, and wait before telling the nurse
D) Seat the resident forward, apply gentle pressure if trained, and notify the nurse

68.

Scenario

A resident's care plan specifies an electric razor for shaving because of bleeding risk.

What should the nurse aide do?

A) Use the prescribed electric razor and honor grooming preferences
B) Use a straight razor for a closer shave
C) Let another resident choose the razor
D) Skip shaving permanently without discussing it

69.

Scenario

A resident becomes tearful and says, "I am ashamed," after an episode of incontinence.

What is the nurse aide's best response?

A) Joke about the accident to reduce tension
B) Tell the resident that everyone on the unit knows about it
C) Respond matter-of-factly, protect privacy, and reassure the resident while helping with care
D) Ask the roommate to provide encouragement

70.

What is the best documentation practice after obtaining a routine measurement?

A) Memorize it until the end of the shift
B) Record it promptly in the designated place using the actual value
C) Round it to match the previous measurement
D) Ask a coworker to document it under the coworker's initials

PART B - ANSWER KEY AND EXPLANATIONS

Question numbering below corresponds to the questions in Part A.

1	D	2	D	3	D	4	A	5	A
6	B	7	A	8	C	9	B	10	A
11	D	12	C	13	C	14	A	15	D
16	D	17	C	18	B	19	B	20	C
21	C	22	A	23	C	24	B	25	C
26	C	27	A	28	D	29	D	30	A
31	B	32	D	33	B	34	D	35	A
36	C	37	A	38	B	39	D	40	D
41	B	42	A	43	D	44	C	45	D
46	D	47	C	48	A	49	C	50	B
51	B	52	A	53	B	54	D	55	A
56	A	57	C	58	B	59	B	60	A
61	B	62	B	63	C	64	B	65	C
66	D	67	D	68	A	69	C	70	B

1. Correct: D - Stay with the resident and call for help without moving the resident

Moving a resident after an unwitnessed fall may worsen an injury; the aide should maintain safety and obtain licensed assessment and help.

2. Correct: D - Notify the nurse promptly, identify urgent needs, and obtain help reprioritizing the work

Early communication lets the team address urgent calls and safely adjust routine assignments rather than leaving care undone.

3. Correct: D - Address the resident as Ms. Alvarez and communicate the preference to the care team

Respectful address is part of dignity and person-centered care, and the resident decides how staff should address her.

4. Correct: A - Wash with soap and running water

Soap and water physically remove visible soil; gloves or lotion do not clean contaminated hands.

5. Correct: A - Remove the gloves, perform hand hygiene, and put on clean gloves

Gloves used for contaminated care must be removed before a clean task, with hand hygiene and new gloves preventing transfer of organisms.

6. Correct: B - Keep the letter sealed and deliver or store it according to procedure

A resident's mail is private and should not be opened without the resident's permission or other proper authorization.

7. Correct: A - Ask focused questions to confirm the message and keep the board available

Confirmation prevents the aide from guessing, and continued access allows the resident to communicate independently.

8. Correct: C - Offer tissues or a mask as appropriate, support hand hygiene, and notify the nurse

Respiratory source control and hand hygiene reduce droplet spread while the nurse is informed of the resident's change.

9. Correct: B - Continue appearing to take the pulse while observing chest movement

Quiet observation helps preserve the resident's usual breathing pattern and produces a more accurate respiratory count.

10. Correct: A - Specific observations about tasks the resident completes and assistance that is needed

The aide contributes useful firsthand observations while leaving diagnosis, diet changes, and outcome promises to appropriate team members.

11. Correct: D - Give care-plan oral care without offering food or fluids

A restriction on oral intake does not eliminate the need for mouth care; unapproved food or fluid must not be given.

12. Correct: C - Block access and use the designated mechanical tool and container according to procedure

Contaminated sharp glass should never be picked up by hand, even when gloves are worn.

13. Correct: C - Prepare the tray so the resident can eat independently

Meal setup removes specific barriers while allowing the resident to use remaining feeding ability.

14. Correct: A - Listen calmly, clarify the concern, and communicate it to the appropriate staff member

Active listening and accurate follow-through address the complaint without arguing or making promises the aide cannot guarantee.

15. Correct: D - Communicate the preference and support a reasonable individualized schedule with the care team

Residents retain choices about daily routines, and the team should consider safe ways to honor them.

16. Correct: D - Turn the resident onto the side and summon the nurse

Side positioning helps keep vomit from blocking the airway; safety action should occur before leaving or offering anything by mouth.

17. Correct: C - Avoid rubbing the leg and report the findings promptly

New warmth, redness, and swelling require prompt reporting, and massage could cause harm.

18. Correct: B - Acknowledge the request, protect privacy, and communicate it so accommodation can be considered

The response respects religious modesty without making a staffing promise the aide cannot ensure.

19. Correct: B - Supervise self-propulsion and assist only around hazards

Following the supervision requirement while preserving self-propulsion supports mobility and independence.

20. Correct: C - Use the gait belt to lower the resident safely

A controlled descent is safer than pulling on the arms or trying to hold the resident upright after the legs buckle.

21. Correct: C - With every resident, based on the body-fluid exposure expected for the task

Standard precautions apply universally, with barriers selected for the exposure anticipated during each task.

22. Correct: A - Offer preferred allowed fluids frequently and record the amount consumed

Frequent appealing choices can support hydration, while documentation shows what the resident actually drank.

23. Correct: C - Clean and dry the skin promptly, then report repeated stools

Prompt gentle care protects skin and dignity; recurring loose stool is a change that should be reported.

24. Correct: B - Keep urine and toilet tissue out of the collected stool

Preventing contamination helps preserve the specimen for the ordered test.

25. Correct: C - The resident's permission must be obtained and a refusal respected

A resident controls the use of personal images; omitting a name does not replace consent.

26. Correct: C - The observed sleep difficulty and the resident's exact request

Objective observations and the resident's own preference support accurate continuity of care.

27. Correct: A - Report the missing amount and seek a reliable source

Missing data must be disclosed and verified when possible; inventing an amount makes the record unreliable.

28. Correct: D - Correct the stocking as directed and report the discomfort

A rolled elastic stocking can create a constricting band, so the aide should relieve it within the plan and report the resident's symptoms.

29. Correct: D - Using only one's own login and keeping the password private

Individual credentials preserve accountability and prevent unauthorized or misattributed documentation.

30. Correct: A - Acknowledge that the experience is frightening, provide calm reassurance of safety, and report it

The aide should respond to the resident's emotion without confirming or arguing about the perceived voices.

31. Correct: B - Cue one step at a time and let the resident perform it

Stepwise cueing compensates for sequencing difficulty while preserving the resident's physical self-care ability.

32. Correct: D - Step back, maintain safety, speak calmly, and allow space

Reducing demands and stimulation protects both people and avoids escalating threatening behavior.

33. Correct: B - Wash the face and upper body before providing perineal care

Moving from cleaner areas to the most contaminated area reduces transfer of organisms.

34. Correct: D - Give one short direction at a time and wait

Short concrete cues reduce cognitive load and give the resident time to process each step.

35. Correct: A - Place the reacher within safe reach and cue the resident to use it

Making the trained device available lets the resident practice the planned skill without unsafe bending.

36. Correct: C - Place it on a level surface and read the marking at eye level

A level container and eye-level reading reduce measurement error.

37. Correct: A - Keep the resident covered, turn safely according to the care plan, and change one side at a time

This method maintains privacy, warmth, and safe positioning while the occupied bed is changed.

38. Correct: B - Remove the crumbs, smooth the linens, and reposition as planned

Crumbs and wrinkles create pressure and friction; prompt removal supports skin protection and comfort.

39. Correct: D - Supervise while the resident completes the planned transfer steps

Supervision should support the resident's ability rather than replace safe independent effort.

40. Correct: D - Do not use it, keep others from using it, and report it according to procedure

An unidentified chemical could cause injury or react dangerously; the aide should prevent use rather than guess its contents.

41. Correct: B - Stay with the resident as needed for safety and report the sudden change promptly

Sudden confusion is a change from baseline that requires immediate safety support and timely reporting.

42. Correct: A - Support each tangle and comb gently from the ends toward the scalp

Supporting the hair and starting at the ends reduces pulling, discomfort, and breakage.

43. Correct: D - Dry and warm the resident, then report persistent chills

Prompt drying and warmth address immediate comfort, while continuing chills may represent a reportable change.

44. Correct: C - Notify the nurse and follow the record-access process

Residents have rights concerning their records, and the aide should help initiate the proper access process rather than deny or disclose information independently.

45. Correct: D - The observed grimacing and guarding, including when they occurred

Specific nonverbal behaviors and their circumstances are objective information; the aide should not diagnose an injury or prescribe medication.

46. Correct: D - Bend the knees, keep the load close, and avoid twisting

Stable alignment and keeping the load near the body reduce strain on the back and joints.

47. Correct: C - Give mouth care, apply approved lip moisturizer, and report lesions

Gentle approved care supports comfort and tissue integrity, while abnormal lesions or bleeding require reporting.

48. Correct: A - Allow enough time and wait until the resident is ready before offering the next bite

Safe feeding follows the resident's pace and does not add food before chewing is complete.

49. Correct: C - Stop the action and notify the nurse for safer alternatives

A makeshift tie restricts movement and risks injury; staff must use authorized, least-restrictive safety approaches.

50. Correct: B - Listen to the concerns, explain what is known, and communicate specific needs to the nurse

Honest listening supports the resident without guaranteeing an outcome or disclosing another person's private history.

51. Correct: B - Flush the eyes immediately and report the exposure according to procedure

Immediate irrigation limits exposure, and prompt reporting ensures the required follow-up occurs.

52. Correct: A - Offer choices such as a card activity or one-to-one visit and respect the resident's preference

Person-centered choices address loneliness while preserving control over social participation.

53. Correct: B - Clean the dentures and store them in the labeled cup

Correct labeled storage protects dentures from drying, loss, damage, and mix-ups.

54. Correct: D - Follow the care plan, offer approved comfort measures, and report persistent thirst to the nurse

The aide must not exceed a prescribed restriction but can support comfort and report an unmet symptom.

55. Correct: A - Encourage continued coughing, stay with the resident, and summon help

A forceful cough and ability to speak indicate air movement; the resident should be observed and helped without interrupting an effective cough.

56. Correct: A - Use lukewarm water or approved cleaner and a soft cloth, then return the glasses within reach

Gentle cleaning protects the lenses, and accessible glasses support safe vision and independence.

57. Correct: C - Cue the resident at planned times and supervise the resident's own weight shift

Cueing the resident to perform the planned movement maintains ability while supporting pressure prevention.

58. Correct: B - Help reposition with pillows as directed by the care plan and report new or persistent pain

Planned positioning can improve comfort, while pain that is new or continues must be communicated.

59. Correct: B - Report the drainage promptly without altering the dressing unless directed

Soaked drainage is a reportable observation; removing or treating the dressing independently exceeds the aide's role.

60. Correct: A - Resident photographs and care details must not be posted, even when the resident's name is omitted

Removing a name does not eliminate confidentiality, privacy, or professional-boundary concerns on social media.

61. Correct: B - Report the temperature and appearance promptly to the nurse

A confirmed elevated temperature with flushing is an objective change that the aide should communicate rather than treat independently.

62. Correct: B - Tell the resident and nurse promptly and follow the reporting procedure honestly

Honest timely reporting protects the resident's property interests and allows replacement or repair steps to begin.

63. Correct: C - Peel it away while touching the clean inner surface, roll the contaminated side inward, and perform hand hygiene

Containing the outer surface and cleaning the hands reduce self-contamination during gown removal.

64. Correct: B - Use simple concrete language and check the resident's understanding

Plain wording and confirmation make routine care information accessible without excluding the resident.

65. Correct: C - Check for safety, offer a safe basket of items to sort, and redirect calmly

A safe substitute meets the resident's need for purposeful activity without confrontation or humiliation.

66. Correct: D - Report the progress and continue the plan until it is changed

The aide contributes objective progress information but does not independently advance restorative goals.

67. Correct: D - Seat the resident forward, apply gentle pressure if trained, and notify the nurse

Forward positioning reduces blood flowing toward the throat; tilting backward or lying flat is unsafe.

68. Correct: A - Use the prescribed electric razor and honor grooming preferences

Following the specified equipment protects safety while still honoring the resident's grooming choices.

69. Correct: C - Respond matter-of-factly, protect privacy, and reassure the resident while helping with care

Calm respectful assistance reduces shame and preserves dignity after an incontinence episode.

70. Correct: B - Record it promptly in the designated place using the actual value

Timely entry of the measured value reduces memory errors and keeps the record accurate and attributable.