HEALTH BEACON

CNA EXAM PREP

Practice Exam 03

70 practice questions | Printable Practice Exam

Instructions	Select the single best answer for each question. An answer key with explanations begins after the question section.

PART A - QUESTIONS

1.

Scenario

A resident shares a bathroom, and the nurse aide finds the resident's damp toothbrush lying with its bristles against the counter.

How should the nurse aide store the toothbrush after cleaning it?

A) Seal it while wet in the resident's bedside drawer
B) Place it bristle-to-bristle with the roommate's toothbrush inside a shared covered cup overnight
C) Leave it soaking overnight in undiluted mouthwash
D) Store it labeled, upright, separated from other brushes, and open to air-dry

2.

What should a nurse aide do when a packaged clean washcloth falls onto the floor?

A) Set it aside for laundering or disposal and obtain a clean one
B) Use the side that did not appear to touch the floor
C) Wipe it with a dry towel before using it
D) Return it to the clean supply cart for later use

3.

Scenario

A resident asks to make a private telephone call to a close friend.

What should the nurse aide do?

A) Remain beside the resident and listen for safety
B) Require the resident to use the speakerphone
C) Arrange reasonable privacy while keeping help available as required
D) Ask the friend to call the nurses' station instead

4.

Scenario

A resident can pull up in bed using a trapeze as described in the care plan.

How should the nurse aide assist with repositioning?

A) Pull the resident upward by both arms
B) Encourage use of the trapeze while guarding safety and helping only as planned
C) Remove the trapeze and complete the move without allowing the resident to assist
D) Reposition the resident without explaining what is happening

5.

What should a nurse aide do when a disposable mask becomes damp during care?

A) Continue wearing it until the end of the shift
B) Dry the mask with a paper towel before reuse
C) Lower it under the chin until it feels dry
D) Remove it correctly, perform hand hygiene as indicated, and replace it

6.

Scenario

A glove tears while a nurse aide is providing care that involves body-fluid contact.

What should the nurse aide do?

A) Cover the tear with another glove and continue
B) Finish the task and wash the glove afterward
C) Stop safely, remove the damaged gloves, clean the hands, and put on new gloves
D) Ask the resident to hold a towel over the torn area until gloves can be changed later

7.

Scenario

A nurse aide is assigned temporarily to an unfamiliar unit.

What should the nurse aide do before beginning resident care?

A) Follow the routine from the aide's usual unit
B) Identify the supervising nurse and review assignments and current care directions
C) Ask residents to describe all of their own care needs
D) Begin with whichever resident is closest to the supply room

8.

Scenario

A home-care nurse aide brings a supply bag into a client's house.

Where should the aide place the bag?

A) On a clean, dry barrier away from the floor and obvious contamination
B) On the bathroom floor because it can be cleaned later
C) On the client's bed beside soiled linens
D) On the kitchen counter beside raw food

9.

Scenario

The care plan directs oral care for a resident who cannot swallow safely and cannot perform the care independently.

Which position is safest for the resident during oral care?

A) Side-lying or with the head turned to the side, using only the directed amount of fluid
B) Flat on the back while using a full basin of water and a large amount of mouth rinse
C) Standing at the sink without support
D) Reclined with the chin raised and mouth filled with rinse

10.

Which method is appropriate when measuring the height of a resident who can stand safely?

A) Keep the resident's shoes on and estimate the heel height
B) Remove the shoes and position the resident upright according to the equipment directions
C) Ask the resident to state the height from memory
D) Measure from the shoulder instead of the top of the head

11.

Scenario

After bathing, a resident wants to use a labeled personal deodorant. The skin is clean, dry, and intact, and the care plan permits its use.

How should the nurse aide support the resident?

A) Use the roommate's product and return both containers to the shared cabinet
B) Place the resident's product within reach and assist only with steps the resident cannot do
C) Apply the product over wet skin without asking the resident
D) Put the product away until family arrives to complete all grooming tasks

12.

Scenario

A resident with low vision has learned the consistent location of clothing in dresser drawers.

What should the nurse aide do when putting away clean clothes?

A) Rearrange the drawers weekly to improve memory
B) Mix the resident's clothing with the roommate's clothing to make every drawer equally full
C) Choose all clothing and keep the drawers locked
D) Maintain the familiar layout and tell the resident about any necessary change

13.

Scenario

A resident with limited hand control is ready to drink a cup of hot tea.

How should the nurse aide provide the tea?

A) Fill the cup to the rim and place it near the edge
B) Confirm a safe temperature and place the stable cup where the resident can control it
C) Hold the cup above the resident's face and pour slowly
D) Leave the cup on the overbed table while the resident is lying flat

14.

What should a nurse aide do after discovering an error in a completed care-record entry?

A) Erase the entry so no one can read it
B) Delete the entry and recreate it with an earlier time
C) Correct it promptly using the approved procedure without hiding the original information
D) Ask a coworker to rewrite the entire record under a different login

15.

Scenario

A resident wants to attend an outdoor activity on a cool, windy day.

How should the nurse aide help the resident dress?

A) Offer weather-appropriate layers and let the resident choose among safe options
B) Select the heaviest clothing without asking the resident
C) Use only indoor clothing so the resident returns sooner
D) Cancel the activity because choosing clothing takes time

16.

Scenario

During a meal, a conscious resident suddenly cannot speak, cough, or breathe and clutches the throat.

What should the nurse aide do?

A) Offer a drink and ask the resident to swallow
B) Wait to see whether a forceful cough develops
C) Search the mouth blindly with the fingers
D) Summon emergency help and begin the trained choking response immediately

17.

Scenario

A resident's care plan encourages bowel regularity through diet, fluids, and activity.

Which action is appropriate for the nurse aide?

A) Offer approved fiber-rich foods and fluids and support planned activity
B) Give a laxative whenever a bowel movement is missed
C) Restrict fluids so the bowel does not become overactive
D) Tell the resident that bowel habits cannot be influenced

18.

Scenario

A resident asks when the scheduled bath will occur, but the nurse aide is unsure of the time.

What is the best response?

A) State a time based on a guess and leave
B) Say that the schedule will be checked and return with accurate information
C) Tell the resident not to ask again until the shift ends
D) Promise an immediate bath despite another resident's urgent need

19.

Scenario

A resident wearing an absorbent brief has a moderate episode of urinary incontinence.

What should the nurse aide do?

A) Add a second brief over the wet one until rounds and replace both products at the next scheduled check
B) Replace the wet brief, cleanse and dry the skin, and use one clean product
C) Leave the brief in place so output can be estimated later
D) Apply powder heavily without checking the care plan

20.

Scenario

A replacement aide has not arrived, residents still require supervision, and the scheduled shift has ended.

What should the nurse aide do before leaving?

A) Notify the supervisor and follow the procedure for transferring responsibility safely
B) Leave immediately because the assigned work hours have ended
C) Ask an unassigned visitor to watch the residents temporarily
D) Lock the residents' doors until another employee arrives

21.

Scenario

A resident who can use a urinal independently asks the nurse aide to set it up before bedtime.

Which action is appropriate?

A) Place it on the floor beside the bed
B) Provide privacy, position it within safe reach, and arrange for output measurement as directed
C) Leave the room without checking reach and ask the resident to call only after the urinal has been used
D) Tell the resident to avoid urinating until morning

22.

Scenario

A resident says, "I want to attend the meeting where my care is discussed."

What should the nurse aide do?

A) Communicate the request and help the resident participate through the facility process
B) Say that care meetings are only for staff
C) Ask the roommate to attend instead
D) Tell the resident the care plan cannot be discussed until every staff member has approved the request

23.

Scenario

A resident with memory impairment asks every few minutes when lunch will be served.

What is the best response?

A) Answer calmly and point to a simple visible schedule or clock cue
B) Refuse to answer after the second question
C) Tell the resident lunch has been canceled
D) Move the resident away from anyone who can hear the question

24.

Scenario

A resident has been taught to wash the lower legs with a long-handled sponge.

How should the nurse aide support this skill?

A) Place the device within reach and let the resident use it with needed supervision
B) Wash the legs before offering the device
C) Shorten the handle so the resident must bend farther
D) Use the device for another resident while this resident waits for the aide to complete the bath later

25.

How should an upper-arm blood pressure cuff be applied for a routine measurement?

A) Over a thick sleeve to protect the skin
B) Snugly around the bare upper arm using the correct size
C) Loosely around the forearm regardless of cuff markings
D) Around whichever limb is closest without checking restrictions

26.

Scenario

A resident's restorative plan includes a hand splint, but the resident reports a new pressure spot after it is applied.

What should the nurse aide do?

A) Remove or adjust it only as directed, inspect the skin, and report the concern
B) Tighten the splint so the hand cannot move
C) Add several layers of folded tissue under the pressure spot and continue the full scheduled wearing time
D) Continue the full wearing time despite the complaint

27.

Scenario

A resident is unresponsive and is not breathing normally.

What should the nurse aide do?

A) Leave the resident and finish the current assignment
B) Activate the emergency response and begin CPR or use an AED if trained and directed
C) Give water before checking the resident again
D) Wait for a family member to arrive and decide whether emergency care should be started

28.

Scenario

Hot coffee spills onto a resident's forearm and the skin becomes red.

What should the nurse aide do first?

A) Apply butter to seal the burned area
B) Place ice directly on the skin
C) Cover the hot liquid with a dry towel and continue the meal
D) Remove the heat source, cool the area with cool water, and notify the nurse

29.

Scenario

A resident who is deaf asks the nurse aide to communicate in writing.

Which approach is best?

A) Write one long paragraph using medical abbreviations and ask the resident to respond before reading it again
B) Ask another resident to translate the conversation
C) Use brief clear written messages, allow time to respond, and confirm understanding
D) Refuse because spoken communication is faster

30.

Scenario

A resident wears a wig and asks the nurse aide for help removing it at bedtime.

What should the nurse aide do?

A) Fold the wig tightly, wrap it in a towel, and place it under the resident's pillow for safekeeping
B) Brush it forcefully while holding the hair ends
C) Place it in the roommate's drawer
D) Handle it gently and store it on the designated stand or in its labeled container

31.

Scenario

After a shower, a resident says the skin still feels slippery with soap.

What should the nurse aide do?

A) Rinse away the remaining soap and dry the skin gently
B) Apply lotion directly over the soap residue
C) Dress the resident quickly without further rinsing
D) Rub the skin with a dry towel until the soap flakes off

32.

Which technique is appropriate when taking an axillary temperature?

A) Place the covered probe over the resident's clothing
B) Hold the probe beside the arm without skin contact
C) Place the covered probe in the center of the dry armpit and hold the arm close
D) Insert the same covered probe into the ear canal after using it in the armpit and record both readings

33.

Scenario

A resident is asked to provide a sputum specimen but repeatedly produces only clear saliva.

What should the nurse aide do?

A) Add tap water so the container reaches the marked line
B) Transfer saliva from a tissue into the specimen container
C) Reinforce the deep-cough directions and report if the resident cannot produce sputum
D) Label the empty container and send it to the laboratory

34.

Scenario

A resident develops a rapid change in condition, and the assigned nurse does not respond to the nurse aide's urgent call.

What should the nurse aide do next?

A) Wait quietly until the assigned nurse becomes available
B) Ask a nearby visitor to observe the resident and decide whether the rapid change requires another call
C) Document the call and take no further action
D) Use the emergency response or chain of communication to reach another licensed nurse immediately

35.

Scenario

A resident who is at risk for leaving the unit cannot be found in the expected areas.

What should the nurse aide do?

A) Search alone outside the building before telling anyone
B) Wait for the next scheduled head count
C) Notify the nurse immediately and follow the missing-resident procedure
D) Call the resident's family before alerting the facility

36.

Scenario

A nurse aide finds a coworker asleep while assigned to supervise residents who require observation.

What should the nurse aide do?

A) Ensure immediate coverage for resident safety and report the situation through the proper chain
B) Take a photograph of the sleeping coworker and post it in the staff group chat before arranging coverage
C) Ignore it because the coworker may be on a break
D) Leave the area so the coworker receives the blame

37.

Scenario

A visitor asks the nurse aide why the resident in the next bed has a particular diagnosis.

What should the nurse aide say?

A) Share only the diagnosis and no treatment details
B) Explain that another resident's health information cannot be discussed
C) Ask the roommate for permission to answer
D) Offer to show the visitor the neighboring resident's chart

38.

Scenario

A confused resident reaches toward a cleaning solution left on an unlocked housekeeping cart.

What should the nurse aide do?

A) Let the resident smell the container to reduce curiosity
B) Pour the solution into the sink before moving the resident or securing the unlocked housekeeping cart
C) Move the resident away, secure the cart and chemicals, and notify the proper staff
D) Ask the resident to wheel the cart back to housekeeping

39.

Scenario

A resident with arthritis uses an adaptive button hook successfully and smiles about completing the task.

What is the nurse aide's best response?

A) Acknowledge the achievement and encourage continued practice according to the plan
B) Unfasten the buttons and redo the task more quickly
C) Compare the resident's speed with another resident's performance
D) Say that fastening buttons is too minor to celebrate

40.

Scenario

A resident says that a clean personal comfort blanket helps with feeling calm at bedtime, and the item is permitted by the care plan.

How should the nurse aide respond?

A) Remove the blanket after the resident falls asleep
B) Respect the preference and place the blanket safely within reach
C) Replace it with facility linen without telling the resident
D) Tell the resident that comfort objects are only for children

41.

Scenario

Two residents have the same last name, and the nurse asks for a measurement on one of them.

How should the nurse aide clarify which resident is meant?

A) Use the room number as the only identifier
B) Choose the resident who usually needs the measurement
C) Confirm the required identifiers before obtaining or reporting the measurement
D) Ask the two residents to decide who was intended

42.

What should a nurse aide do when a pulse-oximeter reading seems unusual and the resident's finger is cold?

A) Reposition the sensor and warm the hand as directed, then report a persistent unusual reading
B) Record the value without checking the sensor
C) Warm the finger with very hot water
D) Increase the resident's oxygen flow, repeat the reading on the same cold finger, and record the higher result

43.

Scenario

A resident repeatedly makes sexual comments to a nurse aide during routine care.

What is the nurse aide's best response?

A) Make similar comments so the resident feels accepted
B) Shame the resident in front of the roommate
C) State a calm professional boundary, redirect the conversation, and report the pattern
D) Stop all care for the remainder of the week and refuse to enter the resident's room again

44.

Scenario

A resident with a leg cast has a care plan that prohibits weight bearing. The resident asks to stand for a transfer.

What should the nurse aide do?

A) Let the resident stand briefly while holding the cast
B) Follow the non-weight-bearing transfer method and obtain the required help
C) Ask the resident to test the leg before deciding
D) Remove the cast padding to improve balance

45.

Scenario

A resident says the soup is cold and asks for it to be warmed.

What should the nurse aide do?

A) Tell the resident to eat it before it cools further
B) Heat it in the resident's room without checking the container or temperature and return it immediately
C) Add boiling water directly to the soup
D) Use the approved meal-service process and verify a safe temperature before returning it

46.

Scenario

A nurse aide observes a black, tar-like bowel movement.

What should the nurse aide do?

A) Flush it immediately and make no record
B) Tell the resident it is caused by a specific disease
C) Report the color and appearance promptly without diagnosing the cause
D) Give the resident a laxative to change the next stool

47.

What should a nurse aide do when a sharps container has reached its marked fill line?

A) Push the contents down to create more space
B) Transfer the contents into a larger container by hand
C) Leave the filled container open in place and ask the next shift to make room for additional sharps
D) Stop adding items and have the container closed and replaced according to procedure

48.

Scenario

A resident who has trouble sleeping routinely requests regular coffee late in the evening.

What should the nurse aide do?

A) Add extra sugar to the regular coffee and serve it later so the resident becomes tired soon after drinking it
B) Withhold every beverage after dinner
C) Serve two cups so the resident finishes sooner
D) Offer an approved noncaffeinated choice and discuss an earlier time for regular coffee

49.

Scenario

An emergency prevents a nurse aide from completing one resident's routine evening care before shift change.

What should the nurse aide do?

A) Chart the routine care as completed and tell the oncoming aide only if there is time after report
B) Tell the nurse and oncoming aide exactly what was and was not completed
C) Leave without mentioning the missed care
D) Ask the resident to report the missed task tomorrow

50.

Scenario

A resident with a serious illness says, "I am afraid of dying."

What is the nurse aide's best response?

A) Say that the resident should not think about death and should focus only on activities planned for the next day
B) Promise that the resident will recover
C) Listen without judgment and notify the nurse of any requested emotional or spiritual support
D) Change the subject to the weather

51.

Which action is appropriate when a resident reports pain?

A) Compare the complaint with another resident's pain
B) Decide the cause before telling the nurse
C) Use the approved pain scale, record the resident's response, and report it
D) Promise that the pain will disappear after rest and delay reporting unless the resident asks a second time

52.

Scenario

A resident with diabetes becomes shaky, sweaty, and unusually weak. The care plan contains specific emergency directions.

What should the nurse aide do?

A) Diagnose the resident's blood-sugar level from the symptoms
B) Ask the resident to walk until the shaking stops
C) Wait until the next meal before reporting the change and encourage the resident to continue usual activities
D) Stay with the resident, follow the emergency care directions, and notify the nurse immediately

53.

Scenario

A resident's care plan directs use of a bedside commode at night because walking to the bathroom is unsafe.

What should the nurse aide do before bedtime?

A) Move the commode to the hallway for easier cleaning
B) Replace the commode with an absorbent brief
C) Place the commode on the resident's weaker side, turn off the room light, and leave supplies across the room
D) Position the commode as directed, provide needed supplies, and keep the route safely lit

54.

Scenario

A resident wants to make a formal complaint about repeated meal-service problems.

What should the nurse aide do?

A) Warn that making a formal complaint may affect future meal service and should be postponed until discharge
B) Tell the resident complaints are allowed only through family
C) Refuse to help because meals are another department
D) Explain or obtain the complaint process and protect the resident from retaliation

55.

Scenario

A resident asks for a quiet place and a particular direction to face during daily prayer.

What should the nurse aide do?

A) Decide which prayer direction and time are most convenient for staff and prepare the space without asking
B) Schedule care to interrupt the prayer at its midpoint
C) Ask about the resident's preferences and help arrange a safe private space when possible
D) Tell the resident to pray only during organized services

56.

Scenario

A resident with low vision asks for information about resident rights in a format that can be read or heard independently.

What should the nurse aide do?

A) Point to the standard-print poster on the hallway wall
B) Ask the roommate to summarize the poster from memory
C) Say that only family members may receive rights information
D) Obtain an accessible version through the facility process and help the resident use it

57.

How should a removable limb prosthesis be handled after removal?

A) Store it on the floor beside the bed
B) Soak it overnight without checking directions
C) Share its cleaning cloth and storage container with another resident who uses a similar prosthesis
D) Clean and dry it as directed, inspect it for damage, and store it safely

58.

Scenario

A resident reports that a roommate has been threatening and taking personal snacks.

What should the nurse aide do?

A) Tell the residents to settle the problem themselves
B) Wait for another resident to confirm the report
C) Move the snacks to a locked staff area without telling the resident, roommate, or nurse about the report
D) Take the concern seriously, protect immediate safety, and report objective details promptly

59.

Scenario

A resident says, "I do not want to attend bingo today."

What should the nurse aide do?

A) Tell the resident attendance is required
B) Respect the choice and offer other acceptable options
C) Wheel the resident to bingo without further discussion
D) Ask the roommate to persuade the resident

60.

Scenario

A relative asks a nurse aide to obtain a resident's bank-card PIN while the resident appears uncomfortable and does not answer.

What should the nurse aide do?

A) Ask the roommate whether the relative is trustworthy
B) Find the PIN in the resident's belongings
C) Protect the resident's information and report the possible exploitation concern
D) Give the relative access because family manages finances

61.

How should a cold pack ordered in a resident's care plan be applied?

A) Directly to bare skin until the area becomes numb
B) Under a tight elastic bandage for the entire shift without removing it to observe the resident's skin
C) At any temperature and duration the resident requests
D) With a protective layer and for the directed time while observing the skin

62.

Scenario

A resident returns from pet therapy immediately before lunch and reaches for the meal tray.

What should the nurse aide do first?

A) Serve the meal because animal contact is harmless
B) Wipe only the resident's fingertips on a dry napkin
C) Assist the resident with hand hygiene before eating
D) Ask the resident to wear gloves while eating

63.

Scenario

During a two-person mechanical-lift transfer, the nurse aide notices that the sling straps are attached at unequal lengths.

What should the nurse aide do?

A) Continue lifting while holding the shorter strap
B) Ask the resident to shift weight toward the longer sling strap while the two aides continue raising the lift
C) Stop the lift and have both workers recheck the sling and care directions
D) Remove one strap so the remaining straps are even

64.

Scenario

A resident is learning to use a raised toilet seat as part of a restorative plan.

How should the nurse aide help?

A) Replace the device with a bedpan to save time
B) Supervise the planned practice and let the resident complete safe steps
C) Complete every transfer without resident participation
D) Remove the raised seat after the first slow attempt

65.

Scenario

A resident with dementia is holding a loose button battery that came from a hearing aid.

What should the nurse aide do first?

A) Remove the battery safely, stay with the resident, and notify the nurse immediately
B) Put the battery back into the hearing aid while the resident holds it
C) Leave the battery in the resident's hand until family arrives
D) Throw the loose battery into the nearest regular trash container

66.

Scenario

A resident says the room feels uncomfortably cool while wearing light clothing.

What should the nurse aide do?

A) Tell the resident that the unit temperature cannot change
B) Raise the thermostat to its highest setting without checking
C) Add several heavy blankets despite the resident's objection and leave the room without checking comfort again
D) Ask the resident's preference and offer a safe clothing or room adjustment

67.

What should be done with unused supplies that may have become contaminated inside a care area?

A) Discard or reprocess them according to facility procedure instead of returning them to clean storage
B) Place them at the back of the clean supply cart and reserve the packages for the next shift
C) Mark them with the room number for another resident
D) Wipe the packages on the uniform and restock them

68.

Scenario

A resident says, "I am fine," while crying and avoiding eye contact.

What is the nurse aide's best response?

A) Accept the words and ignore the tears completely
B) Acknowledge both the words and the observed emotion and offer to listen
C) Tell the family that the resident is hiding information
D) Insist that the resident admit to being upset immediately

69.

Scenario

A shortage of clean supplies may delay scheduled incontinence care.

What should the nurse aide do?

A) Notify the nurse early and obtain an approved supply solution
B) Substitute another resident's personal products
C) Delay all scheduled care until supplies arrive without notifying the nurse or documenting the reason
D) Improvise with non-care materials from the kitchen

70.

What should a nurse aide do when equipment is stored in front of a marked emergency exit?

A) Leave it until housekeeping makes rounds
B) Add more equipment so the area looks organized
C) Keep the exit clear and report the obstruction according to procedure
D) Cover the exit sign so residents do not use the door

PART B - ANSWER KEY AND EXPLANATIONS

Question numbering below corresponds to the questions in Part A.

1	D	2	A	3	C	4	B	5	D
6	C	7	B	8	A	9	A	10	B
11	B	12	D	13	B	14	C	15	A
16	D	17	A	18	B	19	B	20	A
21	B	22	A	23	A	24	A	25	B
26	A	27	B	28	D	29	C	30	D
31	A	32	C	33	C	34	D	35	C
36	A	37	B	38	C	39	A	40	B
41	C	42	A	43	C	44	B	45	D
46	C	47	D	48	D	49	B	50	C
51	C	52	D	53	D	54	D	55	C
56	D	57	D	58	D	59	B	60	C
61	D	62	C	63	C	64	B	65	A
66	D	67	A	68	B	69	A	70	C

1. Correct: D - Store it labeled, upright, separated from other brushes, and open to air-dry

Labeled separated storage and air-drying reduce mix-ups and microbial growth on a damp toothbrush.

2. Correct: A - Set it aside for laundering or disposal and obtain a clean one

An item that falls on the floor is no longer considered clean and should not be used for resident care.

3. Correct: C - Arrange reasonable privacy while keeping help available as required

Residents have a right to private communication, balanced with any specific safety supervision in the care plan.

4. Correct: B - Encourage use of the trapeze while guarding safety and helping only as planned

Using the resident's established bed-mobility skill maintains strength and independence while the aide provides required support.

5. Correct: D - Remove it correctly, perform hand hygiene as indicated, and replace it

A damp disposable mask is less effective and should be changed without handling or wearing it improperly.

6. Correct: C - Stop safely, remove the damaged gloves, clean the hands, and put on new gloves

A torn glove no longer provides a reliable barrier, so the aide must replace it after hand hygiene.

7. Correct: B - Identify the supervising nurse and review assignments and current care directions

Orientation to supervision and current care information prevents the aide from applying routines that may be unsafe on the unfamiliar unit.

8. Correct: A - On a clean, dry barrier away from the floor and obvious contamination

A protected surface helps keep the home-care supply bag from carrying contaminants between environments.

9. Correct: A - Side-lying or with the head turned to the side, using only the directed amount of fluid

Side positioning and limited fluid help oral secretions drain outward when the resident cannot swallow safely.

10. Correct: B - Remove the shoes and position the resident upright according to the equipment directions

Removing shoes and using standardized upright positioning makes the height measurement more accurate.

11. Correct: B - Place the resident's product within reach and assist only with steps the resident cannot do

Using the resident's own labeled product and providing only needed assistance supports hygienic grooming and independence.

12. Correct: D - Maintain the familiar layout and tell the resident about any necessary change

Consistent organization helps the resident locate clothing independently and safely.

13. Correct: B - Confirm a safe temperature and place the stable cup where the resident can control it

Verifying temperature and cup stability prevents burns while allowing the resident to drink independently.

14. Correct: C - Correct it promptly using the approved procedure without hiding the original information

Record corrections must preserve honesty and traceability rather than erase, backdate, or disguise the original entry.

15. Correct: A - Offer weather-appropriate layers and let the resident choose among safe options

Appropriate choices protect comfort and safety while preserving personal preference.

16. Correct: D - Summon emergency help and begin the trained choking response immediately

Inability to speak, cough, or breathe indicates severe airway obstruction requiring immediate emergency action.

17. Correct: A - Offer approved fiber-rich foods and fluids and support planned activity

Following the bowel-support plan uses routine diet, hydration, and mobility measures within the aide's role.

18. Correct: B - Say that the schedule will be checked and return with accurate information

An honest follow-up gives the resident useful information without guessing or making a promise the aide may not be able to keep.

19. Correct: B - Replace the wet brief, cleanse and dry the skin, and use one clean product

Prompt cleansing and a single clean absorbent product protect comfort and skin; layering wet briefs traps moisture.

20. Correct: A - Notify the supervisor and follow the procedure for transferring responsibility safely

The aide should not leave residents without required supervision and must use the proper process to transfer responsibility.

21. Correct: B - Provide privacy, position it within safe reach, and arrange for output measurement as directed

Safe placement, dignity, and required measurement allow the resident to use the urinal independently.

22. Correct: A - Communicate the request and help the resident participate through the facility process

Residents have the right to participate in planning their care and to express goals and preferences.

23. Correct: A - Answer calmly and point to a simple visible schedule or clock cue

Calm repetition and an external cue reduce frustration without shaming or deceiving a resident with memory loss.

24. Correct: A - Place the device within reach and let the resident use it with needed supervision

Access to the trained device supports safe self-care and prevents unnecessary dependence.

25. Correct: B - Snugly around the bare upper arm using the correct size

Correct cuff size and placement on the bare upper arm support an accurate blood pressure measurement.

26. Correct: A - Remove or adjust it only as directed, inspect the skin, and report the concern

New pressure requires skin protection and reporting; the aide should not improvise padding or force continued wear.

27. Correct: B - Activate the emergency response and begin CPR or use an AED if trained and directed

An unresponsive resident who is not breathing normally requires immediate activation of emergency care and trained lifesaving action.

28. Correct: D - Remove the heat source, cool the area with cool water, and notify the nurse

Prompt cooling limits heat injury; butter and direct ice can worsen tissue damage.

29. Correct: C - Use brief clear written messages, allow time to respond, and confirm understanding

The resident's chosen communication method should be clear, interactive, and checked for understanding.

30. Correct: D - Handle it gently and store it on the designated stand or in its labeled container

Proper handling and identified storage protect the resident's personal grooming item from damage or loss.

31. Correct: A - Rinse away the remaining soap and dry the skin gently

Soap residue can irritate skin, so it should be fully rinsed away before gentle drying.

32. Correct: C - Place the covered probe in the center of the dry armpit and hold the arm close

Direct skin contact and a closed arm position support an accurate axillary reading.

33. Correct: C - Reinforce the deep-cough directions and report if the resident cannot produce sputum

A sputum sample must come from respiratory secretions rather than saliva, and inability to obtain it should be reported without altering the specimen.

34. Correct: D - Use the emergency response or chain of communication to reach another licensed nurse immediately

An urgent change cannot wait for one unavailable person; the aide must continue escalating through the established response system.

35. Correct: C - Notify the nurse immediately and follow the missing-resident procedure

Immediate team activation starts a coordinated search and protects the resident from delay or an unreported solo search.

36. Correct: A - Ensure immediate coverage for resident safety and report the situation through the proper chain

Supervision needs must be restored at once, and sleeping during an assigned observation duty is a serious safety and conduct concern.

37. Correct: B - Explain that another resident's health information cannot be discussed

The aide must protect every resident's confidentiality and should not disclose a roommate's diagnosis to a visitor.

38. Correct: C - Move the resident away, secure the cart and chemicals, and notify the proper staff

Cleaning chemicals must be kept inaccessible, and the aide should first protect the resident from possible exposure.

39. Correct: A - Acknowledge the achievement and encourage continued practice according to the plan

Specific recognition supports self-esteem and motivation while reinforcing the resident's planned skill practice.

40. Correct: B - Respect the preference and place the blanket safely within reach

A permitted personal comfort item can support emotional security and should not be removed or mocked.

41. Correct: C - Confirm the required identifiers before obtaining or reporting the measurement

Required identifiers prevent information or care from being assigned to the wrong resident when names are similar.

42. Correct: A - Reposition the sensor and warm the hand as directed, then report a persistent unusual reading

A cold finger or poor sensor position can affect the device; the aide should check technique and report a result that remains unusual.

43. Correct: C - State a calm professional boundary, redirect the conversation, and report the pattern

Clear boundaries protect professional conduct and dignity without humiliating the resident.

44. Correct: B - Follow the non-weight-bearing transfer method and obtain the required help

The aide must follow the restriction and planned transfer method rather than testing the injured leg.

45. Correct: D - Use the approved meal-service process and verify a safe temperature before returning it

Approved reheating and a temperature check address the resident's request without creating a burn or container hazard.

46. Correct: C - Report the color and appearance promptly without diagnosing the cause

A black tar-like stool is an important objective change; the aide reports what was seen rather than naming a disease or treating it.

47. Correct: D - Stop adding items and have the container closed and replaced according to procedure

Overfilling or pressing down sharps increases needlestick risk; the marked line indicates replacement is needed.

48. Correct: D - Offer an approved noncaffeinated choice and discuss an earlier time for regular coffee

Reducing late caffeine can support sleep while still offering the resident a choice of permitted beverages.

49. Correct: B - Tell the nurse and oncoming aide exactly what was and was not completed

Accurate handoff prevents missed care from being hidden or mistakenly assumed complete.

50. Correct: C - Listen without judgment and notify the nurse of any requested emotional or spiritual support

Presence and honest listening support the resident's fear, while the team can arrange additional help the resident wants.

51. Correct: C - Use the approved pain scale, record the resident's response, and report it

Pain is what the resident reports; using the approved scale and communicating the exact response supports prompt assessment and care.

52. Correct: D - Stay with the resident, follow the emergency care directions, and notify the nurse immediately

The aide should recognize an urgent change and use the resident-specific response plan without independently diagnosing or prescribing treatment.

53. Correct: D - Position the commode as directed, provide needed supplies, and keep the route safely lit

Advance setup supports safe nighttime elimination and follows the plan designed to reduce walking risk.

54. Correct: D - Explain or obtain the complaint process and protect the resident from retaliation

Residents may raise grievances without punishment, and the aide should help the resident access the proper process.

55. Correct: C - Ask about the resident's preferences and help arrange a safe private space when possible

Asking the individual avoids assumptions and supports spiritual practice within safe care arrangements.

56. Correct: D - Obtain an accessible version through the facility process and help the resident use it

Residents have a right to receive information about their rights in a form they can access and understand.

57. Correct: D - Clean and dry it as directed, inspect it for damage, and store it safely

Following the care directions for cleaning, inspection, and storage protects the prosthesis and supports safe future use.

58. Correct: D - Take the concern seriously, protect immediate safety, and report objective details promptly

Threats and taking property may represent mistreatment; safety and prompt objective reporting are required.

59. Correct: B - Respect the choice and offer other acceptable options

Residents may decline activities, and staff should respect the decision without coercion.

60. Correct: C - Protect the resident's information and report the possible exploitation concern

Financial credentials are private, and discomfort or pressure from another person warrants protection and reporting.

61. Correct: D - With a protective layer and for the directed time while observing the skin

A barrier, prescribed duration, and skin checks reduce cold-related tissue injury.

62. Correct: C - Assist the resident with hand hygiene before eating

Cleaning the hands after animal contact reduces transfer of organisms to food and the mouth.

63. Correct: C - Stop the lift and have both workers recheck the sling and care directions

Uneven sling attachment can destabilize the resident, so the team must correct setup before lifting.

64. Correct: B - Supervise the planned practice and let the resident complete safe steps

Guided practice maintains function and independence while meeting the restorative plan's safety requirements.

65. Correct: A - Remove the battery safely, stay with the resident, and notify the nurse immediately

A loose button battery presents an urgent ingestion hazard, especially for a resident with dementia, and requires immediate removal and reporting.

66. Correct: D - Ask the resident's preference and offer a safe clothing or room adjustment

Comfort care should be individualized and adjusted safely rather than dismissed or imposed.

67. Correct: A - Discard or reprocess them according to facility procedure instead of returning them to clean storage

Potentially contaminated supplies can spread organisms if returned to the clean stock.

68. Correct: B - Acknowledge both the words and the observed emotion and offer to listen

Recognizing verbal and nonverbal cues communicates attention without forcing disclosure or making assumptions.

69. Correct: A - Notify the nurse early and obtain an approved supply solution

Early team communication prevents avoidable delays and unsafe substitution of another resident's property or unsuitable materials.

70. Correct: C - Keep the exit clear and report the obstruction according to procedure

Emergency exits must remain immediately usable, so obstructions require prompt removal or reporting.