HEALTH BEACON

CNA EXAM PREP

Practice Exam 05

70 practice questions | Printable Practice Exam

Instructions	Select the single best answer for each question. An answer key with explanations begins after the question section.

PART A - QUESTIONS

1.

Scenario

Before a planned mechanical-lift transfer, the nurse aide notices that the sling has a frayed seam.

What should the nurse aide do?

A) Cover the frayed area with a folded towel
B) Stop and obtain an undamaged approved sling
C) Place the frayed section away from the resident's skin
D) Complete the transfer while another aide watches the seam

2.

Scenario

After lunch, a resident with one-sided facial weakness has food remaining inside one cheek.

What is the nurse aide's best action?

A) Give a large drink during the meal to wash the food down quickly
B) Sweep the cheek with an ungloved finger
C) Ask the resident to lie down and rest
D) Follow the care-plan cue for clearing the mouth and report repeated pocketing

3.

Scenario

A resident speaks slowly and indistinctly after a previous illness. The nurse aide does not understand the last sentence.

How should the nurse aide respond?

A) Ask the resident to repeat the sentence and allow time
B) Pretend to understand so the resident is not embarrassed by the delay
C) Finish the sentence based on what the aide expects
D) Ask the roommate to explain what the resident meant

4.

Which statement about facility fire doors is correct?

A) They should be propped open during every meal to improve corridor airflow nearby
B) They should remain able to close so smoke and fire can be contained
C) They may be blocked when corridor traffic is light
D) They replace the need to activate the fire alarm

5.

Scenario

A newly admitted resident says, "I miss my garden and nothing here feels like home."

What is the nurse aide's best response?

A) Explain that everyone must adjust to facility life
B) Change the subject to the day's television schedule
C) Listen and offer choices such as displaying familiar items or joining a gardening activity
D) Promise that the resident will feel completely at home by the end of the next day

6.

Scenario

A resident keeps personal letters in a bedside drawer and asks that staff not open it without permission.

What should the nurse aide do?

A) Open the drawer whenever staff members need supplies from the bedside area
B) Ask the roommate to guard the drawer
C) Move the letters to the nurses' station
D) Respect the request and ask permission before accessing the drawer

7.

When providing routine eye care, which action is appropriate?

A) Wipe back and forth across both eyes with the same area of the cloth
B) Press directly on the closed eyelid to loosen dried material
C) Apply soap close to the eye so the lashes become clean
D) Wipe gently from the inner corner outward using a clean section for each stroke

8.

Scenario

A resident can lock both wheelchair brakes independently but sometimes forgets before beginning a planned transfer.

What should the nurse aide do?

A) Lock the brakes without involving the resident
B) Give the planned reminder and allow the resident to lock both brakes
C) Leave the brakes unlocked to test whether the resident can balance during the transfer
D) Remove the brake handles so staff control them

9.

Scenario

While transporting a resident, the nurse aide sees that the edge of a lap blanket is hanging beside a wheelchair wheel.

What should the nurse aide do first?

A) Increase speed so the blanket does not drag
B) Ask the resident to hold the blanket near the floor
C) Remove the resident's footrests
D) Stop and secure the blanket away from the wheels

10.

Scenario

The nurse aide's break begins while a resident is using a bedside commode and still needs supervision.

What is the nurse aide's best action?

A) Leave after telling the resident to call when finished using the commode
B) Arrange direct coverage and give the covering worker a clear safety handoff
C) Ask a visitor to remain with the resident
D) End supervision because the scheduled break has started

11.

Which action is appropriate when brushing a resident's natural teeth?

A) Use a soft brush to clean the teeth, gumline, and tongue gently
B) Scrub the gums firmly until they become bright pink and completely clean
C) Use very hot water to soften the toothbrush bristles
D) Brush only the chewing surfaces to avoid the gums

12.

Scenario

A resident offers the nurse aide cash to provide care before another resident who is scheduled first.

What should the nurse aide do?

A) Accept the cash but divide it equally with the other assigned aide
B) Take the money and provide both residents' care together
C) Decline the cash, follow assigned priorities, and report the offer as required
D) Keep the cash but allow the first resident to retain priority

13.

What is the purpose of placing a new disposable probe cover on an electronic thermometer for each resident?

A) To make the temperature reading higher
B) To keep the probe warm between uses
C) To reduce transfer of microorganisms between residents
D) To allow the cover to be reused during the shift

14.

Scenario

Two roommates are becoming upset while arguing about television volume.

What should the nurse aide do?

A) Decide which resident has the more important program
B) Turn off the television and refuse to discuss it
C) Help each resident state a preference calmly and report unresolved concerns
D) Tell both residents that arguing will lead to loss of television privileges

15.

After completing bedside care, which action best reduces fall risk?

A) Place the bed in its lowest position and leave the call light within reach
B) Raise the bed so the resident can see the doorway
C) Put the call light on the overbed table near the foot of the bed
D) Leave one wheel unlocked so the bed can move during repositioning

16.

Scenario

A resident asks staff to knock and wait before entering, even when the room door is partly open.

How should the nurse aide respond?

A) Enter without knocking whenever care is scheduled for that resident
B) Knock only when the resident has a visitor
C) Knock, identify self, and wait for a response before entering
D) Ask the roommate to announce every staff member

17.

Scenario

A resident at rest suddenly reports heavy chest pressure and begins sweating.

What should the nurse aide do?

A) Walk the resident in the hallway to improve circulation and reduce sweating
B) Offer food and recheck the resident after lunch
C) Leave to find the resident's family
D) Keep the resident at rest, stay nearby, and activate urgent help

18.

Scenario

A resident presses the call button and says only, "Help," over the intercom.

What should the nurse aide do?

A) Go promptly to the room and determine what assistance is needed
B) Ask the resident to explain the entire problem over the intercom
C) Turn off the call signal until the resident gives more details
D) Tell the resident to wait for the next scheduled round

19.

Scenario

A restorative plan directs a resident to use the stronger hand to help move the weaker arm through a learned exercise.

What should the nurse aide do?

A) Set up the exercise and supervise the resident's planned self-assisted movement
B) Move the weaker arm rapidly while the resident remains completely passive
C) Ask the resident to exercise only the stronger arm
D) Add resistance beyond the restorative plan

20.

Scenario

During routine perineal care, the nurse aide is cleaning around a resident's indwelling urinary catheter.

Which action is appropriate?

A) Pull the tubing firmly to clean beneath it
B) Clean from the drainage bag toward the urinary opening with firm strokes
C) Hold the catheter steady and clean outward from the urinary opening
D) Apply powder where the catheter enters the body

21.

Scenario

While helping remove a tight sleeve, the nurse aide notices a new skin tear that is oozing a small amount of blood.

What should the nurse aide do?

A) Rub the area until the bleeding stops
B) Cover it with the resident's used washcloth
C) Protect the area, use clean gauze and gentle pressure if trained, and notify the nurse
D) Apply a large adhesive bandage directly across the torn skin without reporting the injury promptly

22.

Scenario

At the start of the shift, the nurse says that a resident's care plan was revised overnight.

What should the nurse aide do before providing the affected care?

A) Review the current directions and ask the nurse about anything unclear
B) Continue yesterday's routine until the next staff meeting
C) Ask the resident to choose which clinical directions should be followed today
D) Wait for another aide to try the revised care first

23.

Scenario

A resident with dementia paces near an exit each afternoon and says, "I have to get to work."

What is the nurse aide's best response?

A) Block the doorway and insist that the resident is retired and cannot leave
B) Ignore the pacing because it occurs every day
C) Approach calmly, explore the immediate need, and redirect to a familiar activity
D) Tell the resident that the workplace has permanently closed

24.

Scenario

A resident on a sodium-restricted diet asks the nurse aide to add salt before tasting the meal.

What should the nurse aide do?

A) Add salt because the resident requested it
B) Hide salt under the food so less is visible
C) Replace the meal with food brought from home
D) Follow the diet directions and offer only approved seasonings

25.

Scenario

The nurse aide finds two residents' reusable wash basins stacked together while still wet.

What should the nurse aide do?

A) Separate them and follow the approved cleaning, disinfection, and drying procedure
B) Dry only the outside basin and return both basins to use
C) Assign both basins to the same resident
D) Rinse them briefly and store them while damp

26.

Scenario

A resident has said not to share personal bowel information with an adult son. The son asks the nurse aide for details.

What should the nurse aide do?

A) Give the information because the requester is family
B) Honor the resident's restriction and refer the request appropriately
C) Post the information where the son can read it
D) Ask the roommate to answer the son's question

27.

Scenario

A small object used in a resident's spiritual practice is on the bedside table during cleaning. The nurse aide does not know how it should be handled.

What should the nurse aide do?

A) Ask the resident how the object may be handled before moving it
B) Place the object in a drawer without mentioning it to the resident first
C) Give the object to another resident with similar beliefs
D) Throw the object away if it interferes with cleaning

28.

Scenario

Before walking with a resident, the nurse aide notices that the rubber tip on the resident's cane is worn smooth.

What should the nurse aide do?

A) Wrap the cane tip with a washcloth
B) Delay use and obtain safe equipment according to procedure
C) Let the resident test the cane on a wet floor
D) Turn the cane upside down and use the handle as the tip

29.

Which action is appropriate during routine ear hygiene?

A) Wash the outer ear gently without inserting anything into the ear canal
B) Push a cotton swab deep into the ear canal to remove visible wax
C) Pour cleansing solution into the ear without directions
D) Scrape the canal with the corner of a washcloth

30.

Scenario

A resident is seated in a wheelchair and appears uncomfortable when the standing nurse aide speaks from above.

What should the nurse aide do?

A) Sit or position self at the resident's eye level while maintaining personal space
B) Stand behind the wheelchair and speak loudly over the resident's head throughout the conversation
C) Move very close to the resident's face
D) Continue the conversation while walking around the room

31.

When a gown and gloves are required, how should the gloves be positioned?

A) Under the gown sleeves so the wrists remain exposed
B) Over the gown cuffs so the wrists are covered
C) Rolled down to expose the palms
D) Tucked into the aide's pockets between tasks

32.

Scenario

A resident can wash the lower legs independently when a long-handled sponge is available.

What should the nurse aide do?

A) Wash both legs before offering the device
B) Remove the sponge because it slows the bath
C) Place the sponge within reach and allow the resident to complete the task
D) Ask the roommate to wash the resident's legs

33.

Scenario

A resident becomes embarrassed about slow speech and says, "I should just stop talking."

What is the nurse aide's best response?

A) Provide unhurried attention and encourage the resident to communicate
B) Agree that short conversations would be easier for everyone
C) Answer questions for the resident before the resident speaks
D) Avoid conversation until the resident speaks faster

34.

What oral care is appropriate for a resident who has no natural teeth and is not wearing dentures?

A) Gently clean the gums, tongue, and inside of the mouth as directed
B) Skip oral care because there are no teeth to brush
C) Scrape the gums with a hard toothbrush
D) Use concentrated mouthwash without checking swallowing directions

35.

Scenario

A coworker disconnects a resident's call-light cord because the resident has been calling frequently.

What should the nurse aide do?

A) Leave the cord disconnected until the coworker returns
B) Tell the resident to call out loudly instead
C) Hide the disconnected cord and say nothing
D) Restore access to assistance safely and report the coworker's action immediately

36.

Scenario

Water spills onto a resident's cast, and the cast surface feels damp.

What should the nurse aide do?

A) Dry the cast quickly with a hot hair dryer
B) Protect it from more moisture and notify the nurse promptly
C) Wrap the damp cast in plastic and continue the day
D) Press the soft area flat with both hands

37.

Scenario

A capable resident wants to manage a small amount of personal spending money.

What should the nurse aide do?

A) Take control of all purchases to prevent mistakes
B) Support the resident's choice and explain approved secure-storage options
C) Give the money to the resident's roommate for safekeeping
D) Require the family to make every spending decision

38.

Scenario

Before taking a resident to an off-unit test, the nurse aide notices that the resident's identification band is unreadable.

What should the nurse aide do?

A) Use the room number as the resident's identity
B) Write a new name on the band without checking
C) Ask another resident to confirm the identity
D) Stop and notify the nurse so identity can be verified and the band corrected

39.

Scenario

A resident has a contracted hand that rests in a supported position according to the care plan.

What should the nurse aide do during care?

A) Force the fingers straight to improve flexibility
B) Place a heavy object on the hand to keep it open
C) Maintain the planned support and avoid forcing the joints
D) Remove all supports so the hand can hang freely

40.

Scenario

A resident returns from an outside appointment with sealed clinical papers placed on the wheelchair.

What should the nurse aide do?

A) Open the papers and explain the results to the resident
B) Give the papers promptly to the nurse and report the resident's return
C) Leave the papers in the hallway for the next shift
D) Discard the papers after writing the appointment time

41.

Scenario

A resident gives a long explanation about a concern, and the nurse aide is unsure of the main point.

What should the nurse aide do?

A) Change the subject to a yes-or-no question
B) Tell the resident that the explanation is too long
C) Select the part that seems most important and act on it
D) Summarize what was heard and ask whether the understanding is correct

42.

Scenario

A bed-exit alarm sounds as a resident begins to rise without the required assistance.

What should the nurse aide do first?

A) Silence the alarm from the hallway
B) Go to the resident, provide immediate safety support, and call for help
C) Remove the alarm so it will not wake the roommate
D) Wait to see whether the resident can stand alone

43.

Scenario

A resident asks for a bedtime snack that is not listed among the resident's approved foods.

What should the nurse aide do?

A) Bring the snack directly from the employee break room
B) Tell the resident that snacks are never allowed
C) Ask the roommate to share an approved snack
D) Check the diet directions and obtain an approved alternative

44.

Scenario

A resident awakens from a nightmare, appears frightened, and is unsure where they are.

What should the nurse aide do?

A) Tell the resident that the dream was meaningless
B) Leave immediately so the resident can fall asleep
C) Speak calmly, provide simple orientation, and remain until the resident feels safer
D) Turn on every light and question the resident about the dream

45.

Scenario

A resident wants to display several family photographs in the room, but a staff member says all rooms should look the same.

What should the nurse aide do?

A) Remove the photographs to keep the room uniform
B) Help the resident display them safely within facility guidelines
C) Give the photographs to the roommate
D) Allow photographs only when family members are visiting

46.

Scenario

A resident coughs into a tissue, and the nurse aide sees blood-streaked sputum that is new for the resident.

What should the nurse aide do?

A) Discard the tissue and wait for the next episode
B) Ask the resident to keep coughing without assistance
C) Describe the finding as a diagnosis in the record
D) Use standard precautions and report the objective finding promptly

47.

Scenario

A resident with limited endurance can wash both hands independently when seated close enough to the sink.

What should the nurse aide do?

A) Wash the resident's hands while the resident watches
B) Position the resident safely at the sink and allow independent washing
C) Skip handwashing because standing is difficult
D) Move the sink supplies beyond the resident's reach

48.

During a bed bath, when should the nurse aide replace the bath water?

A) Only after the entire bath is finished
B) When it becomes cool or soiled and as the procedure directs
C) Whenever the resident closes both eyes
D) Only when another staff member enters the room

49.

Scenario

A resident who cannot stand is scheduled for a weight measurement using a wheelchair scale.

Which action is appropriate?

A) Estimate the weight from the previous month's value
B) Weigh only the wheelchair and record that number
C) Ask the resident to hold onto a wall scale
D) Use the approved wheelchair-scale method and record the exact result

50.

Scenario

A family member asks the nurse aide to sign a statement saying that a resident is mentally competent to enter a contract.

What should the nurse aide do?

A) Decline to make the determination and refer the request through the nurse
B) Sign because the aide sees the resident every day
C) Ask the roommate to co-sign the statement
D) Sign only if the family promises not to show the document to staff

51.

Scenario

A resident uses two hearing aids marked for the left and right ears. After routine care, the devices are ready to be returned.

What should the nurse aide do?

A) Insert either device into either ear
B) Exchange the devices so wear is equal
C) Match each labeled device to the correct ear as directed
D) Place both devices in one ear for stronger sound

52.

Scenario

A resident says quietly, "This has been a difficult day," and then pauses.

Which response best demonstrates active listening?

A) Remain attentive and invite the resident to say more
B) Fill the silence with a story about the nurse aide's day
C) Explain that other residents have bigger problems
D) Leave because the resident did not ask a direct question

53.

Scenario

While carrying clean linens, the nurse aide accidentally presses them against a soiled uniform.

What should the nurse aide do?

A) Replace the linens with clean ones before using them
B) Shake the linens and place them on the resident's bed
C) Turn the linens inside out and continue
D) Spray the linens with room deodorizer

54.

Scenario

Activity staff arrive to take a resident to a program while the nurse is preparing the resident for a time-sensitive specimen collection.

What should the nurse aide do?

A) Send the resident to the activity without telling the nurse
B) Cancel all future activities for the resident
C) Alert the nurse and activity staff so the timing can be coordinated
D) Ask the resident to collect the specimen without instructions

55.

Scenario

After a nap, a resident's gown and sheets are damp with perspiration, and the resident says they feel uncomfortable.

What should the nurse aide do?

A) Provide privacy, replace the damp items, and report the unusual sweating
B) Cover the damp gown with a dry robe until bedtime
C) Sprinkle powder over the wet sheets
D) Open the window and leave the resident uncovered

56.

Scenario

The nurse aide discovers a small blood spill on the floor of a resident's room.

What should the nurse aide do?

A) Wipe it with a dry paper towel using bare hands
B) Leave it uncovered until routine housekeeping arrives
C) Restrict access, use appropriate protection, and follow the approved spill-cleaning procedure
D) Pour drinking water over the spill and walk away

57.

Scenario

A resident repeatedly calls out, "Help me," even after immediate needs have been addressed.

What is the nurse aide's best action?

A) Stop responding so the behavior is not rewarded
B) Respond calmly, look for an unmet need, and report the pattern
C) Scold the resident for disturbing others
D) Move the call light out of the resident's reach

58.

Scenario

A resident says an aide threatened to delay toileting help if the resident filed a complaint.

What should the nurse aide do?

A) Ensure the resident's immediate needs are met and report the threat promptly
B) Advise the resident to withdraw the complaint
C) Wait to see whether toileting help is actually delayed
D) Tell the resident to discuss it only with family

59.

Scenario

Before a shower, a resident says, "My hair was just styled, and I do not want it wet."

What should the nurse aide do?

A) Wet the hair because every shower must include shampoo
B) Cancel all bathing for the resident
C) Cover the resident's face with a towel during the shower
D) Protect the hair with an approved shower cap and continue the chosen bath

60.

Scenario

The nurse aide notices that an electric bed cord is frayed and feels unusually warm.

What should the nurse aide do?

A) Wrap the cord with a wet towel
B) Continue using the bed until the shift ends
C) Place the cord beneath the bed where it cannot be seen
D) Stop using the control, protect the resident, and report the hazard

61.

Scenario

A resident can push from the mattress to begin standing during a planned transfer but asks the nurse aide to pull on both arms instead.

What should the nurse aide do?

A) Pull the resident upward by both wrists
B) Lift under the resident's arms without a cue
C) Cue the resident to push from the mattress and assist only as planned
D) Ask the resident to pull on the aide's neck

62.

Which action is appropriate when washing skin folds?

A) Leave cleanser in the fold to reduce odor
B) Rub the area briskly with a rough towel
C) Rinse well and pat the folds completely dry
D) Apply powder automatically whether or not it is directed

63.

Scenario

A care plan directs the nurse aide to keep a bedbound resident's heels off the mattress.

Which action is appropriate?

A) Place a firm ring directly under each heel
B) Support the calves as directed so the heels are suspended
C) Press the heels into the mattress during each turn
D) Place the resident's weight on one heel at a time

64.

Scenario

Two nurse aides each believe the other is assigned to a resident's scheduled continence check.

What should they do?

A) Clarify responsibility with the nurse immediately so the care is not missed
B) Wait until the resident reports being wet
C) Document that the other aide completed the check
D) Ask the resident to decide which aide is responsible

65.

Scenario

A blanket has been draped over a portable oxygen concentrator and is covering its air vents.

What should the nurse aide do?

A) Leave the blanket in place to reduce machine noise
B) Add another blanket to keep the equipment warm
C) Remove the blanket, keep the vents clear, and report any overheating
D) Increase the oxygen setting before uncovering the device

66.

Scenario

A resident asks to wear a preferred shade of lipstick for a family visit but needs help applying it.

What should the nurse aide do?

A) Choose a different color that the aide prefers
B) Refuse because cosmetics are not part of grooming
C) Apply the lipstick while the resident is asleep
D) Assist with the resident's chosen product and offer a mirror

67.

Scenario

While changing bed linens, the nurse aide finds an unidentified pill near the resident's pillow.

What should the nurse aide do?

A) Give the pill to the resident immediately
B) Prevent anyone from taking it and notify the nurse
C) Throw the pill into the regular trash
D) Place it in the bedside drawer for later use

68.

Scenario

An awake resident begins sliding forward in a wheelchair and cannot push back into position.

What should the nurse aide do?

A) Pull the resident upward by both wrists
B) Place a pillow under the resident's feet and continue
C) Ask the resident to stand without assistance
D) Prevent a fall, call for help, and use the approved repositioning method

69.

Scenario

A resident has finished using a bedpan and requests help.

What should the nurse aide do?

A) Leave the uncovered bedpan on the bedside table
B) Remove it carefully, provide hygiene, and measure or report output as directed
C) Slide it farther under the resident until the next round
D) Empty it before observing the contents when measurement is ordered

70.

Scenario

A bag of waste tears while the nurse aide is removing it from a transmission-precaution room.

What should the nurse aide do?

A) Compress the torn bag to force the air out
B) Carry the open bag against the uniform
C) Reach into the bag and transfer each item by hand
D) Contain it using the designated secondary-bag procedure and perform hand hygiene

PART B - ANSWER KEY AND EXPLANATIONS

Question numbering below corresponds to the questions in Part A.

1	B	2	D	3	A	4	B	5	C
6	D	7	D	8	B	9	D	10	B
11	A	12	C	13	C	14	C	15	A
16	C	17	D	18	A	19	A	20	C
21	C	22	A	23	C	24	D	25	A
26	B	27	A	28	B	29	A	30	A
31	B	32	C	33	A	34	A	35	D
36	B	37	B	38	D	39	C	40	B
41	D	42	B	43	D	44	C	45	B
46	D	47	B	48	B	49	D	50	A
51	C	52	A	53	A	54	C	55	A
56	C	57	B	58	A	59	D	60	D
61	C	62	C	63	B	64	A	65	C
66	D	67	B	68	D	69	B	70	D

1. Correct: B - Stop and obtain an undamaged approved sling

A damaged sling can fail during a lift. The aide should stop before transfer, remove the unsafe sling from use, and obtain approved equipment.

2. Correct: D - Follow the care-plan cue for clearing the mouth and report repeated pocketing

Food pocketing can create a swallowing risk. The aide follows the resident-specific plan and reports a repeated change rather than using an unsafe finger sweep or forcing fluids.

3. Correct: A - Ask the resident to repeat the sentence and allow time

Honest clarification and adequate response time respect the resident's voice. Pretending, guessing, or relying on a roommate can distort the message.

4. Correct: B - They should remain able to close so smoke and fire can be contained

Fire doors must remain able to close because they help limit the movement of smoke and fire. Propping or blocking them defeats that protective function.

5. Correct: C - Listen and offer choices such as displaying familiar items or joining a gardening activity

Listening and connecting the resident with familiar possessions or meaningful interests supports adjustment without dismissing feelings or making promises.

6. Correct: D - Respect the request and ask permission before accessing the drawer

The resident has rights to privacy and control of personal possessions. Staff convenience does not justify opening a private drawer without permission.

7. Correct: D - Wipe gently from the inner corner outward using a clean section for each stroke

Gentle strokes from the inner corner outward and a clean cloth surface for each stroke reduce irritation and movement of material back toward the eye.

8. Correct: B - Give the planned reminder and allow the resident to lock both brakes

A cue supports the resident's established safety skill while preserving independence. Taking over every time can reduce participation.

9. Correct: D - Stop and secure the blanket away from the wheels

Loose fabric can become caught in a wheelchair wheel. Stopping and securing it removes the immediate entanglement hazard.

10. Correct: B - Arrange direct coverage and give the covering worker a clear safety handoff

A resident who requires supervision cannot be left alone for staff convenience. Direct coverage and a clear handoff maintain continuity and safety.

11. Correct: A - Use a soft brush to clean the teeth, gumline, and tongue gently

Gentle cleaning of tooth surfaces, the gumline, and tongue supports oral hygiene without injuring tissue.

12. Correct: C - Decline the cash, follow assigned priorities, and report the offer as required

Money must not influence the order or quality of care. Declining the payment and reporting through the proper process protects ethical boundaries.

13. Correct: C - To reduce transfer of microorganisms between residents

A fresh disposable cover creates a barrier between the probe and each resident. It is discarded after use rather than reused.

14. Correct: C - Help each resident state a preference calmly and report unresolved concerns

Calmly supporting both residents' communication can reduce conflict. The aide should not take sides, threaten punishment, or impose a permanent solution independently.

15. Correct: A - Place the bed in its lowest position and leave the call light within reach

A low bed and an accessible call light reduce fall risk and let the resident request help before moving.

16. Correct: C - Knock, identify self, and wait for a response before entering

Knocking and waiting recognize the resident's room as personal space and support privacy even when the door is not fully closed.

17. Correct: D - Keep the resident at rest, stay nearby, and activate urgent help

New heavy chest pressure with sweating requires an urgent response. The aide maintains safety and summons help rather than making the resident walk or delaying.

18. Correct: A - Go promptly to the room and determine what assistance is needed

A vague urgent call cannot be assessed safely over an intercom. Prompt in-person response allows the aide to identify the need and act appropriately.

19. Correct: A - Set up the exercise and supervise the resident's planned self-assisted movement

The aide supports the restorative plan by enabling the resident to use existing ability. Adding resistance or taking over changes the planned exercise.

20. Correct: C - Hold the catheter steady and clean outward from the urinary opening

Stabilizing the tubing prevents traction, and cleaning outward moves material away from the urinary opening.

21. Correct: C - Protect the area, use clean gauze and gentle pressure if trained, and notify the nurse

A new skin tear requires prompt protection and reporting. Rubbing, using soiled material, or independently applying treatment can worsen injury or contamination.

22. Correct: A - Review the current directions and ask the nurse about anything unclear

Current care-plan directions guide the aide's work. Reviewing changes and clarifying questions prevents use of an outdated routine.

23. Correct: C - Approach calmly, explore the immediate need, and redirect to a familiar activity

A calm approach addresses possible unmet needs and reduces distress. Arguing about reality or inventing a story can increase confusion.

24. Correct: D - Follow the diet directions and offer only approved seasonings

The aide follows the ordered diet and may offer permitted alternatives. The aide should not alter the diet or bring unapproved food.

25. Correct: A - Separate them and follow the approved cleaning, disinfection, and drying procedure

Wet stacked basins can contaminate one another and support microbial growth. Proper processing and complete drying are needed before reuse.

26. Correct: B - Honor the resident's restriction and refer the request appropriately

A family relationship does not automatically permit disclosure. The aide protects the resident's confidentiality and routes questions through an authorized channel.

27. Correct: A - Ask the resident how the object may be handled before moving it

Asking before touching a spiritual object respects the resident's beliefs and avoids assumptions about its meaning or handling.

28. Correct: B - Delay use and obtain safe equipment according to procedure

A worn cane tip may slip. The aide should not improvise a repair or test unsafe equipment with the resident.

29. Correct: A - Wash the outer ear gently without inserting anything into the ear canal

Routine ear hygiene is limited to the outer ear. Inserting swabs, cloth, or unapproved liquid into the canal can cause injury.

30. Correct: A - Sit or position self at the resident's eye level while maintaining personal space

Eye-level communication is respectful and less intimidating while appropriate personal space preserves comfort.

31. Correct: B - Over the gown cuffs so the wrists are covered

Pulling gloves over gown cuffs closes the gap at the wrists and helps protect skin and clothing during exposure.

32. Correct: C - Place the sponge within reach and allow the resident to complete the task

Providing the adaptive device supports independence and preserves function. The aide should help only with steps the resident cannot safely perform.

33. Correct: A - Provide unhurried attention and encourage the resident to communicate

Patience and encouragement protect confidence and dignity. Speaking for the resident or avoiding conversation can increase isolation.

34. Correct: A - Gently clean the gums, tongue, and inside of the mouth as directed

Oral tissues still require routine hygiene when a resident has no natural teeth. Absence of teeth does not eliminate the need for mouth care.

35. Correct: D - Restore access to assistance safely and report the coworker's action immediately

Deliberately disabling a call light can prevent a resident from obtaining needed help. The aide restores safe access and reports the potential neglect rather than concealing it.

36. Correct: B - Protect it from more moisture and notify the nurse promptly

A wet cast can soften or damage and may affect the skin beneath it. The aide limits further moisture and reports it rather than applying heat, plastic, or pressure.

37. Correct: B - Support the resident's choice and explain approved secure-storage options

A capable resident retains control of personal funds. The aide can provide information about safe storage without taking over financial decisions.

38. Correct: D - Stop and notify the nurse so identity can be verified and the band corrected

An unreadable identification band must be resolved before transport or care. A room number, another resident, or an unchecked handwritten label is not a reliable identifier.

39. Correct: C - Maintain the planned support and avoid forcing the joints

A contracted joint should be supported according to the care plan. Forcing it can cause pain or injury and exceeds safe routine care.

40. Correct: B - Give the papers promptly to the nurse and report the resident's return

Sealed clinical documents from an appointment belong in the licensed nurse's follow-up process. The aide routes them promptly without interpreting or discarding them.

41. Correct: D - Summarize what was heard and ask whether the understanding is correct

Paraphrasing and confirmation check the message without guessing or dismissing the resident's explanation.

42. Correct: B - Go to the resident, provide immediate safety support, and call for help

The alarm signals an immediate fall risk. The aide responds to the resident first and obtains help rather than silencing or removing the alarm.

43. Correct: D - Check the diet directions and obtain an approved alternative

The aide can honor the request by locating an allowed choice. Giving unapproved food or using staff or roommate food could violate the diet plan and hygiene boundaries.

44. Correct: C - Speak calmly, provide simple orientation, and remain until the resident feels safer

Calm presence and simple orientation address immediate fear. Dismissing the experience or intense questioning may increase distress.

45. Correct: B - Help the resident display them safely within facility guidelines

Residents may personalize their living space with their possessions when safety requirements are met. Staff preference for identical rooms does not replace resident choice.

46. Correct: D - Use standard precautions and report the objective finding promptly

New blood-streaked sputum is an observable change that should be reported. The aide uses appropriate precautions and does not diagnose the cause.

47. Correct: B - Position the resident safely at the sink and allow independent washing

Safe positioning removes the access barrier while allowing the resident to use existing ability. The aide should not omit hygiene or take over unnecessarily.

48. Correct: B - When it becomes cool or soiled and as the procedure directs

Replacing cool or soiled water supports resident comfort and prevents washing with contaminated water.

49. Correct: D - Use the approved wheelchair-scale method and record the exact result

A wheelchair scale allows a nonstanding resident to be weighed safely. The aide follows the approved method and records the measured value rather than estimating.

50. Correct: A - Decline to make the determination and refer the request through the nurse

Determining legal or mental competence is outside the nurse aide's role. The aide should not sign an unsupported statement and should route the request appropriately.

51. Correct: C - Match each labeled device to the correct ear as directed

Left and right hearing aids may be fitted differently. Matching the labels preserves the resident's intended fit and function.

52. Correct: A - Remain attentive and invite the resident to say more

Attentive silence and a gentle invitation give the resident control of the conversation and communicate willingness to listen.

53. Correct: A - Replace the linens with clean ones before using them

Clean linens that touch a soiled uniform are no longer suitable for the resident's bed. Replacing them prevents transfer of contamination.

54. Correct: C - Alert the nurse and activity staff so the timing can be coordinated

Early communication lets the team preserve both the time-sensitive care need and the resident's activity when possible. The aide should not choose independently between them.

55. Correct: A - Provide privacy, replace the damp items, and report the unusual sweating

Dry clothing and linens restore comfort and protect the skin. New unusual sweating is also an objective change that should be reported.

56. Correct: C - Restrict access, use appropriate protection, and follow the approved spill-cleaning procedure

A blood spill requires immediate area control, appropriate protective equipment, and the facility's approved cleaning process.

57. Correct: B - Respond calmly, look for an unmet need, and report the pattern

Repeated calling may communicate discomfort, fear, or another unmet need. The aide continues respectful response and reports the pattern rather than punishing the resident.

58. Correct: A - Ensure the resident's immediate needs are met and report the threat promptly

Threatening to withhold toileting assistance for making a complaint is retaliation and a potential rights violation. Safety, timely care, and prompt reporting are required.

59. Correct: D - Protect the hair with an approved shower cap and continue the chosen bath

The resident can choose to keep styled hair dry while receiving other bathing care. An approved cap supports that preference without canceling hygiene.

60. Correct: D - Stop using the control, protect the resident, and report the hazard

A frayed, warm cord may create shock or fire risk. The aide prevents further use and reports it rather than hiding or improvising a repair.

61. Correct: C - Cue the resident to push from the mattress and assist only as planned

Pushing from a stable surface uses the resident's ability and avoids unsafe pulling on the arms or the aide's neck.

62. Correct: C - Rinse well and pat the folds completely dry

Removing cleanser and drying skin folds gently helps prevent retained moisture and irritation. Products are used only when directed.

63. Correct: B - Support the calves as directed so the heels are suspended

Supporting the calves can float the heels free of mattress pressure. Firm rings or alternating pressure directly on a heel do not meet the direction.

64. Correct: A - Clarify responsibility with the nurse immediately so the care is not missed

Ambiguous assignment ownership threatens continuity of care. Immediate clarification establishes accountability before the scheduled check is missed.

65. Correct: C - Remove the blanket, keep the vents clear, and report any overheating

Covered vents can cause the concentrator to overheat or malfunction. The aide keeps airflow unobstructed and does not change the prescribed oxygen setting.

66. Correct: D - Assist with the resident's chosen product and offer a mirror

Supporting the resident's grooming preference promotes choice, identity, and participation. The aide should not substitute personal taste or apply cosmetics without consent.

67. Correct: B - Prevent anyone from taking it and notify the nurse

An unidentified pill should not be administered, discarded, or saved casually. Securing the situation and notifying the nurse protects the resident and preserves follow-up.

68. Correct: D - Prevent a fall, call for help, and use the approved repositioning method

Pulling on the resident's arms or asking for an unsafe stand can cause injury. The aide protects the resident and obtains the help needed for planned repositioning.

69. Correct: B - Remove it carefully, provide hygiene, and measure or report output as directed

Prompt removal and hygiene protect comfort and skin. The aide observes, measures, and reports output when the care directions require it.

70. Correct: D - Contain it using the designated secondary-bag procedure and perform hand hygiene

A torn waste bag must be contained without compressing it or handling contents directly. The approved secondary-bag process and hand hygiene limit contamination.