HEALTH BEACON

CNA EXAM PREP

Practice Exam 11

70 practice questions | Printable Practice Exam

Instructions	Select the single best answer for each question. An answer key with explanations begins after the question section.

PART A - QUESTIONS

1.

Scenario

Before taking a resident down an outdoor ramp, the nurse aide notices that one anti-tip bar is missing from the wheelchair.

What should the nurse aide do?

A) Keep the resident from using the wheelchair and obtain a safe wheelchair according to procedure
B) Ask the resident to lean forward while going down the ramp
C) Use the wheelchair only if another aide holds the handles
D) Turn the wheelchair backward and continue slowly

2.

Where should a resident's hands be before a nurse aide rolls the wheelchair through a doorway?

A) Holding both sides of the doorframe
B) On the lap or armrests, clear of the wheels and doorway
C) Reaching down beside the rear wheels
D) Gripping the outside of the wheel rims

3.

Scenario

A resident with hearing loss is trying to read the nurse aide's lips, but a bright window behind the aide makes the aide's face look dark.

What is the best action by the nurse aide?

A) Stand farther away and raise the voice
B) Move so the face is evenly lighted, face the resident, and speak clearly
C) Turn toward the window while continuing the conversation
D) Write the entire message without first asking the resident's preference

4.

Scenario

A wheelchair cushion begins leaking a sticky gel while the resident is seated on it.

What should the nurse aide do?

A) Cover the leak with a towel and finish the shift
B) Turn the cushion over so the leak faces down
C) Help the resident to safe seating, remove the cushion from use, and report the damage
D) Wash the cushion in hot water and return it immediately

5.

Scenario

A meal tray ticket lists one liquid consistency, while the resident's current bedside swallowing directions list a different consistency.

What should the nurse aide do?

A) Serve whichever liquid looks thicker
B) Ask the resident which consistency was used yesterday
C) Mix the two liquids to reach a middle consistency
D) Hold the liquid and ask the nurse to clarify the current direction before serving it

6.

Which shower-chair condition requires the nurse aide to stop and obtain safe equipment before use?

A) A small amount of water is on the seat
B) The chair has a manufacturer's label
C) The backrest is a different color from the seat
D) A rubber tip is missing from one chair leg

7.

Scenario

A resident who usually shows emotion begins laughing after being told that a sibling died, then becomes silent.

What is the best response by the nurse aide?

A) Remain calm, acknowledge the news, and report the new behavior objectively
B) Tell the resident that laughing is disrespectful
C) Assume the resident did not understand and repeat the news loudly
D) Leave without saying anything because the reaction is unusual

8.

Scenario

During breakfast, a resident says a removable partial denture feels loose and shifts while chewing.

What should the nurse aide do?

A) Apply extra denture adhesive without an order
B) Stop the resident from chewing with it, store it as directed, and report the problem
C) Ask the resident to bite harder so it settles into place
D) Offer a hard food to test whether the denture will stay

9.

Scenario

A resident returns from therapy with a new wheelchair brake extender. The nurse aide has not been shown how it affects the resident's transfer.

What should the nurse aide do?

A) Remove the extender before every transfer
B) Ask the resident to demonstrate while standing alone
C) Transfer the resident using the old routine without checking
D) Obtain instruction or clarification from the nurse or therapy staff before the transfer

10.

Scenario

Before wheelchair transport, the nurse aide sees the resident's oxygen tubing looped around a wheel.

What should the nurse aide do first?

A) Stop and free the tubing from the wheel while maintaining the ordered setup
B) Roll forward slowly so the tubing unwinds
C) Place the tubing under the resident's foot
D) Disconnect the tubing until transport is complete

11.

Scenario

A resident wants to wear a small political campaign button on a sweater. A staff member dislikes the candidate and says the button should be removed.

What should the nurse aide do?

A) Remove the button before the resident leaves the room
B) Ask the family to decide whether the resident may wear it
C) Cover the button whenever staff enter
D) Support the resident's choice as long as the button can be worn safely

12.

Scenario

A resident asks the nurse aide to help change a will so the nurse aide will receive money after the resident dies.

What should the nurse aide do?

A) Agree if another employee watches
B) Decline involvement and report the request through the proper channel
C) Help only if the amount is small
D) Suggest naming a different staff member instead

13.

Where should a clean reusable gait belt be kept between assigned uses?

A) In the designated clean, dry storage area according to facility procedure
B) Around the nurse aide's neck for quick access
C) On the floor beside the resident's bed
D) In a pocket with used gloves

14.

Scenario

An approved electric blanket is in use, and the nurse aide finds its controller under the resident's pillow. The controller feels unusually hot.

What should the nurse aide do?

A) Place a second pillow over the controller
B) Lower the blanket setting and leave the controller in place
C) Cool the controller with a damp cloth
D) Stop use safely, protect the resident, and report the overheated controller

15.

Which response is most therapeutic when a resident says, "No one here ever listens to me"?

A) "Everyone is busy, so you need to be patient."
B) "That is not true because I am listening now."
C) "Tell me what you most want the staff to understand."
D) "You should write a complaint instead of talking about it."

16.

Scenario

While helping a resident dress, the nurse aide sees bright red blood soaking through an existing dressing.

What should the nurse aide do?

A) Remove the dressing to inspect the wound
B) Cover the area with the resident's shirt and continue
C) Have the resident rest, stay nearby, and notify the nurse immediately
D) Press firmly on the wound without first seeking direction

17.

Scenario

A pulse-oximeter clip is pinching a resident's finger, and the skin beyond the clip looks pale.

What should the nurse aide do?

A) Tape the clip more tightly
B) Remove the clip as directed, protect the finger, and report the skin change
C) Leave the clip in place until the reading changes
D) Move the clip to the resident's earlobe without direction

18.

Scenario

A resident can feed independently, but the soup bowl slides whenever the resident brings the spoon to it.

What should the nurse aide do?

A) Feed the entire bowl of soup
B) Hold the resident's wrist still
C) Replace the soup with a sandwich without checking the diet
D) Place the bowl on an approved nonslip mat and let the resident continue

19.

Scenario

A resident uses a four-wheeled walker with a seat and wants to sit for a planned rest.

What should the nurse aide cue the resident to do before sitting?

A) Lock the walker brakes on a stable surface and follow the practiced turning method
B) Leave the brakes open so the walker can adjust
C) Pull backward on the walker while sitting
D) Sit sideways on one handle

20.

Scenario

A resident who attended choir every week now refuses to go and says, "It does not matter anymore."

What should the nurse aide do?

A) Insist that the resident attend to improve mood
B) Listen, offer a choice without pressure, and report the change in interest
C) Promise that choir will make the resident feel better
D) Tell other residents to persuade the resident

21.

Scenario

A resident has a first occurrence of black, sticky stool.

What should the nurse aide do?

A) Flush it immediately and say nothing
B) Tell the resident it is caused by diet
C) Observe the appearance and report it promptly to the nurse
D) Give extra water before making a report

22.

Scenario

A resident has covered the room mirror as part of a personal mourning practice. A staff member wants it uncovered for convenience.

What should the nurse aide do?

A) Uncover it whenever the resident is asleep
B) Ask the roommate to decide
C) Respect the practice and ask the resident how the mirror should be handled during care
D) Explain that facility rooms cannot reflect personal beliefs

23.

Scenario

A resident has learned to use a dressing stick to guide a shirt sleeve onto an arm.

How should the nurse aide assist?

A) Put the shirt on completely before giving the stick
B) Place the dressing stick and shirt within reach and allow the resident to perform the learned steps
C) Hold the resident's hand around the stick and move it
D) Remove the stick if the first attempt is slow

24.

Scenario

A resident asks for a long foot soak, but the current care directions say to wash the feet without soaking because the skin is fragile.

What should the nurse aide do?

A) Soak the feet for half the requested time
B) Ask the roommate whether soaking is usually allowed
C) Add lotion to the water to protect the skin
D) Explain the direction, provide the approved foot washing, and relay the resident's request

25.

Scenario

A resident with blindness enters an unfamiliar activity room and asks where the doorway and nearest chair are.

Which action should the nurse aide take?

A) Give clear directional descriptions and offer guided orientation using the resident's preferred method
B) Point toward the chair and say, "Over there"
C) Move the resident without explaining the room
D) Ask another resident to provide all future directions

26.

Scenario

A resident hands the nurse aide a note that says, "cold inside." The aide is unsure whether the resident means the room, the resident's body, or something else.

What should the nurse aide do?

A) Ask the resident to explain what "cold inside" means before taking action
B) Raise the room temperature without asking
C) Document that the resident has chills
D) Add a blanket and discard the note

27.

Scenario

Before a splash-prone task, the nurse aide notices a deep crack across the available face shield.

What should the nurse aide do?

A) Wear the cracked shield over two masks
B) Cover the crack with a paper towel
C) Perform the task while turning the face away
D) Obtain intact required eye and face protection before starting

28.

Scenario

After the resident's feet are washed, moisture remains between the toes.

What should the nurse aide do?

A) Apply a thick layer of lotion between the toes
B) Put socks on while the skin is wet
C) Gently dry between the toes before applying footwear
D) Use a hair dryer on the hottest setting

29.

Scenario

During a blood-pressure measurement, torn cuff fabric allows the inner bladder to bulge out and the fastener opens.

What should the nurse aide do?

A) Hold the cuff closed by hand and estimate the reading
B) Stop the measurement, obtain an intact correct-size cuff, and report the damage
C) Wrap tape around the cuff and reuse it
D) Record the first number that appeared

30.

Scenario

After bathing, a resident asks to use a personally preferred deodorant that is labeled and included in the care directions.

What should the nurse aide do?

A) Substitute a stronger facility product
B) Apply the resident's product to clean, dry, intact skin as directed
C) Spray the product toward the resident's face
D) Refuse because personal grooming products are never allowed

31.

Which body-mechanics action is safest when changing direction while pushing a wheelchair?

A) Keep the feet still and twist at the waist
B) Move the feet and turn the whole body with the wheelchair
C) Pull sideways with one arm
D) Lean over the resident and pivot on one foot

32.

Scenario

During a mechanical-lift transfer, the resident says the sling is bunched and pinching a thigh as the resident is raised slightly.

What should the team do?

A) Lower the resident safely and correct the sling position according to the transfer plan
B) Continue because sling discomfort is expected
C) Pull the sling fabric while the resident is suspended
D) Ask the resident to shift weight without lowering the lift

33.

Scenario

A transporter arrives for a resident, but the required level of staff escort is unclear on the transport paperwork.

What should the nurse aide do?

A) Send the resident alone because the transporter is present
B) Ask another resident what usually happens
C) Choose the least restrictive escort level
D) Clarify the current escort requirement with the nurse before departure

34.

Scenario

A resident who normally feeds independently becomes tired halfway through lunch but wants to continue after a short rest.

What should the nurse aide do?

A) Remove the tray because the resident paused
B) Feed the resident quickly without asking
C) Allow the rest, reset items within reach, and give only the assistance requested or directed
D) Replace the meal with a liquid supplement independently

35.

Scenario

A resident requests body powder after bathing, and its use is included in the care directions.

What is the safest action by the nurse aide?

A) Shake a large cloud of powder over the resident
B) Sprinkle powder directly near the resident's nose
C) Place a small amount in the hand away from the face, then apply as directed
D) Mix the powder into bath water

36.

Scenario

A resident uses a universal cuff to hold a spoon during meals.

How should the nurse aide promote independence?

A) Remove the cuff and feed the resident
B) Tighten the cuff until the hand changes color
C) Hold the resident's forearm through the meal
D) Set up the spoon in the cuff as directed and allow the resident time to eat

37.

Scenario

A resident tires easily and asks to join the next care conference by telephone from the room.

What should the nurse aide do?

A) Tell the resident that only in-person attendance counts
B) Ask the family to attend instead without consulting the resident
C) Decide what concerns to present for the resident
D) Relay the request and help the resident access the participation process

38.

Which action best supports a resident's right to understand information about care?

A) Help obtain information in a language and form the resident can understand
B) Ask the resident to sign first and explain later
C) Give information only to family members
D) Avoid questions that might slow the schedule

39.

Scenario

A resident prefers to wear a pajama top inside out because the seams irritate the skin. The top is clean and safe.

What should the nurse aide do?

A) Insist that the seams face inward
B) Help the resident wear the pajama top inside out as requested
C) Cut the seams off without permission
D) Replace it with a gown selected by staff

40.

Scenario

A resident wants to use personal headphones to listen to a preferred radio program at a safe volume. A staff member says only the unit's television program should be allowed.

What should the nurse aide do?

A) Store the headphones until the unit program ends
B) Ask other residents to approve the radio program
C) Support the resident's safe personal listening choice
D) Require the resident to listen without headphones

41.

Scenario

Before an off-unit trip, the gauge on the resident's portable oxygen cylinder shows that the supply is nearly empty.

What should the nurse aide do?

A) Start the trip and watch the gauge
B) Delay departure and notify the nurse so an adequate approved supply can be arranged
C) Increase the oxygen flow for the first half of the trip
D) Turn the oxygen off between rooms to save it

42.

Scenario

A resident performing a restorative exercise asks the nurse aide to change to a stronger resistance band, but the current plan lists the lighter band.

What should the nurse aide do?

A) Switch bands if the resident promises to stop if tired
B) Continue the current plan and report the resident's request to the nurse or therapy staff
C) Combine both bands for a short trial
D) Tell the resident to purchase a stronger band

43.

What should a nurse aide do if a wall-mounted sharps container opening is above the aide's shoulder level?

A) Avoid using it and report the unsafe placement through the proper procedure
B) Stand on a chair to reach the opening
C) Toss the sharp upward into the container
D) Leave the sharp on a counter for someone taller

44.

Scenario

A fluorescent light tube breaks in a resident's room and leaves glass and powder on the floor.

What should the nurse aide do?

A) Sweep the powder with bare hands
B) Ask the resident to step around the area
C) Move the resident away, restrict access, and notify the appropriate staff for safe cleanup
D) Cover the debris with a towel and continue care

45.

What is the safest way to remove a resident's eyeglasses during grooming?

A) Pull them forward by one lens
B) Lift them by the nose pads with one finger
C) Hold both temples and remove them gently with two hands
D) Ask the resident to shake them off

46.

Scenario

A resident's hearing aid has been sent for repair. The resident is temporarily using a large-print communication board kept in the bedside drawer.

What should the nurse aide include in the end-of-shift handoff?

A) The temporary communication method and where the board is kept
B) A guess about when the hearing aid will return
C) Only that the resident is difficult to understand
D) Nothing because communication aids are personal matters

47.

Scenario

A telephone connection drops while the nurse aide is relaying an important nonemergency resident message to the nurse.

What should the nurse aide do?

A) Call back, repeat the complete message, and confirm that it was received
B) Assume the nurse heard enough of the message
C) Leave the rest of the message with a visitor
D) Document that the nurse received the full message

48.

Scenario

Construction dust settles on an uncovered cart of linens that had been prepared for resident care.

What should the nurse aide do?

A) Shake the linens in the hallway
B) Use the linens only for residents without wounds
C) Keep the exposed linens out of use and report them for replacement or reprocessing
D) Place clean linens on top of the dusty ones

49.

Scenario

A resident and a visiting friend are speaking privately in their shared native language. A coworker says they must speak English so staff can understand them.

What should the nurse aide do?

A) Require English whenever staff are nearby
B) Respect the private conversation and address only actual care or safety needs
C) Ask another resident to translate the conversation
D) End the visit because staff cannot monitor the words

50.

Scenario

The nurse aide notices that a resident's medication patch is partly detached from the skin.

What should the nurse aide do?

A) Press the patch back on firmly
B) Replace the patch with one from the medication cart
C) Tape over the patch without reporting it
D) Avoid changing the patch and notify the nurse promptly

51.

Scenario

A resident becomes upset because hand tremors make it difficult to write a birthday card for a granddaughter.

What should the nurse aide do?

A) Acknowledge the frustration and offer resident-chosen help that preserves the resident's message
B) Write a message without asking what the resident wants to say
C) Tell the resident to buy a printed card instead
D) Put the card away so the resident will not feel embarrassed

52.

Scenario

A resident gives the nurse aide a debit card and PIN and asks the aide to withdraw cash after work.

What should the nurse aide do?

A) Withdraw only the requested amount and keep the receipt
B) Decline and use the authorized facility process to address the resident's need
C) Give the card to another aide
D) Write the PIN on the resident's bedside table

53.

Scenario

While the nurse aide is safely assisting another resident with a transfer, a resident asks to discuss a missing sweater.

What should the nurse aide say?

A) "That is not important right now."
B) "Ask someone else because I am busy."
C) "I will come later," without giving any follow-up
D) "I need to finish this transfer safely. I will return in ten minutes or ask another staff member to help you."

54.

Scenario

A resident is wearing ordered compression sleeves. The nurse aide notices that a sleeve tube is trapped under the calf and has left a deep indentation.

What should the nurse aide do?

A) Increase the device setting
B) Place a folded towel over the tubing
C) Gently free the external tubing without disconnecting it, then report the indentation without changing the settings
D) Ignore the mark because the device is ordered

55.

Scenario

A walker handgrip rotates freely when the resident puts weight on it.

What should the nurse aide do?

A) Secure it with a washcloth
B) Keep the walker out of use, obtain safe assistance or equipment, and report the defect
C) Tell the resident to hold the metal frame instead
D) Use the walker only on carpet

56.

Scenario

A resident asks to eat dessert before the main course. The foods are permitted by the current diet directions.

What should the nurse aide do?

A) Refuse because dessert must always be last
B) Honor the preferred order and arrange the tray safely
C) Remove the dessert until the resident finishes everything else
D) Ask another resident whether the request is reasonable

57.

Scenario

The nurse aide finds a new red indentation behind a resident's ear where oxygen tubing rests.

What should the nurse aide do?

A) Relieve pressure only as directed and report the skin change promptly
B) Rub the area until the redness fades
C) Tape the tubing tightly to the ear
D) Apply an unapproved ointment beneath the tubing

58.

Scenario

Before a bath, the resident wants to feel the water with a hand after the nurse aide checks it.

What should the nurse aide do?

A) Verify that the water is safe, then allow the resident to check comfort
B) Refuse because only staff may judge water comfort
C) Make the water hotter before the resident checks it
D) Ask the roommate to choose the temperature

59.

Scenario

Before putting on a resident's shoes, the nurse aide notices that a removable insole is folded under the heel.

What should the nurse aide do?

A) Put the shoe on and let walking flatten the insole
B) Remove the insole and discard it without permission
C) Flatten or replace the insole as directed and check that the shoe fits comfortably
D) Add a second insole on top of the folded one

60.

Which action best supports a resident who says that repeated use of the wrong pronoun is upsetting?

A) Avoid using any name or pronoun around the resident
B) Explain that staff cannot remember individual preferences
C) Use the resident's requested pronoun, apologize briefly for mistakes, and communicate the preference appropriately
D) Ask the roommate to choose which pronoun staff should use

61.

Scenario

A resident uses a curved long-handled brush to reach the back of the hair independently.

How should the nurse aide help?

A) Place the brush within reach and allow the resident to use the learned method
B) Brush all of the resident's hair before offering the device
C) Hold the resident's arm and move the brush
D) Replace the brush with a standard short-handled brush

62.

Scenario

A coworker tells a resident, "If you press the call bell again, I will turn off your lights all night."

What should the nurse aide do?

A) Wait to see whether the coworker follows through
B) Tell the resident to use the call bell less often
C) Offer the coworker a different punishment
D) Ensure the resident can summon help and report the threat immediately

63.

How can a nurse aide support a resident who can dress independently when clothing setup is part of the care plan?

A) Place the selected clothing in the order the resident uses it
B) Fasten every item before the resident begins
C) Mix clean and worn clothing together
D) Choose the outfit without asking the resident

64.

Scenario

While having hair washed at the sink, a resident says the neck position is becoming painful.

What should the nurse aide do?

A) Pause, support the head and neck, and adjust or use another approved method
B) Finish quickly while the resident remains in the same position
C) Push the resident's head farther back
D) Tell the resident that sink shampoos are always uncomfortable

65.

Scenario

A resident suddenly becomes severely short of breath and coughs up pink, frothy material.

What should the nurse aide do?

A) Offer a large drink of water
B) Leave to finish another resident's care
C) Keep the resident safe, stay nearby, and summon urgent nursing or emergency help
D) Ask the resident to walk in the hallway

66.

Scenario

A resident says the previous shift promised a shower, but the shower is not listed on the current assignment.

What should the nurse aide do?

A) Tell the resident the previous shift was wrong
B) Promise a shower at a specific time without checking
C) Acknowledge the request and coordinate with the nurse and team for an accurate plan
D) Record that the shower was refused

67.

Scenario

A resident becomes distressed after housekeeping rearranges familiar objects on the bedside table.

What should the nurse aide do?

A) Tell the resident that the new arrangement is better
B) With permission, restore a safe familiar arrangement and report continuing distress
C) Remove all objects to prevent further concern
D) Ask the resident to remember where the objects were moved

68.

Scenario

A resident asks to name a long-term same-sex partner, rather than a relative, as the preferred personal contact.

What should the nurse aide do?

A) Say that only legal relatives may be listed
B) Select the closest relative for the resident
C) Ask other residents whether the choice is appropriate
D) Respect the choice and help route the request through the facility process

69.

Scenario

A resident asks for a permitted meal to be served in two smaller portions because food becomes cold before the resident can finish.

What should the nurse aide do?

A) Serve both portions at once
B) Tell the resident to eat faster
C) Replace the meal with cold food
D) Coordinate the request so each portion is served safely and at an appropriate temperature

70.

Scenario

During dressing, the nurse aide sees that the edges of a resident's surgical wound have separated and tissue is visible.

What should the nurse aide do?

A) Push the tissue back into place

B) Continue dressing and check again later

C) Clean the opening with soap and water

D) Keep the resident still and safe, avoid touching the wound, and summon the nurse immediately

PART B - ANSWER KEY AND EXPLANATIONS

Question numbering below corresponds to the questions in Part A.

1	A	2	B	3	B	4	C	5	D
6	D	7	A	8	B	9	D	10	A
11	D	12	B	13	A	14	D	15	C
16	C	17	B	18	D	19	A	20	B
21	C	22	C	23	B	24	D	25	A
26	A	27	D	28	C	29	B	30	B
31	B	32	A	33	D	34	C	35	C
36	D	37	D	38	A	39	B	40	C
41	B	42	B	43	A	44	C	45	C
46	A	47	A	48	C	49	B	50	D
51	A	52	B	53	D	54	C	55	B
56	B	57	A	58	A	59	C	60	C
61	A	62	D	63	A	64	A	65	C
66	C	67	B	68	D	69	D	70	D

1. Correct: A - Keep the resident from using the wheelchair and obtain a safe wheelchair according to procedure

A missing anti-tip component can make ramp travel unsafe. The aide should prevent use and obtain approved safe equipment rather than trying to compensate with body position or extra handling.

2. Correct: B - On the lap or armrests, clear of the wheels and doorway

Keeping the resident's hands inside the wheelchair frame helps prevent fingers from being caught by wheels, walls, or doorframes during transport.

3. Correct: B - Move so the face is evenly lighted, face the resident, and speak clearly

Even lighting and a visible face support lip-reading and nonverbal cues. Shouting or automatically replacing the resident's preferred method is not helpful.

4. Correct: C - Help the resident to safe seating, remove the cushion from use, and report the damage

A leaking cushion may no longer provide safe support. The resident needs safe seating while the damaged cushion is removed and reported.

5. Correct: D - Hold the liquid and ask the nurse to clarify the current direction before serving it

Conflicting swallowing directions create an immediate safety concern. The aide should not guess or modify consistency independently.

6. Correct: D - A rubber tip is missing from one chair leg

A missing rubber tip can make the shower chair unstable. The chair must not be used until safe equipment is available.

7. Correct: A - Remain calm, acknowledge the news, and report the new behavior objectively

People may react to loss in different ways, but a marked new behavior should be reported without judgment or confrontation.

8. Correct: B - Stop the resident from chewing with it, store it as directed, and report the problem

A loose dental appliance can interfere with safe chewing and may cause injury. The aide should not apply adhesive or test the appliance independently.

9. Correct: D - Obtain instruction or clarification from the nurse or therapy staff before the transfer

New adaptive equipment can change the safe transfer setup. The aide must understand the current plan before proceeding.

10. Correct: A - Stop and free the tubing from the wheel while maintaining the ordered setup

Tubing caught in a wheel can pull on the resident or interrupt oxygen delivery. The hazard must be corrected before movement without disconnecting or changing the treatment.

11. Correct: D - Support the resident's choice as long as the button can be worn safely

A resident may express personal views and choose clothing or accessories. Staff disagreement is not a reason to remove a safe item.

12. Correct: B - Decline involvement and report the request through the proper channel

Being named in a resident's will creates a serious professional-boundary and exploitation concern. The aide should not participate.

13. Correct: A - In the designated clean, dry storage area according to facility procedure

Clean, dry designated storage protects reusable equipment from contamination and loss. A belt should not be stored with waste or carried around the neck.

14. Correct: D - Stop use safely, protect the resident, and report the overheated controller

An overheated controller may cause a burn or fire. The aide should stop use safely and report the malfunction rather than cool or cover it.

15. Correct: C - "Tell me what you most want the staff to understand."

This open invitation acknowledges the resident's concern and encourages expression. Arguing, dismissing, or redirecting immediately does not demonstrate listening.

16. Correct: C - Have the resident rest, stay nearby, and notify the nurse immediately

Bleeding through a dressing is a significant new observation. The aide should protect the resident and notify the nurse without independently removing the dressing.

17. Correct: B - Remove the clip as directed, protect the finger, and report the skin change

Pale skin and pinching suggest impaired comfort or circulation at the site. The aide should relieve the device pressure within directions and report the change.

18. Correct: D - Place the bowl on an approved nonslip mat and let the resident continue

Stabilizing the bowl removes an environmental barrier while preserving the resident's feeding ability.

19. Correct: A - Lock the walker brakes on a stable surface and follow the practiced turning method

The rollator must be stable before the resident sits. Open brakes or pulling on the walker can cause it to roll.

20. Correct: B - Listen, offer a choice without pressure, and report the change in interest

Loss of interest in a valued activity is a meaningful emotional change. The aide should listen and report it without forcing participation or making promises.

21. Correct: C - Observe the appearance and report it promptly to the nurse

A new black, sticky stool is an abnormal observation that must be reported objectively. The aide should not diagnose or delay the report.

22. Correct: C - Respect the practice and ask the resident how the mirror should be handled during care

The aide should not assume the meaning of a cultural or spiritual practice. Asking the resident supports individualized, respectful care.

23. Correct: B - Place the dressing stick and shirt within reach and allow the resident to perform the learned steps

Proper setup and adequate time promote continued self-care. Taking over because the task is slow can reduce independence.

24. Correct: D - Explain the direction, provide the approved foot washing, and relay the resident's request

The aide should follow current skin-protection directions while respectfully communicating the resident's preference to the care team.

25. Correct: A - Give clear directional descriptions and offer guided orientation using the resident's preferred method

Specific directions and the resident's preferred orientation method provide useful information without moving the resident unexpectedly or relying on vague gestures.

26. Correct: A - Ask the resident to explain what "cold inside" means before taking action

Clarifying an ambiguous message prevents the aide from making an inaccurate assumption or documenting an unconfirmed symptom.

27. Correct: D - Obtain intact required eye and face protection before starting

Cracked protection may not block a splash. The aide should replace it before exposure rather than improvise or proceed unprotected.

28. Correct: C - Gently dry between the toes before applying footwear

Thorough gentle drying reduces moisture and skin irritation. High heat and heavy lotion between toes may create harm.

29. Correct: B - Stop the measurement, obtain an intact correct-size cuff, and report the damage

A torn cuff cannot provide a reliable or safe measurement. The aide should stop, replace the equipment, and report the defect rather than improvise or record an uncertain value.

30. Correct: B - Apply the resident's product to clean, dry, intact skin as directed

Using the labeled preferred product as directed supports hygiene and personal choice. Substitution or unsafe spraying is unnecessary.

31. Correct: B - Move the feet and turn the whole body with the wheelchair

Stepping through a turn avoids twisting the back while controlling the wheelchair safely.

32. Correct: A - Lower the resident safely and correct the sling position according to the transfer plan

Pinching signals an unsafe sling position. The team should lower the resident before correcting it rather than pulling fabric while the resident is suspended.

33. Correct: D - Clarify the current escort requirement with the nurse before departure

The aide should not guess when transport supervision is unclear. Clarification protects safety and ensures the current plan is followed.

34. Correct: C - Allow the rest, reset items within reach, and give only the assistance requested or directed

Rest and limited assistance help the resident continue safely while preserving self-feeding ability.

35. Correct: C - Place a small amount in the hand away from the face, then apply as directed

Keeping powder away from the face reduces inhalation risk while following the resident's approved grooming preference.

36. Correct: D - Set up the spoon in the cuff as directed and allow the resident time to eat

Correct adaptive-device setup enables the resident to perform the task. Unnecessary takeover or excessive tightness interferes with independence and safety.

37. Correct: D - Relay the request and help the resident access the participation process

Residents have the right to participate in care decisions. The aide should support access rather than substitute family or make decisions for the resident.

38. Correct: A - Help obtain information in a language and form the resident can understand

Meaningful participation requires understandable information. Signing before explanation or excluding the resident does not support this right.

39. Correct: B - Help the resident wear the pajama top inside out as requested

A clean, safe garment may be worn in the way the resident finds comfortable. Staff appearance preferences do not override the resident's choice.

40. Correct: C - Support the resident's safe personal listening choice

A resident may choose personal entertainment when it can be used safely and without disturbing others. Staff preference for a unit program does not override that choice.

41. Correct: B - Delay departure and notify the nurse so an adequate approved supply can be arranged

The aide must not begin transport with an inadequate oxygen supply or alter the flow. The nurse should arrange a safe supply.

42. Correct: B - Continue the current plan and report the resident's request to the nurse or therapy staff

The aide supports restorative activity by following the established resistance level. Advancing the exercise program requires review by the responsible nurse or therapy staff.

43. Correct: A - Avoid using it and report the unsafe placement through the proper procedure

Reaching above shoulder level with a sharp increases needlestick risk. The aide should not climb or leave a sharp unsecured.

44. Correct: C - Move the resident away, restrict access, and notify the appropriate staff for safe cleanup

Broken fluorescent glass and powder require controlled cleanup. The aide should protect residents and avoid direct handling.

45. Correct: C - Hold both temples and remove them gently with two hands

Using both temples reduces bending and protects the resident's glasses and face.

46. Correct: A - The temporary communication method and where the board is kept

A specific handoff about the temporary method and its location supports consistent communication across shifts without guessing about repair timing.

47. Correct: A - Call back, repeat the complete message, and confirm that it was received

Repeating and confirming the message closes the communication loop after an interrupted call.

48. Correct: C - Keep the exposed linens out of use and report them for replacement or reprocessing

Dust-exposed linens are no longer dependable clean supplies. Shaking them can spread contamination.

49. Correct: B - Respect the private conversation and address only actual care or safety needs

Residents may communicate privately in their chosen language. Staff curiosity is not a reason to monitor or end the conversation.

50. Correct: D - Avoid changing the patch and notify the nurse promptly

Medication patches are part of medication treatment. The aide should report the loose patch and not reapply, replace, or tape it independently.

51. Correct: A - Acknowledge the frustration and offer resident-chosen help that preserves the resident's message

Emotional support and choices help the resident remain the author of the card. Taking over without permission can increase embarrassment.

52. Correct: B - Decline and use the authorized facility process to address the resident's need

Handling a resident's debit card and PIN creates serious boundary and exploitation risks. The aide should use an authorized process.

53. Correct: D - "I need to finish this transfer safely. I will return in ten minutes or ask another staff member to help you."

The response protects the current transfer while acknowledging the other resident, setting a clear follow-up, and offering an alternate way to get help.

54. Correct: C - Gently free the external tubing without disconnecting it, then report the indentation without changing the settings

Removing the external pressure protects the skin, while prompt reporting addresses the indentation. The aide should not disconnect the device or change prescribed settings.

55. Correct: B - Keep the walker out of use, obtain safe assistance or equipment, and report the defect

A rotating handgrip may fail during weight bearing. Improvised repairs or alternate grips are unsafe.

56. Correct: B - Honor the preferred order and arrange the tray safely

When all foods meet current directions, the resident may choose the order in which to eat them.

57. Correct: A - Relieve pressure only as directed and report the skin change promptly

New redness at a device contact point may worsen if pressure continues. The aide should follow directions and report rather than rub or medicate the area.

58. Correct: A - Verify that the water is safe, then allow the resident to check comfort

The aide remains responsible for basic safety while including the resident in judging personal comfort.

59. Correct: C - Flatten or replace the insole as directed and check that the shoe fits comfortably

A folded insole creates pressure and poor fit. It should be corrected before the shoe is worn.

60. Correct: C - Use the resident's requested pronoun, apologize briefly for mistakes, and communicate the preference appropriately

Respecting the resident's stated identity supports dignity and emotional safety. Staff convenience or another person's opinion does not replace the resident's preference.

61. Correct: A - Place the brush within reach and allow the resident to use the learned method

Providing the adaptive brush and time preserves the resident's grooming ability. Taking over or replacing the device can reduce independence.

62. Correct: D - Ensure the resident can summon help and report the threat immediately

Threatening to remove light for call-bell use is abusive and may create a safety risk. The resident needs protection and immediate reporting.

63. Correct: A - Place the selected clothing in the order the resident uses it

Organized setup removes a barrier while allowing the resident to complete dressing independently.

64. Correct: A - Pause, support the head and neck, and adjust or use another approved method

Pain during positioning is a signal to stop and correct the setup. The aide should not force the resident to continue.

65. Correct: C - Keep the resident safe, stay nearby, and summon urgent nursing or emergency help

Severe breathing difficulty with pink, frothy material is an urgent change. The aide should remain with the resident and activate help rather than give food, fluid, or exercise.

66. Correct: C - Acknowledge the request and coordinate with the nurse and team for an accurate plan

The aide should communicate respectfully and help the team resolve the request without blaming another shift or making an unverified promise.

67. Correct: B - With permission, restore a safe familiar arrangement and report continuing distress

Familiar organization can support emotional security. The aide should involve the resident and report distress that continues.

68. Correct: D - Respect the choice and help route the request through the facility process

A capable resident may identify a preferred personal contact. Staff should not replace that choice based on their view of family relationships.

69. Correct: D - Coordinate the request so each portion is served safely and at an appropriate temperature

Dividing a permitted meal can support comfort and independence when food cools before the resident finishes. The aide should coordinate safe service rather than rush the resident.

70. Correct: D - Keep the resident still and safe, avoid touching the wound, and summon the nurse immediately

Separated wound edges with visible tissue require immediate licensed-nurse attention. The aide should not push tissue back or independently clean the opening.