HEALTH BEACON

CNA EXAM PREP

Practice Exam 12

70 practice questions | Printable Practice Exam

Instructions	Select the single best answer for each question. An answer key with explanations begins after the question section.

PART A - QUESTIONS

1.

Scenario

A resident reaches for the bed-mounted trapeze, and the overhead bar shifts at its attachment point.

What should the nurse aide do?

A) Hold the bar steady while the resident pulls
B) Tighten the attachment without reporting it
C) Stop use, keep the resident safe, and report the loose equipment
D) Ask the resident to pull more slowly

2.

Scenario

A coworker adds personal groceries to a resident's online delivery order and plans to let the resident pay for everything.

What should the nurse aide do?

A) Protect the resident from the transaction and report the suspected exploitation immediately
B) Ignore it if the added items are inexpensive
C) Ask the resident to approve the purchase after delivery
D) Offer to split the personal groceries with the coworker

3.

Which action best protects confidentiality when translation help is needed for resident information?

A) Enter the information into any free personal phone app
B) Send a photograph of the record to a bilingual friend
C) Post the wording in a public online forum
D) Use only the facility-approved language-access process

4.

Scenario

A resident's wheelchair has been sent for repair, but no loaner chair is available for a scheduled morning transfer.

What should the nurse aide do?

A) Carry the resident to a dining chair
B) Notify the nurse and coordinate with the appropriate team members for safe equipment
C) Use another resident's wheelchair without permission
D) Cancel all of the resident's activities without telling anyone

5.

Scenario

A resident with dementia repeatedly wipes the lap and says crumbs are there, although none are visible.

What is the best response by the nurse aide?

A) Check for discomfort, respond calmly, and offer a safe familiar wiping task
B) Insist that the resident admit there are no crumbs
C) Take away all napkins so the behavior stops
D) Tell other residents to point out the mistake

6.

Scenario

Before ambulation, the nurse aide notices that the adjustable legs of the resident's walker are set at different heights.

What should the nurse aide do?

A) Use the walker only on a level hallway
B) Ask the resident to lean toward the shorter side
C) Place a towel under the shorter leg
D) Do not use it until properly adjusted approved equipment is available, and report the problem

7.

Scenario

A coworker asks the nurse aide to document that a resident was "acting crazy" during lunch. The resident actually shouted twice and pushed the tray away.

What should the nurse aide document or report?

A) The resident had a psychiatric episode
B) The resident behaved badly for no reason
C) The resident shouted twice and pushed the tray away
D) The resident was impossible to manage

8.

How should a nurse aide protect privacy during a resident's telehealth visit?

A) Offer to leave or move out of hearing range when safety permits, unless the resident wants help
B) Stay close enough to hear every detail
C) Invite the roommate to listen
D) Record the visit for the next shift

9.

Scenario

A privacy-curtain track bracket is pulling away from the ceiling above a resident's bed.

What should the nurse aide do?

A) Pull the curtain more gently
B) Tie the curtain to the bed
C) Stand under the bracket and test it
D) Move the resident away from the hazard and report it for repair

10.

Scenario

A resident learns that a new roommate will arrive later that afternoon and says no one explained the change.

What should the nurse aide do?

A) Notify the nurse and help the resident obtain information about the change and prepare for privacy
B) Say room assignments are not the resident's concern
C) Move the resident's belongings into the hallway without permission
D) Tell the incoming resident to choose a different room

11.

Scenario

After an electronic temperature is taken, the disposable probe cover will not release from the device.

What should the nurse aide do?

A) Keep the device from reuse and follow the procedure for safe removal or equipment service
B) Pull the cover off with bare hands
C) Use the same cover for the next resident
D) Place the covered probe in a pocket until it loosens

12.

How should a closed specimen container be carried to the designated collection area?

A) In a uniform pocket
B) On top of a meal tray
C) Wrapped in a clean washcloth
D) Upright in the designated leak-resistant transport bag

13.

Scenario

A resident wants facial washing but asks the nurse aide to leave the eye makeup in place.

What should the nurse aide do?

A) Remove all makeup without discussion
B) Skip facial hygiene completely
C) Wash the requested areas gently while avoiding the makeup when safe
D) Tell the resident that makeup cannot remain during care

14.

Scenario

During a haircut, a resident says, "Stop now," even though only one side has been cut.

What should the nurse aide do?

A) Ask the barber to finish quickly
B) Tell the resident the haircut must look even
C) Stop the haircut and respect the resident's decision
D) Ask the family to give permission to continue

15.

Scenario

Food is visible on the outside of a resident's hearing-aid earmold after lunch.

What should the nurse aide do?

A) Immerse the entire hearing aid in water
B) Wipe the exterior as directed and keep moisture away from the device
C) Scrape the opening with a sharp pin
D) Spray disinfectant directly into the earmold

16.

Scenario

A resident says a group game moves too fast and makes the resident feel foolish.

What should the nurse aide do?

A) Tell the resident to practice alone until faster
B) Say that everyone else can keep up
C) Acknowledge the feeling and offer a slower or smaller-group option
D) Require continued participation to build confidence

17.

Scenario

A resident repeatedly checks a locked bedside drawer and says personal items may be stolen.

What is the best response by the nurse aide?

A) Hide the drawer key to stop the checking
B) Tell the resident the concern is unreasonable
C) Unlock the drawer and display every item
D) Acknowledge the concern, verify the drawer is secure with the resident, and report persistent anxiety

18.

Scenario

Before a resident uses a floor-to-ceiling transfer pole, the nurse aide sees that its tension indicator is outside the safe range.

What should the nurse aide do?

A) Hold the pole while the resident transfers
B) Stop use, obtain safe assistance, and report the equipment condition
C) Ask the resident to use only the lower part of the pole
D) Pad the pole with a towel

19.

Scenario

A resident says the top sheet is tucked so tightly that it presses on the toes.

What should the nurse aide do?

A) Loosen the top linen over the feet while keeping the bed smooth and safe
B) Add another tightly tucked sheet
C) Place a heavy object over the toes
D) Tell the resident that tight linen prevents wrinkles

20.

Scenario

The nurse aide observes fresh red blood in a resident's urinary drainage tubing.

What should the nurse aide do?

A) Flush the tubing with water
B) Avoid manipulating the system and report the observation promptly
C) Disconnect the bag to inspect the tubing
D) Wait until the end of the shift to report it

21.

Scenario

A resident becomes anxious when elevator doors close but needs to reach a scheduled activity on another floor.

What should the nurse aide do?

A) Force the resident into the elevator before the doors close
B) Promise the elevator cannot stop
C) Listen, avoid forcing the resident, and help coordinate a safe acceptable route or plan
D) Cancel all future activities on other floors

22.

Scenario

A resident communicates yes and no by blinking. The nurse aide is not sure which blink pattern means yes.

What should the nurse aide do first?

A) Guess based on facial expression
B) Ask only questions for which the answer is known
C) Have the family answer instead
D) Verify the resident's established blink code before asking care questions

23.

Scenario

The care directions require two trained staff members for a resident's meal assistance, but only one aide is listed on the assignment.

What should the assigned aide do?

A) Feed the resident alone to keep the meal on time
B) Ask an untrained visitor to help
C) Skip the meal without reporting the problem
D) Notify the nurse and obtain the required trained assistance before starting

24.

Scenario

A resident uses a clamp-on mirror to complete facial grooming independently.

How should the nurse aide assist?

A) Secure the mirror in the trained position and allow the resident to groom
B) Hold the resident's chin toward the mirror
C) Complete grooming before attaching the mirror
D) Remove the mirror if the resident takes extra time

25.

Scenario

During a telephone report, the nurse repeats back the wrong room number for the resident the aide described.

What should the nurse aide do?

A) End the call because the report was already given
B) Change the written note to match the nurse's room number
C) Ask another aide which number sounds more likely
D) Correct the mismatch immediately and repeat the resident identifiers and message clearly

26.

Which action is safest when helping a resident put on a robe with a long belt?

A) Tie the belt to the chair so it cannot fall
B) Knot the belt tightly behind the resident
C) Let both belt ends drag near the floor
D) Tie the belt comfortably in an accessible bow and keep the ends away from wheels and feet

27.

Scenario

A resident feels guilty because a roommate fell while the resident was asleep.

What should the nurse aide do?

A) Listen without blame, explain that the resident was not responsible, and report continuing guilt
B) Ask why the resident failed to wake up
C) Tell the resident never to discuss the fall
D) Suggest taking responsibility to the roommate's family

28.

Scenario

A communication board still labels a photograph as "daughter," but the resident says that label is no longer correct.

What should the nurse aide do?

A) Keep using the label because it is printed
B) Remove the entire board immediately
C) Ask the photographed person to decide
D) Use the resident's stated term and report the need for an approved board update

29.

Scenario

A bag of soiled linen is briefly placed on a clean vinyl chair before being removed.

What should the nurse aide do before the chair is used?

A) Cover the chair with a clean towel
B) Wipe only the armrests
C) Arrange cleaning and disinfection of the contaminated surface according to procedure
D) Allow the chair to air out for five minutes

30.

Scenario

A portable fan in a resident's room has a loose guard that exposes the moving blades.

What should the nurse aide do?

A) Turn the fan toward the wall
B) Tape the guard while the fan runs
C) Place the fan farther from the bed
D) Turn it off safely, keep it out of use, and report the defect

31.

Scenario

A resident uses a tabletop clamp to hold snack packages while opening them with one hand.

What should the nurse aide do?

A) Set up the clamp as trained and allow the resident to open the package
B) Open all packages before the resident tries
C) Hold the resident's hand against the package
D) Remove the clamp because it looks unusual

32.

Scenario

A pressure-sensitive floor alarm mat has curled at one edge and now creates a trip hazard.

What should the nurse aide do?

A) Place a blanket over the curled edge
B) Move the mat into the hallway
C) Keep the area safe and have the mat corrected or replaced according to procedure
D) Turn off the alarm and leave the mat in place

33.

Scenario

A resident's finger becomes swollen, and a ring is leaving a deep mark. The ring does not slide off easily.

What should the nurse aide do?

A) Pull harder until the ring comes off
B) Stop trying to force it and notify the nurse promptly
C) Cut the ring with household scissors
D) Wrap tape over the ring and wait

34.

Which action respects a resident's room and belongings while the resident is away at therapy?

A) Use the bed to sort staff uniforms
B) Keep the resident's bed and personal space free from staff storage
C) Place unit supplies in the resident's closet
D) Let visitors use the resident's chair for bags

35.

Scenario

A resident asks the nurse aide to brush the eyebrows into the resident's usual style before visitors arrive.

What should the nurse aide do?

A) Trim the eyebrows without asking
B) Use the resident's clean grooming brush as requested and offer a mirror
C) Apply hair spray to hold the eyebrows in place
D) Refuse because eyebrow grooming is not personal care

36.

Scenario

A hinged knee brace locks unexpectedly while a resident is walking with assistance.

What should the nurse aide do?

A) Force the hinge to bend
B) Ask the resident to hop to the chair
C) Support the resident safely, stop walking, and call for help
D) Remove the brace while the resident stands

37.

Scenario

After a resident removes a leg prosthesis, the nurse aide sees a new painful blister at the socket edge.

What should the nurse aide do?

A) Puncture the blister to relieve pressure
B) Keep the prosthesis off as directed and report the skin change
C) Add adhesive tape inside the socket
D) Rub the area before the prosthesis is replaced

38.

Scenario

A staff member wants to copy a resident's handwritten family recipes for a facility fundraiser. The resident has not given permission.

What should the nurse aide do?

A) Copy only recipes without family names
B) Let the family decide after the copies are made
C) Photograph the pages instead of photocopying them
D) Protect the resident's papers and do not copy or use them without permission

39.

Scenario

A resident has an outside appointment that requires an escort, but no escort appears on the staffing plan.

What should the nurse aide do?

A) Send the resident with an unapproved visitor
B) Alert the nurse early so qualified coverage can be arranged
C) Wait until the transportation vehicle arrives
D) Cancel the appointment without notification

40.

How should a nurse aide respond when a resident declines to answer optional personal questions on an activity-interest form?

A) Complete the answers by guessing
B) Ask the roommate for the information
C) Accept the choice and leave the optional items unanswered
D) Keep asking until the resident responds

41.

Scenario

A resident reports new burning during urination.

What should the nurse aide do?

A) Report the resident's exact complaint promptly to the nurse
B) Diagnose an infection
C) Suggest an over-the-counter treatment
D) Wait to see whether the symptom lasts several days

42.

How should a reusable nighttime mouthguard be cleaned and stored?

A) Soak it in hot water and leave it in the sink
B) Clean it as directed with cool or lukewarm water and store it in its labeled ventilated case
C) Wrap it wet in a paper towel
D) Store it in the resident's drinking cup

43.

Scenario

A resident prefers to eat permitted food with clean hands as part of a personal cultural practice.

What should the nurse aide do?

A) Require utensils because the resident is in a facility
B) Feed the resident with a spoon
C) Ask the family to change the practice
D) Provide hand hygiene and a safe meal setup that honors the preference

44.

Scenario

A resident's finger was caught in a drawer and is becoming swollen with dark discoloration under the nail.

What should the nurse aide do?

A) Ask the resident to keep using the hand
B) Protect the hand and notify the nurse promptly
C) Puncture the nail to release pressure
D) Apply a tight wrap without direction

45.

Scenario

After a resident uses a urinal, a staff member places it on the overbed table beside the resident's water cup.

What should the nurse aide do?

A) Leave it until the next scheduled round
B) Move it to the designated handling area and measure, empty, and clean it as directed
C) Cover it with a napkin
D) Move the water cup closer to the urinal

46.

Scenario

A resident asks for extra gravy, and the current diet directions allow it.

What should the nurse aide do?

A) Refuse because tray portions cannot change
B) Obtain an approved portion and help arrange the meal as requested
C) Add salt instead
D) Give gravy from another resident's tray

47.

Scenario

A resident feels ashamed after responding to a fraudulent telephone caller and says, "I was so foolish."

What should the nurse aide do?

A) Listen without blame, reassure the resident that the concern will be taken seriously, and report it
B) Tell other residents as a warning
C) Say the resident should have known better
D) Promise that no money could have been lost

48.

Scenario

A ceiling-lift track begins making a grinding sound while a transfer is starting.

What should the nurse aide team do?

A) Increase the lift speed
B) Continue if the resident is not afraid
C) Spray lubricant onto the moving track
D) Stop and return the resident to a safe supported position, then report the equipment problem

49.

Scenario

At bedtime, a resident says the room is comfortable and wants only a top sheet, not the usual blanket.

What should the nurse aide do?

A) Add two blankets after the resident falls asleep
B) Honor the preference and keep a blanket available within safe reach
C) Lower the room temperature to make a blanket necessary
D) Ask the roommate to decide how much bedding is needed

50.

Scenario

A resident's clock chimes every hour overnight and repeatedly wakes the resident. The resident asks for the chime to be turned off.

What should the nurse aide do?

A) Turn off the chime with permission while keeping an appropriate way to know the time
B) Remove the clock from the room without asking
C) Tell the resident to sleep through the sound
D) Cover the clock with wet towels

51.

Scenario

A replaceable filter from a resident's tracheostomy-related setup falls onto the floor.

What should the nurse aide do?

A) Rinse it and place it back
B) Wipe it on clean linen
C) Keep it from reuse and notify the nurse for an approved replacement
D) Ask the resident to decide whether it looks clean

52.

Scenario

An automatic blood-pressure machine reinflates repeatedly, and the resident says the cuff is very painful.

What should the nurse aide do?

A) Stop the measurement, remove the cuff, and report the problem
B) Hold the resident's arm down until the machine finishes
C) Increase the cuff tightness
D) Record an estimated pressure

53.

Scenario

A clothing tag at the back of a resident's shirt is scratching the neck.

What should the nurse aide do?

A) Reposition or cover the tag for comfort and arrange any alteration only with permission
B) Cut the collar off immediately
C) Tell the resident to ignore the itching
D) Apply medication under the tag

54.

What should a nurse aide do if a resident offers the aide a leftover prescription tablet for a headache?

A) Take half the tablet
B) Save it for the end of the shift
C) Decline it and notify the nurse so the medication remains properly managed
D) Give it to a coworker

55.

Scenario

A brightly colored laundry-detergent pod is found within reach of a resident who sometimes puts nonfood items in the mouth.

What should the nurse aide do?

A) Leave it because the package is sealed
B) Tell the resident not to touch it and walk away
C) Remove the hazard safely and report the storage problem
D) Open the pod so it no longer looks like candy

56.

Scenario

A resident uses a floor pedal exerciser as part of a restorative plan.

What should the nurse aide do before the resident begins?

A) Position the chair and device securely as directed, then supervise the resident's effort
B) Increase the resistance beyond the plan
C) Move the pedals while the resident rests
D) Ask the resident to use the device from the edge of the bed

57.

Scenario

A resident has learned to remove shoes while seated by using a stable shoe-removal jack.

How should the nurse aide assist?

A) Pull both shoes off before the resident begins
B) Ask the resident to use the jack while standing
C) Hold the resident's foot against the jack
D) Position the device on a nonslip surface as trained and supervise the resident's use

58.

Scenario

After a shampoo, a resident asks to keep a towel over the shoulders while the hair air-dries.

What should the nurse aide do?

A) Place a clean dry towel comfortably over the shoulders and check that it does not restrict movement
B) Refuse because towels are only for bathing
C) Use the damp shampoo towel
D) Fasten the towel tightly around the neck

59.

Scenario

A resident's eyeglass chain is tangled around one temple before the glasses are put on.

What should the nurse aide do?

A) Pull the chain until the knot tightens
B) Untangle the chain and check that it hangs comfortably before use
C) Cut the chain without permission
D) Put the glasses on with the tangle in place

60.

Scenario

A resident's custom wheelchair charger was borrowed by another unit and is not available at the usual charging time.

What should the nurse aide do?

A) Use any charger with a similar plug
B) Wait for the battery to become empty
C) Ask the resident to miss all mobility tomorrow
D) Notify the nurse and coordinate return or an approved replacement with the responsible staff

61.

Scenario

A resident's reusable sleep eye mask falls into a soiled-linen hamper. A family member retrieves it and places it on the clean bedside table.

What should the nurse aide do?

A) Return it to the resident because it looks dry
B) Spray perfume on it
C) Keep it from use and arrange approved cleaning or replacement
D) Wipe only the elastic strap

62.

Scenario

A resident asks for permitted prune juice to be served warm.

What should the nurse aide do?

A) Heat it in any available container
B) Refuse because juice must be cold
C) Arrange safe warming through the approved meal process and verify comfortable temperature
D) Add hot tap water to the juice

63.

Scenario

A resident performs a planned active-assisted shoulder exercise using a lightweight dowel.

How should the nurse aide assist?

A) Push the arms beyond the planned range
B) Add weight to the dowel without direction
C) Set up as directed, allow the resident to perform the movement, and stop and report pain
D) Complete the exercise by moving the resident's arms while the resident rests

64.

Scenario

During foot care, the nurse aide sees cracked skin with a small amount of bleeding between a resident's toes.

What should the nurse aide do?

A) Apply an unapproved cream
B) Use appropriate precautions and report the skin finding promptly
C) Scrub the area with a nail brush
D) Cover it with powder and a tight sock

65.

Scenario

While reading, a resident asks for support under the forearm because the shoulder becomes tired.

What should the nurse aide do?

A) Place a hard object under the elbow
B) Position a comfortable support as directed and check alignment and comfort
C) Tie the arm to the chair arm
D) Tell the resident to stop reading permanently

66.

Where is an electronic oral-thermometer probe normally placed for a reading when oral measurement is permitted?

A) In a posterior pocket under the tongue with the lips closed around the probe
B) Between the cheek and the outer teeth
C) On top of the tongue with the mouth open
D) Against the hard palate

67.

Scenario

A resident includes an emoji in a typed message, and the nurse aide is unsure what the symbol means to the resident.

What should the nurse aide do?

A) Ask the resident to explain the intended meaning
B) Use the most common internet meaning
C) Delete the symbol before responding
D) Ask another resident to interpret it

68.

Scenario

An automated floor-cleaning machine stops across the route of a resident using a walker.

What should the nurse aide do?

A) Tell the resident to step over the machine
B) Pause the resident in a safe place and have the route cleared before continuing
C) Pull the resident around the machine by one arm
D) Move the walker aside and ask the resident to walk without it

69.

What is the best team response when nurse aides repeatedly run out of a routine care supply before the end of the shift?

A) Hide extra supplies in resident rooms
B) Reduce care so supplies last longer
C) Purchase unapproved supplies personally
D) Report the recurring shortage through the proper chain with specific information about what is needed

70.

Scenario

A resident's wound-drain bulb has developed a visible crack and fluid is leaking from it.

What should the nurse aide do?

A) Seal the crack with household tape
B) Squeeze the bulb repeatedly
C) Protect the resident and surrounding area and notify the nurse immediately without altering the drain
D) Empty the bulb onto a towel

PART B - ANSWER KEY AND EXPLANATIONS

Question numbering below corresponds to the questions in Part A.

1	C	2	A	3	D	4	B	5	A
6	D	7	C	8	A	9	D	10	A
11	A	12	D	13	C	14	C	15	B
16	C	17	D	18	B	19	A	20	B
21	C	22	D	23	D	24	A	25	D
26	D	27	A	28	D	29	C	30	D
31	A	32	C	33	B	34	B	35	B
36	C	37	B	38	D	39	B	40	C
41	A	42	B	43	D	44	B	45	B
46	B	47	A	48	D	49	B	50	A
51	C	52	A	53	A	54	C	55	C
56	A	57	D	58	A	59	B	60	D
61	C	62	C	63	C	64	B	65	B
66	A	67	A	68	B	69	D	70	C

1. Correct: C - Stop use, keep the resident safe, and report the loose equipment

A shifting trapeze attachment may fail while bearing weight. The aide should prevent use and report it rather than tighten or steady the equipment without authorization.

2. Correct: A - Protect the resident from the transaction and report the suspected exploitation immediately

Adding personal purchases to a resident's bill is possible financial exploitation. The aide must act to protect the resident and report the concern.

3. Correct: D - Use only the facility-approved language-access process

Resident information must not be entered into personal apps or shared with unauthorized people. Approved language access protects privacy and accuracy.

4. Correct: B - Notify the nurse and coordinate with the appropriate team members for safe equipment

A safe transfer requires approved equipment. The aide should alert the team rather than carry the resident, borrow another resident's chair, or cancel care independently.

5. Correct: A - Check for discomfort, respond calmly, and offer a safe familiar wiping task

The aide first checks for a real need, then responds without confrontation. A safe familiar action can reduce distress and preserve dignity.

6. Correct: D - Do not use it until properly adjusted approved equipment is available, and report the problem

Uneven walker legs create instability. The aide should not improvise or ask the resident to compensate for unsafe equipment.

7. Correct: C - The resident shouted twice and pushed the tray away

Objective details describe what was seen and heard without labeling or diagnosing the resident.

8. Correct: A - Offer to leave or move out of hearing range when safety permits, unless the resident wants help

Telehealth information is private. The aide should provide privacy while remaining available when the resident requests or needs assistance.

9. Correct: D - Move the resident away from the hazard and report it for repair

A loose overhead bracket could fall. Immediate resident protection comes before maintenance testing or improvised attachment.

10. Correct: A - Notify the nurse and help the resident obtain information about the change and prepare for privacy

A resident should receive appropriate information about a roommate change and have concerns relayed through the care team. The aide should support communication and privacy without moving property or changing assignments independently.

11. Correct: A - Keep the device from reuse and follow the procedure for safe removal or equipment service

A stuck contaminated cover makes the thermometer unsafe for another resident. The aide should follow equipment procedure rather than touch it barehanded or reuse it.

12. Correct: D - Upright in the designated leak-resistant transport bag

Approved containment reduces leakage and environmental contamination during specimen transport.

13. Correct: C - Wash the requested areas gently while avoiding the makeup when safe

Personal hygiene can be adapted to a resident's grooming preference when safety and cleanliness are maintained.

14. Correct: C - Stop the haircut and respect the resident's decision

Consent may be withdrawn at any time. An uneven result does not allow staff or family to override the resident's refusal.

15. Correct: B - Wipe the exterior as directed and keep moisture away from the device

Gentle external care removes visible food without damaging the electronic hearing aid or pushing material into an opening.

16. Correct: C - Acknowledge the feeling and offer a slower or smaller-group option

The response supports dignity and continued social choice without shaming or forcing the resident.

17. Correct: D - Acknowledge the concern, verify the drawer is secure with the resident, and report persistent anxiety

Calm verification addresses the immediate concern without arguing. A continuing pattern should be reported objectively.

18. Correct: B - Stop use, obtain safe assistance, and report the equipment condition

An out-of-range tension indicator means the pole may not be secure. The aide should not improvise support.

19. Correct: A - Loosen the top linen over the feet while keeping the bed smooth and safe

Looser top linen relieves toe pressure while a smooth bed surface supports comfort and skin protection.

20. Correct: B - Avoid manipulating the system and report the observation promptly

Fresh blood in drainage tubing is a new observation requiring prompt licensed-nurse review. The aide should not flush or disconnect the system.

21. Correct: C - Listen, avoid forcing the resident, and help coordinate a safe acceptable route or plan

The aide should acknowledge anxiety and support safe participation without force or unrealistic guarantees.

22. Correct: D - Verify the resident's established blink code before asking care questions

Confirming the communication code prevents the aide from reversing yes and no or relying on guesses.

23. Correct: D - Notify the nurse and obtain the required trained assistance before starting

The aide must follow the two-person direction. Timeliness does not justify unsafe solo assistance or use of an untrained visitor.

24. Correct: A - Secure the mirror in the trained position and allow the resident to groom

Correct setup gives the resident access to the task while preserving independent grooming.

25. Correct: D - Correct the mismatch immediately and repeat the resident identifiers and message clearly

A wrong room number could direct information to the wrong person. Immediate correction and repetition create an accurate closed communication loop.

26. Correct: D - Tie the belt comfortably in an accessible bow and keep the ends away from wheels and feet

A secure accessible bow prevents dragging and entanglement without attaching the resident to furniture.

27. Correct: A - Listen without blame, explain that the resident was not responsible, and report continuing guilt

The resident needs calm emotional support, not blame or pressure to accept responsibility for another person's fall.

28. Correct: D - Use the resident's stated term and report the need for an approved board update

The resident identifies the relationship term. The aide should communicate accurately while routing a material update through the proper process.

29. Correct: C - Arrange cleaning and disinfection of the contaminated surface according to procedure

A soiled-linen bag can contaminate the chair. Covering or airing the surface does not make it ready for resident use.

30. Correct: D - Turn it off safely, keep it out of use, and report the defect

An exposed moving blade can cause injury. Repositioning or taping the fan while it operates does not remove the hazard.

31. Correct: A - Set up the clamp as trained and allow the resident to open the package

The adaptive clamp allows one-handed performance. Taking over unnecessarily reduces independence.

32. Correct: C - Keep the area safe and have the mat corrected or replaced according to procedure

A curled alarm mat creates a fall risk and may not work correctly. Covering it or disabling it leaves the problem unresolved.

33. Correct: B - Stop trying to force it and notify the nurse promptly

A tight ring on a swollen finger can worsen tissue pressure. The aide should not force or cut it with unapproved tools.

34. Correct: B - Keep the resident's bed and personal space free from staff storage

The resident's room and furnishings are personal living space, not convenient storage for staff or visitors.

35. Correct: B - Use the resident's clean grooming brush as requested and offer a mirror

The requested grooming step supports the resident's usual appearance and provides an opportunity to review the result.

36. Correct: C - Support the resident safely, stop walking, and call for help

A locked brace can make continued walking unsafe. The aide should support the resident and obtain help rather than force or remove the brace during standing.

37. Correct: B - Keep the prosthesis off as directed and report the skin change

A painful blister at the socket edge may worsen with prosthesis use. The aide should report it and not puncture, tape, or rub the area.

38. Correct: D - Protect the resident's papers and do not copy or use them without permission

The recipes are the resident's personal property. Removing names or changing the copying method does not replace consent.

39. Correct: B - Alert the nurse early so qualified coverage can be arranged

Early communication gives the team time to arrange the required escort without using an unauthorized person or canceling independently.

40. Correct: C - Accept the choice and leave the optional items unanswered

A resident may decline optional personal questions. Guessing, asking others, or pressuring the resident does not respect that choice.

41. Correct: A - Report the resident's exact complaint promptly to the nurse

New burning with urination is a reportable symptom. The aide reports the resident's words without diagnosing or recommending treatment.

42. Correct: B - Clean it as directed with cool or lukewarm water and store it in its labeled ventilated case

Directed cleaning and ventilated labeled storage protect the mouthguard from heat damage, moisture, and mix-ups.

43. Correct: D - Provide hand hygiene and a safe meal setup that honors the preference

Clean hands and safe setup support the resident's cultural practice without imposing unnecessary utensil use.

44. Correct: B - Protect the hand and notify the nurse promptly

Increasing swelling and discoloration after an injury require prompt reporting. The aide should not puncture the nail or apply an unapproved tight wrap.

45. Correct: B - Move it to the designated handling area and measure, empty, and clean it as directed

Elimination equipment must be separated from food and drink surfaces and processed according to the assigned procedure.

46. Correct: B - Obtain an approved portion and help arrange the meal as requested

When the diet permits it, the resident's seasoning and meal preferences should be supported using approved food service.

47. Correct: A - Listen without blame, reassure the resident that the concern will be taken seriously, and report it

A nonjudgmental response protects dignity and supports prompt follow-up for possible exploitation.

48. Correct: D - Stop and return the resident to a safe supported position, then report the equipment problem

A grinding lift track may signal mechanical failure. The team should stop the transfer safely and remove the equipment from use.

49. Correct: B - Honor the preference and keep a blanket available within safe reach

A comfortable resident may choose lighter bedding. Keeping a blanket accessible allows the resident to add warmth later if desired.

50. Correct: A - Turn off the chime with permission while keeping an appropriate way to know the time

Removing a specific avoidable sleep disturbance supports rest while preserving access to time information.

51. Correct: C - Keep it from reuse and notify the nurse for an approved replacement

A respiratory-setup filter that falls on the floor is contaminated. The aide should not clean and reinstall it independently.

52. Correct: A - Stop the measurement, remove the cuff, and report the problem

Repeated painful inflation can injure the resident and may indicate device malfunction. The aide should stop rather than restrain the arm or estimate a value.

53. Correct: A - Reposition or cover the tag for comfort and arrange any alteration only with permission

The aide can remove the immediate irritation without permanently changing the resident's clothing without consent.

54. Correct: C - Decline it and notify the nurse so the medication remains properly managed

Staff must not take a resident's prescription medication. The nurse should ensure it remains secured and handled correctly.

55. Correct: C - Remove the hazard safely and report the storage problem

Detergent pods can be mistaken for food. Immediate removal and correction of storage protect the resident from ingestion.

56. Correct: A - Position the chair and device securely as directed, then supervise the resident's effort

Stable setup and supervision support safe resident participation in the restorative activity.

57. Correct: D - Position the device on a nonslip surface as trained and supervise the resident's use

Stable seated setup allows the resident to use the learned shoe-removal method safely without unnecessary takeover.

58. Correct: A - Place a clean dry towel comfortably over the shoulders and check that it does not restrict movement

A dry loosely placed towel supports warmth and comfort without creating neck pressure or restricting movement.

59. Correct: B - Untangle the chain and check that it hangs comfortably before use

Removing the tangle prevents pulling on the frame, hair, or skin and protects the resident's eyewear.

60. Correct: D - Notify the nurse and coordinate return or an approved replacement with the responsible staff

Custom equipment should use its approved charger. The aide should coordinate a timely team solution rather than substitute an unverified device.

61. Correct: C - Keep it from use and arrange approved cleaning or replacement

Contact with soiled linen contaminates the eye mask. Appearance or dryness does not make it safe to reuse.

62. Correct: C - Arrange safe warming through the approved meal process and verify comfortable temperature

A permitted beverage preference can be supported through safe food-service methods. Hot tap water or an unsuitable container may create contamination or burn risk.

63. Correct: C - Set up as directed, allow the resident to perform the movement, and stop and report pain

The aide supports the planned active-assisted exercise but does not add weight, force range, or take over the resident's movement.

64. Correct: B - Use appropriate precautions and report the skin finding promptly

Broken bleeding skin requires standard precautions and prompt reporting. The aide should not scrub, medicate, or conceal it with powder.

65. Correct: B - Position a comfortable support as directed and check alignment and comfort

Proper forearm support can reduce strain while the resident continues a chosen activity. Hard objects or restraint are unsafe.

66. Correct: A - In a posterior pocket under the tongue with the lips closed around the probe

The posterior sublingual area supports an oral reading when this route is permitted. The probe should not rest against the teeth or hard palate.

67. Correct: A - Ask the resident to explain the intended meaning

Symbols can have personal meanings. Direct clarification prevents misunderstanding and preserves the resident's message.

68. Correct: B - Pause the resident in a safe place and have the route cleared before continuing

The aide should remove the environmental barrier before mobility continues. Stepping over equipment or walking without the device creates a fall risk.

69. Correct: D - Report the recurring shortage through the proper chain with specific information about what is needed

Specific early reporting helps the team correct a supply problem. Hiding supplies, reducing care, or buying unapproved items does not solve it safely.

70. Correct: C - Protect the resident and surrounding area and notify the nurse immediately without altering the drain

A cracked leaking wound drain is a treatment-device failure. The aide should contain exposure and obtain immediate licensed-nurse help without taping, squeezing, or emptying it independently.