HEALTH BEACON

CNA EXAM PREP

Practice Exam 13

70 practice questions | Printable Practice Exam

Instructions	Select the single best answer for each question. An answer key with explanations begins after the question section.

PART A - QUESTIONS

1.

Scenario

While positioning a resident near a sunroom window, the nurse aide notices a jagged crack and a loose fragment in the inner pane.

What should the nurse aide do?

A) Tape the loose fragment in place
B) Move the chair closer so the resident can inspect the crack
C) Move the resident away and report the glass hazard
D) Open the window to reduce pressure on the pane

2.

Scenario

After a resident removes dentures, a thin layer of denture adhesive remains on the gums.

What is the best action by the nurse aide?

A) Use the approved gentle mouth-care method
B) Scrape the adhesive away with a fingernail
C) Leave the adhesive in place until the next morning
D) Rub the gums firmly with a dry towel

3.

Which communication technique is best when a resident uses an alphabet board?

A) Guess the word after the first two letters
B) Keep the board stable and confirm the completed message
C) Ask another resident to interpret the letter choices
D) Move the board after each letter so the resident follows it

4.

Scenario

The water stops running while the nurse aide is washing visibly soiled hands and soap is still on the hands.

What should the nurse aide do?

A) Use another sink and report the water failure
B) Dry the soap onto the hands and return to care
C) Apply alcohol-based hand rub over the soap
D) Wipe the hands on a clean bed sheet

5.

Scenario

A resident stops attending a favorite afternoon group after a close friend on the unit moves away.

What is the best response by the nurse aide?

A) Listen and support a resident-chosen next step
B) Say the resident will make a new friend quickly
C) Require attendance so the routine is not broken
D) Avoid mentioning the friend so the resident forgets

6.

Scenario

Before a resident returns from lunch, a staff member places incontinence supplies in plain view on the resident's bedside table where visitors can see them.

What should the nurse aide do?

A) Leave the supplies because they will be used later
B) Explain the supplies to any visitor who asks
C) Store the supplies in an approved private place
D) Cover the supplies with the resident's personal sweater

7.

Scenario

A resident has been trained to use a leg-lifter strap to bring a weaker leg onto the bed and asks to perform the movement.

What should the nurse aide do?

A) Lift both legs onto the bed for the resident
B) Set up the strap and assist only as needed
C) Pull the strap rapidly to complete the movement
D) Remove the strap and ask the resident to wait for therapy

8.

Scenario

A bed-control pendant cord forms a loose loop around the side rail next to a resident's neck and shoulder.

What should the nurse aide do?

A) Secure the cord safely and report a damaged holder
B) Tighten the loop so it cannot slide
C) Place the loop around the resident's wrist
D) Disconnect the bed from power for the entire shift

9.

Scenario

A care plan calls for a transfer board, but the only board nearby is unlabeled and was found in another resident's room.

What should the nurse aide do?

A) Use the board after wiping only the handles
B) Ask the resident to transfer without the board
C) Pause and obtain a verified transfer board
D) Mark the board with the current resident's name

10.

Scenario

A resident suddenly slumps in a chair, does not respond to voice, and is breathing normally.

What should the nurse aide do first?

A) Offer a drink to help the resident wake up
B) Stand the resident up with another aide
C) Call for help and stay with the resident
D) Leave to find the resident's family

11.

How should a nurse aide handle temporary handwritten notes containing resident information?

A) Secure and dispose of the notes properly
B) Take them home to finish documentation later
C) Leave them at the nurses' station for anyone to use
D) Photograph them on a personal phone as a backup

12.

Scenario

Before use, a reusable pulse-oximeter sensor has dried drainage on the inside surface.

What should the nurse aide do?

A) Place a tissue between the sensor and the finger
B) Use the sensor on the same resident without cleaning it
C) Use a properly cleaned sensor
D) Wipe only the outside after the reading

13.

Scenario

A blouse zipper becomes caught in the fabric near a resident's abdomen during dressing.

What should the nurse aide do?

A) Pull harder so the zipper passes the fold
B) Stop pulling and gently release the fabric
C) Cut the blouse without asking the resident
D) Leave the zipper stuck and cover it with a towel

14.

Scenario

A resident with dementia becomes frightened when a familiar nurse aide enters wearing required isolation gown, mask, and eye protection and says, “You are a stranger.”

What should the nurse aide do?

A) Remove the required protective equipment at the bedside
B) Identify yourself calmly and use familiar voice cues
C) Ask the resident to guess who is behind the mask
D) Leave without providing an explanation

15.

Scenario

After a resident reports bumping the head on a cabinet, the nurse aide notices that one pupil is larger than the other.

What should the nurse aide do?

A) Ask the resident to rest alone for an hour
B) Shine a bright light repeatedly into both eyes
C) Stay with the resident and obtain immediate help
D) Cover the larger pupil with a patch

16.

Scenario

A resident using a wheelchair scale in the hallway asks not to be weighed where other people can watch.

What should the nurse aide do?

A) Say that weights are never private
B) Ask nearby visitors to look away
C) Cancel all future weights
D) Arrange a private location

17.

Scenario

Late in the day, a resident's voice is too weak to be understood, but the resident points to a pen and paper.

What should the nurse aide do?

A) Tell the resident to speak louder
B) Ask the roommate to guess the request
C) Use writing and report the voice change
D) Postpone communication until the next shift

18.

Scenario

During lunch, a resident becomes drowsy with food still visible in the mouth.

What should the nurse aide do?

A) Stop feeding, keep the resident upright, and notify the nurse
B) Give a large drink to wash the food down
C) Lay the resident flat to rest
D) Add another bite to stimulate chewing

19.

How should a nurse aide support a resident who performs active ankle-pump exercises under a restorative plan?

A) Let the resident perform the planned active exercise
B) Move both feet for the resident to make the exercise faster
C) Add ankle weights when the movement becomes easy
D) Stop the exercise whenever the resident moves slowly

20.

Scenario

During transfer setup, a wheelchair brake lever swings freely and the wheel does not lock.

What should the nurse aide do?

A) Have another aide hold the chair during the transfer
B) Obtain a safe chair and report the brake defect
C) Place the chair against a wall and proceed
D) Tie the wheel to the frame with a sheet

21.

Scenario

A handoff note says a resident may “ambulate as tolerated” but does not state the required device or assistance level.

What should the nurse aide do?

A) Choose the device the resident used last month
B) Get clarification before ambulation
C) Ask the resident to walk alone and observe
D) Use the most restrictive device available

22.

Scenario

A resident on a regular diet asks for toast to be cut into two diagonal halves instead of two squares.

What should the nurse aide do?

A) Refuse because all toast must look the same
B) Cut it into very small pieces without asking
C) Ask the roommate to choose the shape
D) Cut the toast diagonally as requested

23.

Scenario

During morning care, an identification band has left a new red ring around the resident's wrist.

What should the nurse aide do?

A) Slide the band higher and ignore the mark
B) Cut off the band and leave the resident without identification
C) Cover the band with tape
D) Report the mark and obtain a safe band replacement

24.

Scenario

A resident with mild memory changes becomes overwhelmed by a page listing twenty activity choices and says, “I cannot decide anything.”

What is the best response by the nurse aide?

A) Select an activity without asking the resident
B) Offer two suitable choices and time to decide
C) Read the entire list faster
D) Tell the resident to skip activities for the day

25.

Scenario

A resident asks to be present while staff inventory the contents of the resident's closet after a blouse goes missing.

What should the nurse aide do?

A) Include the resident in the approved inventory
B) Inventory the closet secretly after bedtime
C) Tell the resident that staff own everything in the closet
D) Ask another resident to decide what belongs there

26.

Scenario

A resident eats half of a sandwich and asks to save the rest for later.

What should the nurse aide do?

A) Leave it uncovered on the bedside table
B) Put it in the staff refrigerator
C) Use the approved food-storage process
D) Place it in the resident's clothing drawer

27.

Scenario

During a linen change, the nurse aide sneezes directly into gloved hands.

What should the nurse aide do before continuing care?

A) Change gloves and perform hand hygiene
B) Wipe the gloves on the clean sheet
C) Continue because gloves prevent contamination
D) Spray disinfectant onto the gloves

28.

Scenario

A resident says, “My arm feels strange,” and the nurse aide is unsure what the resident means.

What should the nurse aide say first?

A) “That is probably just stiffness.”
B) “Wait until therapy arrives.”
C) Ask what the feeling is like
D) “Your arm looks normal to me.”

29.

What should a nurse aide do if asked to sign a resident's name on a delivery receipt?

A) Sign the name if the package is inexpensive
B) Ask a coworker to sign instead
C) Copy the resident's signature from another document
D) Refuse and use the authorized receipt process

30.

Scenario

A pillowcase seam is pressing against a resident's tender ear at bedtime.

What should the nurse aide do?

A) Add a hard object beneath the ear
B) Turn the seam away and recheck comfort
C) Tell the resident to sleep on the tender ear
D) Tape the ear flat against the head

31.

Scenario

A resident who uses a walker has been trained to carry lightweight personal items in a walker apron so both hands remain on the grips.

What should the nurse aide do?

A) Use a light, balanced apron load
B) Hang a heavy bag from one walker handle
C) Ask the resident to carry items in both hands
D) Fill the apron until it blocks the resident's view of the feet

32.

Scenario

A cleaning product splashes into a resident's eye during housekeeping activity.

What should the nurse aide do?

A) Wait to see whether redness develops
B) Apply an ointment from the bedside drawer
C) Ask the resident to rub the eye with a towel
D) Begin approved eye flushing and summon help

33.

Scenario

At shift change, the outgoing aide mentions that a resident developed a new cough but says there was no time to tell the nurse.

What should the incoming aide do?

A) Clarify and report the observation
B) Wait until the cough is heard again
C) Tell the resident to report it personally
D) Document that the nurse was already notified

34.

Scenario

A resident's shoe soles are wet from floor cleaner just before an assisted stand.

What should the nurse aide do?

A) Ask the resident to take shorter steps
B) Place a towel over the wet floor and proceed
C) Use dry footwear on a dry surface
D) Hold the resident more tightly during the stand

35.

Scenario

The nurse aide is assigned to measure abdominal girth at a marked site, but the measuring tape slopes upward across the resident's back.

What should the nurse aide do?

A) Pull the tape tighter until both ends meet
B) Level the tape without compressing the skin
C) Measure over a folded blanket
D) Record the larger number visible on the tape

36.

Scenario

A resident with memory loss becomes upset because a wall clock has stopped and insists that breakfast was missed.

What is the best action by the nurse aide?

A) Argue that the resident already ate
B) Give a reliable time cue and fix the clock
C) Hide every clock in the room
D) Tell the resident to remember the meal tray

37.

Scenario

During a group program, a wheelchair user is placed facing a wall because a staff member says the position is easier to supervise.

What should the nurse aide do?

A) Leave the resident there until the program ends
B) Turn up the program volume behind the resident
C) Ask another resident whether the position is acceptable
D) Offer an inclusive position and report the pattern

38.

Scenario

An open hook-and-loop cuff fastener repeatedly catches on a resident's fragile forearm skin during dressing.

What should the nurse aide do?

A) Pull the sleeve faster
B) Cover the skin with a plastic bag
C) Secure the fastener away from the skin
D) Remove the fastener permanently without permission

39.

Scenario

A heel protector has rotated so that a thick seam lies directly beneath the resident's heel.

What should the nurse aide do?

A) Add a second protector over the first
B) Reposition it and check the skin
C) Leave it because the heel is covered
D) Tighten it until the seam cannot move

40.

When reporting information that came from a resident's roommate rather than from direct observation, what should the nurse aide do?

A) Report it as personally witnessed so it receives attention
B) Identify the source of the information
C) Leave out the information source
D) Ask the roommate to enter it in the medical record

41.

A resident requests water for a ritual handwashing practice before prayer. What is the best response by the nurse aide?

A) Say that ordinary hygiene is the only permitted reason to wash
B) Ask the resident and arrange a safe permitted setup
C) Choose a different ritual for the resident
D) Delay the request until a group religious service

42.

Scenario

During a scheduled fire-alarm test, the audible alarm sounds but the visual alert strobe in a deaf resident's room does not flash.

What should the nurse aide do?

A) Report the failure and arrange an interim alert
B) Assume the resident will feel the alarm vibration
C) Ask the roommate to provide every future warning
D) Cover the strobe so no one expects it to work

43.

Scenario

Two aides discover that each entered the same 240 mL drink as a separate intake for one resident.

What should they do?

A) Leave both entries because each aide saw the cup
B) Correct the duplicate through the approved process
C) Delete the entire shift's intake record
D) Add another 240 mL to balance the total

44.

Scenario

Between meal courses, a resident asks for a clean damp cloth because the fingers feel sticky.

What should the nurse aide do?

A) Tell the resident to wait until the meal is over
B) Provide a clean damp cloth and dry the hands
C) Wipe the hands with the tablecloth
D) Pour drinking water over the resident's fingers

45.

Scenario

A resident with low vision has been trained to find a room light switch by using a high-contrast marker beside it.

What should the nurse aide do?

A) Move the marker to a different wall each day
B) Turn the light on before the resident can try
C) Cover the marker so the room looks uniform
D) Keep the marker in place for resident use

46.

Scenario

Unopened clean wipes are placed inside a basin that already contains a used washcloth.

What should the nurse aide do?

A) Use the wipes because their package is still closed
B) Rinse the package under tap water
C) Place the package back with clean supplies
D) Replace the wipes and separate the supplies

47.

Scenario

A resident says, “I hate needing help. I am not the person I used to be.”

What is the best response by the nurse aide?

A) Listen and support remaining choices
B) Say that everyone becomes dependent eventually
C) List other residents who need more help
D) Change the subject to the weather

48.

Scenario

A resident is offered a donated sweater but says it is not wanted. A staff member insists that the sweater be placed in the resident's closet anyway.

What should the nurse aide do?

A) Hide the sweater under other clothes
B) Tell the resident to be grateful for the donation
C) Ask the roommate to accept it for the resident
D) Respect the refusal and route the donation properly

49.

Scenario

While being fed, a resident closes the mouth and turns the head away after each offered bite.

What should the nurse aide do?

A) Hold the resident's chin and insert the spoon
B) Mix the food with a drink to speed feeding
C) Continue until the tray is empty
D) Pause and respect the resident's response

50.

Scenario

A resident who is unusually drowsy has an oral temperature of 95.0°F (35.0°C).

What should the nurse aide do?

A) Place the resident in a hot bath
B) Keep the resident safe and report promptly
C) Give hot coffee without checking the care plan
D) Wait until the next routine vital-sign round

51.

What should a nurse aide do if a coworker is selling personal skin cream to residents at an inflated price?

A) Help advertise the cream if residents like it
B) Decline involvement and report the concern
C) Collect payment for the coworker
D) Recommend the product only to residents with dry skin

52.

Scenario

A resident says that the call light was ignored, while the nurse aide remembers answering it.

What is the best response by the nurse aide?

A) Listen, clarify, and relay unresolved issues
B) Tell the resident that memory is incorrect
C) Ask the roommate to decide who is right
D) End the conversation because staff records are final

53.

Scenario

After dressing, a hard key case in a resident's pants pocket presses against the hip when the resident sits.

What should the nurse aide do?

A) Remove and secure the item with permission
B) Leave it because the item belongs to the resident
C) Throw the key case away
D) Move it into another resident's drawer

54.

Scenario

After a bowel movement, a resident reports rectal pain and the nurse aide sees a small amount of bright red blood on the toilet tissue.

What should the nurse aide do?

A) Diagnose hemorrhoids and apply medication
B) Discard the tissue without mentioning it
C) Ask the resident to strain again to check for more blood
D) Report the pain and blood observation promptly

55.

Scenario

Therapy adjusted a resident's dining chair height to support a planned transfer, but the chair has been returned to its old height.

What should the nurse aide do before the next transfer?

A) Restore the approved chair setup with the team
B) Use extra pillows to raise the resident
C) Ask the resident to transfer from the lower chair
D) Change the transfer method independently

56.

How should a nurse aide support a resident trained to use a long-handled toileting-hygiene aid?

A) Remove the device and complete all hygiene for the resident
B) Use the device on the resident without explanation
C) Replace it with an unapproved homemade tool
D) Set up the device and assist only as needed

57.

Scenario

A drink spills into a resident's cereal, and the resident says the new texture is unpleasant and does not want it.

What should the nurse aide do?

A) Insist that the cereal is still edible
B) Drain the drink from the bowl and serve it again
C) Respect the refusal and replace the food
D) Record the cereal as fully eaten

58.

Scenario

A routine oral temperature is scheduled, but current care directions say nothing may be placed in the resident's mouth after recent oral surgery.

What should the nurse aide do?

A) Take the oral temperature quickly before the resident notices
B) Avoid the oral route and obtain an approved alternative
C) Place the probe between the teeth and cheek
D) Skip every future temperature without telling anyone

59.

Scenario

A resident who usually sleeps at night has remained awake for most of two nights and now dozes through meals.

What should the nurse aide do?

A) Give extra caffeinated drinks throughout the day
B) Diagnose a sleep disorder
C) Report the changes and maintain safety
D) Keep the resident awake by turning on loud music

60.

Scenario

A resident asks how to obtain a copy of the admission agreement the resident signed.

What should the nurse aide do?

A) Say residents are never allowed copies
B) Summarize the agreement from memory
C) Ask another resident to share a copy
D) Help the resident request the document

61.

Scenario

A strong cleaning odor enters a resident's room, and the resident begins coughing and wheezing.

What should the nurse aide do?

A) Close the door and leave the resident in the room
B) Spray air freshener to cover the odor
C) Move away from exposure and summon help
D) Ask the resident to take deep breaths near the odor

62.

Scenario

After a specimen is collected, moisture smears the label so the resident identifiers cannot be read.

What should the nurse aide do?

A) Secure the specimen and report the label problem
B) Rewrite the name from memory
C) Compare the specimen color with other containers
D) Send it to the laboratory without a readable label

63.

Which action supports accurate recording of a resident's meal intake?

A) Record the amount served before the meal
B) Use the amount another resident ate as an estimate
C) Record the amount the resident actually consumed
D) Count unopened food packages as eaten

64.

Scenario

After leaving a transmission-precaution room, a nurse aide starts toward the next resident room while still wearing the same disposable gown.

What should the nurse aide do?

A) Remove the gown, clean hands, and use fresh PPE
B) Wear the gown into the next room if it still looks clean
C) Spray the gown with disinfectant between rooms
D) Turn the gown inside out and keep wearing it

65.

Scenario

A resident has dry flaky scalp skin and asks the nurse aide to remove every flake with a fine comb.

What should the nurse aide do?

A) Scratch the scalp with the comb teeth
B) Apply a medicated product without an order
C) Wet the scalp with household oil
D) Use gentle care and report skin changes

66.

When providing routine care to a resident receiving a tube feeding managed by licensed staff, which action is appropriate for the nurse aide?

A) Change the feeding rate when the resident is hungry
B) Disconnect the tubing for repositioning
C) Maintain head elevation and report symptoms
D) Add water to the feeding container when it is low

67.

Scenario

During handwashing, soap remains beneath a resident's removable ring.

What should the nurse aide do?

A) Leave the soap because the ring will hide it
B) Twist the ring tightly against the skin
C) Remove, clean, dry, and return the ring with permission
D) Place the ring in the aide's pocket until the end of the shift

68.

Scenario

A measured urine output is mixed with toilet tissue, so the liquid amount cannot be read accurately.

What should the nurse aide do?

A) Squeeze the tissue and estimate the liquid
B) Record the amount that was expected
C) Add water and subtract it later
D) Report the unreliable measurement

69.

Scenario

A resident asks for the spoon on the right side of the tray and the drink on the left because that arrangement is easiest to use.

What should the nurse aide do?

A) Place all items at the center to make the tray look balanced
B) Use the same arrangement for every resident
C) Ask the roommate to set the tray
D) Arrange the items as requested within safe reach

70.

Scenario

During repositioning, the mattress slides several inches because a retention strap has come loose from the bed frame.

What should the nurse aide do?

A) Continue slowly while another aide holds the mattress
B) Tie the mattress to the frame with a gown
C) Place a pillow in the gap and finish
D) Stop, stabilize the resident, and obtain help

PART B - ANSWER KEY AND EXPLANATIONS

Question numbering below corresponds to the questions in Part A.

1	C	2	A	3	B	4	A	5	A
6	C	7	B	8	A	9	C	10	C
11	A	12	C	13	B	14	B	15	C
16	D	17	C	18	A	19	A	20	B
21	B	22	D	23	D	24	B	25	A
26	C	27	A	28	C	29	D	30	B
31	A	32	D	33	A	34	C	35	B
36	B	37	D	38	C	39	B	40	B
41	B	42	A	43	B	44	B	45	D
46	D	47	A	48	D	49	D	50	B
51	B	52	A	53	A	54	D	55	A
56	D	57	C	58	B	59	C	60	D
61	C	62	A	63	C	64	A	65	D
66	C	67	C	68	D	69	D	70	D

1. Correct: C - Move the resident away and report the glass hazard

A loose glass fragment can cause a serious cut. The aide should remove people from the hazard, restrict access, and report the damaged window rather than handle or tape the glass.

2. Correct: A - Use the approved gentle mouth-care method

Residual adhesive should be removed gently with the approved mouth-care method. Scraping or forceful rubbing can injure delicate oral tissue, and soreness should be reported.

3. Correct: B - Keep the board stable and confirm the completed message

The resident needs stable access and enough time to construct the message. Confirming the completed word or sentence reduces errors without taking over communication.

4. Correct: A - Use another sink and report the water failure

Visible soil and soap require completion of handwashing with running water. The aide should prevent contact with care surfaces, use a working sink, and report the failed fixture.

5. Correct: A - Listen and support a resident-chosen next step

The move may feel like a meaningful social loss. Listening and supporting resident-chosen connection or activity respects the feeling without making promises or using pressure.

6. Correct: C - Store the supplies in an approved private place

Personal-care supplies can reveal private information and cause embarrassment. They should be stored discreetly in an approved location, not displayed or covered with resident property.

7. Correct: B - Set up the strap and assist only as needed

Using the trained device helps the resident maintain bed-mobility skill. The aide should provide safe setup and supervision while allowing the resident to do as much as possible.

8. Correct: A - Secure the cord safely and report a damaged holder

A loose cord loop near the neck creates an entanglement hazard. The aide should route it safely while preserving access to the control and report defective cord-management hardware.

9. Correct: C - Pause and obtain a verified transfer board

The aide cannot assume an unlabeled device is appropriate or clean. The team should obtain and verify suitable equipment before the planned transfer.

10. Correct: C - Call for help and stay with the resident

Unresponsiveness is an emergency even when breathing is present. The aide should activate help, remain with the resident, and protect breathing and safety within training.

11. Correct: A - Secure and dispose of the notes properly

Temporary notes still contain confidential information. They must remain secure and be handled and destroyed through the approved process rather than removed, displayed, or copied personally.

12. Correct: C - Use a properly cleaned sensor

Visible drainage means the sensor is not ready for use. Proper reprocessing or a clean replacement is needed before it touches a resident.

13. Correct: B - Stop pulling and gently release the fabric

Force can pinch skin or tear the resident's clothing. The aide should stop, protect the resident, and use a gentle solution that respects the resident's property and choice.

14. Correct: B - Identify yourself calmly and use familiar voice cues

The appearance change can interfere with recognition. Calm identification and familiar verbal cues can reduce fear while required protective equipment remains in place.

15. Correct: C - Stay with the resident and obtain immediate help

A new difference in pupil size after a head impact can signal a serious change. The aide should obtain immediate help and monitor safety without performing repeated tests or treatment.

16. Correct: D - Arrange a private location

The resident is entitled to privacy during personal measurements. The aide should arrange a private approved setting rather than dismiss the concern or stop required care entirely.

17. Correct: C - Use writing and report the voice change

The resident has identified an accessible communication method. The aide should support it immediately and also report the new change in voice strength.

18. Correct: A - Stop feeding, keep the resident upright, and notify the nurse

Food in the mouth of a drowsy resident creates an aspiration risk. Feeding must stop while the aide maintains upright positioning, supports safe mouth clearing, and reports the change.

19. Correct: A - Let the resident perform the planned active exercise

Active exercise is performed by the resident. The aide supports correct participation and reports performance but does not take over or change resistance independently.

20. Correct: B - Obtain a safe chair and report the brake defect

A wheelchair that cannot be locked is not a stable transfer surface. Holding, bracing, or tying it does not replace a functioning brake.

21. Correct: B - Get clarification before ambulation

The phrase does not give enough safety information for the aide to begin. The nurse should clarify the current device and assistance requirements before walking starts.

22. Correct: D - Cut the toast diagonally as requested

The requested shape does not conflict with the resident's diet or safety needs. Honoring a simple preference supports choice and enjoyment of the meal.

23. Correct: D - Report the mark and obtain a safe band replacement

A new pressure mark under an identification band needs prompt attention while resident identification is preserved. The aide should not remove, tape, or reposition it independently without follow-up.

24. Correct: B - Offer two suitable choices and time to decide

Reducing the number of choices can support decision-making without taking control away. The resident still makes the selection at a manageable pace.

25. Correct: A - Include the resident in the approved inventory

The resident has a legitimate interest in personal possessions and in how they are inventoried. Involvement through the approved process supports transparency and control.

26. Correct: C - Use the approved food-storage process

Perishable food should be handled through the facility's approved process. Bedside or personal storage may be unsafe, and staff-only storage is not an independent solution.

27. Correct: A - Change gloves and perform hand hygiene

Sneezing contaminates the glove surfaces. The aide must stop, remove them safely, clean the hands, and use fresh gloves when the task requires them.

28. Correct: C - Ask what the feeling is like

A neutral follow-up question helps the resident describe the location and sensation. The aide should not diagnose, dismiss, or delay clarification of a possible change.

29. Correct: D - Refuse and use the authorized receipt process

Signing another person's name is dishonest and may create a false record. The aide should use only the authorized process and seek guidance when needed.

30. Correct: B - Turn the seam away and recheck comfort

A simple adjustment can remove localized pressure and improve comfort. Persistent tenderness or skin change should also be reported.

31. Correct: A - Use a light, balanced apron load

The trained apron supports independence while keeping both hands available for the walker. Loads should remain light, balanced, and out of the visual path.

32. Correct: D - Begin approved eye flushing and summon help

Chemical eye exposure requires immediate flushing according to the emergency procedure and prompt help. Ointment, rubbing, or delay can worsen injury.

33. Correct: A - Clarify and report the observation

A new observation should not be lost during handoff. The incoming aide should clarify the facts and ensure the nurse receives them without falsely documenting prior notification.

34. Correct: C - Use dry footwear on a dry surface

Wet soles and a wet surface reduce traction. The aide should correct both hazards before weight bearing rather than compensate during movement.

35. Correct: B - Level the tape without compressing the skin

A level tape at the same marked site supports a comparable girth measurement. Tightening, adding layers, or choosing a number arbitrarily makes the result unreliable.

36. Correct: B - Give a reliable time cue and fix the clock

A failed orientation cue can increase confusion. Calm acknowledgment, a reliable time cue, and repair of the clock address the source without confrontation.

37. Correct: D - Offer an inclusive position and report the pattern

Positioning a resident away from the group for staff convenience undermines dignity and participation. The aide should support an inclusive resident-chosen position and address a pattern of isolating treatment.

38. Correct: C - Secure the fastener away from the skin

The rough fastener should be controlled before the garment moves over fragile skin. Speed, plastic, or unauthorized alteration can cause harm.

39. Correct: B - Reposition it and check the skin

A misplaced seam can create pressure even inside protective equipment. Correct placement and skin observation are needed; added layers or excessive tightness can worsen pressure.

40. Correct: B - Identify the source of the information

Accurate communication distinguishes firsthand observation from information reported by another person. This lets the nurse evaluate the source without misrepresentation.

41. Correct: B - Ask the resident and arrange a safe permitted setup

The resident should define the personal practice. The aide can support it safely within current care directions without substituting another ritual or imposing delay.

42. Correct: A - Report the failure and arrange an interim alert

A failed visual alarm removes an essential emergency warning for the resident. The defect needs immediate reporting and a reliable interim notification method through the team.

43. Correct: B - Correct the duplicate through the approved process

Duplicate entries would overstate intake. The team should disclose the duplication and correct it through the approved record process rather than deleting unrelated data or adding more.

44. Correct: B - Provide a clean damp cloth and dry the hands

Clean comfortable hands support dignity and safe eating. A clean cloth and thorough drying meet the request without contaminating linens or using drinking water as a wash basin.

45. Correct: D - Keep the marker in place for resident use

A consistent high-contrast cue supports independent environmental control. Moving, covering, or bypassing it reduces the resident's opportunity to use the learned method.

46. Correct: D - Replace the wipes and separate the supplies

Contact with a used-care container compromises the clean package exterior and can spread contamination. The aide should replace the wipes and separate clean from dirty items.

47. Correct: A - Listen and support remaining choices

The statement expresses grief and identity loss related to dependence. Listening and supporting remaining choices preserves dignity without comparison or dismissal.

48. Correct: D - Respect the refusal and route the donation properly

A donation does not remove the resident's right to choose personal possessions. The aide should respect the refusal and route the item appropriately.

49. Correct: D - Pause and respect the resident's response

Closing the mouth and turning away are refusal cues. The aide should pause and clarify rather than force food or prioritize tray completion.

50. Correct: B - Keep the resident safe and report promptly

A low temperature together with unusual drowsiness is a significant change. The aide should provide basic comfort and promptly report exact findings rather than use intense heat or delay.

51. Correct: B - Decline involvement and report the concern

Using a staff relationship to profit from residents may be exploitative and crosses professional boundaries. The aide should not participate and should report the concern.

52. Correct: A - Listen, clarify, and relay unresolved issues

The goal is to understand the resident's experience, not win an argument. Specific listening can reveal an unmet need and supports appropriate follow-up.

53. Correct: A - Remove and secure the item with permission

A hard object can cause discomfort and pressure. The resident should control where the possession is placed, and the clothing should be smoothed before sitting continues.

54. Correct: D - Report the pain and blood observation promptly

Pain with new visible blood is a reportable observation. The aide should give exact information without diagnosing, treating, or trying to reproduce the finding.

55. Correct: A - Restore the approved chair setup with the team

A changed chair height may alter the safety of the planned transfer. The aide should restore the approved setup through the team rather than improvise or change the method.

56. Correct: D - Set up the device and assist only as needed

The trained aid can preserve toileting independence. The aide should provide private safe setup and limited assistance rather than take over or substitute equipment.

57. Correct: C - Respect the refusal and replace the food

The resident may refuse food with an unwanted texture. A safe approved replacement supports nutrition and choice, and intake must reflect what was actually eaten.

58. Correct: B - Avoid the oral route and obtain an approved alternative

The current restriction makes the oral route inappropriate. The aide should seek direction for an approved alternative rather than violate the restriction or abandon all measurements.

59. Correct: C - Report the changes and maintain safety

A marked change in sleep and daytime alertness should be reported. The aide can support safety and routine but should not diagnose or use stimulants or forced wakefulness.

60. Correct: D - Help the resident request the document

The aide should support access to personal facility documents through the proper process. Denial, memory-based explanation, or use of another resident's paperwork is inappropriate.

61. Correct: C - Move away from exposure and summon help

Coughing and wheezing after an airborne exposure require prompt removal from the source when safe and immediate assistance. Masking the odor does not remove the hazard.

62. Correct: A - Secure the specimen and report the label problem

An unreadable label breaks reliable specimen identification. The aide must not reconstruct identifiers from memory or send uncertain material for testing.

63. Correct: C - Record the amount the resident actually consumed

Intake records must reflect food actually consumed, not the amount served or an estimate based on someone else. Direct observation supports accurate nutrition information.

64. Correct: A - Remove the gown, clean hands, and use fresh PPE

Disposable isolation PPE must not be carried from one resident environment to another. Correct removal and hand hygiene prevent cross-transmission.

65. Correct: D - Use gentle care and report skin changes

Scraping can injure the scalp, and medicated or household products should not be applied independently. Gentle care and reporting abnormal skin findings stay within the aide role.

66. Correct: C - Maintain head elevation and report symptoms

The aide can maintain ordered positioning and observe for changes but should not adjust, disconnect, or add to the feeding system independently.

67. Correct: C - Remove, clean, dry, and return the ring with permission

Trapped soap and moisture can irritate the skin. The resident should consent to removal, and the ring must remain securely under the resident's control or approved storage process.

68. Correct: D - Report the unreliable measurement

Tissue prevents an accurate volume reading. The aide should report the collection problem honestly and obtain directions rather than estimate or alter the contents.

69. Correct: D - Arrange the items as requested within safe reach

A safe individualized tray setup supports comfort and independent eating. Uniform staff arrangement is less important than the resident's functional preference.

70. Correct: D - Stop, stabilize the resident, and obtain help

A sliding mattress can cause a fall, pinch, or entrapment. The aide should stop movement, protect the resident, and obtain proper correction instead of improvising restraints or fillers.