HEALTH BEACON

CNA EXAM PREP

Practice Exam 14

70 practice questions | Printable Practice Exam

Instructions	Select the single best answer for each question. An answer key with explanations begins after the question section.

PART A - QUESTIONS

1.

Scenario

A wall-mounted hand-sanitizer pump sticks and sprays sanitizer onto the floor each time it is pressed, directly beside a resident's walker path.

What should the nurse aide do first?

A) Place a paper towel over the puddle and leave the pump available.
B) Move the resident's walker through the wet area before it spreads.
C) Keep pressing the pump until the dispenser becomes empty.
D) Restrict the wet area and arrange cleanup and dispenser repair by procedure.

2.

Scenario

A disposable commode liner has folded over the seat edge and is pinching the resident's thigh.

What is the nurse aide's best action?

A) Cover the pinching area with toilet tissue and continue.
B) Ask the resident to ignore the pressure until toileting is finished.
C) Assist the resident up safely, correct the liner, and recheck comfort.
D) Pull the folded liner outward while the resident remains seated.

3.

Glare on a laminated picture board makes several symbols hard for a resident to see. What should the nurse aide do?

A) Move the board farther away so the shiny surface looks smaller.
B) Adjust the board or lighting, allow selection, and confirm the resident's choice.
C) Read the partly hidden symbols and choose one for the resident.
D) Put the board away and ask a roommate what the resident wants.

4.

Scenario

A resident steps onto a standing scale while holding a heavy tote bag against the chest.

How should the nurse aide obtain the most accurate weight?

A) Ask the resident how much the tote usually weighs and document that amount.
B) Record the displayed result because the resident is already standing still.
C) Subtract an estimated weight for the tote from the displayed result.
D) Set the tote aside, prepare the scale, and repeat the weight.

5.

Scenario

A resident calls the nurse aide by a former employee's name, notices the mistake, and says, "I must look foolish."

Which response by the nurse aide is best?

A) Avoid using any names so the resident cannot make another mistake.
B) Say, "You need to pay closer attention to people's name badges."
C) Reintroduce yourself calmly and continue without shaming the resident.
D) Quiz the resident on the names of everyone working that day.

6.

Scenario

A roommate begins opening a resident's bedside drawers while looking for a missing television remote.

What should the nurse aide do?

A) Stop the search, protect the belongings, and redirect it to shared areas.
B) Tell the resident to keep future belongings at the nurses' station.
C) Empty all drawers onto the bed so the remote can be found quickly.
D) Allow the search because both residents share the room.

7.

Scenario

A resident using a button hook catches the hook in a loose sweater thread and begins pulling harder.

What should the nurse aide do?

A) Take the button hook away and finish all dressing for the resident.
B) Cut the sweater thread without asking the resident.
C) Stop the pulling, free the thread gently, and allow another attempt.
D) Tell the resident to pull faster so the hook comes loose.

8.

Scenario

A pulse-oximeter sensor is on a resident's finger, but its cable has been wrapped tightly around the finger and has left an indentation.

What should the nurse aide do?

A) Wrap the cable more tightly so the sensor cannot move.
B) Move the sensor to the resident's toe without checking the care directions.
C) Release the cable wrap, maintain the sensor, and report the indentation.
D) Leave the cable wrapped because the displayed number is stable.

9.

Scenario

A task list says a resident should be repositioned now, but the electronic care-plan screen will not open and the aide does not know the required position.

What should the nurse aide do?

A) Keep the resident comfortable and ask the nurse to clarify the directions.
B) Ask the resident's visitor to select a position.
C) Choose the position used for a different resident with similar mobility.
D) Skip repositioning for the shift because the screen is unavailable.

10.

Scenario

A resident's hearing aid begins whistling immediately after the nurse aide inserts it for morning grooming.

What is the nurse aide's best response?

A) Cover the resident's ear with a washcloth for the rest of the morning.
B) Use the approved placement steps and report whistling that continues.
C) Increase the volume until the whistling is no longer noticeable.
D) Push the device farther into the ear with a cotton swab.

11.

A reusable bedpan has a hairline crack along the rim. What should the nurse aide do?

A) Cover the crack with adhesive tape before placing it.
B) Remove the cracked bedpan and obtain intact, properly processed equipment.
C) Turn the cracked rim away from the resident and continue.
D) Use the bedpan only for residents who can lift their hips.

12.

Scenario

A coworker tells a resident, "Give me the highest satisfaction rating and I will put you first on tomorrow's shower list."

What should the nurse aide do?

A) Reject the care-for-rating bargain and report the attempted influence.
B) Suggest a slightly lower rating in exchange for second place.
C) Tell the resident to accept because an earlier shower is useful.
D) Keep the bargain secret as long as the shower is completed.

13.

Scenario

During incontinence care, an adhesive edge of a disposable pad has stuck to the resident's body hair.

What should the nurse aide do?

A) Pull the pad off quickly so the discomfort lasts less time.
B) Cut the resident's body hair without asking permission.
C) Loosen the adhesive gently by the approved method without pulling hair.
D) Leave the used pad attached until it releases on its own.

14.

Scenario

A newly admitted resident keeps a packed suitcase by the door and says, "My family may come back for me any minute."

Which response by the nurse aide is best?

A) Promise that the family will return before the evening meal.
B) Acknowledge the uncertainty and ask what would help the resident now.
C) Say, "This is your home now, so you must unpack."
D) Hide the suitcase so the resident stops thinking about leaving.

15.

Scenario

While setting up morning care, the nurse aide coughs directly over an open basin containing clean washcloths.

What should the nurse aide do next?

A) Turn the washcloths over so the exposed surfaces face down.
B) Perform appropriate hand hygiene and replace all exposed supplies.
C) Use the bottom washcloths because only the top one was exposed.
D) Spray air freshener above the basin and continue care.

16.

Scenario

During a bed bath, the roommate wants the privacy curtain open so the two residents can keep talking. The resident receiving care looks away and does not answer.

What should the nurse aide do?

A) Leave the curtain open because the roommate requested it first.
B) Ask the roommate to decide whether the resident looks comfortable.
C) Continue bathing until the resident verbally objects.
D) Close the curtain and ask the resident privately about continuing conversation.

17.

A resident relies on a step-by-step self-care card, but the print has faded. What should the nurse aide do?

A) Tell the resident to stop using visual cues.
B) Remove the card and complete all self-care for the resident.
C) Rewrite the steps from memory in a different order.
D) Report the faded card and obtain a readable replacement with the same sequence.

18.

Scenario

The call-light cord runs beneath the moving foot section of a powered recliner.

What should the nurse aide do?

A) Tape the call-light button permanently to the armrest.
B) Disconnect the call light until the resident leaves the chair.
C) Stop the recliner, reroute the cord, and verify the call light is reachable.
D) Operate the recliner slowly so the cord has time to move.

19.

Scenario

A resident communicates discomfort by pointing to a laminated number scale, but the nurse aide's hand is covering several numbers.

What should the nurse aide do?

A) Ask, "It is probably a three, right?" while keeping the scale covered.
B) Remove the scale and ask the resident to answer a different question.
C) Choose the number that matches the aide's observation of the resident.
D) Show the full number scale, allow pointing, and confirm the selection.

20.

Scenario

A resident whose drink is prepared to a directed thickness asks the nurse aide for a straw that is not listed in the care directions.

What should the nurse aide do?

A) Thin the drink slightly so it moves through the straw easily.
B) Keep the drink as directed and ask the nurse whether a straw is permitted.
C) Give the straw because it does not change the drink's ingredients.
D) Tell the resident that straws are never allowed with thickened drinks.

21.

Scenario

Before incontinence care, the only gloves in the room are so large that the fingertips hang loosely beyond the nurse aide's fingers.

What should the nurse aide do?

A) Obtain securely fitting gloves before beginning the incontinence care.
B) Wear the oversized gloves and grip supplies more tightly.
C) Perform the care with bare hands to improve control.
D) Tape the loose glove fingertips around each finger.

22.

Scenario

A meal tray arrives after the resident has already left the unit for scheduled therapy.

What should the nurse aide do?

A) Give the tray to the roommate to prevent waste.
B) Coordinate safe meal service and document only the resident's actual intake.
C) Record the meal as refused because the resident is not in the room.
D) Leave the uncovered tray at the bedside until the resident returns.

23.

Scenario

While cleaning a resident's denture, the nurse aide sees a new crack with a sharp edge.

What should the nurse aide do?

A) Smooth the sharp edge with a nail file and insert the denture.
B) Withhold the cracked denture, store it securely, and report the damage.
C) Cover the crack with denture adhesive and use it for one meal.
D) Break off the cracked section so the rest will fit.

24.

Scenario

A birthday poster has been taped over the required oxygen-use warning sign outside a resident's room.

What should the nurse aide do?

A) Move the warning sign to a low corner beneath the poster.
B) Write a smaller warning on the back of the birthday poster.
C) Uncover the oxygen warning sign and report the unsafe poster placement.
D) Leave the poster because staff already know oxygen is in use.

25.

Scenario

A resident becomes upset because housekeeping moved the pieces of a puzzle the resident had been working on for several days.

Which action by the nurse aide is best?

A) Acknowledge the frustration and help restore the puzzle area.
B) Say, "It is only a puzzle, so there is no reason to be angry."
C) Tell the resident to complain directly to housekeeping without assistance.
D) Throw the puzzle away so the problem cannot happen again.

26.

Scenario

A resident asks the nurse aide to use the resident's tablet to photograph a new quilt. The roommate's name board and medication list are visible behind it.

What should the nurse aide do?

A) Post the photograph online so the resident's family can see it.
B) Cover only the roommate's name and leave the medication list visible.
C) Take the photograph because the tablet belongs to the requesting resident.
D) Reframe the image to exclude private information, then assist if allowed.

27.

Scenario

A battery charger near a resident using oxygen begins to spark and smell hot.

What should the nurse aide do first?

A) Pick up the sparking charger and carry it into the hallway.
B) Pour water on the charger before moving the resident.
C) Turn up the oxygen flow so the resident can breathe through the odor.
D) Move the resident from danger and activate the emergency response.

28.

Scenario

A restorative plan directs a resident to stand at the sink for grooming with one aide and a chair positioned immediately behind.

How should the nurse aide support the activity?

A) Remove the chair so the resident has to build endurance faster.
B) Extend the standing time beyond the plan if the resident looks steady.
C) Position the planned chair and supervise the resident-led grooming activity.
D) Complete the grooming while the resident stands and watches.

29.

Scenario

A resident who cannot speak writes a message slowly. Another staff member says, "Just guess what is needed so we can go."

What should the nurse aide do?

A) Allow time to finish and repeat the message back for confirmation.
B) Ask the staff member to finish the resident's sentence.
C) Remove the writing pad and ask only questions selected by staff.
D) Choose the most likely request and begin care immediately.

30.

Scenario

After dressing, the elastic edge of a resident's disposable brief is rolled tightly in the groin crease.

What should the nurse aide do?

A) Tuck a dry washcloth under the rolled edge for the whole shift.
B) Leave the roll because it helps prevent leakage.
C) Pull the brief tighter so both sides have equal pressure.
D) Smooth or replace the brief and check the skin for pressure.

31.

Scenario

When an electronic thermometer is turned on, it displays a stored value before the probe has touched the current resident.

What should the nurse aide do?

A) Average the stored value with the resident's usual temperature.
B) Record the stored value because the device displayed it automatically.
C) Add one degree to the stored value and enter the result.
D) Distinguish the stored value and complete a new temperature measurement.

32.

Scenario

A resident says that, for cultural reasons, food should not be handed to the resident with the caregiver's left hand.

What should the nurse aide do?

A) Require the resident to accept the tray with both hands.
B) Clarify, safely accommodate, and communicate the resident's hand preference.
C) Ask another resident whether the cultural rule is accurate.
D) Tell the resident that staff may use either hand without discussion.

33.

A nurse aide who is not trained or authorized to remove sutures is asked to do so because the clinic is running behind. What should the aide do?

A) Decline and arrange for an authorized person to remove the sutures.
B) Watch an online demonstration and then remove the sutures.
C) Ask another untrained aide to perform the task instead.
D) Remove only the loosest sutures to help the clinic catch up.

34.

Scenario

At bedtime, the protective pillow cover is unzipped and the inner pillow is exposed near the resident's face.

What should the nurse aide do?

A) Restore a clean protective pillow cover before the resident uses it.
B) Turn the exposed opening toward the resident's feet and leave it open.
C) Cover the exposed area with the resident's sleep clothing.
D) Tape the zipper opening directly to the pillowcase.

35.

Scenario

The nurse aide sees someone pour new liquid soap into a partly used dispenser labeled for a sealed replacement cartridge.

What should the nurse aide do?

A) Add warm water so both layers of soap mix evenly.
B) Use the dispenser only for residents without isolation precautions.
C) Stop dispenser use and restore the approved sealed-cartridge process.
D) Stir the old and new soap together with a clean stick.

36.

Scenario

A resident repeatedly asks whether a favorite sweater will return from the laundry, even after receiving an answer.

Which response by the nurse aide is best?

A) Promise that the sweater will be back within the hour.
B) Answer calmly, show the available laundry cue, and redirect gently.
C) Tell the resident the sweater was probably lost.
D) Say, "I already told you, so please stop asking."

37.

Scenario

An activity assistant tells the nurse aide that a usually talkative resident slept through the entire morning group.

What should the nurse aide do?

A) Check the resident and report the objective change from the activity assistant.
B) Dismiss the report because activity staff do not provide nursing care.
C) Wait for the same thing to happen during three more groups.
D) Document that the resident has a sleep disorder.

38.

Scenario

The manual crank handle at the foot of a resident's bed has been left extended into the walking path.

What should the nurse aide do?

A) Stow the bed crank and report it if it will not remain retracted.
B) Cover the extended handle with a pillow and leave it in place.
C) Tie a bright washcloth to the handle as the only correction.
D) Ask the resident to step around the crank each time.

39.

Scenario

A staff member repeatedly calls a resident "Grandma," although the resident has asked to be called Ms. Chen.

What should the nurse aide do?

A) Use "Grandma" because it is intended affectionately.
B) Tell the resident that staff choose names to save time.
C) Use Ms. Chen's preferred name and remind staff of her preference.
D) Avoid addressing the resident by any name.

40.

Scenario

A resident with urinary urgency is wearing pants with several small side buttons and says, "I cannot get these open in time."

What should the nurse aide do?

A) Cut the buttons off while the resident is on the toilet.
B) Tell the resident to stop wearing preferred pants permanently.
C) Assist with toileting, then offer easier clothing for future use.
D) Delay assistance until the resident opens every button independently.

41.

Scenario

After a routine blood-pressure check, the nurse aide notices a new purple mark under the cuff area on the resident's upper arm.

What should the nurse aide do?

A) Rub the area firmly until the color fades.
B) Cover the mark with the cuff and repeat the reading several times.
C) Diagnose the mark as a bruise caused by the cuff.
D) Describe the mark objectively and report it promptly to the nurse.

42.

Scenario

A resident has been trained to swing away the wheelchair footplates before standing and reaches to begin the step.

What should the nurse aide do?

A) Move both footplates before the resident can touch them.
B) Supervise while the resident moves the footplates using the trained method.
C) Begin lifting the resident while the footplates remain in place.
D) Tell the resident footplates must be handled only by staff.

43.

Which charting entry is the most objective?

A) Resident had a bad walk because the hallway was frightening.
B) Resident was lazy and did not want to walk very far today.
C) Resident walked from the bed to the doorway with a walker, paused twice, and said, "My legs feel tired."
D) Resident seemed much weaker than usual and probably needs therapy.

44.

Scenario

While refilling a resident's used cup, the rim touches the nozzle of the shared water dispenser.

What should the nurse aide do?

A) Turn the cup around and touch the opposite side to the nozzle.
B) Stop dispenser use and initiate the approved cleaning and reporting process.
C) Wipe only the resident's cup and continue filling from the same nozzle.
D) Run water for five seconds and continue using the dispenser.

45.

Scenario

A night-light safely illuminates the route to the bathroom but shines directly into the resident's face and prevents sleep.

What should the nurse aide do?

A) Tell the resident to cover the face with a pillow.
B) Turn off every light and leave the route completely dark.
C) Redirect the light while keeping the walking path illuminated.
D) Move the night-light behind furniture where it cannot light the floor.

46.

Scenario

A resident who usually enjoys a weekly music group suddenly covers both ears and winces when the music begins.

What should the nurse aide do?

A) Move the resident closer to the speaker to improve attention.
B) Insist the resident remain because music has always been enjoyable.
C) Tell the group the resident is being difficult today.
D) Lower the sound, ask the resident's preference, and report persistent change.

47.

Scenario

A precaution sign clearly requires a gown and gloves, but the cart outside the room has no gowns.

What should the nurse aide do before routine care?

A) Borrow a used gown hanging inside the previous resident's room.
B) Enter with gloves only because one required item is available.
C) Wear two isolation masks as a substitute for the gown.
D) Stay outside, obtain the required gown, and report the restocking need.

48.

Scenario

During a bed bath, the nurse urgently calls the aide to help with another resident. The resident being bathed is stable but partly uncovered.

What should the nurse aide do before leaving the room?

A) Cover and position the resident safely, provide the call light, and explain.
B) Tell the resident to finish the bed bath alone while the aide is gone.
C) Ignore the nurse until the entire bath and room cleanup are complete.
D) Leave immediately with the resident exposed because the nurse sounded urgent.

49.

Scenario

A resident wants to keep a sealed snack gift in a bedside drawer, but the facility rule provided to residents requires food to be stored in a pest-resistant container.

What should the nurse aide do?

A) Explain the rule and offer approved storage the resident can access.
B) Throw the snack away without telling the resident.
C) Hide the snack in a staff locker until the resident forgets it.
D) Leave it loose in the drawer because it is the resident's property.

50.

Scenario

Before a shower, the nurse aide sees that another staff member placed a folded bath towel on the wet floor as a stepping mat.

What should the nurse aide do?

A) Leave the towel because cloth absorbs water.
B) Remove the towel, dry the floor, and use the approved nonskid surface.
C) Add a second towel to make the surface thicker.
D) Ask the resident to step over the towel without touching it.

51.

Scenario

A digital standing scale displays "service required" before the resident steps onto it.

What should the nurse aide do?

A) Turn the display off and on until the message disappears.
B) Use the scale only for residents whose recent weight is known.
C) Withhold the scale, report the service message, and obtain working equipment.
D) Weigh the resident and subtract two pounds for possible error.

52.

A newly admitted resident is a close family friend of the nurse aide. What is the nurse aide's most ethical action?

A) Disclose the relationship and follow supervisory directions about the assignment.
B) Open the resident's chart to learn why the friend was admitted.
C) Share admission details only with relatives who already know the resident.
D) Keep the relationship secret so the aide can remain assigned.

53.

Scenario

During lunch, the resident's eyeglass cord becomes trapped beneath a clothing protector and pulls the frames sideways.

What should the nurse aide do?

A) Tighten the clothing protector to keep the cord from moving.
B) Remove the glasses for the rest of the meal without asking.
C) Pause the meal, free the cord, and check the glasses for comfort.
D) Continue feeding because the glasses are still on the resident's face.

54.

Scenario

After repositioning a resident, the nurse aide realizes the hard call-light button is trapped beneath the resident's shoulder.

What should the nurse aide do?

A) Remove the button, check the skin, and restore easy call-light access.
B) Disconnect the call light and tell the resident to call out.
C) Add a pillow over the button to make the pressure softer.
D) Leave it in place so the resident cannot lose the call light.

55.

A resident completes a restorative self-care task more slowly than the target time but uses the trained steps safely. What should the nurse aide do?

A) Skip the final steps so the posted time target is met.
B) Increase the difficulty so the resident will work faster next time.
C) Complete the task for the resident and record independent performance.
D) Encourage safe completion and record the resident's actual performance.

56.

Scenario

A resident answers with a reliable yes-or-no hand signal. The nurse aide asks, "Are you cold and do you want a blanket?" and the resident signals yes.

What should the nurse aide do next?

A) Assume yes applies only to the second part of the question.
B) Assume yes applies to both parts and add several blankets.
C) Separate the two ideas and confirm each yes-or-no response.
D) Ask a family member which part the resident probably meant.

57.

Scenario

A resident's electric bed controller shows a lock symbol, and the resident cannot make the usual comfort adjustment.

What should the nurse aide do?

A) Support comfort and ask the nurse to verify the controller lock.
B) Enter random button combinations until the lock symbol disappears.
C) Open the controller case and disconnect the lock wire.
D) Tell the resident to stop requesting position changes.

58.

Scenario

After smiling through a group activity, a resident privately tells the nurse aide, "Inside, I feel empty every day."

What should the nurse aide do?

A) Diagnose the resident with depression and announce it at report.
B) Listen, remain supportive, and report the resident's statement promptly.
C) Say, "You were smiling, so you cannot really feel that way."
D) Promise to keep the statement secret from the care team.

59.

Scenario

A resident tells a male nurse aide, "I do not want a man helping with my bath today."

What should the nurse aide do?

A) Begin the bath because the aide has already gathered supplies.
B) Respect the refusal and notify the nurse to arrange an alternative.
C) Ask the roommate to persuade the resident to accept care.
D) Tell the resident that staff gender preferences are never allowed.

60.

Scenario

The overbed table is so high that a resident must lift the shoulders and reach upward for every bite.

What should the nurse aide do?

A) Raise the resident's shoulders with several folded towels.
B) Adjust the table height and recheck the resident's posture and reach.
C) Feed the resident so the table height does not matter.
D) Move the meal to the resident's lap without a stable surface.

61.

Scenario

Before transport, the nurse aide notices that one rear wheelchair tire is nearly flat.

What should the nurse aide do?

A) Move quickly so the flat tire has less time to drag.
B) Place folded towels under the cushion to balance the chair.
C) Push only on the side with the inflated tire.
D) Use a safe replacement wheelchair and report the nearly flat tire.

62.

Scenario

Midshift, another nurse aide proposes swapping resident assignments without telling the nurse because one hallway is busier.

What should the nurse aide do?

A) Ask residents to explain their care plans to the newly assigned aides.
B) Swap assignments immediately and compare notes at the end of the shift.
C) Care for whichever resident calls first without defined assignments.
D) Discuss the change with the nurse and complete an accurate handoff.

63.

Scenario

A resident with limited wrist rotation uses a lidded cup, but the drinking opening is turned away from the resident.

What should the nurse aide do?

A) Tell the resident to twist the wrist farther for exercise.
B) Hold the cup for every sip without offering a setup change.
C) Align the lid opening and place the cup within safe reach.
D) Remove the lid and fill the cup to the rim.

64.

Scenario

The foot pedal on a covered waste bin does not open the lid during gloved care.

What should the nurse aide do?

A) Place used supplies on the floor beside the closed bin.
B) Leave the lid propped open for the rest of the shift.
C) Lift the lid by hand with contaminated gloves.
D) Use an approved functioning waste container and report the broken pedal.

65.

Scenario

A dining table has just been disinfected, and the surface is still visibly wet when a meal tray arrives.

What should the nurse aide do?

A) Wipe the surface dry immediately with the resident's napkin.
B) Complete the directed contact and drying process before placing the meal.
C) Cover the wet disinfectant with a bath towel and serve the meal.
D) Place the tray on the wet surface because disinfectant is clean.

66.

Scenario

A resident's labeled bar of soap is touching the roommate's bar of soap in a wet shared dish.

What should the nurse aide do?

A) Separate the soaps and store the resident's bar in its own draining container.
B) Dry both bars with the roommate's used towel.
C) Leave both bars together because soap cleans itself.
D) Cut both bars in half and give each resident one piece of each.

67.

Scenario

A family member attaches a portable suction-cup grab bar to the shower wall and asks the resident to use it for support.

What should the nurse aide do?

A) Tape the ends to the tile so the suction cannot release.
B) Use the bar only when two aides are holding the resident.
C) Test the suction bar by pulling on it with full body weight.
D) Prevent use and rely only on the approved installed shower supports.

68.

Scenario

A wall outlet faceplate shifts away from the wall when a resident's lamp plug is touched.

What should the nurse aide do?

A) Prevent outlet use, move people away, and report the loose faceplate.
B) Hold the outlet still with one hand while unplugging other equipment.
C) Tape the loose plate to the wall and reconnect the lamp.
D) Push the faceplate back with the lamp plug.

69.

Scenario

After a meal, crumbs remain inside the catch pocket of a reusable clothing protector.

What should the nurse aide do?

A) Shake the crumbs onto the resident's floor and leave them there.
B) Clean, dry, and store the reusable protector as directed.
C) Fold the pocket closed with the crumbs inside until the next meal.
D) Store the damp protector beneath the resident's pillow.

70.

Scenario

A laundry cart has been parked directly in front of the wall cabinet containing a fire extinguisher.

What should the nurse aide do?

A) Clear the fire-extinguisher cabinet and report the obstruction as directed.
B) Place a note on the cart explaining where the extinguisher is.
C) Move the extinguisher to an empty resident room without authorization.
D) Leave the cart because the extinguisher can be reached from one side.

PART B - ANSWER KEY AND EXPLANATIONS

Question numbering below corresponds to the questions in Part A.

1	D	2	C	3	B	4	D	5	C
6	A	7	C	8	C	9	A	10	B
11	B	12	A	13	C	14	B	15	B
16	D	17	D	18	C	19	D	20	B
21	A	22	B	23	B	24	C	25	A
26	D	27	D	28	C	29	A	30	D
31	D	32	B	33	A	34	A	35	C
36	B	37	A	38	A	39	C	40	C
41	D	42	B	43	C	44	B	45	C
46	D	47	D	48	A	49	A	50	B
51	C	52	A	53	C	54	A	55	D
56	C	57	A	58	B	59	B	60	B
61	D	62	D	63	C	64	D	65	B
66	A	67	D	68	A	69	B	70	A

1. Correct: D - Restrict the wet area and arrange cleanup and dispenser repair by procedure.

The malfunction creates a slip hazard and unreliable hand-hygiene station. The aide should control access and initiate approved cleanup and repair rather than cover or continue using it.

2. Correct: C - Assist the resident up safely, correct the liner, and recheck comfort.

Pressure from a folded liner can injure skin. The resident should be assisted off the commode safely so the setup can be corrected before use continues.

3. Correct: B - Adjust the board or lighting, allow selection, and confirm the resident's choice.

Changing the angle or lighting restores access to the resident's communication method. The resident should make and confirm the selection rather than have someone else guess.

4. Correct: D - Set the tote aside, prepare the scale, and repeat the weight.

Personal items add unknown weight. Removing the tote and repeating the measurement under consistent conditions produces a usable result without guessing.

5. Correct: C - Reintroduce yourself calmly and continue without shaming the resident.

A calm introduction and matter-of-fact reassurance protect dignity. Correcting sharply or testing memory can increase embarrassment.

6. Correct: A - Stop the search, protect the belongings, and redirect it to shared areas.

Sharing a room does not remove a resident's right to personal possessions and privacy. The aide should stop unauthorized searching and offer a respectful alternative.

7. Correct: C - Stop the pulling, free the thread gently, and allow another attempt.

The aide should prevent damage or injury, correct the immediate snag, and then support another resident-led attempt instead of taking over.

8. Correct: C - Release the cable wrap, maintain the sensor, and report the indentation.

A device cable must not act like a constricting band. The aide should remove the pressure, maintain the directed setup, and report the skin change.

9. Correct: A - Keep the resident comfortable and ask the nurse to clarify the directions.

The aide should not guess or omit assigned care. Clarification from the nurse preserves continuity and allows the current individualized plan to be followed.

10. Correct: B - Use the approved placement steps and report whistling that continues.

Feedback may result from poor placement or another device problem. The aide should use the approved handling steps and report persistence, not alter settings or push into the ear.

11. Correct: B - Remove the cracked bedpan and obtain intact, properly processed equipment.

A cracked reusable item may injure skin and cannot be depended on for effective cleaning. It should be removed rather than patched or selectively reused.

12. Correct: A - Reject the care-for-rating bargain and report the attempted influence.

Care should not be traded for favorable feedback. The aide should not participate in coercion or preferential bargaining and should report the conduct.

13. Correct: C - Loosen the adhesive gently by the approved method without pulling hair.

Gentle loosening protects skin and hair during hygiene. Forceful pulling, unauthorized hair cutting, or leaving a soiled item attached can cause harm or indignity.

14. Correct: B - Acknowledge the uncertainty and ask what would help the resident now.

Acknowledging the resident's uncertainty and exploring an immediate need offers support without deception, confrontation, or taking control of possessions.

15. Correct: B - Perform appropriate hand hygiene and replace all exposed supplies.

Respiratory droplets can contaminate open supplies. Replacing the exposed items prevents bringing contaminated materials into personal care.

16. Correct: D - Close the curtain and ask the resident privately about continuing conversation.

Privacy belongs to the resident receiving care. Hesitation is not consent, so the aide should protect privacy and obtain the resident's preference without roommate pressure.

17. Correct: D - Report the faded card and obtain a readable replacement with the same sequence.

An external cue should remain readable and consistent with the established plan. The aide should arrange replacement rather than invent instructions or remove the support.

18. Correct: C - Stop the recliner, reroute the cord, and verify the call light is reachable.

A cord in a moving mechanism can be cut or trapped. The aide should remove the pinch hazard while preserving the resident's access to assistance.

19. Correct: D - Show the full number scale, allow pointing, and confirm the selection.

The communication aid must be fully visible so the resident can choose without prompting. Confirmation preserves the resident's meaning and avoids aide interpretation.

20. Correct: B - Keep the drink as directed and ask the nurse whether a straw is permitted.

How a prepared drink is taken can be part of swallowing-safety directions. The aide should follow the current plan and seek clarification rather than assume, alter texture, or make a universal rule.

21. Correct: A - Obtain securely fitting gloves before beginning the incontinence care.

Poorly fitting gloves can reduce control and compromise the barrier. The aide should obtain an appropriate size instead of altering gloves or omitting them.

22. Correct: B - Coordinate safe meal service and document only the resident's actual intake.

The team should coordinate safe meal service around the resident's schedule. Intake documentation must reflect what the resident actually consumes.

23. Correct: B - Withhold the cracked denture, store it securely, and report the damage.

A cracked sharp denture can injure oral tissue and should not be repaired by the aide. Labeled storage and prompt reporting protect the appliance and resident.

24. Correct: C - Uncover the oxygen warning sign and report the unsafe poster placement.

Required safety information must remain visible to everyone entering the area. A decoration should be moved rather than covering or unofficially relocating the warning.

25. Correct: A - Acknowledge the frustration and help restore the puzzle area.

The puzzle may represent control, concentration, and meaningful work. Acknowledging the loss and helping restore the activity is supportive and practical.

26. Correct: D - Reframe the image to exclude private information, then assist if allowed.

The resident may enjoy a personal photograph, but another person's identity and health information must be excluded. Facility rules also guide staff assistance with devices.

27. Correct: D - Move the resident from danger and activate the emergency response.

Sparking equipment near oxygen is an urgent fire hazard. The aide should protect the resident and activate help, not handle energized equipment, add water, or alter oxygen.

28. Correct: C - Position the planned chair and supervise the resident-led grooming activity.

The chair and supervision are planned safety supports, not barriers to independence. The resident should perform the task without the aide changing duration or taking over.

29. Correct: A - Allow time to finish and repeat the message back for confirmation.

Adequate time and confirmation let the resident control the message. Guessing or restricting communication can produce error and removes the resident's voice.

30. Correct: D - Smooth or replace the brief and check the skin for pressure.

A rolled edge can create friction and focused pressure. The brief should fit smoothly, and the skin should be observed rather than padded or tightened.

31. Correct: D - Distinguish the stored value and complete a new temperature measurement.

A stored value belongs to an earlier measurement and is not current resident data. The aide must obtain a new reading rather than copy, average, or adjust old information.

32. Correct: B - Clarify, safely accommodate, and communicate the resident's hand preference.

The resident defines the individual cultural preference. A safe, reasonable request can be accommodated and shared with the care team without outside validation or stereotyping.

33. Correct: A - Decline and arrange for an authorized person to remove the sutures.

Schedule pressure does not expand the aide's training or authority. The aide should decline and route the task to an authorized clinician.

34. Correct: A - Restore a clean protective pillow cover before the resident uses it.

The inner pillow should remain enclosed by its clean protective cover. Reorienting, taping, or using clothing does not restore the intended barrier and comfort.

35. Correct: C - Stop dispenser use and restore the approved sealed-cartridge process.

A dispenser designed for sealed cartridges should not be topped off. The aide should stop use and have the approved system restored rather than mix or dilute the contents.

36. Correct: B - Answer calmly, show the available laundry cue, and redirect gently.

A calm, consistent response and a concrete cue can reduce anxiety. The aide should not shame the resident, make an unsupported promise, or predict a loss.

37. Correct: A - Check the resident and report the objective change from the activity assistant.

Useful observations can come from any team member. A new change from usual alertness should be checked and relayed objectively without delay or diagnosis.

38. Correct: A - Stow the bed crank and report it if it will not remain retracted.

An extended crank is a strike and trip hazard. It should be returned to its designed safe position, with a defect reported if it will not stay there.

39. Correct: C - Use Ms. Chen's preferred name and remind staff of her preference.

Respectful treatment includes using the name the resident prefers. Good intentions do not override the resident's expressed choice.

40. Correct: C - Assist with toileting, then offer easier clothing for future use.

The immediate toileting need comes first. A future clothing adaptation can be offered as a choice, but the aide should not damage property or force independence during urgency.

41. Correct: D - Describe the mark objectively and report it promptly to the nurse.

The aide should report a new skin finding with objective details, not diagnose its cause or apply force. Repeated cuff pressure over the area may cause more injury.

42. Correct: B - Supervise while the resident moves the footplates using the trained method.

When a resident can safely perform a learned transfer-preparation step, the aide should supervise rather than take over. The footplates must be clear before standing.

43. Correct: C - Resident walked from the bed to the doorway with a walker, paused twice, and said, "My legs feel tired."

Objective charting records observable actions and the resident's exact words. Labels, assumptions, and predictions do not belong in factual documentation.

44. Correct: B - Stop dispenser use and initiate the approved cleaning and reporting process.

Contact with a used drinking rim can contaminate a shared dispenser nozzle. The dispenser should be removed from use until handled by the approved process.

45. Correct: C - Redirect the light while keeping the walking path illuminated.

The aide can address sleep comfort while preserving fall-prevention lighting. The solution should reduce glare without creating darkness or an unsafe obstruction.

46. Correct: D - Lower the sound, ask the resident's preference, and report persistent change.

A sudden distress response should be respected and explored. Reducing the stimulus, asking preference, and reporting a new unexplained change support comfort and observation.

47. Correct: D - Stay outside, obtain the required gown, and report the restocking need.

Known precautions must be followed with the specified PPE. The aide should obtain the missing item and restore supply readiness rather than substitute or reuse equipment.

48. Correct: A - Cover and position the resident safely, provide the call light, and explain.

The aide should respond to the team's urgent need while first taking a few immediate steps to protect the current resident's safety, privacy, and access to help.

49. Correct: A - Explain the rule and offer approved storage the resident can access.

The resident retains choice and ownership while a known safety rule is followed. Offering an approved storage option is less restrictive than discarding or hiding the item.

50. Correct: B - Remove the towel, dry the floor, and use the approved nonskid surface.

A loose towel on a wet floor can slide or bunch. The aide should restore a dry, approved nonskid surface before the resident enters the area.

51. Correct: C - Withhold the scale, report the service message, and obtain working equipment.

A service warning means the aide cannot rely on the equipment for an accurate measurement. The scale should be removed from use rather than reset repeatedly or mathematically guessed.

52. Correct: A - Disclose the relationship and follow supervisory directions about the assignment.

A preexisting personal relationship can create boundary and privacy concerns. Disclosure to supervision allows an appropriate assignment decision, and confidentiality still applies.

53. Correct: C - Pause the meal, free the cord, and check the glasses for comfort.

The trapped cord can pull on the face and interfere with vision. Correcting the setup promptly supports comfort and safe participation in the meal.

54. Correct: A - Remove the button, check the skin, and restore easy call-light access.

A hard device beneath the body creates focused pressure. It should be removed, the skin observed, and the call system kept accessible.

55. Correct: D - Encourage safe completion and record the resident's actual performance.

Safe resident effort is more important than making the record match a target time. The aide should document what actually occurred and preserve the trained sequence.

56. Correct: C - Separate the two ideas and confirm each yes-or-no response.

A single yes cannot show which part of a combined question the resident intended. One idea at a time allows accurate resident-directed communication.

57. Correct: A - Support comfort and ask the nurse to verify the controller lock.

A control lock may be intentional or may need authorized correction. The aide should support comfort and seek clarification rather than override equipment or dismiss the resident.

58. Correct: B - Listen, remain supportive, and report the resident's statement promptly.

A concerning statement deserves calm listening and prompt reporting even when outward behavior appears cheerful. The aide should not dismiss, promise secrecy, or diagnose.

59. Correct: B - Respect the refusal and notify the nurse to arrange an alternative.

The resident may refuse a particular caregiver or care encounter. The aide should not pressure or proceed; the nurse can help arrange a reasonable alternative.

60. Correct: B - Adjust the table height and recheck the resident's posture and reach.

A proper table height supports comfortable posture and self-feeding. The environmental barrier should be corrected instead of taking over or creating an unstable setup.

61. Correct: D - Use a safe replacement wheelchair and report the nearly flat tire.

A nearly flat tire can affect steering and stability. The chair should be removed from transport use rather than compensated for by pushing technique or seat padding.

62. Correct: D - Discuss the change with the nurse and complete an accurate handoff.

Supervised assignments and a complete handoff support accountability and continuity. Staff should not make an unreported swap or rely on residents to transfer care information.

63. Correct: C - Align the lid opening and place the cup within safe reach.

A simple orientation change removes a physical barrier and supports independent drinking. Removing the lid, taking over, or forcing movement adds risk or dependence.

64. Correct: D - Use an approved functioning waste container and report the broken pedal.

A broken hands-free pedal should not lead to touching the lid with contaminated gloves or leaving waste exposed. The aide should use functioning approved equipment and report the defect.

65. Correct: B - Complete the directed contact and drying process before placing the meal.

Disinfectants need their directed contact and drying process, and food items should not be placed on a wet chemical surface. Personal or bath linens are not substitutes.

66. Correct: A - Separate the soaps and store the resident's bar in its own draining container.

Personal bars should be kept separate and allowed to drain in resident-specific storage. Sharing contact, used towels, or mixed pieces defeats identification and hygiene.

67. Correct: D - Prevent use and rely only on the approved installed shower supports.

An unapproved suction device may release without warning. The aide should prevent weight bearing on it and use approved supports rather than test or reinforce it informally.

68. Correct: A - Prevent outlet use, move people away, and report the loose faceplate.

A loose electrical outlet can expose hidden energized parts. The aide should prevent use and obtain authorized repair, not push, tape, or hold the fixture.

69. Correct: B - Clean, dry, and store the reusable protector as directed.

Food debris and moisture should not remain in a reusable personal-care item. Proper cleaning, drying, and resident-specific storage support hygiene and property care.

70. Correct: A - Clear the fire-extinguisher cabinet and report the obstruction as directed.

Emergency equipment must be fully and quickly accessible. Moving the ordinary obstruction is appropriate; partial access, notes, or unauthorized relocation are not.