HEALTH BEACON

CNA EXAM PREP

Practice Exam 15

70 practice questions | Printable Practice Exam

Instructions	Select the single best answer for each question. An answer key with explanations begins after the question section.

PART A - QUESTIONS

1.

Scenario

Before raising the head of an occupied bed, the nurse aide sees that the edge of a disposable underpad is caught inside the bed-frame hinge.

What should the nurse aide do?

A) Raise the head slowly so the hinge pulls the underpad free.
B) Stop the bed, free the underpad, and smooth the linen.
C) Pull the trapped edge while the resident remains on the underpad.
D) Cover the trapped edge with a towel before moving the bed.

2.

Scenario

At breakfast, the foam grip on a resident's spoon has split and exposes a sticky inner surface.

What is the nurse aide's best action?

A) Wrap the split grip with a paper napkin for this meal.
B) Turn the split side away from the resident's hand.
C) Replace the damaged grip before the resident eats.
D) Wash the sticky surface and return the spoon immediately.

3.

A dry-erase communication board still shows a resident's choices from the previous day. What should the nurse aide do before using it for a new request?

A) Point to yesterday's entries and ask the resident to select one.
B) Erase old entries, obtain today's message, and confirm it.
C) Add today's message beside the old writing without identifying the date.
D) Ask another staff member to decide which old entry probably still applies.

4.

Scenario

An unlabeled spray bottle has leaked into a drawer of clean washcloths, leaving several cloths with a chemical odor.

What should the nurse aide do?

A) Keep the cloths out of use and report the leak.
B) Use the cloths after their odor fades.
C) Rinse the cloths in a resident sink and return them to the drawer.
D) Move the bottle and use cloths from the dry side of the drawer.

5.

Scenario

A resident stops talking after the dentures click and says, 'Everyone is staring at me.'

How should the nurse aide respond?

A) Laugh gently to show that the sound is not serious.
B) Insist that no one noticed and continue the conversation.
C) Acknowledge the embarrassment and offer private help.
D) Remove the dentures without asking so they cannot click again.

6.

Scenario

The nurse aide notices that one resident is wearing slippers labeled with another resident's name.

What should the nurse aide do?

A) Keep both residents safe and arrange a discreet return.
B) Let the resident keep the slippers because they already fit.
C) Announce the mix-up in the day room so the owner can claim them.
D) Remove the slippers immediately and leave the resident barefoot.

7.

Scenario

A resident who writes independently with a clipboard is frustrated because the paper slides whenever the pen reaches the bottom of the page.

What should the nurse aide do?

A) Secure the paper and let the resident continue writing.
B) Take the pen and finish the message for the resident.
C) Hold the resident's writing hand against the page.
D) Put the writing materials away until occupational therapy arrives.

8.

Scenario

A resident begins laughing midway through a routine radial-pulse count.

What should the nurse aide do?

A) Record the beats counted before the laughter began.
B) Estimate the missing beats from the resident's last pulse.
C) Keep counting while asking the resident to stop laughing.
D) Let the resident settle, then restart the count.

9.

Scenario

Nonurgent transportation arrives early while a resident is using the bedside commode with assistance.

What should the nurse aide do?

A) End toileting immediately so transportation does not wait.
B) Invite the transporter in to help move the resident sooner.
C) Leave the resident alone and go explain the delay.
D) Protect privacy and coordinate a safe delay.

10.

Scenario

During a shower, a washcloth covers the drain holes in the shower chair, and cool water begins pooling under the resident.

What should the nurse aide do?

A) Increase the water temperature until the pooled water feels warm.
B) Finish quickly without moving the washcloth.
C) Support the resident, clear the holes, and reassess comfort.
D) Ask the resident to lift both feet while the chair continues filling.

11.

A graduated container has detergent bubbles inside before it is used to measure urine from a bedside commode. What should the nurse aide do?

A) Rinse once and estimate the amount that the bubbles displace.
B) Measure the urine and subtract one ounce for the bubbles.
C) Pour the urine into the container and wait for the bubbles to settle.
D) Use a clean, dry graduated container for the measurement.

12.

Scenario

At the staff desk, a coworker imitates a resident's stutter and invites others to laugh.

What should the nurse aide do?

A) Laugh quietly because the resident cannot hear the desk.
B) Wait to act unless the resident complains directly.
C) Stop participating and report the disrespectful conduct.
D) Imitate the coworker later so the coworker understands the harm.

13.

Scenario

Before a resident uses a bedside commode, the removable bucket's carrying handle is standing upright inside the seat opening.

What should the nurse aide do?

A) Cover the handle with a folded towel and seat the resident.
B) Lower the handle outside the seating area.
C) Ask the resident to sit beside the upright handle.
D) Remove the bucket and let the resident use the empty frame.

14.

Scenario

A resident becomes tearful after accidentally deleting a saved voicemail from a sister.

What is the nurse aide's best response?

A) Say the message can be replaced, so there is no reason to be upset.
B) Promise that the deleted recording can be recovered.
C) Acknowledge the loss and offer help contacting the sister.
D) Change the subject before the resident becomes more emotional.

15.

Scenario

After a compression stocking is applied according to the care plan, the nurse aide notices that its seam has twisted onto a tender spot near the ankle.

What should the nurse aide do?

A) Leave the seam in place so the stocking stays tight.
B) Reapply it smoothly and report lasting redness or pain.
C) Pad over the twisted seam with a folded washcloth.
D) Roll the stocking down below the tender area.

16.

Scenario

A resident asks that the room-door name card show only a first name rather than a full name.

What should the nurse aide do?

A) Relay the request and use the approved privacy process.
B) Explain that residents cannot control how names are displayed.
C) Cover the last name with tape without telling anyone.
D) Replace the card with the room number only.

17.

Scenario

A resident practices opening a toothpaste cap by placing the tube on a nonslip mat, as taught in therapy. The tube slides because the mat is folded.

What should the nurse aide do?

A) Open the cap and hand the ready tube to the resident.
B) Flatten the mat, return the tube to it, and allow another attempt.
C) Hold the resident's hand around the cap and twist it.
D) Remove the mat and tell the resident to squeeze the tube harder.

18.

Before a transfer board is used, the nurse aide feels a rough splintered edge. What should the nurse aide do?

A) Cover the rough edge with a towel and complete the transfer.
B) Place the rough edge away from the resident's skin.
C) Remove it from use and obtain an intact board.
D) Sand the edge smooth before the resident moves.

19.

Scenario

During a telephone call, a resident using an amplified handset says the voices echo while the television is playing loudly.

What should the nurse aide do first?

A) Reduce the background noise and confirm the caller's message.
B) Increase the handset volume to its highest setting.
C) Answer every question for the resident to shorten the call.
D) Move the handset away from the resident's ear while the caller speaks.

20.

Scenario

While fastening a dining clothing protector, the nurse aide catches several strands of the resident's hair in the closure.

What should the nurse aide do?

A) Leave it fastened because the hair will loosen during the meal.
B) Pull the protector downward until the trapped hair slips out.
C) Cut the caught strands so the closure stays in place.
D) Release the closure, free the hair, and refasten it comfortably.

21.

Scenario

The cable for an electric bed-control pendant has become threaded through the spokes of a wheelchair parked beside the bed.

What should the nurse aide do?

A) Keep the chair still, free the cable, and inspect both items.
B) Roll the wheelchair forward until the cable unwinds.
C) Raise the bed so the cable pulls upward through the spokes.
D) Leave the cable in place and move the chair only backward.

22.

Scenario

A therapist tells the nurse aide that a resident transferred independently during therapy, but the current care plan still requires two staff members for transfers.

What should the nurse aide do for the next transfer?

A) Transfer the resident alone because therapy saw the improvement.
B) Let the resident choose how many staff members are needed.
C) Skip the transfer until the next care-plan meeting.
D) Follow the care plan and request clarification.

23.

Scenario

An electric toothbrush will not switch off while it is in a resident's mouth during oral care.

What should the nurse aide do first?

A) Hold it against the teeth until the battery runs down.
B) Place it in water so the vibration stops.
C) Remove it safely and replace the faulty toothbrush.
D) Press harder against the gums to steady the brush.

24.

Scenario

During transfer preparation, the gait belt is twisted so the buckle edge faces the resident's abdomen.

What should the nurse aide do?

A) Complete the transfer quickly before the buckle shifts farther.
B) Place a washcloth under the buckle and leave the twist.
C) Reapply the belt flat before the transfer.
D) Turn only the buckle while keeping the belt twisted around the waist.

25.

Scenario

A resident repeatedly checks an empty pocket and says, 'I will miss the bus if I cannot find my pass.'

What is the nurse aide's best response?

A) State firmly that the resident has not ridden a bus in years.
B) Acknowledge the concern, check the pocket, and redirect to today's schedule.
C) Pretend to find a pass and say the bus has been canceled.
D) Tell the resident to stop checking the pocket.

26.

Scenario

A resident asks to use a small reading lamp after the unit's main lights are turned off.

What should the nurse aide do?

A) Refuse because all residents must follow the same bedtime.
B) Turn on every room light instead of the personal lamp.
C) Support the choice if it can be used safely.
D) Allow the lamp only if the resident agrees to skip morning care.

27.

Scenario

A raised metal strip at an elevator doorway catches the front caster of an empty wheelchair during a route check.

What should the nurse aide do?

A) Push residents over the strip faster so the casters clear it.
B) Cover the strip with a loose towel before transport.
C) Tilt occupied wheelchairs backward to cross it alone.
D) Use an alternate route and report the threshold hazard.

28.

Scenario

A resident trained to use an electric jar opener cannot steady it because the device slides across the table.

What should the nurse aide do?

A) Use a nonslip mat and allow another try.
B) Hold the resident's wrist down while the opener turns.
C) Open the jar by hand and remove the device.
D) Tell the resident to press harder on the moving opener.

29.

A speech-to-text tablet displays the word 'tea' after a resident says 'key.' What should the nurse aide do?

A) Show the text and confirm or correct the word.
B) Bring tea because the tablet created a complete word.
C) Repeat 'tea' until the resident agrees.
D) Turn off the display and guess from the situation.

30.

Scenario

A resident is holding a mug of hot cocoa when the mug's handle begins to wobble.

What should the nurse aide do?

A) Ask the resident to hold the mug with one hand under the base.
B) Tighten the handle while the hot drink remains in the mug.
C) Turn the loose handle away and continue serving the drink.
D) Set the mug down and use an intact cup.

31.

Scenario

A waste-bin liner has been stretched so tightly across the rim that the lid cannot close over a discarded soiled brief.

What should the nurse aide do?

A) Press the brief down with a bare hand until the lid shuts.
B) Leave the lid open so the liner does not tear.
C) Move the open bin into the hallway for housekeeping.
D) Replace or reset the liner so the lid closes.

32.

Scenario

A resident explains that, for personal cultural reasons, caregivers should knock and wait for a verbal response before entering whenever it is safe to do so.

What should the nurse aide do?

A) Say that staff may enter any resident room without warning.
B) Honor the request and share the preference with the team.
C) Follow the request only when the resident has visitors.
D) Ask other residents from the same culture whether the request is necessary.

33.

Scenario

A resident asks the nurse aide to place a cash wager through the aide's personal sports-betting account.

What should the nurse aide do?

A) Place the wager if the resident supplies the exact cash.
B) Use a small wager so no financial boundary is crossed.
C) Decline and follow the approved policy.
D) Ask a coworker to use a different personal account.

34.

Scenario

The foil lid on a sealed yogurt cup is puffed upward when the nurse aide prepares a resident's snack.

What should the nurse aide do?

A) Press the lid flat and open the cup for the resident.
B) Smell the yogurt and serve it if the odor seems normal.
C) Stir the yogurt before serving so the texture is even.
D) Do not serve it; obtain a safe replacement.

35.

Scenario

After disinfection, a digital thermometer's display remains fogged and the numbers cannot be read clearly.

What should the nurse aide do?

A) Use a thermometer with a clear display.
B) Estimate the temperature from the visible parts of the numbers.
C) Record the last temperature stored in the device.
D) Ask the resident which number appears most likely.

36.

Scenario

A resident accidentally tears a magazine page and says, 'I ruin everything I touch.'

What is the nurse aide's best response?

A) Say, 'That is not true, so you should not talk that way.'
B) Tell the resident that magazines are inexpensive.
C) Change the subject without acknowledging the statement.
D) Acknowledge the discouragement and offer a practical choice.

37.

Scenario

After a room change, the printed assignment lists a resident in room 212, but the current census lists room 214.

What should the nurse aide do?

A) Use room 212 because paper assignments are always final.
B) Enter room 214 and begin care without identifying the resident.
C) Cross out both room numbers and choose the nearest room.
D) Verify the resident's location before beginning care.

38.

Scenario

During elimination care, the nurse aide sees an intact tablet-shaped object in a resident's stool.

What should the nurse aide do?

A) Identify the medication by color and document its name.
B) Report the objective observation to the nurse.
C) Crush the object to see whether it dissolves.
D) Flush it immediately without mentioning it.

39.

Scenario

An activities worker plans to post each resident's full birth date on a public celebration board. One resident says, 'I do not want mine displayed.'

What should the nurse aide do?

A) Post only the birth year because it is less specific.
B) Respect the refusal and relay it to the activities worker.
C) Explain that public birthdays are required for group activities.
D) Ask the resident's family to override the refusal.

40.

Scenario

A resident selects two favorite shoes for an outing, but one has a high heel and the other has a flat sole.

What should the nurse aide do?

A) Allow the pair because each shoe was chosen by the resident.
B) Add folded tissue inside the flat shoe to raise it.
C) Explain the risk and offer a matched pair.
D) Ask the resident to walk only while holding furniture.

41.

A clean-supply cart is parked with one side pressed against a soiled-linen hamper. What should the nurse aide do?

A) Use supplies only from the far side of the cart.
B) Separate the cart and address any contaminated surface by procedure.
C) Cover the touching side with a clean bath blanket.
D) Move the hamper away and assume the cart stayed clean.

42.

Scenario

A resident uses an approved large-handled key turner to unlock the apartment door independently. The plastic handle has cracked.

What should the nurse aide do?

A) Twist the cracked handle for the resident.
B) Tape the handle and return it for daily use.
C) Replace the key turner and let the resident continue.
D) Take over all door unlocking from now on.

43.

Scenario

A resident's speech-generating device loses power while the resident is beginning a request. The care plan identifies a picture board as the backup method.

What should the nurse aide do?

A) Guess the request from the first sound the device made.
B) Use the backup picture board and confirm the message.
C) Ask the roommate to finish the request.
D) Tell the resident to wait silently until the device is charged.

44.

Scenario

A resident reaches for an overbed table to steady while standing, but one table caster rolls even though its lock is engaged.

What should the nurse aide do?

A) Stop the stand and provide approved stable support.
B) Hold the rolling table in place with one foot.
C) Turn the table sideways and let the resident try again.
D) Ask the resident to stand quickly before the caster moves.

45.

Scenario

A paper inventory label is stuck to the eating surface of a plate prepared for a resident's meal.

What should the nurse aide do before serving it?

A) Cover the label with a napkin and place food around it.
B) Obtain a clean plate without the label.
C) Peel off the paper and serve from the same plate.
D) Turn the plate so the label faces away from the resident.

46.

Scenario

After the dining room tables are rearranged, a resident with memory loss stops at the doorway and says, 'This is not where I eat.'

What is the nurse aide's best response?

A) Insist that the room is unchanged and point to the resident's name.
B) Acknowledge the change and escort the resident to a familiar place.
C) Tell the resident to find a seat without help.
D) Lead the resident to a different unit to avoid the rearranged room.

47.

Scenario

A heavy blanket has slid down and is pressing a bedbound resident's toes toward the mattress. The resident says the feet feel strained.

What should the nurse aide do?

A) Tuck the blanket more tightly under the mattress.
B) Place a weight on the blanket so it cannot slide again.
C) Remove the pressure, reposition the blanket, and reassess comfort.
D) Ask the resident to point the toes until the strain passes.

48.

Scenario

A loaner hearing aid arrives labeled 'right ear,' while the audiology handoff sheet says it is for the left ear.

What should the nurse aide do before using it?

A) Ask the nurse to reconcile the side information.
B) Use the device in the ear named on its label.
C) Try it in both ears and keep the side that sounds louder.
D) Change the handoff sheet to match the device label.

49.

Scenario

A staff member starts throwing away a resident's handmade paper crafts, calling them clutter. The resident asks to keep them.

What should the nurse aide do?

A) Discard only the older crafts while the resident is at lunch.
B) Tell the resident that staff decide what counts as clutter.
C) Stop the disposal and arrange safe storage.
D) Give the crafts to another resident who has more shelf space.

50.

Scenario

A resident who eats independently asks for help opening a pull-tab pudding cup.

What should the nurse aide do?

A) Open it as requested and let the resident continue eating.
B) Feed the pudding because help was requested.
C) Refuse assistance so the resident remains independent.
D) Ask another resident to open the container.

51.

Scenario

Before pushing a wheelchair, the nurse aide feels sticky residue on both push rims where the resident places the hands.

What should the nurse aide do?

A) Clean and dry the rims before use.
B) Cover each sticky area with a strip of tissue.
C) Ask the resident to grip only the wheel spokes.
D) Push the chair while the resident keeps both hands in the lap.

52.

Scenario

A coworker tells a resident that breakfast help will be delayed unless the resident joins a staff-led prayer.

What should the nurse aide do?

A) Encourage the resident to join so breakfast stays on time.
B) Ensure care is not withheld and report the coercion.
C) Move the prayer to the hallway and keep the same condition.
D) Ask a roommate whether the requirement seems fair.

53.

Scenario

A towel taken from a warming cabinet feels uncomfortably hot against the nurse aide's inner forearm.

What should the nurse aide do before using it for bathing?

A) Wrap it around a cool towel and apply both together.
B) Place it on the resident briefly to see whether it feels hot.
C) Let it cool or choose a comfortably warm towel.
D) Shake it once and use it immediately.

54.

Scenario

A single-use cold pack has developed a hard, pointed clump inside the pouch before it is placed on a resident.

What should the nurse aide do?

A) Replace the defective pack before use.
B) Massage the pointed clump against the resident's skin until it softens.
C) Place an extra towel over the clump and continue.
D) Turn the pointed area away and apply the pack longer.

55.

Scenario

During a planned sit-to-stand exercise, a visitor pulls upward on the resident's hands instead of allowing use of the chair armrests.

What should the nurse aide do?

A) Stop the pull and restore the planned method.
B) Let the visitor continue because extra help improves strength.
C) Ask the resident to pull harder on the visitor's hands.
D) End all future standing practice with visitors present.

56.

Scenario

A resident with hearing loss asks the nurse aide to write down the new time for an activity because the verbal announcement was unclear.

What should the nurse aide do?

A) Repeat the time from the doorway in a louder voice.
B) Write the exact time and confirm it with the resident.
C) Write only the activity name because the schedule may change.
D) Tell the resident to ask a roommate later.

57.

Scenario

A urine collection hat rocks and tilts on the toilet because one of its support tabs is broken.

What should the nurse aide do?

A) Hold the broken side level by hand while the resident toilets.
B) Estimate how much would spill and add that amount later.
C) Wedge toilet tissue under the broken tab.
D) Replace it with an intact collection device before measuring the output.

58.

Scenario

A staff member whistles a tune, and a resident suddenly becomes quiet and says it was a deceased spouse's favorite song.

How should the nurse aide respond?

A) Say the song should bring only happy memories.
B) Continue whistling to help the resident get used to it.
C) Tell the resident that everyone experiences loss.
D) Stop whistling, acknowledge the memory, and offer resident-led support.

59.

Scenario

A resident dictates a grievance and asks the nurse aide to read it back before it is submitted.

What should the nurse aide do?

A) Shorten the complaint so staff will accept it more easily.
B) Submit it without review because the aide wrote the words.
C) Read it back exactly and allow corrections.
D) Remove statements that criticize the unit.

60.

A resident who uses a trained toileting aid asks the nurse aide to load it with toilet tissue. What should the nurse aide do?

A) Complete all perineal care instead of setting up the aid.
B) Refuse because any setup reduces independence.
C) Ask another resident to demonstrate the aid.
D) Prepare the aid and let the resident use it.

61.

Scenario

A low-vision resident approaches a clear patio door after its contrast decal has fallen off.

What should the nurse aide do?

A) Let the resident continue to test whether the glass is noticed.
B) Redirect the resident and report the missing marker.
C) Tap the glass while the resident keeps walking toward it.
D) Open the door halfway so its edge becomes the marker.

62.

Scenario

The nurse asks the aide to record a resident's fluid intake, but two identical cups are on the bedside table and one belongs to a visitor.

What should the nurse aide do?

A) Combine the remaining amounts and divide the total in half.
B) Record both cups because they were in the resident's room.
C) Ask the visitor to estimate the resident's intake after leaving.
D) Identify the resident's cup and record only known intake.

63.

Scenario

At bedtime, a resident asks to keep the room door partly open because a closed door feels isolating.

What should the nurse aide do?

A) Honor the preference if safety and roommate privacy are maintained.
B) Close the door after the resident falls asleep without discussion.
C) Keep every door on the unit open for consistency.
D) Tell the resident that bedtime preferences are not allowed.

64.

Scenario

An unused wall-suction regulator begins making a continuous hissing sound beside a resident's bed.

What should the nurse aide do?

A) Turn every knob until the sound stops.
B) Cover the regulator opening with a washcloth.
C) Ignore the sound because suction is not currently ordered.
D) Keep the resident safe and notify the nurse.

65.

Scenario

Several spare batteries in a resident's drawer are leaking white crust and liquid.

What should the nurse aide do first?

A) Brush the crust into the wastebasket with a bare hand.
B) Keep the resident away and report the leak.
C) Wipe the batteries and return them to the drawer.
D) Test each battery in the resident's radio.

66.

Scenario

While styling a resident's hair, the nurse aide sees that the pointed end of a bobby pin faces the scalp.

What should the nurse aide do?

A) Reposition or replace the pin before finishing.
B) Push the pin farther in so the point cannot move.
C) Cover the exposed end with hair spray.
D) Leave it because the point is hidden by hair.

67.

Scenario

Crumbs have jammed the buckle of a wheelchair positioning belt required by the care plan, and it will not latch.

What should the nurse aide do?

A) Tie the belt ends together in a loose knot.
B) Place a lap blanket over the open belt and proceed.
C) Do not use the chair until the buckle is restored.
D) Hold the belt closed by hand while pushing the chair.

68.

Scenario

A bedside drawer slides shut by itself while a resident is reaching inside for tissues.

What should the nurse aide do?

A) Have the resident withdraw the hand and report the drawer.
B) Hold the drawer open with the resident's forearm.
C) Place a folded towel in the drawer track.
D) Ask the resident to reach faster before it closes.

69.

Scenario

The underside of a resident's meal tray is wet, and the tray slides when placed on the overbed table.

What should the nurse aide do?

A) Place a towel over the wet table and set the tray on top.
B) Dry both surfaces and replace the tray securely.
C) Ask the resident to hold the tray still while eating.
D) Move the tray to the resident's lap.

70.

A digital scale displays a weight, but its pound-or-kilogram indicator is hidden by a damaged screen. What should the nurse aide do?

A) Assume the display is in pounds because the number looks familiar.
B) Convert the number from kilograms and record both possibilities.
C) Compare it with the last weight and choose the closer unit.
D) Use a scale with a visible unit indicator.

PART B - ANSWER KEY AND EXPLANATIONS

Question numbering below corresponds to the questions in Part A.

1	B	2	C	3	B	4	A	5	C
6	A	7	A	8	D	9	D	10	C
11	D	12	C	13	B	14	C	15	B
16	A	17	B	18	C	19	A	20	D
21	A	22	D	23	C	24	C	25	B
26	C	27	D	28	A	29	A	30	D
31	D	32	B	33	C	34	D	35	A
36	D	37	D	38	B	39	B	40	C
41	B	42	C	43	B	44	A	45	B
46	B	47	C	48	A	49	C	50	A
51	A	52	B	53	C	54	A	55	A
56	B	57	D	58	D	59	C	60	D
61	B	62	D	63	A	64	D	65	B
66	A	67	C	68	A	69	B	70	D

1. Correct: B - Stop the bed, free the underpad, and smooth the linen.
Prevent equipment movement from pulling linen against the resident's skin.

2. Correct: C - Replace the damaged grip before the resident eats.
Treat a split food-contact aid as unusable instead of covering or rotating the defect.

3. Correct: B - Erase old entries, obtain today's message, and confirm it.
Prevent outdated written choices from being treated as present wishes.

4. Correct: A - Keep the cloths out of use and report the leak.
Treat unknown chemical contact as compromising the entire exposed supply.

5. Correct: C - Acknowledge the embarrassment and offer private help.
Support dignity without minimizing, joking, or taking control.

6. Correct: A - Keep both residents safe and arrange a discreet return.
Balance ownership, dignity, and immediate safety.

7. Correct: A - Secure the paper and let the resident continue writing.
Modify task setup so the resident can continue the existing skill.

8. Correct: D - Let the resident settle, then restart the count.
Obtain a fresh uninterrupted count instead of estimating through altered movement.

9. Correct: D - Protect privacy and coordinate a safe delay.
Put immediate safety and dignity before a nonurgent schedule without losing team communication.

10. Correct: C - Support the resident, clear the holes, and reassess comfort.
Correct the setup before pooled water affects comfort or stability.

11. Correct: D - Use a clean, dry graduated container for the measurement.
Remove a measurement error and contamination source before collecting data.

12. Correct: C - Stop participating and report the disrespectful conduct.
Recognize ridicule outside the resident's hearing as an ethical concern.

13. Correct: B - Lower the handle outside the seating area.
Correct an equipment setup hazard before weight is placed on the seat.

14. Correct: C - Acknowledge the loss and offer help contacting the sister.
Respond to the attachment without minimizing or making a technical promise.

15. Correct: B - Reapply it smoothly and report lasting redness or pain.
Distinguish smooth application from harmful concentrated pressure.

16. Correct: A - Relay the request and use the approved privacy process.
Support the resident's preference without improvising required identification.

17. Correct: B - Flatten the mat, return the tube to it, and allow another attempt.
Correct the environmental barrier without replacing resident performance.

18. Correct: C - Remove it from use and obtain an intact board.
Treat a surface defect as a skin and transfer-safety hazard.

19. Correct: A - Reduce the background noise and confirm the caller's message.
Improve the listening environment before increasing amplification or speaking for the resident.

20. Correct: D - Release the closure, free the hair, and refasten it comfortably.
Correct a comfort problem without pulling hair or damaging it.

21. Correct: A - Keep the chair still, free the cable, and inspect both items.
Avoid converting a cable snag into equipment damage or a trip hazard.

22. Correct: D - Follow the care plan and request clarification.
Do not independently adopt or indefinitely delay a changed transfer level.

23. Correct: C - Remove it safely and replace the faulty toothbrush.
End exposure to faulty powered equipment before arranging replacement.

24. Correct: C - Reapply the belt flat before the transfer.
Correct belt alignment rather than cushioning or partially rotating the defect.

25. Correct: B - Acknowledge the concern, check the pocket, and redirect to today's schedule.
Respond to the emotion while orienting to a present activity.

26. Correct: C - Support the choice if it can be used safely.
Distinguish a reasonable personal choice from the unit's general schedule.

27. Correct: D - Use an alternate route and report the threshold hazard.
Act on a mobility barrier found before resident transport.

28. Correct: A - Use a nonslip mat and allow another try.
Correct the surface setup rather than take over or restrain the hand.

29. Correct: A - Show the text and confirm or correct the word.
Treat assistive technology output as communication to confirm, not unquestioned fact.

30. Correct: D - Set the mug down and use an intact cup.
Prevent a spill or burn before trying to continue hydration.

31. Correct: D - Replace or reset the liner so the lid closes.
Fix the liner rather than compress waste, expose the hallway, or leave the bin open.

32. Correct: B - Honor the request and share the preference with the team.
Respect a stated personal practice without stereotyping or creating an unsafe absolute.

33. Correct: C - Decline and follow the approved policy.
Recognize that a resident's consent and a small amount do not remove the boundary.

34. Correct: D - Do not serve it; obtain a safe replacement.
Use package condition rather than smell or mixing to decide against service.

35. Correct: A - Use a thermometer with a clear display.
Reject an uncertain measurement rather than infer or reuse an old value.

36. Correct: D - Acknowledge the discouragement and offer a practical choice.
Support the resident without arguing, minimizing, or ignoring distress.

37. Correct: D - Verify the resident's location before beginning care.
Prevent wrong-resident care by reconciling team information first.

38. Correct: B - Report the objective observation to the nurse.
Provide timely objective information while staying within the nurse aide role.

39. Correct: B - Respect the refusal and relay it to the activities worker.
Carry the resident's refusal to the person preparing the display.

40. Correct: C - Explain the risk and offer a matched pair.
Address the uneven walking base without dismissing personal preference.

41. Correct: B - Separate the cart and address any contaminated surface by procedure.
Treat contact between clean and soiled zones as requiring more than relocation.

42. Correct: C - Replace the key turner and let the resident continue.
Separate device failure from loss of resident ability.

43. Correct: B - Use the backup picture board and confirm the message.
Maintain communication access during equipment failure.

44. Correct: A - Stop the stand and provide approved stable support.
Interrupt weight bearing before an unstable surface contributes to a fall.

45. Correct: B - Obtain a clean plate without the label.
Replace the plate rather than concealing or incompletely removing the contamination source.

46. Correct: B - Acknowledge the change and escort the resident to a familiar place.
Reduce disorientation without contradiction or unnecessary relocation.

47. Correct: C - Remove the pressure, reposition the blanket, and reassess comfort.
Correct a bedding-related positioning problem before it causes ongoing strain.

48. Correct: A - Ask the nurse to reconcile the side information.
Use team verification instead of choosing, testing, or editing conflicting information.

49. Correct: C - Stop the disposal and arrange safe storage.
Address a genuine space concern without overriding ownership.

50. Correct: A - Open it as requested and let the resident continue eating.
Support independence by limiting help to the requested task.

51. Correct: A - Clean and dry the rims before use.
Address both hygiene and safe hand propulsion rather than bypassing the rims.

52. Correct: B - Ensure care is not withheld and report the coercion.
Recognize spiritual coercion even when the activity is brief.

53. Correct: C - Let it cool or choose a comfortably warm towel.
Use the aide's pre-contact temperature check to prevent thermal injury.

54. Correct: A - Replace the defective pack before use.
Treat an internal shape defect as a pressure hazard even with a cover.

55. Correct: A - Stop the pull and restore the planned method.
Protect the resident while preserving another opportunity to perform the skill.

56. Correct: B - Write the exact time and confirm it with the resident.
Adapt the message to the resident's requested method.

57. Correct: D - Replace it with an intact collection device before measuring the output.
Prevent loss and inaccurate output rather than manually balancing or estimating.

58. Correct: D - Stop whistling, acknowledge the memory, and offer resident-led support.
Allow grief without prescribing an emotion or forced exposure.

59. Correct: C - Read it back exactly and allow corrections.
Support access to the grievance process without editing the resident's concern.

60. Correct: D - Prepare the aid and let the resident use it.
Distinguish assistance with preparation from taking over the task.

61. Correct: B - Redirect the resident and report the missing marker.
Act before an environmental visibility defect causes injury.

62. Correct: D - Identify the resident's cup and record only known intake.
Clarify source data before documenting and avoid invented estimates.

63. Correct: A - Honor the preference if safety and roommate privacy are maintained.
Balance routine preference with legitimate shared-space and safety needs.

64. Correct: D - Keep the resident safe and notify the nurse.
Recognize a potentially malfunctioning clinical utility and stay within role.

65. Correct: B - Keep the resident away and report the leak.
Avoid unprotected handling or reuse of visibly leaking batteries.

66. Correct: A - Reposition or replace the pin before finishing.
Inspect the direction and condition of a grooming item before completing care.

67. Correct: C - Do not use the chair until the buckle is restored.
Avoid improvised restraint or transport with incomplete required equipment.

68. Correct: A - Have the resident withdraw the hand and report the drawer.
Remove the resident's hand before trying to manage the unexpected movement.

69. Correct: B - Dry both surfaces and replace the tray securely.
Correct the source of movement before the resident handles food and drink.

70. Correct: D - Use a scale with a visible unit indicator.
Treat the unit as essential measurement data rather than infer it from context.