REMOTE PILOT PART 107 FLASHCARDS

500 Practice Flashcards Covering All 5 FAA Part 107 Knowledge Test Areas

- **Regulations (48%)**
- **Airspace Classification and Operating Requirements (20%)**
- **Weather (5%)**
- **Loading and Performance (2%)**
- **Operations (25%)**

Regulations — Certification and Pilot Responsibilities — Questions (30-45s)

What is the minimum age to hold a Part 107 remote pilot certificate?

A) 16 years old
B) 14 years old
C) 18 years old
D) 21 years old

An applicant for a remote pilot certificate must be able to...

A) Speak Spanish and English
B) Read, speak, write, and understand English
C) Hold a private pilot certificate
D) Hold a medical certificate

How is the knowledge requirement for a new remote pilot certificate normally met?

A) Completing a 40-hour flight course
B) Passing the Unmanned Aircraft General (UAG) knowledge test
C) Passing a practical flight test
D) Logging 10 hours of drone flight

What is the passing score on the UAG knowledge test?

A) 70 percent
B) 60 percent
C) 80 percent
D) 90 percent

Regulations — Certification and Pilot Responsibilities — Correct Answers

Correct: A. The applicant must be at least 16 years old.

Correct: B. English proficiency is required; a pilot certificate and medical are not.

Correct: B. New applicants pass the UAG test at an FAA-approved testing center.

Correct: A. A score of 70 percent or higher is required.

Regulations — Certification and Pilot Responsibilities — Questions (30-45s)

How long must an applicant wait to retake a failed UAG knowledge test?

A) No waiting period
B) 30 days
C) 90 days
D) 14 days

The remote pilot in command (remote PIC) is...

A) The visual observer
B) Always the aircraft owner
C) The FAA inspector
D) Directly responsible for and the final authority over the operation

To keep a remote pilot certificate current, a remote pilot must complete recurrent training every...

A) 12 calendar months
B) 24 calendar months
C) 36 calendar months
D) 6 calendar months

Which agency performs security vetting of remote pilot applicants?

A) TSA
B) FCC
C) NTSB
D) FEMA

Regulations — Certification and Pilot Responsibilities — Correct Answers

Correct: D. The FAA requires a 14-day wait after a failing score.

Correct: D. The remote PIC has final authority and responsibility for the flight.

Correct: B. Recurrent training is required every 24 calendar months.

Correct: A. The Transportation Security Administration vets applicants.

Regulations — Certification and Pilot Responsibilities — Questions (30-45s)

Part 107 generally applies to which operations?

A) Only military operations
B) Civil operations of small unmanned aircraft under 55 pounds
C) Only indoor flights
D) Only aircraft over 55 pounds

A small unmanned aircraft under Part 107 weighs...

A) Less than 55 pounds at takeoff, including everything on board
B) Less than 25 pounds
C) Less than 10 pounds excluding payload
D) Less than 100 pounds

When must the remote pilot present the certificate to the FAA?

A) Only after an accident
B) Never
C) Upon request
D) Once a year

How soon must a certificate holder report a permanent change of mailing address?

A) Within 7 days
B) Within 90 days
C) Within 30 days
D) Within one year

Regulations — Certification and Pilot Responsibilities — Correct Answers

Correct: B. Part 107 covers non-recreational civil small UAS operations.

Correct: A. The limit includes payload and anything attached or carried.

Correct: C. The pilot must make it available when requested.

Correct: C. The FAA must be notified within 30 days.

Regulations — Certification and Pilot Responsibilities — Questions (30-45s)

A temporary remote pilot certificate is valid for...

A) 120 calendar days
B) 30 calendar days
C) 6 months
D) One year

May a person who does not hold a remote pilot certificate manipulate the controls?

A) Yes, if directly supervised by a remote pilot who can take control
B) No, never
C) Yes, if the person owns the aircraft
D) Yes, with a visual observer only

Who is responsible for ensuring the aircraft is safe to operate?

A) The remote pilot in command
B) The aircraft manufacturer
C) The FAA
D) The visual observer

A Part 107 operation is generally required when flying...

A) For personal enjoyment only
B) For commercial purposes or compensation
C) Inside a home
D) Only with toy drones

Regulations — Certification and Pilot Responsibilities — Correct Answers

Correct: A. A temporary certificate is valid for 120 days.

Correct: A. Direct supervision with the ability to immediately take control is allowed.

Correct: A. The remote PIC must ensure the UA is in a condition for safe operation.

Correct: B. Non-recreational operations fall under Part 107.

Regulations — Certification and Pilot Responsibilities — Questions (30-45s)

A remote pilot with a certificate must refrain from operating if...

A) The pilot is wearing glasses
B) It is a weekday
C) The aircraft is white
D) A physical or mental condition could interfere with safe operation

May a remote pilot deviate from Part 107 rules in an emergency?

A) No, never
B) Yes, always
C) Only with ATC approval
D) Yes, to the extent required to meet the emergency

A remote pilot who deviates from a rule during an emergency must...

A) Send a written report to the FAA if requested
B) Surrender the certificate
C) Retake the test
D) Pay a fine automatically

Recreational flyers must pass which free test?

A) UAG
B) TRUST
C) IACRA
D) LAANC

Regulations — Certification and Pilot Responsibilities — Correct Answers

Correct: D. Known conditions that affect safety prevent operating.

Correct: D. Rules may be deviated from only as required by an in-flight emergency.

Correct: A. The FAA may request a written report of the deviation.

Correct: B. The Recreational UAS Safety Test (TRUST) is required for recreational flyers.

Regulations — Certification and Pilot Responsibilities — Questions (30-45s)

A person with a current Part 61 pilot certificate and a current flight review may obtain a remote pilot certificate by...

A) Completing the free online initial training course
B) Taking no action
C) Retaking all knowledge tests
D) Flying 10 hours with an instructor

A remote pilot certificate with a small UAS rating allows...

A) Operating manned aircraft
B) Operating any aircraft over 55 pounds
C) Operation of small UAS under Part 107 only
D) Teaching flight students

Who may be assigned as a visual observer?

A) Only an FAA employee
B) Only another certified pilot
C) Only an air traffic controller
D) A person who assists the remote PIC in maintaining visual line of sight

The remote PIC must ensure that all persons directly participating in the operation...

A) Are informed about the operating conditions and emergency procedures
B) Hold a certificate
C) Wear helmets
D) Pass the UAG test

Regulations — Certification and Pilot Responsibilities — Correct Answers

Correct: A. Part 61 pilots can complete online training instead of the UAG test.

Correct: C. The certificate is limited to small UAS operations.

Correct: D. A VO helps see and avoid hazards.

Correct: A. Participants must be briefed before flight.

Regulations — Certification and Pilot Responsibilities — Questions (30-45s)

A remote pilot who is asked by the FAA to produce the aircraft and records must...

A) Allow inspection upon request
B) Refuse
C) Ask for a warrant
D) Wait 30 days

How long is a remote pilot certificate valid, assuming training is current?

A) It does not expire
B) One year
C) Two years
D) Five years

May an unmanned aircraft be operated by a person who is under the influence of drugs?

A) Yes, if prescribed
B) No
C) Yes, if daytime
D) Yes, with a visual observer

If a remote PIC allows an unsafe operation, who is accountable?

A) The VO only
B) The manufacturer
C) The remote PIC
D) The weather

Regulations — Certification and Pilot Responsibilities — Correct Answers

Correct: A. The pilot must allow FAA inspection and testing.

Correct: A. The certificate has no expiration date but training must stay current.

Correct: B. Operating under the influence of drugs is prohibited.

Correct: C. The PIC is accountable for the operation.

Regulations — Certification and Pilot Responsibilities — Questions (30-45s)

To exercise the privileges of a remote pilot certificate, the person must...

A) Have a medical certificate
B) Have the certificate and a current recurrent training
C) Have a private pilot license
D) Be employed by an airline

The FAA Airman Certification Standards for remote pilots is designated...

A) FAR 91
B) AC 107-2
C) FAA-S-ACS-10
D) FAA-H-8083

Advisory Circular 107-2 provides...

A) Guidance on small UAS operations
B) Weather codes
C) Medical standards
D) Charting rules

A Part 107 certificate holder who flies for fun must follow...

A) No rules
B) Recreational rules (49 USC 44809) or Part 107, depending on how they fly
C) Only state rules
D) Only airline rules

Regulations — Certification and Pilot Responsibilities — Correct Answers

Correct: B. Certificate plus current training are needed.

Correct: C. The ACS for remote pilots is FAA-S-ACS-10.

Correct: A. AC 107-2 is guidance for Part 107 operations.

Correct: B. The pilot must follow the correct set of rules for the operation.

Regulations — Certification and Pilot Responsibilities — Questions (30-45s)

May a remote pilot fly for compensation using a recreational-only drone registration?

A) Yes
B) Yes, if under 25 pounds
C) No, commercial flights require Part 107 compliance and proper registration
D) Yes, in daylight

The FAA IACRA system is used to...

A) File weather briefings
B) Register aircraft only
C) Request LAANC
D) Apply for the remote pilot certificate

A Flight Standards District Office (FSDO) is...

A) A weather office
B) An airport tower
C) The local FAA office responsible for certification and compliance
D) A drone manufacturer

Remote pilots must make their certificate available...

A) Only in printed form
B) In physical or electronic form during operations
C) Only to the VO
D) Only by mail

Regulations — Certification and Pilot Responsibilities — Correct Answers

Correct: C. Commercial use requires the appropriate registration and certificate.

Correct: D. IACRA is the online certification application system.

Correct: C. FSDOs handle local regulatory matters.

Correct: B. The certificate may be shown physically or electronically.

Regulations — Certification and Pilot Responsibilities — Questions (30-45s)

Before flight, the remote PIC must ensure the control station can...

A) Display weather only
B) Record video
C) Charge the batteries
D) Maintain control and communication with the aircraft

May a person be both the remote PIC and operate the aircraft at the same time?

A) No
B) Yes
C) Only with a waiver
D) Only at night

An FAA 'Part 107 Certificate of Waiver' is issued...

A) To all pilots automatically
B) Under conditions that allow deviation from certain rules
C) For airline use
D) For recreational flyers

A remote pilot's recurrent training must have been completed within...

A) The preceding 6 months
B) The preceding 5 years
C) The preceding 24 calendar months
D) Never; it is not required

Regulations — Certification and Pilot Responsibilities — Correct Answers

Correct: D. Command and control link must be reliable.

Correct: B. The PIC may also manipulate the controls.

Correct: B. Waivers permit specific, approved deviations.

Correct: C. Recurrent training is required every 24 calendar months.

Regulations — Registration and Remote ID — Questions (30-45s)

Which aircraft must be registered with the FAA for Part 107 operations?

A) Only those over 25 pounds
B) Small UAS weighing 0.55 pounds or more
C) Only those with cameras
D) Only commercial airlines

How long is a small UAS registration valid?

A) Three years
B) One year
C) Five years
D) Indefinitely

What is the fee to register a small UAS?

A) $75
B) $25
C) $5
D) $100

Where must the registration number be displayed?

A) On the controller only
B) Inside the aircraft battery
C) Not required
D) On the exterior or in a compartment accessible without tools

Regulations — Registration and Remote ID — Correct Answers

Correct: B. Aircraft weighing 0.55 lb or more must be registered.

Correct: A. Registrations expire after 3 years.

Correct: C. The FAA fee is $5 per aircraft.

Correct: D. The number must be readily accessible.

Regulations — Registration and Remote ID — Questions (30-45s)

Which operators must comply with Remote ID rules?

A) Only those over 55 pounds
B) Only airline operators
C) No one
D) Registered UAS required to broadcast Remote ID

Standard Remote ID means...

A) A separate module attached
B) The aircraft has built-in broadcast capability
C) No broadcasting
D) ATC tracking only

A Remote ID broadcast module...

A) Is a device attached to a drone to broadcast Remote ID
B) Is a landing pad
C) Is a battery
D) Is a camera

An aircraft without Remote ID may operate only in...

A) Class B airspace
B) FAA-recognized identification areas (FRIAs)
C) Controlled airspace
D) At night

Regulations — Registration and Remote ID — Correct Answers

Correct: D. Remote ID applies to most registered UAS.

Correct: B. Standard Remote ID is built into the UA.

Correct: A. It adds broadcast capability to older drones.

Correct: B. FRIAs allow flights of non-broadcasting UAS.

Regulations — Registration and Remote ID — Questions (30-45s)

Remote ID messages include...

A) Drone ID, location, altitude, and control station location
B) Pilot's home address
C) Pilot's phone number
D) Payload contents

Who may receive Remote ID broadcasts?

A) Only the FAA
B) Only police
C) Only the pilot
D) Anyone with a compatible receiver

A UAS with a broadcast module must be operated...

A) Beyond visual line of sight
B) Only at night
C) Within visual line of sight
D) Only in Class B

A remote pilot must not operate if the Remote ID equipment...

A) Is white
B) Is new
C) Is lightweight
D) Is not functioning

Regulations — Registration and Remote ID — Correct Answers

Correct: A. The broadcast includes identity and position data.

Correct: D. Broadcast Remote ID can be received by compatible devices.

Correct: C. Broadcast modules require VLOS operations.

Correct: D. A malfunctioning Remote ID prevents compliant operations.

Regulations — Registration and Remote ID — Questions (30-45s)

Which operator can register a UA for Part 107 use?

A) Only the manufacturer
B) Only the TSA
C) Only the airline
D) The aircraft owner using the FAA DroneZone

A UAS flown under Part 107 and weighing more than 0.55 pounds must be registered...

A) Not at all
B) Under Part 107 and marked
C) Only if for sale
D) Only at night

Under Part 107, a person must provide the registration certificate to...

A) No one
B) A law enforcement officer upon request
C) Only the FAA at airports
D) Only on weekends

A new owner of a registered drone must...

A) Use the old owner's number
B) Register the aircraft in the new owner's name
C) Do nothing
D) Cancel all registration

Regulations — Registration and Remote ID — Correct Answers

Correct: D. Owners register at faadronezone.faa.gov.

Correct: B. Part 107 aircraft must be registered.

Correct: B. Law enforcement and the FAA may request registration evidence.

Correct: B. Registration is not transferable.

Regulations — Registration and Remote ID — Questions (30-45s)

A pilot who sells a registered drone must...

A) Keep flying it
B) Update the registration records
C) Destroy it
D) Ignore it

If registration expires, the aircraft...

A) May be flown for another year
B) May not be operated until renewed
C) May be flown only at night
D) May be flown with a VO

An unmanned aircraft with Remote ID must not broadcast...

A) Its serial number
B) False or misleading information
C) Its location
D) Its altitude

The FAA Remote ID rule became enforceable in...

A) 2018
B) 2020
C) 2024
D) 2012

Regulations — Registration and Remote ID — Correct Answers

Correct: B. Registration changes must be recorded.

Correct: B. Expired registration prohibits operation.

Correct: B. Information must be accurate.

Correct: C. Enforcement started in March 2024.

Regulations — Registration and Remote ID — Questions (30-45s)

Which of the following is a Remote ID requirement for pilots?

A) Ensure the UA broadcasts while in flight
B) Turn off broadcast over water
C) Broadcast only below 100 feet
D) Broadcast only at night

An aircraft's serial number is used in Remote ID as...

A) Pilot's password
B) Pilot's license number
C) A unique identifier or session ID
D) A GPS coordinate

Remote ID does not replace...

A) Registration
B) Weather checks
C) Battery checks
D) Airspace awareness

FAA registration for a drone can be completed...

A) By phone only
B) By mail only
C) Online through FAA DroneZone
D) At airports

Regulations — Registration and Remote ID — Correct Answers

Correct: A. Compliant aircraft must broadcast continuously during flight.

Correct: C. Serial numbers identify the broadcasting aircraft.

Correct: A. It supplements registration but does not replace it.

Correct: C. The DroneZone portal is used for registration.

Regulations — Registration and Remote ID — Questions (30-45s)

One registration number may be used for...

A) Multiple Part 107 aircraft owned by the same person
B) Only one aircraft
C) Aircraft over 55 pounds only
D) Recreational aircraft only

The FAA requires small UAS to be registered because...

A) It reduces fuel use
B) It raises revenue only
C) It helps identify aircraft and improves safety and security
D) It increases speed

The Remote ID rule allows an aircraft to comply by...

A) Built-in capability, broadcast module, or FRIA operation
B) Painting numbers on it
C) Using a larger battery
D) Flying only at noon

The 'control station location' in Remote ID refers to...

A) Where the aircraft will land
B) The manufacturer's address
C) The nearest airport
D) Where the remote pilot or controller is

Regulations — Registration and Remote ID — Correct Answers

Correct: A. A single registration can cover multiple Part 107 aircraft.

Correct: C. Registration aids accountability.

Correct: A. These are the three compliance paths.

Correct: D. Location data of the controller is included.

Regulations — Registration and Remote ID — Questions (30-45s)

When may an unregistered aircraft under 0.55 pounds be flown under Part 107?

A) Never
B) Registration is not required if under 0.55 lb
C) Always requires registration
D) Only in Class G

A drone at 0.60 pounds used for commercial work must...

A) Only be flown in daylight
B) Be painted white
C) Be flown only by teenagers
D) Be registered and comply with Remote ID

Regulations — Registration and Remote ID — Correct Answers

Correct: B. The 0.55-lb threshold sets the registration requirement.

Correct: D. Weighing over 0.55 lb triggers registration and Remote ID.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

What is the maximum altitude a small UA may fly under Part 107?

A) 400 feet above sea level
B) 500 feet AGL
C) 1,200 feet AGL
D) 400 feet above ground level (AGL), or within 400 feet of a structure

The maximum groundspeed of a small UA under Part 107 is...

A) 55 mph
B) 250 mph
C) 100 mph (87 knots)
D) No limit

The minimum flight visibility required from the control station is...

A) 3 statute miles
B) 1 statute mile
C) 5 statute miles
D) 10 statute miles

The minimum distance a small UA must stay from clouds is...

A) 1,000 feet below and 1 mile horizontally
B) No minimum
C) 500 feet below and 2,000 feet horizontally
D) 500 feet above

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: D. The limit is 400 ft AGL unless within 400 feet of a structure.

Correct: C. Ground speed may not exceed 100 mph.

Correct: A. Visibility must be at least 3 SM.

Correct: C. Cloud clearance is 500 feet below and 2,000 feet horizontal.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

A small UA must be flown...

A) Beyond visual line of sight
B) Using FPV only
C) In any weather
D) Within visual line of sight of the remote PIC or VO

Using first-person view (FPV) goggles alone to meet VLOS is...

A) Always allowed
B) Allowed at night
C) Allowed in Class B
D) Not allowed unless a visual observer maintains VLOS

Visual line of sight means the remote PIC or VO can...

A) See using binoculars
B) See the aircraft unaided except for corrective lenses
C) See via camera only
D) See with night vision

May a remote pilot operate over people not involved in the operation?

A) Only if the operation meets Subpart D requirements
B) Never
C) Always
D) Only at night

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: D. VLOS is required unless waived.

Correct: D. VLOS must be maintained unaided; FPV needs a VO.

Correct: B. Only corrective lenses may be used.

Correct: A. Operations over people are restricted by category.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

Right-of-way under Part 107 belongs to...

A) The drone
B) All aircraft
C) The fastest aircraft
D) The largest drone

A remote pilot must not operate from a moving vehicle unless...

A) At night
B) In Class B
C) With a VO only
D) Over a sparsely populated area

May a remote pilot operate more than one UA at a time?

A) Not without a waiver
B) Yes, up to 3
C) Yes, up to 5
D) Yes, always

Dropping an object from a UA is allowed if...

A) It does not create a hazard to people or property
B) It weighs 55 pounds
C) It is dropped over a crowd
D) It is dropped at night only

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: B. The remote PIC must yield to all aircraft.

Correct: D. Moving vehicle operations are allowed only in sparsely populated areas.

Correct: A. Part 107 limits one UA per remote pilot unless waived.

Correct: A. Dropping is allowed if it does not endanger others.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

Which is prohibited when operating a small UA?

A) Carriage of hazardous materials
B) Carrying a camera
C) Carrying a small payload
D) Using a GPS

Careless or reckless operation of a UA is...

A) Allowed in daylight
B) Allowed over water
C) Prohibited
D) Allowed with a VO

A small UA may be flown...

A) During daylight or civil twilight with anti-collision lighting for twilight
B) Only at noon
C) Only at night
D) Only on weekdays

Civil twilight begins...

A) At midnight
B) 1 hour before sunrise
C) At sunrise
D) 30 minutes before official sunrise

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: A. Hazardous materials may not be carried.

Correct: C. Operation must not endanger life or property.

Correct: A. Daylight or civil twilight operations are allowed.

Correct: D. Civil twilight begins 30 minutes before sunrise.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

Civil twilight ends...

A) 30 minutes after official sunset
B) At sunset
C) 1 hour after sunset
D) At midnight

The anti-collision light required for twilight or night operations must be visible for at least...

A) 1 statute mile
B) 5 statute miles
C) 10 statute miles
D) 3 statute miles

The anti-collision light must have a flash rate that allows...

A) A constant steady glow only
B) No flashing
C) Flashing only at night
D) Sufficient time to avoid a collision

Which operation is allowed without a waiver under Part 107?

A) Beyond visual line of sight
B) Operating two aircraft at once
C) Flying at night with anti-collision lighting and training
D) Dropping hazardous materials

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: A. Civil twilight ends 30 minutes after sunset.

Correct: D. Lights must be visible for 3 SM.

Correct: D. The lighting must provide adequate time to avoid collision.

Correct: C. Night operations are allowed with training and lighting.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

Operating beyond visual line of sight requires...

A) A VO only
B) Daylight only
C) Nothing
D) A waiver

A remote pilot who flies in controlled airspace needs...

A) No authorization
B) A VO only
C) A larger aircraft
D) Prior ATC authorization

May a UA be flown within restricted airspace without permission?

A) Yes
B) Yes, in daylight
C) No
D) Yes, below 100 feet

May a UA fly in a Temporary Flight Restriction (TFR) area?

A) Always
B) Only at night
C) Only if under 5 pounds
D) Only with specific authorization

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: D. BVLOS requires a waiver or approval.

Correct: D. Controlled airspace requires authorization.

Correct: C. Restricted areas require permission.

Correct: D. TFRs prohibit unauthorized operations.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

A remote pilot may fly over a stadium filled with spectators if...

A) Always
B) Only at night
C) Using a VO
D) Authorized by the FAA and no restriction applies

May a person be a remote pilot while impaired by alcohol?

A) No, not within 8 hours of drinking
B) Yes, if under 0.08
C) Yes, if with a VO
D) Yes, in daylight

What is the maximum blood alcohol level for operating a UA?

A) 0.04 percent
B) 0.08 percent
C) 0.10 percent
D) 0.02 percent

The 8-hour 'bottle to throttle' rule means a pilot may not fly...

A) Within 8 hours after consuming alcohol
B) Within 24 hours of any food
C) For 8 hours after landing
D) After 8 pm

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: D. Spectator events often have restrictions.

Correct: A. Part 107 prohibits flying within 8 hours of alcohol use.

Correct: A. The limit is 0.04 percent.

Correct: A. No alcohol within 8 hours.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

The remote PIC may not operate a UA...

A) In a rural area
B) In a manner that interferes with operations at an airport
C) During daylight
D) At low speed

What must a remote pilot do before flight?

A) Skip checks
B) Call a family member
C) Delete flight logs
D) Conduct a preflight inspection and check surroundings

May a pilot fly a small UA that is not in condition for safe operation?

A) Yes
B) No
C) Yes, at night
D) Yes, with a VO

A remote pilot loses the control link in Class G airspace. What should the pilot do first?

A) Let the lost-link procedure (such as return-to-home) run while watching for traffic
B) Turn off the controller and walk away
C) Climb straight up to 1,200 feet
D) Ignore it

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: B. Airport interference is prohibited.

Correct: D. A preflight is required.

Correct: B. Unsafe aircraft may not be operated.

Correct: A. Pilots should rely on the programmed lost-link behavior and watch for other aircraft.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

The 400-foot limit applies to...

A) Above-sea-level altitude
B) Pressure altitude
C) Density altitude
D) Above-ground-level altitude

If a small UA is within a 400-foot radius of a structure, it may fly...

A) Up to 1,200 feet AGL
B) Up to 500 feet AGL
C) No higher than 100 feet
D) Up to 400 feet above the structure's immediate uppermost limit

If the visual observer loses sight of the UA and the remote PIC cannot see it, the operation must...

A) Continue using the video feed
B) Climb to 1,200 feet
C) Stop or regain visual line of sight immediately
D) Continue at night

Which person may operate a small UA in Class G without a certificate?

A) Any person
B) Someone supervised directly by a certificated remote pilot
C) Any child
D) Any visitor

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: D. Altitude is measured AGL.

Correct: D. The 400-ft limit is measured from the structure top.

Correct: C. VLOS must be maintained at all times.

Correct: B. Direct supervision allows non-certificated operation.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

Under Part 107, the remote PIC must yield to...

A) All other aircraft
B) Only helicopters
C) Only airliners
D) Only military

A UA that is operating in a Class G airspace requires...

A) No ATC authorization
B) A LAANC authorization
C) A TFR waiver
D) A tower call

Which of the following is prohibited under Part 107?

A) Flying above a field
B) Operating a UA over a moving vehicle unless Subpart D is met
C) Taking photos
D) Using GPS

To operate in Class D airspace, a remote pilot must...

A) Fly below 100 feet only
B) Call the FSS
C) Hold a private license
D) Obtain ATC authorization

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: A. UAS yield to manned aircraft.

Correct: A. Class G is uncontrolled.

Correct: B. Moving vehicles are protected under Subpart D.

Correct: D. Class D requires authorization.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

A pilot who fails to follow a TFR may be...

A) Praised
B) Ignored
C) Subject to enforcement action
D) Required to buy a new drone

May a remote pilot fly over an open-air assembly?

A) Always
B) Not without meeting Subpart D requirements
C) Only at night
D) Only with a VO

A TFR around a major sporting event typically extends...

A) 1 mile and 400 feet AGL
B) 10 miles and 1,000 feet AGL
C) 500 feet only
D) 3 nautical miles and up to 3,000 feet AGL

A person may not operate a UA in a way that...

A) Allows photography
B) Uses GPS
C) Poses a hazard to other aircraft, people, or property
D) Flies at 10 mph

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: C. TFR violations carry penalties.

Correct: B. Open-air assemblies are heavily restricted.

Correct: D. Stadium TFRs are typically 3 NM and 3,000 feet AGL.

Correct: C. Operations must not create hazards.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

Is a VO required for every Part 107 flight?

A) Yes
B) Only at night
C) No
D) Only in Class B

A UA may be flown over a sparsely populated area from a moving vehicle if...

A) It carries cargo
B) The aircraft is operated within VLOS and not over people
C) It is nighttime
D) It is above 400 feet

Is a UA operation permitted over a moving vehicle?

A) Always
B) Never
C) Only if the UA meets Subpart D requirements
D) Only at night

The control station must be operated...

A) By anyone
B) By the remote PIC or someone under direct supervision
C) By the manufacturer
D) By ATC

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: C. A VO is optional.

Correct: B. VLOS and no-over-people conditions apply.

Correct: C. Over-moving-vehicle ops require compliance with Subpart D.

Correct: B. Direct supervision is required.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

A remote pilot may fly a UA in Class E airspace starting at 700 feet AGL...

A) Only with LAANC
B) Only at night
C) Without authorization if the airspace floor is above the flight altitude
D) Never

A 600-foot tower stands near the launch site. How high may a UA fly within a 400-foot radius of the tower?

A) 400 feet AGL
B) 600 feet AGL
C) Up to 1,000 feet AGL (400 feet above the tower top)
D) 1,200 feet AGL

Before flight, the remote PIC must assess the operating environment, including...

A) Only the battery level
B) Only the controller color
C) Nothing
D) Local weather, airspace, and ground hazards

A remote PIC must ensure that a UA operation does not...

A) Interfere with manned aircraft operations
B) Use a battery
C) Use GPS
D) Record video

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: C. Class E that does not extend to the surface does not require authorization below its floor.

Correct: C. The limit is 400 feet above the structure's uppermost limit: 600 + 400 = 1,000 feet.

Correct: D. The preflight assessment must include weather, airspace, and hazards.

Correct: A. Avoid interfering with manned aircraft.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

Who grants airspace authorization in Class C airspace for a small UA?

A) The FAA, through LAANC or DroneZone
B) The local police
C) The airport owner only
D) The TSA

Section 2209 flight restrictions apply to...

A) All airports
B) All schools
C) All roads
D) Critical infrastructure designated by the FAA

Is a UA considered an aircraft for purposes of Part 107?

A) No
B) Only above 55 pounds
C) Yes
D) Only for commercial use

The FAA 'DroneZone' is used for...

A) Registration, waivers, and airspace authorizations
B) Weather updates
C) Charting
D) Aircraft maintenance

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: A. The FAA authorizes operations in controlled airspace.

Correct: D. Section 2209 restricts flights near critical infrastructure.

Correct: C. UAS are aircraft under FAA regulations.

Correct: A. DroneZone is the FAA UAS portal.

Regulations — Operating Rules (Subpart B) — Questions (45-75s)

A UA ground speed limit of 87 knots is equal to about...

A) 50 mph
B) 150 mph
C) 87 mph
D) 100 mph

Visibility is 4 miles and the cloud base is 1,000 feet AGL. What is the highest altitude the UA may fly?

A) 500 feet AGL
B) 400 feet AGL (the regulatory maximum)
C) 1,000 feet AGL
D) 1,200 feet AGL

Where is a request for a Part 107 operating waiver submitted?

A) The local airport tower
B) The local police department
C) The TSA
D) FAA DroneZone

May a UA be flown over a person who is a directly participating crew member?

A) No, never
B) Only at night
C) Only with a Category 1 aircraft
D) Yes, participants directly involved in the operation are not covered by the over-people limits

Regulations — Operating Rules (Subpart B) — Correct Answers

Correct: D. 87 knots is approximately 100 statute miles per hour.

Correct: B. 500 feet below clouds allows 500 feet, but the 400-foot AGL limit is lower.

Correct: D. Waiver applications are submitted through FAA DroneZone.

Correct: D. Persons directly participating are excluded from the restriction.

Regulations — Operations Over People and Moving Vehicles — Questions (45-75s)

Under Subpart D, a Category 1 small UA must weigh no more than...

A) 5 pounds
B) 0.55 pounds including everything on board
C) 25 pounds
D) 55 pounds

A Category 1 small UA must have no...

A) Camera
B) GPS
C) Exposed rotating parts that could lacerate human skin
D) Battery

A Category 2 small UA must not cause injury to a human worse than...

A) 25 foot-pounds
B) 5 foot-pounds
C) 11 foot-pounds of kinetic energy transferred on impact
D) 100 foot-pounds

A Category 3 small UA must not cause injury worse than...

A) 11 foot-pounds
B) 25 foot-pounds of kinetic energy transferred on impact
C) 50 foot-pounds
D) 5 foot-pounds

Regulations — Operations Over People and Moving Vehicles — Correct Answers

Correct: B. Category 1 aircraft weigh 0.55 lb (250 g) or less.

Correct: C. Exposed rotating parts that could cause lacerations are not allowed.

Correct: C. The Category 2 limit is 11 ft-lbs of kinetic energy to a person.

Correct: B. The Category 3 limit is 25 ft-lbs.

Regulations — Operations Over People and Moving Vehicles — Questions (45-75s)

A Category 4 small UA must have...

A) No equipment
B) A visual observer only
C) A pilot license
D) An FAA airworthiness certificate

Category 2 and 3 small UA must have...

A) No documentation
B) A parachute
C) An FAA-accepted declaration of compliance and a label
D) Special paint

A Category 1 small UA does NOT require...

A) Compliance with weight limits
B) Safe design
C) Remote ID
D) An FAA-accepted declaration of compliance

A Category 3 UA may not be operated over...

A) Open-air assemblies with sustained flight unless in a closed or restricted-access site
B) Any human
C) Any road
D) Any water

Regulations — Operations Over People and Moving Vehicles — Correct Answers

Correct: D. Category 4 requires an airworthiness certificate.

Correct: C. These categories require DOC and labeling.

Correct: D. Category 1 does not need a DOC.

Correct: A. Category 3 limits sustained flight over open-air assemblies.

Regulations — Operations Over People and Moving Vehicles — Questions (45-75s)

Sustained flight over people means...

A) Flying for a single second
B) Flying only at night
C) Flying with a VO
D) Flying over people other than momentarily

A closed or restricted-access site is...

A) A public park
B) A stadium
C) A site where participants are informed and others are kept out
D) A school yard

Under Part 107, a person is allowed to fly over a person if...

A) The person is at a concert
B) The person is on a bike
C) The person is under a covered structure or inside a stationary vehicle
D) The person is moving

Which of these is protected when flying over people?

A) A person on a motorcycle
B) A person walking
C) A person at a public event
D) A person inside a stationary vehicle

Regulations — Operations Over People and Moving Vehicles — Correct Answers

Correct: D. Sustained flight is more than a momentary pass.

Correct: C. Only informed participants are allowed in.

Correct: C. Protected persons may be flown over.

Correct: D. Stationary covered vehicles provide protection.

Regulations — Operations Over People and Moving Vehicles — Questions (45-75s)

A remote pilot who uses a Category 2 UA must ensure the label...

A) Is removed
B) Is blank
C) Is only in the manual
D) Remains attached and legible on the aircraft

An aircraft that has been modified after receiving a DOC...

A) Is always compliant
B) Needs no check
C) May no longer comply if the modification affects its category
D) Can ignore changes

A Category 1 UA that exceeds 0.55 pounds with a payload...

A) Is still fine
B) Needs no label
C) No longer qualifies as Category 1
D) Is Category 4

Operating a small UA over a moving vehicle is allowed if...

A) It is daytime
B) It is a long drive
C) The vehicle is fast
D) The operation meets the applicable category requirements

Regulations — Operations Over People and Moving Vehicles — Correct Answers

Correct: D. Labels must be on the aircraft.

Correct: C. Modifications can void compliance.

Correct: C. Payload weight counts toward the 0.55 lb limit.

Correct: D. Subpart D controls operations over moving vehicles.

Regulations — Operations Over People and Moving Vehicles — Questions (45-75s)

A remote pilot may fly a Category 1 UA over people without...

A) Remote ID
B) Registration
C) Following the rules
D) A declaration of compliance

Over-people categories are intended to...

A) Define aircraft that pose reduced risk to people on the ground
B) Increase fees
C) Limit weight only
D) Reduce altitude only

A UA that does not meet any category may operate over people only if...

A) People are directly participating, under cover, or in a stationary vehicle
B) It is high
C) It is quiet
D) It is white

Kinetic energy threshold of 11 ft-lb is roughly equivalent to...

A) A feather
B) A car impact
C) A heavy hammer
D) Blunt-force injury severity at the Category 2 limit

Regulations — Operations Over People and Moving Vehicles — Correct Answers

Correct: D. Category 1 does not require a DOC.

Correct: A. Categories reflect injury risk.

Correct: A. Otherwise operation over people is prohibited.

Correct: D. It is based on injury severity thresholds.

Regulations — Operations Over People and Moving Vehicles — Questions (45-75s)

A remote pilot who wants to fly over a crowd should first...

A) Verify the aircraft category and any applicable airspace restrictions
B) Fly as low as possible
C) Fly as fast as possible
D) Use a larger aircraft

A Category 4 UA may be operated over people if...

A) It is cold
B) It has a camera
C) It is operated under its airworthiness certificate and maintenance requirements
D) It is registered recreationally

If a UA fails in flight over people, the remote PIC should...

A) Save the aircraft
B) Ignore the crowd
C) Prioritize human safety and minimize harm
D) Climb higher

A remote pilot may fly a UA over a freeway if...

A) It is rush hour
B) It is below 50 feet
C) The UA and operation meet applicable moving vehicle requirements
D) It is not weighed

Regulations — Operations Over People and Moving Vehicles — Correct Answers

Correct: A. Check category and restrictions before such flights.

Correct: C. Category 4 requires adherence to its certification.

Correct: C. Safety of people takes precedence over the aircraft.

Correct: C. Subpart D conditions apply.

Regulations — Night Operations and Lighting — Questions (45-75s)

Night operations under Part 107 require...

A) No lighting
B) A VO only
C) A waiver only
D) Anti-collision lighting visible for at least 3 statute miles

Remote pilots who want to fly at night must complete...

A) No training
B) Updated initial or recurrent training that includes night operations
C) A flight test
D) A medical exam

Which light is required on a small UA for night operations?

A) Landing lights only
B) Position lights only
C) Anti-collision lights
D) No lights

A remote PIC flying at night must verify the lights...

A) Are red only
B) Are small
C) Are optional
D) Are working and visible from 3 statute miles

Regulations — Night Operations and Lighting — Correct Answers

Correct: D. Lighting must be visible for 3 SM.

Correct: B. Training must cover night operations.

Correct: C. Anti-collision lighting is required.

Correct: D. Lights must be functional and visible.

Regulations — Night Operations and Lighting — Questions (45-75s)

The autokinesis illusion occurs when...

A) A light blinks
B) A stationary light appears to move when stared at in the dark
C) A light is red
D) A light is bright

To help maintain night vision, a pilot should...

A) Stare at bright lights
B) Wear sunglasses at night
C) Use red light and avoid bright lights
D) Ignore adaptation

Full dark adaptation takes about...

A) 30 minutes
B) 30 seconds
C) 5 minutes
D) 2 hours

To see an object at night, a pilot should look...

A) Directly at the object
B) Slightly off-center of the object
C) Away completely
D) Through binoculars

Regulations — Night Operations and Lighting — Correct Answers

Correct: B. Staring at a single light can create apparent movement.

Correct: C. Red light preserves dark adaptation.

Correct: A. The eyes need approximately 30 minutes to adapt.

Correct: B. Off-center viewing uses rods.

Regulations — Night Operations and Lighting — Questions (45-75s)

The retina cells used primarily in low light are...

A) Cones
B) Lenses
C) Pupils
D) Rods

Visual illusions at night can lead to...

A) Better judgment
B) Higher altitude
C) Faster flight
D) Spatial disorientation

Civil twilight is considered...

A) Daytime for Part 107 purposes with required lighting
B) Night for all rules
C) Dusk only
D) Unrelated

The anti-collision lighting for twilight and night operations must...

A) Allow enough time to avoid a collision
B) Be steady only
C) Be dim
D) Be hidden

Regulations — Night Operations and Lighting — Correct Answers

Correct: D. Rods are sensitive to dim light.

Correct: D. Illusions can cause loss of orientation.

Correct: A. Operations during civil twilight require anti-collision lighting.

Correct: A. Visibility and timing are key.

Regulations — Night Operations and Lighting — Questions (45-75s)

May a pilot fly at night without lights if the operation is under 100 feet?

A) No
B) Yes
C) Only with a VO
D) Only in Class G

Which of the following is a hazard unique to night flying?

A) Higher winds always
B) Reduced battery weight
C) Difficulty judging distance and orientation
D) More traffic

Before a night flight, the pilot should...

A) Skip site checks
B) Scout the area in daylight for obstacles
C) Avoid lights
D) Ignore terrain

When flying at night, which is a key risk factor?

A) More daylight
B) Better visibility
C) Reduced ability to see obstacles
D) Higher altitude

Regulations — Night Operations and Lighting — Correct Answers

Correct: A. Lights are required for night operations.

Correct: C. Depth perception is limited in the dark.

Correct: B. Prior daylight inspection reveals hazards.

Correct: C. Obstacles are harder to see at night.

Regulations — Waivers, Authorizations, and Reporting — Questions (45-75s)

Under which part are operating waivers authorized?

A) Part 91
B) Part 107, Subpart D (107.200 and 107.205)
C) Part 61
D) Part 121

Which of these Part 107 rules can be waived?

A) Registration
B) Remote pilot certification
C) Weight limit over 55 lb
D) Visual line of sight

Which rule can NOT be waived?

A) Operation from a moving vehicle
B) Daylight operations
C) Requirement to hold a remote pilot certificate
D) Operating multiple UA

A Certificate of Waiver is typically valid for...

A) One month
B) Up to four years
C) Ten years
D) Indefinitely

Regulations — Waivers, Authorizations, and Reporting — Correct Answers

Correct: B. Subpart D lists waiverable rules.

Correct: D. VLOS is waiver-eligible; registration and certification are not.

Correct: C. Certification is not waivable.

Correct: B. Waivers may last up to four years.

Regulations — Waivers, Authorizations, and Reporting — Questions (45-75s)

A waiver request should be submitted...

A) The day before
B) At least 90 days before the planned operation
C) After the flight
D) 1 week before

An airspace authorization is different from a waiver because it...

A) Waives a Part 107 rule
B) Allows operation in controlled airspace
C) Applies to registration
D) Applies to weight

LAANC provides...

A) Near real-time airspace authorizations
B) Weather reports
C) Charts
D) Registration

LAANC authorizations are available in...

A) All airspace
B) Class A only
C) Class G only
D) Controlled airspace near airports with UAS Facility Maps

Regulations — Waivers, Authorizations, and Reporting — Correct Answers

Correct: B. FAA recommends 90 days.

Correct: B. Authorizations relate to airspace access.

Correct: A. LAANC automates authorizations.

Correct: D. LAANC works where UAS Facility Maps exist.

Regulations — Waivers, Authorizations, and Reporting — Questions (45-75s)

UAS Facility Maps show...

A) Weather conditions
B) Maximum altitudes the FAA may authorize near airports
C) Terrain
D) Roads

A pilot who needs authorization above the LAANC ceiling must...

A) Ignore it
B) Request further coordination through FAA DroneZone
C) Call the tower
D) Fly anyway

Accident reporting is required when a UA operation results in...

A) Any battery failure
B) Serious injury or loss of consciousness, or property damage over $500
C) Any crash
D) A lost drone

A remote pilot must report a qualifying accident to the FAA within...

A) 24 hours
B) 30 days
C) 60 days
D) 10 calendar days

Regulations — Waivers, Authorizations, and Reporting — Correct Answers

Correct: B. They depict allowable altitudes by grid.

Correct: B. Higher altitudes require manual authorization.

Correct: B. Those thresholds trigger a report.

Correct: D. The deadline is 10 days.

Regulations — Waivers, Authorizations, and Reporting — Questions (45-75s)

Property damage threshold requiring an accident report is more than...

A) $100
B) $500 (other than damage to the UA)
C) $5,000
D) $50

A 'serious injury' for accident reporting includes...

A) A scratch
B) A sunburn
C) Loss of consciousness
D) A headache

Does a crash that only damages the UA require reporting?

A) No
B) Yes
C) Only at night
D) Only above 100 feet

After a qualifying accident, the remote PIC must...

A) Report to the FAA in a manner acceptable to the Administrator
B) Delete the logs
C) Wait a year
D) Pay a fee

Regulations — Waivers, Authorizations, and Reporting — Correct Answers

Correct: B. Damage over $500 excluding the UA triggers a report.

Correct: C. Loss of consciousness is serious injury.

Correct: A. UA-only damage is not reportable.

Correct: A. Reports can be made online or by phone.

Regulations — Waivers, Authorizations, and Reporting — Questions (45-75s)

Part 107 requires remote pilots to maintain...

A) Daily written logs
B) Medical records
C) No formal flight logs, but keeping records is recommended
D) A logbook for the FAA

A waiver may include special provisions...

A) That remove all rules
B) That specify limits for safe operation
C) That make it permanent
D) That waive registration

Which factor is used to evaluate waiver applications?

A) Safety case and risk mitigation
B) Pilot age
C) Color of aircraft
D) Brand

Waiver Safety Explanation Guidelines help applicants...

A) Prepare a clear safety justification
B) Register aircraft
C) Pay fees
D) Review weather

Regulations — Waivers, Authorizations, and Reporting — Correct Answers

Correct: C. Part 107 has no mandatory logbook requirement.

Correct: B. Waivers include conditions for safety.

Correct: A. Applicants must explain how safety is maintained.

Correct: A. WSEG assists with safety cases.

Regulations — Waivers, Authorizations, and Reporting — Questions (45-75s)

May a remote pilot fly under a waiver without carrying it?

A) No, they must have access to it and comply with its provisions
B) Yes
C) Yes, at night
D) Yes, in Class G

When in violation of a waiver's conditions, the remote pilot may be...

A) Praised
B) Granted a new one
C) Exempt
D) Subject to enforcement action

Which agency handles waiver requests for Part 107 operations?

A) TSA
B) FAA
C) FCC
D) NTSB

A pilot who wants to fly in a TFR for news gathering must obtain...

A) Specific authorization or follow special governmental interest procedures
B) Nothing
C) A LAANC authorization
D) A registration

Regulations — Waivers, Authorizations, and Reporting — Correct Answers

Correct: A. The waiver must be available and followed.

Correct: D. Violating waiver terms is a regulatory violation.

Correct: B. The FAA decides on waivers.

Correct: A. TFR entry requires approval.

Regulations — Waivers, Authorizations, and Reporting — Questions (45-75s)

Which of these can the FAA suspend or revoke?

A) The weather
B) The airport
C) The airline
D) A remote pilot certificate

A pilot who refuses an FAA inspection request may face...

A) Certificate action or penalties
B) No consequences
C) A reward
D) A new aircraft

Which entity investigates drone accidents under FAA reporting rules?

A) TSA
B) OSHA
C) The FAA
D) FDA

May a remote pilot rely solely on a waiver to ignore airspace authorization needs?

A) Yes
B) Yes, in Class G
C) No, authorization and waivers address different requirements
D) Yes, at night

Regulations — Waivers, Authorizations, and Reporting — Correct Answers

Correct: D. Violations can lead to certificate action.

Correct: A. Cooperation with FAA is required.

Correct: C. The FAA reviews reported accidents.

Correct: C. Waivers do not replace authorizations.

Regulations — Waivers, Authorizations, and Reporting — Questions (45-75s)

A UA operation that violates Part 107 may result in...

A) A bonus
B) A free flight
C) No action
D) Civil penalties

The FAA 'Special Governmental Interest' (SGI) process is used for...

A) Registration
B) Charting
C) Urgent operations in restricted airspace for public safety or news
D) Weather

Regulations — Waivers, Authorizations, and Reporting — Correct Answers

Correct: D. FAA can impose civil penalties.

Correct: C. SGI requests are for TFR access.

Regulations — Aircraft Condition, Preflight, and Fitness — Questions (45-75s)

Preflight inspection must include checking...

A) Only the camera
B) Only the controller
C) Aircraft, control link, battery, and propellers
D) Nothing

If a preflight reveals a damaged propeller, the pilot should...

A) Fly anyway
B) Replace it before flight
C) Tape it
D) Ignore it

A swollen lithium battery must be...

A) Charged normally
B) Flown briefly
C) Taped
D) Removed from service

Before takeoff, the remote PIC must verify...

A) The weather in another country
B) The pilot's age
C) The control link is working properly
D) Nothing

Regulations — Aircraft Condition, Preflight, and Fitness — Correct Answers

Correct: C. All items that affect safe flight must be checked.

Correct: B. Damaged propellers are unsafe.

Correct: D. Swelling signals internal damage.

Correct: C. Command and control must be confirmed.

Regulations — Aircraft Condition, Preflight, and Fitness — Questions (45-75s)

A remote pilot should check manufacturer maintenance instructions...

A) Never
B) As part of aircraft airworthiness for safe operations
C) Only once
D) Only after a crash

Firmware updates should be...

A) Ignored
B) Installed in flight
C) Applied following manufacturer guidance before relevant flights
D) Reversed randomly

Compass or IMU calibration may be needed when...

A) Flying in a new location or after magnetic interference
B) Never
C) Only at night
D) Only for racing

A pilot suspects the UA's GPS signal is weak. The best action is to...

A) Fly anyway
B) Delay flight or relocate to a better area
C) Disable GPS
D) Climb high

Regulations — Aircraft Condition, Preflight, and Fitness — Correct Answers

Correct: B. Maintenance per manufacturer helps ensure safety.

Correct: C. Updates can include safety fixes.

Correct: A. Environments can affect sensors.

Correct: B. Weak GPS can cause control problems.

Regulations — Aircraft Condition, Preflight, and Fitness — Questions (45-75s)

Which factor must be verified before each flight under Part 107?

A) The color of the UA
B) Condition of the UA for safe operation
C) The brand of the UA
D) The price

Fitness for duty includes assessing...

A) Only vision
B) Only hearing
C) Nothing
D) Fatigue, illness, medication, stress, alcohol, and emotion

The IMSAFE checklist stands for...

A) Illness, Medication, Stress, Alcohol, Fatigue, Emotion
B) Inspect, Maintain, Service, Assess, Fly, Exit
C) Initial, Monitor, Secure, Adapt, Fly, End
D) Insurance, Money, Safety, Airspace, Fuel, Equipment

A pilot who has taken sedating medication should...

A) Fly with a VO
B) Fly low
C) Fly slowly
D) Not fly until the effects are gone

Regulations — Aircraft Condition, Preflight, and Fitness — Correct Answers

Correct: B. Safe condition is required.

Correct: D. IMSAFE covers fitness factors.

Correct: A. IMSAFE is a pilot self-assessment tool.

Correct: D. Impairing drugs prevent safe operation.

Regulations — Aircraft Condition, Preflight, and Fitness — Questions (45-75s)

Dehydration can cause...

A) Better focus
B) Higher altitude
C) Fatigue and reduced alertness
D) Cold hands

Stress can affect pilot performance by...

A) Narrowing attention and reducing judgment
B) Improving all skills
C) Reducing weather
D) Improving battery

A pilot who is fatigued should...

A) Fly more carefully
B) Drink alcohol
C) Ignore it
D) Postpone the flight

Carbon monoxide is dangerous because it...

A) Warms the air
B) Smells strong
C) Reduces the blood's ability to carry oxygen
D) Stains skin

Regulations — Aircraft Condition, Preflight, and Fitness — Correct Answers

Correct: C. Hydration supports performance.

Correct: A. High stress can impair decisions.

Correct: D. Fatigue impairs decision-making.

Correct: C. CO binds hemoglobin and impairs function.

Regulations — Aircraft Condition, Preflight, and Fitness — Questions (45-75s)

Hypoxia is caused by...

A) Too much oxygen
B) Insufficient oxygen to the body
C) Heat
D) Cold

Hyperventilation is caused by...

A) Slow breathing
B) Hunger
C) Excessive breathing under stress
D) Cold

A good way to reduce hyperventilation symptoms is to...

A) Slow breathing and talk or count aloud
B) Breathe faster
C) Hold your breath long
D) Run

A remote pilot with a cold or congestion should consider...

A) Ignoring symptoms
B) Taking any medication
C) Flying faster
D) Whether symptoms impair concentration before flying

Regulations — Aircraft Condition, Preflight, and Fitness — Correct Answers

Correct: B. Hypoxia is oxygen deficiency.

Correct: C. It can cause dizziness and tingling.

Correct: A. Slowing the breathing rate restores balance.

Correct: D. Illness is part of fitness for flight.

Regulations — Visual Observers, Cargo, and Privileges — Questions (45-75s)

The primary job of a visual observer (VO) is to...

A) Help the remote PIC maintain VLOS and see and avoid hazards
B) Fly the aircraft
C) Operate the camera
D) Handle ATC

The remote PIC and VO must be able to communicate...

A) By mail
B) Only after landing
C) Effectively during the operation
D) Not at all

May a person be both VO and remote PIC at the same time?

A) No, they are separate roles
B) Yes
C) Only at night
D) Only in Class G

May the remote PIC rely on a VO's visual line of sight?

A) No
B) Yes, if the VO maintains VLOS and communication
C) Only at night
D) Only above 400 feet

Regulations — Visual Observers, Cargo, and Privileges — Correct Answers

Correct: A. A VO assists in visual awareness.

Correct: C. Communication must be reliable.

Correct: A. A VO is a separate person.

Correct: B. VO sight can be used when effective.

Regulations — Visual Observers, Cargo, and Privileges — Questions (45-75s)

Part 107 allows carrying property for compensation if...

A) It goes across state lines
B) It exceeds 55 lb
C) It carries hazmat
D) The flight is within one state, VLOS, under 55 lb total, and no hazardous materials

Carrying property for compensation across state lines under Part 107 is...

A) Allowed
B) Allowed at night
C) Not allowed
D) Allowed with a VO

External loads are permitted if...

A) They are heavy
B) They are secured and do not adversely affect control
C) They are unsecured
D) They are hazardous

Hazardous materials may be carried by a small UA...

A) Always
B) Never under Part 107
C) Only in daylight
D) Only with a VO

Regulations — Visual Observers, Cargo, and Privileges — Correct Answers

Correct: D. Carriage of property is limited by those conditions.

Correct: C. Flights must remain within one state.

Correct: B. External loads must be safe and secured.

Correct: B. Hazmat carriage is prohibited.

Regulations — Visual Observers, Cargo, and Privileges — Questions (45-75s)

Towing objects with a small UA is...

A) Never allowed
B) Always allowed
C) Allowed if it does not create a hazard
D) Allowed only at night

An 'operator' who is not the remote PIC may...

A) Fly only under the direct supervision of the remote PIC
B) Fly without supervision
C) Be anyone
D) Never fly

A remote PIC can assign a VO from...

A) Any capable person
B) Only an FAA inspector
C) Only a pilot
D) Only a police officer

Is a small UA required to have an airworthiness certificate for Part 107 flights?

A) No
B) Yes
C) Only at night
D) Only above 400 feet

Regulations — Visual Observers, Cargo, and Privileges — Correct Answers

Correct: C. Towing is allowed when safe.

Correct: A. Supervision is required.

Correct: A. A VO need not be certificated.

Correct: A. Standard Part 107 flights do not require it.

Regulations — Visual Observers, Cargo, and Privileges — Questions (45-75s)

A Part 107 pilot who wants to fly at night over people should...

A) Ignore categories
B) Use any aircraft
C) Use dim lights
D) Ensure the aircraft category and lighting both comply

Who may be allowed to operate in a Part 107 operation without a certificate?

A) A person under direct supervision of a remote pilot
B) Any bystander
C) Anyone with a license
D) A child alone

The 'direct supervision' standard means the remote PIC can...

A) Review later
B) Sleep
C) Immediately take control of the UA
D) Leave

May a remote PIC fly in a manner not specified in the aircraft's manual?

A) No
B) Always
C) Only at night
D) Yes, if it is safe and complies with Part 107

Regulations — Visual Observers, Cargo, and Privileges — Correct Answers

Correct: D. Both rules must be met.

Correct: A. Direct supervision applies.

Correct: C. The PIC must be able to take over right away.

Correct: D. Part 107 compliance is required.

Regulations — Visual Observers, Cargo, and Privileges — Questions (45-75s)

Is a remote pilot required to follow state and local laws in addition to Part 107?

A) No
B) Only in Class B
C) Only at night
D) Yes

May a remote pilot operate over private property?

A) No
B) Never
C) Yes, subject to Part 107 and local law
D) Only with a VO

Is the pilot always responsible for complying with Part 107 even when using automated flight modes?

A) No
B) Only at night
C) Yes
D) Only with a VO

A remote pilot who performs aerial photography for a client is operating...

A) Recreationally
B) Not subject to rules
C) Commercially under Part 107
D) Only under state law

Regulations — Visual Observers, Cargo, and Privileges — Correct Answers

Correct: D. State and local laws still apply.

Correct: C. Airspace is federal, but privacy and trespass laws apply.

Correct: C. Automation does not remove responsibility.

Correct: C. Compensation puts the flight under Part 107.

Airspace Classification and Operating Requirements — Airspace Classes — Questions (45-75s)

Class A airspace extends from...

A) The surface to 18,000 feet
B) 18,000 feet MSL up to and including FL 600
C) 1,200 feet AGL to 14,500 feet
D) 10,000 feet to 18,000 feet

Class B airspace typically surrounds...

A) Small private airstrips
B) Heliports only
C) The busiest airports
D) Military ranges

Class B airspace generally extends from the surface up to...

A) 10,000 feet MSL
B) 2,500 feet AGL
C) 18,000 feet MSL
D) 4,000 feet AGL

Class B airspace is shaped like...

A) A cylinder
B) A pyramid
C) An upside-down wedding cake
D) A cube

Airspace Classification and Operating Requirements — Airspace Classes — Correct Answers

Correct: B. Class A begins at 18,000 ft MSL and extends up to FL 600.

Correct: C. Class B protects high-traffic airports.

Correct: A. Class B typically reaches 10,000 ft MSL.

Correct: C. Layers expand outward at higher altitudes.

Airspace Classification and Operating Requirements — Airspace Classes — Questions (45-75s)

Class C airspace typically has an inner core of...

A) 1 nautical mile
B) 5 nautical miles
C) 20 nautical miles
D) 50 nautical miles

Class C airspace typically extends up to...

A) 10,000 feet MSL
B) 4,000 feet AGL
C) 2,500 feet AGL
D) 18,000 feet

Class D airspace surrounds airports with...

A) No tower
B) A runway over 10,000 feet
C) A heliport only
D) An operating control tower

Class D airspace typically extends up to...

A) 10,000 feet MSL
B) 2,500 feet AGL
C) 4,000 feet AGL
D) 18,000 feet

Airspace Classification and Operating Requirements — Airspace Classes — Correct Answers

Correct: B. The inner circle has a 5 NM radius.

Correct: B. Class C usually extends to 4,000 feet above the airport.

Correct: D. Class D is tied to a tower.

Correct: B. Class D usually reaches 2,500 ft AGL.

Airspace Classification and Operating Requirements — Airspace Classes — Questions (45-75s)

Class D airspace typically has a radius of about...

A) 1 nautical mile
B) 10 nautical miles
C) 4 nautical miles
D) 20 nautical miles

Class E airspace is...

A) Uncontrolled
B) Restricted
C) Controlled airspace not designated as A, B, C, or D
D) Military only

Class G airspace is...

A) Controlled airspace
B) Restricted airspace
C) Prohibited airspace
D) Uncontrolled airspace

Which classes of airspace require ATC authorization for a small UA?

A) Only B
B) Only G
C) B, C, D, and surface-area E
D) Only A

Airspace Classification and Operating Requirements — Airspace Classes — Correct Answers

Correct: C. Class D is commonly a 4 NM radius cylinder.

Correct: C. Class E is the general controlled airspace.

Correct: D. Class G has no ATC control.

Correct: C. Controlled airspace requiring authorization includes B, C, D, and surface E.

Airspace Classification and Operating Requirements — Airspace Classes — Questions (45-75s)

Is ATC authorization needed to operate in Class G?

A) Yes
B) Only at night
C) Only above 100 feet
D) No

A UA operating in Class E that begins at 700 feet AGL, flying at 300 feet AGL, ...

A) Is below the controlled airspace and needs no authorization
B) Needs LAANC
C) Is in Class B
D) Is prohibited

The default floor of Class E airspace over most of the U.S. is...

A) 700 feet AGL
B) 400 feet AGL
C) 1,200 feet AGL
D) The surface

Class E airspace begins at 14,500 feet MSL above...

A) The contiguous U.S., where Class G ends
B) Class A only
C) Class B shelves
D) Alaska only

Airspace Classification and Operating Requirements — Airspace Classes — Correct Answers

Correct: D. Class G is uncontrolled.

Correct: A. The airspace floor is above the flight altitude.

Correct: C. Unless charted otherwise, Class E begins at 1,200 ft AGL.

Correct: A. Class G tops out at 14,500 ft MSL.

Airspace Classification and Operating Requirements — Airspace Classes — Questions (45-75s)

Class G airspace extends up to...

A) The base of overlying controlled airspace
B) 18,000 feet only
C) 400 feet only
D) Mode C veil

Which airspace requires manned aircraft to establish two-way radio communication?

A) Class G
B) Class E only
C) Class A only
D) Classes B, C, and D

Airport surface areas designated as Class E are...

A) Controlled airspace around airports without a control tower
B) Uncontrolled
C) Prohibited
D) Restricted

When a tower closes at a Class D airport, the airspace...

A) Becomes Class A
B) Becomes Class B
C) Typically reverts to Class E or G
D) Remains Class D

Airspace Classification and Operating Requirements — Airspace Classes — Correct Answers

Correct: A. Class G is below any overlying controlled airspace.

Correct: D. Two-way radio is required in B, C, and D.

Correct: A. Surface Class E applies to some non-towered airports.

Correct: C. Part-time Class D reverts when the tower is closed.

Airspace Classification and Operating Requirements — Airspace Classes — Questions (45-75s)

A small UA must not operate in Class B airspace unless...

A) Authorized by ATC
B) It is below 100 feet
C) It is daytime
D) It is registered

Class A airspace is...

A) Open to all drones
B) Not available to small UAS under normal Part 107 operations
C) Open at night
D) Used for LAANC

A victor airway is...

A) A drone route
B) A restricted area
C) A federal airway used by manned aircraft
D) A taxiway

Federal airways are Class E airspace starting at...

A) 700 feet AGL
B) 1,200 feet AGL
C) The surface
D) 18,000 feet

Airspace Classification and Operating Requirements — Airspace Classes — Correct Answers

Correct: A. Class B requires prior authorization.

Correct: B. Drones do not normally operate in Class A.

Correct: C. Airways are Class E corridors for manned flights.

Correct: B. Airway floors are typically 1,200 ft AGL.

Airspace Classification and Operating Requirements — Airspace Classes — Questions (45-75s)

Controlled airspace is...

A) Airspace where ATC service may be provided
B) Any airspace
C) Only military
D) Only restricted

The Mode C veil extends around Class B airspace to...

A) 30 nautical miles
B) 3 nautical miles
C) 10 nautical miles
D) 100 nautical miles

Class C airspace outer shelf generally extends to...

A) 20 nautical miles
B) 5 nautical miles
C) 30 nautical miles
D) 10 nautical miles

Class C shelf floor is generally...

A) Surface
B) 4,000 feet AGL
C) 1,200 feet AGL
D) 700 feet AGL

Airspace Classification and Operating Requirements — Airspace Classes — Correct Answers

Correct: A. Controlled means ATC services are available.

Correct: A. The Mode C veil is 30 NM from the Class B primary airport.

Correct: D. The Class C shelf area reaches 10 NM.

Correct: C. The outer shelf starts at 1,200 ft AGL.

Airspace Classification and Operating Requirements — Airspace Classes — Questions (45-75s)

Which of these is uncontrolled airspace?

A) Class G
B) Class B
C) Class C
D) Class D

Altitudes in Class A, B, C, and D charts are generally referenced to...

A) Always AGL
B) Mean sea level (MSL) unless noted AGL
C) Pressure altitude
D) Density altitude

Airspace Classification and Operating Requirements — Airspace Classes — Correct Answers

Correct: A. Class G has no ATC control and no authorization is needed for UAS.

Correct: B. Chart altitudes are MSL unless marked.

Airspace Classification and Operating Requirements — Sectional Chart Reading — Questions (45-75s)

On a sectional chart, airports with control towers are depicted in...

A) Blue
B) Magenta
C) Green
D) Black

Non-towered airports on a sectional are shown in...

A) Magenta
B) Blue
C) Green
D) Red

Class B airspace boundaries are shown as...

A) Dashed blue lines
B) Solid magenta lines
C) Solid blue lines
D) Dashed magenta lines

Class C airspace boundaries are shown as...

A) Solid blue lines
B) Solid magenta lines
C) Dashed blue lines
D) Dashed magenta lines

Airspace Classification and Operating Requirements — Sectional Chart Reading — Correct Answers

Correct: A. Towered airports are blue; non-towered are magenta.

Correct: A. Magenta symbols denote non-towered airports.

Correct: C. Class B is solid blue.

Correct: B. Class C is solid magenta.

Airspace Classification and Operating Requirements — Sectional Chart Reading — Questions (45-75s)

Class D airspace boundaries are shown as...

A) Dashed blue lines
B) Solid blue lines
C) Solid magenta lines
D) Dashed magenta lines

Class E surface area boundaries are shown as...

A) Dashed magenta lines
B) Dashed blue lines
C) Solid blue lines
D) Solid magenta lines

A magenta vignette on a sectional chart indicates...

A) Class E airspace starting at 700 feet AGL
B) Class E starting at the surface
C) Class G
D) Class A

A Class B segment labeled 100/30 means...

A) A ceiling of 3,000 and floor of 10,000
B) A ceiling of 10,000 feet MSL and a floor of 3,000 feet MSL
C) 100 feet AGL to 30 feet AGL
D) 100 miles and 30 miles

Airspace Classification and Operating Requirements — Sectional Chart Reading — Correct Answers

Correct: A. Class D is dashed blue.

Correct: A. Surface Class E is dashed magenta.

Correct: A. A shaded magenta border marks a 700-ft AGL floor.

Correct: B. The top number is the ceiling and the bottom the floor, in hundreds of feet MSL.

Airspace Classification and Operating Requirements — Sectional Chart Reading — Questions (45-75s)

A Class C segment labeled 40/SFC means...

A) A floor of 4,000
B) 40 miles range
C) A ceiling of 4,000 feet MSL and a floor at the surface
D) SFC is a tower

The abbreviation 'SFC' on a chart means...

A) Safe flight corridor
B) Sector flight control
C) Special flight check
D) Surface

Maximum Elevation Figures (MEF) show...

A) The weather
B) The highest known obstacle or terrain in a quadrant
C) The runway length
D) The airspace ceiling

An MEF of '3 5' (large 3, small 5) represents...

A) 350 feet MSL
B) 35 feet
C) 3,500 feet MSL
D) 35,000 feet

Airspace Classification and Operating Requirements — Sectional Chart Reading — Correct Answers

Correct: C. The segment extends from the surface to 4,000 ft MSL.

Correct: D. SFC denotes the surface.

Correct: B. MEFs help judge obstacle heights.

Correct: C. Large digits are thousands and small digits are hundreds.

Airspace Classification and Operating Requirements — Sectional Chart Reading — Questions (45-75s)

Obstacle heights on a sectional are shown as...

A) Only AGL
B) Height above ground level in parentheses and MSL elevation
C) Only MSL
D) Only meters

A lighted obstacle on a sectional is shown with...

A) A plain triangle
B) A symbol with rays at the top
C) A blue circle
D) A black bar

A group obstacle symbol indicates...

A) Several obstacles close together
B) A single obstacle
C) A tall tower
D) An airport

Restricted areas on a sectional are depicted by...

A) Magenta hatched lines
B) Green dots
C) Red lines
D) Blue hatched lines

Airspace Classification and Operating Requirements — Sectional Chart Reading — Correct Answers

Correct: B. Charts depict both elevations.

Correct: B. Lighted obstacles have ray symbols.

Correct: A. Groups are drawn as clustered obstacles.

Correct: D. Restricted areas use blue hatching.

Airspace Classification and Operating Requirements — Sectional Chart Reading — Questions (45-75s)

Military Operations Areas (MOAs) are depicted by...

A) Magenta hatched lines
B) Blue hatched lines
C) Green lines
D) No marking

Prohibited areas are labeled with...

A) P- followed by a number
B) R-
C) W-
D) A-

Restricted areas are labeled with...

A) P-
B) R- followed by a number
C) W-
D) A-

Warning areas are labeled with...

A) W- followed by a number
B) R-
C) P-
D) A-

Airspace Classification and Operating Requirements — Sectional Chart Reading — Correct Answers

Correct: A. MOAs use magenta hatching.

Correct: A. P-xx marks prohibited areas.

Correct: B. R-xx marks restricted areas.

Correct: A. W-xx marks warning areas.

Airspace Classification and Operating Requirements — Sectional Chart Reading — Questions (45-75s)

Alert areas are labeled with...

A) R-
B) A- followed by a number
C) P-
D) W-

A Military Training Route (MTR) is used by...

A) Drones only
B) Airliners
C) Helicopters only
D) Military aircraft flying at high speed at low altitude

Airport elevation on a chart is given in...

A) Feet above mean sea level
B) Feet AGL
C) Meters
D) Feet above ground

A chart's scale for a sectional is...

A) 1:100,000
B) 1:1,000,000
C) 1:50,000
D) 1:500,000

Airspace Classification and Operating Requirements — Sectional Chart Reading — Correct Answers

Correct: B. A-xx marks alert areas.

Correct: D. MTRs are for military training flights.

Correct: A. Airport elevation is MSL.

Correct: D. Sectional charts use a 1:500,000 scale.

Airspace Classification and Operating Requirements — Sectional Chart Reading — Questions (45-75s)

Sectional charts are revised every...

A) 56 days
B) 6 months
C) 1 year
D) 10 days

Isogonic lines on a chart show...

A) Wind
B) Terrain
C) Class E
D) Magnetic variation

A star on an airport symbol indicates...

A) A tower
B) A hospital
C) A rotating beacon
D) A heliport

A heliport on a sectional is depicted as...

A) A star
B) A circle with an H
C) A square
D) A triangle

Airspace Classification and Operating Requirements — Sectional Chart Reading — Correct Answers

Correct: A. Updated every 56 days.

Correct: D. Isogonic lines connect equal magnetic variation.

Correct: C. The star denotes a rotating beacon.

Correct: B. H symbols denote heliports.

A TFR is shown on a sectional chart...

A) In red
B) In blue
C) In green
D) Not shown; it must be checked via NOTAMs

Parachute jumping activity is shown on a sectional with...

A) A parachute symbol
B) A blue triangle
C) A green square
D) No symbol

Airspace Classification and Operating Requirements — Sectional Chart Reading — Correct Answers

Correct: D. TFRs are temporary and not charted.

Correct: A. Jump areas have a parachute symbol.

A NOTAM provides...

A) Weather forecasts only
B) Maintenance logs
C) Fuel prices
D) Time-critical aeronautical information such as hazards and TFRs

A Temporary Flight Restriction (TFR) is issued through...

A) A METAR
B) A NOTAM
C) A TAF
D) A PIREP

Where can a remote pilot check current TFRs?

A) Social media
B) A weather app only
C) Local news
D) tfr.faa.gov or approved FAA sources

The B4UFLY app helps drone pilots...

A) Register drones
B) Order parts
C) Determine airspace rules and restrictions
D) Store videos

Airspace Classification and Operating Requirements — Authorizations, TFRs, and Special Use Airspace — Correct Answers

Correct: D. NOTAMs alert pilots to unusual conditions.

Correct: B. TFRs are published via NOTAM.

Correct: D. TFR information is available from the FAA.

Correct: C. B4UFLY provides airspace information.

P-56 prohibited area is located...

A) Over Los Angeles
B) Over Chicago
C) Over Washington, D.C.
D) Over New York

Flying in prohibited airspace is...

A) Allowed
B) Not allowed without special permission
C) Allowed at night
D) Allowed under 100 feet

Restricted airspace contains...

A) Weather
B) Birds only
C) Wind
D) Unusual hazards such as artillery or missiles

A MOA is established to...

A) Hold weather
B) Ground aircraft
C) Allow only drones
D) Separate military training from IFR traffic

Airspace Classification and Operating Requirements — Authorizations, TFRs, and Special Use Airspace — Correct Answers

Correct: C. P-56 covers the National Mall area.

Correct: B. Prohibited areas bar entry without approval.

Correct: D. Restricted areas contain hazards to non-participating aircraft.

Correct: D. MOAs contain concentrated military training.

Flying a UA in a MOA is...

A) Always prohibited
B) Allowed without caution
C) Allowed but a pilot should check activity status
D) Only at night

Warning areas extend over...

A) Land only
B) Cities
C) International waters off the coast
D) Airports

Alert areas contain...

A) No activity
B) Weather
C) High volumes of pilot training or unusual aerial activity
D) Prohibited zones

A Special Flight Rules Area (SFRA) exists around...

A) Washington, D.C.
B) Miami
C) Seattle
D) Denver

Airspace Classification and Operating Requirements — Authorizations, TFRs, and Special Use Airspace — Correct Answers

Correct: C. MOAs are not prohibited but require caution.

Correct: C. Warning areas are over water.

Correct: C. Alert areas caution pilots of heavy activity.

Correct: A. The D.C. SFRA is a unique airspace.

Stadium TFRs generally apply to...

A) Any soccer game
B) Major sporting events with large crowds
C) Small parks
D) Schools

Wildfire TFRs are issued to...

A) Increase drone flights
B) Protect firefighting aircraft operations
C) Protect weather
D) Provide LAANC

Flying a drone near a wildfire can result in...

A) No effect
B) Firefighting aircraft being grounded
C) Better airflow
D) More water drops

Section 2209 restrictions protect...

A) Critical infrastructure facilities
B) Parks
C) Beaches
D) Roads

Airspace Classification and Operating Requirements — Authorizations, TFRs, and Special Use Airspace — Correct Answers

Correct: B. TFRs cover major events.

Correct: B. Drones interfere with firefighting aircraft.

Correct: B. Drones can halt aerial firefighting.

Correct: A. Restrictions protect designated infrastructure.

National Security UAS Flight Restrictions apply to...

A) All schools
B) All farms
C) All highways
D) Certain military and critical sites

A VIP movement TFR typically protects...

A) Weather
B) The President or other officials
C) Birds
D) Trains

A TFR for a disaster relief area is intended to...

A) Increase drone flights
B) Provide mapping
C) Reduce weather
D) Protect response operations

Operating inside LAANC-approved airspace requires...

A) Flying any altitude
B) Staying within the authorized altitude and time window
C) Ignoring time
D) No communications

Airspace Classification and Operating Requirements — Authorizations, TFRs, and Special Use Airspace — Correct Answers

Correct: D. NSUFR protects sensitive sites.

Correct: B. VIP TFRs temporarily restrict flights.

Correct: D. Drones can interfere with responders.

Correct: B. Authorization conditions must be followed.

LAANC authorization may be granted...

A) Automatically within UAS Facility Map limits
B) Only by phone
C) Only by mail
D) Only at night

An FAA authorization for restricted areas can be obtained from...

A) The pilot
B) The controlling agency
C) The FAA website only
D) Local police

A pilot unsure of airspace status should...

A) Fly anyway
B) Ask a friend
C) Consult chart, B4UFLY, NOTAMs, or ATC
D) Guess

LAANC requires the pilot to...

A) Call ATC
B) Use an FAA-approved UAS Service Supplier
C) Visit the tower
D) Pay the FAA

Airspace Classification and Operating Requirements — Authorizations, TFRs, and Special Use Airspace — Correct Answers

Correct: A. Grid-based approvals are automated.

Correct: B. The using agency controls access.

Correct: C. Verify using reliable sources.

Correct: B. USS apps provide LAANC access.

When flying in Class D airspace under LAANC, the pilot must...

A) Fly at any altitude

B) Land at the tower

C) Stay below the approved altitude

D) Turn off the drone

Correct: C. Authorizations impose a ceiling.

Airspace Classification and Operating Requirements — Operations Near Airports — Questions (45-75s)

A rotating airport beacon with alternating white and green flashes indicates...

A) A military airport
B) A heliport
C) A seaplane base
D) A lighted civilian land airport

A rotating beacon with two white flashes between green flashes indicates...

A) A civil airport
B) A military airport
C) A heliport
D) A hospital

A UA near a non-towered airport should...

A) Fly through the pattern
B) Ignore planes
C) Yield to manned aircraft and avoid the traffic pattern
D) Fly at night

The CTAF frequency is used for...

A) Weather
B) Registration
C) Tower control
D) Pilot communication at non-towered airports

Airspace Classification and Operating Requirements — Operations Near Airports — Correct Answers

Correct: D. White-green means a civil airport.

Correct: B. Dual white flashes mark military airports.

Correct: C. UAS must avoid conflicts.

Correct: D. CTAF is the common traffic advisory frequency.

Airspace Classification and Operating Requirements — Operations Near Airports — Questions (45-75s)

Standard airport traffic patterns use...

A) Left turns
B) Right turns
C) Straight lines
D) Circles only

A runway numbered 27 is oriented to approximately...

A) 270 degrees magnetic
B) 27 degrees
C) 180 degrees
D) 360 degrees

A runway number of 9 points toward...

A) West
B) North
C) East (90 degrees)
D) South

Wake turbulence is produced by...

A) Aircraft in flight, especially heavy ones
B) Birds
C) Drones only
D) Wind

Airspace Classification and Operating Requirements — Operations Near Airports — Correct Answers

Correct: A. Standard patterns use left turns.

Correct: A. Runway numbers are magnetic headings divided by 10.

Correct: C. Runway 9 is 090 degrees.

Correct: A. Wake turbulence is vortex flow from aircraft.

Airspace Classification and Operating Requirements — Operations Near Airports — Questions (45-75s)

A UA operating near a heliport should...

A) Fly over it
B) Hover over it
C) Avoid helicopter approach and departure paths
D) Ignore it

A seaplane base on a chart is shown as...

A) A star
B) A tower
C) A circle only
D) An anchor symbol

Using ATIS helps pilots...

A) Register
B) Order parts
C) File waivers
D) Get current airport weather and runway information

Which airspace exists around a non-towered airport with an instrument approach?

A) Class A
B) Class B
C) Class C
D) Class E (often surface or 700 feet AGL)

Airspace Classification and Operating Requirements — Operations Near Airports — Correct Answers

Correct: C. Heliport traffic is sensitive to drones.

Correct: D. Anchors mark seaplane bases.

Correct: D. ATIS provides airport data.

Correct: D. Such airports often have Class E surface areas.

Airspace Classification and Operating Requirements — Operations Near Airports — Questions (45-75s)

A UA operator near an airport should avoid...

A) Open fields
B) Parking lots
C) Approach and departure paths
D) Roads

Airports without towers still have...

A) No traffic
B) No airspace
C) Mandatory drone clearance
D) Aircraft operating without ATC clearances

A runway hold-short line indicates...

A) Parking
B) Drone launch point
C) Weather station
D) Where aircraft must stop before entering a runway

Airspace Classification and Operating Requirements — Operations Near Airports — Correct Answers

Correct: C. Those paths see low manned aircraft.

Correct: D. Traffic at uncontrolled airports can be busy.

Correct: D. Hold lines protect runway operations.

Weather — Weather Sources and Reports — Questions (45-75s)

A METAR is...

A) An hourly aviation surface weather observation
B) A forecast
C) A pilot report
D) A chart

A TAF is...

A) An observation
B) A terminal aerodrome forecast for an airport area
C) A pilot report
D) A chart

In a METAR, 'KJFK 121853Z' means...

A) JFK, 12th month
B) Airport JFK, 12th day, 18:53 UTC
C) A forecast
D) A fixed schedule

In METAR '28010KT', the wind is...

A) To 280 degrees at 10 knots
B) From 280 degrees at 10 knots
C) At 28 knots
D) At 10 degrees

Weather — Weather Sources and Reports — Correct Answers

Correct: A. METARs report current conditions.

Correct: B. TAFs forecast conditions for about 24-30 hours.

Correct: B. Z denotes Zulu (UTC) time.

Correct: B. Wind direction is where the wind comes from.

Weather — Weather Sources and Reports — Questions (45-75s)

In METAR '10SM', the visibility is...

A) 10 nautical miles
B) 10 statute miles
C) 1 mile
D) 10 meters

In METAR 'FEW040', the cloud layer is...

A) 40 clouds
B) 4,000 clouds
C) Overcast at 40 feet
D) Few clouds at 4,000 feet AGL

In METAR 'BKN025', the clouds are...

A) Few at 25 feet
B) Broken at 2,500 feet AGL
C) Overcast at 2,500
D) Scattered at 250

In a METAR, 'A3002' indicates...

A) Altimeter setting of 30.02 inches of mercury
B) Altitude 3,002
C) Wind 30 knots
D) Visibility 30

Weather — Weather Sources and Reports — Correct Answers

Correct: B. SM stands for statute miles.

Correct: D. FEW indicates 1/8 to 2/8 coverage; heights are in hundreds of feet.

Correct: B. BKN means 5/8 to 7/8 coverage.

Correct: A. A is altimeter in inHg.

Weather — Weather Sources and Reports — Questions (45-75s)

A PIREP is...

A) A forecast
B) A chart
C) A test
D) A pilot report of actual weather encountered

Official source for aviation weather briefings is...

A) 1800wxbrief.com or 1-800-WX-BRIEF
B) A social network
C) A TV station
D) A newspaper

Weather — Weather Sources and Reports — Correct Answers

Correct: D. PIREPs provide real-time observations.

Correct: A. Flight service provides official briefings.

Weather — Weather Effects — Questions (45-75s)

Fog is most likely when the temperature-dew point spread is...

A) Small, near 2-3 degrees Celsius or less
B) Large
C) Zero wind only
D) Above 20 degrees

Low-level wind shear is...

A) Steady wind
B) A cloud type
C) A pressure
D) A sudden change in wind speed or direction over a short distance

A microburst is...

A) A weak breeze
B) A cloud
C) A rainbow
D) A strong localized downdraft

Manned-aircraft guidance says to stay clear of severe thunderstorms by at least...

A) 1 mile
B) 5 miles
C) 2 miles
D) 20 miles

Weather — Weather Effects — Correct Answers

Correct: A. Narrow spread means near saturation.

Correct: D. Wind shear can upset small aircraft.

Correct: D. Microbursts are dangerous to aircraft.

Correct: D. FAA guidance recommends staying at least 20 miles from severe thunderstorms.

Weather — Weather Effects — Questions (45-75s)

Turbulence near buildings and obstructions is called...

A) Clear air turbulence
B) Mountain wave
C) Wake turbulence
D) Mechanical turbulence

A temperature inversion is...

A) Cooling with altitude
B) A cold front
C) A layer where temperature increases with altitude
D) A warm front

A cold front is typically associated with...

A) Gusty winds and rapid weather change
B) Calm weather
C) Steady haze
D) Warm air

Stable air generally produces...

A) Strong thunderstorms
B) Severe turbulence
C) Tornadoes
D) Smooth air and steady precipitation or stratus

Weather — Weather Effects — Correct Answers

Correct: D. Wind over obstacles creates eddies.

Correct: C. Inversions can trap haze and smoke.

Correct: A. Cold fronts bring abrupt changes.

Correct: D. Stability suppresses vertical movement.

Weather — Weather Effects — Questions (45-75s)

Unstable air generally produces...

A) Fog only
B) Perfect visibility
C) No clouds
D) Cumulus clouds and turbulence

Wind over mountains can create...

A) Mountain wave and turbulence
B) Calm air
C) No effect
D) Fog only

Weather — Weather Effects — Correct Answers

Correct: D. Unstable air favors vertical development.

Correct: A. Terrain enhances turbulence.

Weather — Atmosphere and Density Altitude — Questions (45-75s)

Density altitude is...

A) Altitude above ground
B) Altitude above sea level
C) Pressure altitude corrected for nonstandard temperature
D) Wind altitude

Which conditions create high density altitude?

A) Low elevation and cold
B) Sea level and cold
C) High elevation, high temperature, and high humidity
D) Night

High density altitude generally...

A) Improves performance
B) Reduces aircraft performance
C) No effect
D) Increases lift

Standard sea level pressure is...

A) 30.92
B) 29.92 inches of mercury
C) 28.92
D) 27.92

Weather — Atmosphere and Density Altitude — Correct Answers

Correct: C. It reflects air density's effect on performance.

Correct: C. These conditions thin the air.

Correct: B. Thin air reduces propeller efficiency and lift.

Correct: B. Standard pressure is 29.92 inHg.

Weather — Atmosphere and Density Altitude — Questions (45-75s)

Air pressure decreases as altitude...

A) Decreases

B) Increases

C) Stays the same

D) Doubles

Weather — Atmosphere and Density Altitude — Correct Answers

Correct: B. Pressure falls with height.

Loading and Performance — Weight, Balance, and Performance — Questions (45-75s)

Weight and balance affects a small UA's...

A) Color
B) Stability and performance
C) Price
D) Registration

The center of gravity (CG) is...

A) The point where an aircraft would balance
B) The aircraft's nose
C) A weather point
D) A battery

Adding payload far from the CG can...

A) Improve stability
B) Make the aircraft unstable
C) No effect
D) Increase altitude

The maximum takeoff weight for Part 107 is...

A) 25 pounds
B) 100 pounds
C) 5 pounds
D) Less than 55 pounds

Loading and Performance — Weight, Balance, and Performance — Correct Answers

Correct: B. Improper loading harms stability.

Correct: A. CG is the balance point.

Correct: B. Off-center payload shifts the CG.

Correct: D. The limit is under 55 pounds total.

Loading and Performance — Weight, Balance, and Performance — Questions (45-75s)

Overloading a UA can cause...

A) Reduced maneuverability and shorter flight time
B) Faster flight
C) Longer flight
D) Better handling

High density altitude reduces UA performance by...

A) Increasing thrust
B) Improving cooling
C) Reducing propeller thrust and lift
D) No effect

Cold temperatures can...

A) Increase battery capacity
B) Reduce battery capacity
C) Remove the need for checks
D) Increase GPS

Load factor in a steep turn...

A) Decreases
B) Stays constant
C) Is zero
D) Increases

Loading and Performance — Weight, Balance, and Performance — Correct Answers

Correct: A. Extra weight burdens the system.

Correct: C. Thinner air reduces thrust.

Correct: B. Batteries lose capacity in cold.

Correct: D. Load factor rises as bank angle increases.

Loading and Performance — Weight, Balance, and Performance — Questions (45-75s)

A heavier payload typically...

A) Extends flight time

B) Has no effect

C) Increases altitude

D) Shortens flight time

Wind can affect a UA's...

A) Registration

B) Weight

C) Label

D) Ground speed, battery use, and control

Loading and Performance — Weight, Balance, and Performance — Correct Answers

Correct: D. More weight draws more power.

Correct: D. Wind influences performance.

Operations — Aeronautical Decision-Making and CRM — Questions (45-75s)

The hazardous attitude 'Don't tell me what to do' is...

A) Anti-authority
B) Impulsivity
C) Invulnerability
D) Resignation

The antidote to anti-authority is...

A) Not so fast, think first
B) It could happen to me
C) Follow the rules; they are usually right
D) Taking chances is foolish

The hazardous attitude 'Do something quickly' is...

A) Macho
B) Impulsivity
C) Anti-authority
D) Resignation

The antidote to impulsivity is...

A) Follow the rules
B) Not so fast, think first
C) It could happen to me
D) I can do it

Operations — Aeronautical Decision-Making and CRM — Correct Answers

Correct: A. Anti-authority resists rules and guidance.

Correct: C. Rules exist for safety.

Correct: B. Impulsivity acts without thinking.

Correct: B. Pausing allows better decisions.

Operations — Aeronautical Decision-Making and CRM — Questions (45-75s)

The hazardous attitude 'It won't happen to me' is...

A) Macho
B) Resignation
C) Invulnerability
D) Impulsivity

The antidote to invulnerability is...

A) Follow the rules
B) Think first
C) It could happen to me
D) I'm not helpless

The hazardous attitude 'I can do it' is...

A) Resignation
B) Impulsivity
C) Anti-authority
D) Macho

The antidote to the macho attitude is...

A) Think first
B) Taking chances is foolish
C) Follow the rules
D) It could happen to me

Operations — Aeronautical Decision-Making and CRM — Correct Answers

Correct: C. Invulnerability underestimates risk.

Correct: C. Accept that accidents can happen to anyone.

Correct: D. Macho pilots take unnecessary risks to prove themselves.

Correct: B. Risk-taking is not a sign of skill.

Operations — Aeronautical Decision-Making and CRM — Questions (45-75s)

The hazardous attitude 'What's the use?' is...

A) Macho
B) Invulnerability
C) Anti-authority
D) Resignation

The antidote to resignation is...

A) Think first
B) I'm not helpless; I can make a difference
C) Follow the rules
D) It could happen to me

Crew Resource Management (CRM) includes...

A) Only checklists
B) Communication, workload management, and situational awareness
C) Only battery checks
D) Only weather

Situational awareness means...

A) Only watching the screen
B) Ignoring weather
C) Knowing what is happening around the aircraft and operation
D) Focusing on one task

Operations — Aeronautical Decision-Making and CRM — Correct Answers

Correct: D. Resignation means giving up.

Correct: B. Pilots can influence outcomes.

Correct: B. CRM uses all available resources.

Correct: C. It is awareness of the environment and status.

Operations — Aeronautical Decision-Making and CRM — Questions (45-75s)

Task saturation occurs when...

A) Workload is low
B) The pilot is asleep
C) Workload exceeds a pilot's capacity
D) The aircraft is idle

Complacency is dangerous because it...

A) Improves skill
B) Leads to reduced attention and skipped checks
C) Reduces risk
D) Improves safety

The PAVE checklist stands for...

A) Pilot, Aircraft, enVironment, External pressures
B) Plan, Act, Verify, Evaluate
C) Prepare, Assess, Validate, Execute
D) Pilot, Altitude, Visibility, Equipment

The 3P model of risk management is...

A) Plan, Prepare, Practice
B) Pilot, Plane, Passengers
C) Perceive, Process, Perform
D) Prevent, Protect, Prepare

Operations — Aeronautical Decision-Making and CRM — Correct Answers

Correct: C. Too many tasks overwhelm the pilot.

Correct: B. Routine can breed carelessness.

Correct: A. PAVE organizes risk factors.

Correct: C. 3P is a risk management tool.

Operations — Aeronautical Decision-Making and CRM — Questions (45-75s)

The 5P checklist includes...

A) Plan, Prepare, Practice, Perform, Pass
B) People, Place, Plane, Pilot, Policy
C) Pilot, Passengers, Plane, Plan, Power
D) Plan, Plane, Pilot, Passengers, Programming

The DECIDE model begins with...

A) Detect a change
B) Do the action
C) Evaluate results
D) Choose a plan

External pressures such as a client deadline can...

A) Improve safety
B) Reduce risk
C) Have no effect
D) Lead a pilot to take unsafe risks

'Get-there-itis' refers to...

A) A cold
B) A battery issue
C) A fixation on completing the mission despite hazards
D) A GPS error

Operations — Aeronautical Decision-Making and CRM — Correct Answers

Correct: D. 5P reviews five risk areas.

Correct: A. DECIDE starts with detecting a change.

Correct: D. Pressure can compromise decisions.

Correct: C. It is the urge to continue despite danger.

Operations — Aeronautical Decision-Making and CRM — Questions (45-75s)

A risk assessment matrix evaluates risk using...

A) Cost and color
B) Weight and speed
C) Time and place
D) Probability and severity

The best way to handle an identified high risk is to...

A) Mitigate it or cancel the flight
B) Ignore it
C) Hide it
D) Accept it

An error chain means...

A) A single mistake
B) A series of events leading to an accident
C) A tool
D) A battery

When pressure to complete a job conflicts with safety, the pilot should...

A) Rush the job
B) Ignore the weather
C) Prioritize safety and postpone
D) Skip checks

Operations — Aeronautical Decision-Making and CRM — Correct Answers

Correct: D. Risk = likelihood x severity.

Correct: A. High risks need mitigation or no-go.

Correct: B. Breaking one link can prevent an accident.

Correct: C. Safety comes first.

Operations — Aeronautical Decision-Making and CRM — Questions (45-75s)

Using a checklist helps to...

A) Slow the flight
B) Reduce errors and ensure consistency
C) Increase risk
D) Replace judgment

Over-reliance on automation can lead to...

A) Better awareness
B) More skill
C) Reduced situational awareness
D) Fewer errors always

Distractions during preflight can result in...

A) Missed items
B) Better checks
C) Faster flights
D) Safer decisions

Fixation on one task can cause...

A) Better focus on all tasks
B) Reduced workload
C) Loss of awareness of other hazards
D) Safer flight

Operations — Aeronautical Decision-Making and CRM — Correct Answers

Correct: B. Checklists support safe procedures.

Correct: C. Pilots must remain engaged.

Correct: A. Interruptions cause omissions.

Correct: C. Tunnel vision hides other risks.

Operations — Aeronautical Decision-Making and CRM — Questions (45-75s)

The PIC's go/no-go decision should be based on...

A) Risk assessment and conditions
B) Convenience
C) Client wishes
D) Habit

Good communication with a VO includes...

A) Clear, concise, and confirmed messages
B) Vague hints
C) Silence
D) Complaints

Operations — Aeronautical Decision-Making and CRM — Correct Answers

Correct: A. Decisions should reflect assessed risk.

Correct: A. Confirmed messages prevent errors.

Operations — Emergency Procedures and Lost Link — Questions (45-75s)

If a UA flies away and enters controlled airspace, the pilot should...

A) Ignore it
B) Wait
C) Contact ATC and report the situation
D) Call a friend

If the battery reaches a critical level during flight, the pilot should...

A) Continue the mission
B) Climb
C) Land immediately in the safest area
D) Ignore it

A pilot loses visual contact with the UA. The best action is to...

A) Stop or regain line of sight and follow lost-sight procedures
B) Continue
C) Fly blind
D) Climb

A properly set return-to-home (RTH) altitude should be...

A) Below trees
B) Zero
C) Higher than surrounding obstacles
D) Random

Operations — Emergency Procedures and Lost Link — Correct Answers

Correct: C. Notifying ATC helps protect manned aircraft.

Correct: C. Low battery requires immediate landing.

Correct: A. VLOS must be restored.

Correct: C. RTH must clear obstacles.

Operations — Emergency Procedures and Lost Link — Questions (45-75s)

Before takeoff, a pilot should confirm...

A) Nothing
B) The failsafe or lost-link behavior is configured
C) The color
D) The brand

If a manned aircraft approaches while the UA is flying, the pilot should...

A) Continue
B) Fly toward it
C) Hover
D) Immediately land or move clear and yield

A bird attacks a drone. The pilot should...

A) Chase it
B) Climb
C) Ignore it
D) Move away and land safely

If a UA motor fails in flight, the pilot should...

A) Keep flying
B) Try to land in a clear area and keep people safe
C) Fly over crowds
D) Turn off video

Operations — Emergency Procedures and Lost Link — Correct Answers

Correct: B. Failsafe configuration is critical.

Correct: D. UAS must yield.

Correct: D. Avoid escalating wildlife conflicts.

Correct: B. Safety of people first.

Operations — Emergency Procedures and Lost Link — Questions (45-75s)

The first priority in an emergency is...

A) Protecting people
B) Saving the drone
C) Saving footage
D) Finishing the job

A lithium battery on fire should be...

A) Picked up
B) Kept away from people and extinguished with appropriate means
C) Thrown in a car
D) Ignored

Signs of battery thermal runaway include...

A) Cold
B) Swelling, heat, hissing, or smoke
C) Silence
D) Good flight

GPS signal loss in flight should be handled by...

A) Switching to manual control and landing safely
B) Continuing normally
C) Climbing
D) Ignoring

Operations — Emergency Procedures and Lost Link — Correct Answers

Correct: A. Human safety comes first.

Correct: B. Lithium fires are dangerous.

Correct: B. Thermal runaway shows visible signs.

Correct: A. Be ready for manual flight.

Operations — Emergency Procedures and Lost Link — Questions (45-75s)

If a pilot receives a low-battery warning, the correct response is...

A) Land immediately
B) Continue
C) Ignore
D) Climb

A pilot should have an emergency plan that includes...

A) No plan
B) Alternate landing areas and contact information
C) A guess
D) A single route

If a drone is about to strike a person, the pilot should...

A) Protect the drone
B) Maneuver to avoid people even at the cost of the aircraft
C) Do nothing
D) Climb

The remote PIC may deviate from rules in an emergency...

A) To the extent necessary to meet the emergency
B) Never
C) Always
D) At night only

Operations — Emergency Procedures and Lost Link — Correct Answers

Correct: A. Landing prevents a crash.

Correct: B. Planning helps decisions.

Correct: B. Safety of persons is paramount.

Correct: A. In-flight emergency authority is allowed.

Operations — Emergency Procedures and Lost Link — Questions (45-75s)

If communications are lost with a UA in Class B airspace, the pilot should...

A) Notify ATC as soon as practicable
B) Do nothing
C) Fly closer
D) Wait

Loss of the control link may be caused by...

A) Interference or distance
B) Good weather
C) Low wind
D) Daylight

A pilot who has a flyaway should...

A) Ignore it
B) Keep silent
C) Blame others
D) Report as required and attempt to follow the lost-link path

During an emergency landing, the pilot should choose...

A) A crowded area
B) A road
C) A roof
D) A clear area away from people and obstacles

Operations — Emergency Procedures and Lost Link — Correct Answers

Correct: A. ATC should be informed.

Correct: A. Link loss can come from interference or range.

Correct: D. Responsible pilots report events.

Correct: D. Choose the safest location.

Operations — Radio Communications and Phraseology — Questions (30-45s)

The aviation phonetic word for the letter 'A' is...

A) Alpha
B) Apple
C) Able
D) Alfa Tango

The aviation phonetic word for 'N' is...

A) Nancy
B) Nick
C) November
D) North

In aviation, the number '9' is spoken as...

A) Nine
B) Nein
C) Niner
D) Ninth

In aviation, '3' is spoken as...

A) Three
B) Tree
C) Free
D) Thirty

Operations — Radio Communications and Phraseology — Correct Answers

Correct: A. Alpha is the standard phonetic word.

Correct: C. N is November.

Correct: C. Niner prevents confusion with 'five'.

Correct: B. Tree is the standard pronunciation.

Operations — Radio Communications and Phraseology — Questions (30-45s)

The phrase 'Say again' means...

A) Stop
B) Yes
C) Repeat your last transmission
D) No

The phrase 'Roger' means...

A) Yes
B) No
C) I have received all of your last transmission
D) Wait

The phrase 'Wilco' means...

A) I received
B) Say again
C) Stand by
D) I will comply

The phrase 'Affirmative' means...

A) No
B) Yes
C) Maybe
D) Stand by

Operations — Radio Communications and Phraseology — Correct Answers

Correct: C. It requests a repeat.

Correct: C. Roger acknowledges receipt.

Correct: D. Wilco is short for 'will comply'.

Correct: B. Affirmative is yes.

Operations — Radio Communications and Phraseology — Questions (30-45s)

The phrase 'Negative' means...

A) Yes
B) Maybe
C) No or permission not granted
D) Repeat

The distress call is...

A) Pan-Pan
B) Roger
C) Mayday
D) Wilco

The urgency call is...

A) Mayday
B) Roger
C) Wilco
D) Pan-Pan

The emergency radio frequency is...

A) 122.9 MHz
B) 118.0 MHz
C) 121.5 MHz
D) 123.0 MHz

Operations — Radio Communications and Phraseology — Correct Answers

Correct: C. Negative is no.

Correct: C. Mayday signals grave danger.

Correct: D. Pan-Pan is urgency but not distress.

Correct: C. 121.5 is the international aeronautical emergency frequency.

Operations — Radio Communications and Phraseology — Questions (30-45s)

The 'Z' in a time such as 1853Z stands for...

A) Zone time
B) Zulu (UTC) time
C) Zero time
D) Zenith

A UNICOM frequency is used for...

A) ATC clearance
B) Weather charts
C) Registration
D) Advisory communication at non-towered airports

A pilot should read back...

A) Critical instructions to confirm understanding
B) Nothing
C) Only the weather
D) Only numbers

Operations — Radio Communications and Phraseology — Correct Answers

Correct: B. Z denotes Coordinated Universal Time.

Correct: D. UNICOM provides advisories.

Correct: A. Read-back prevents misunderstandings.

Operations — Airport Signals and Markings — Questions (45-75s)

A steady green light gun signal to an aircraft in flight means...

A) Return for landing
B) Give way
C) Cleared to land
D) Airport unsafe

A flashing green light gun signal to an aircraft in flight means...

A) Cleared to land
B) Return for landing
C) Airport unsafe
D) Cleared to taxi

A steady red light gun signal to an aircraft in flight means...

A) Cleared to land
B) Return
C) Cleared to taxi
D) Give way to other aircraft and continue circling

A flashing red light gun signal to an aircraft in flight means...

A) Cleared to land
B) Airport unsafe; do not land
C) Return
D) Taxi clear

Operations — Airport Signals and Markings — Correct Answers

Correct: C. Steady green clears for landing.

Correct: B. Flashing green means return for landing.

Correct: D. Steady red means give way.

Correct: B. Flashing red: unsafe.

Operations — Airport Signals and Markings — Questions (45-75s)

An alternating red and green light signal means...

A) Cleared to land

B) Return

C) Exercise extreme caution

D) Cleared to taxi

A flashing white light signal to an aircraft on the ground means...

A) Cleared to taxi

B) Return to starting point on the airport

C) Stop

D) Land

Taxiway centerlines are...

A) White

B) Yellow

C) Red

D) Blue

Runway markings are...

A) Yellow

B) White

C) Red

D) Green

Operations — Airport Signals and Markings — Correct Answers

Correct: C. It is a warning signal.

Correct: B. Flashing white returns aircraft to start.

Correct: B. Taxiway markings are yellow.

Correct: B. Runway markings are white.

Operations — Airport Signals and Markings — Questions (45-75s)

A runway holding position marking consists of...

A) A white line
B) A red line
C) A blue line
D) Four yellow lines, two solid and two dashed

A runway threshold marking is...

A) A yellow line
B) A series of white stripes at the runway end
C) A red block
D) A black bar

Displaced threshold arrows are used...

A) To mark a taxiway
B) To mark the part of the runway not usable for landing
C) To mark parking
D) To mark weather

Closed runway or taxiway is marked with...

A) A green line
B) A blue circle
C) A yellow or white X
D) Nothing

Operations — Airport Signals and Markings — Correct Answers

Correct: D. These marking tell aircraft where to hold.

Correct: B. Threshold marks the start of landing area.

Correct: B. Displaced thresholds shorten landing area.

Correct: C. X marks closed surfaces.

Operations — Airport Signals and Markings — Questions (45-75s)

Airport lighting such as blue lights mark...

A) Runway edges
B) Taxiway edges
C) Parking
D) Hangars

Runway edge lights are...

A) Blue
B) White
C) Green
D) Red

Green lights at the runway end mark...

A) A taxiway
B) The runway threshold
C) A hangar
D) A tower

Operations — Airport Signals and Markings — Correct Answers

Correct: B. Blue lights outline taxiways.

Correct: B. Runway edge lights are white.

Correct: B. Green identifies the start of the runway.

Operations — Physiology and Human Factors — Questions (45-75s)

Alcohol impairs judgment and...

A) Does not affect pilots
B) Its effects are increased at higher altitude
C) Improves skill
D) Improves vision

Vision at night relies on...

A) Rods
B) Cones
C) Lens
D) Iris

Cones are responsible for...

A) Night vision
B) Peripheral vision
C) Color vision and detail in bright light
D) Balance

The blind spot in the eye is where...

A) Light is bright
B) Color is lost
C) Pupils form
D) The optic nerve connects to the retina

Operations — Physiology and Human Factors — Correct Answers

Correct: B. Alcohol's effects intensify with altitude.

Correct: A. Rods handle low light.

Correct: C. Cones detect color and detail.

Correct: D. No receptor cells exist at the optic nerve.

Operations — Physiology and Human Factors — Questions (45-75s)

Hypoxia is...

A) Too much oxygen
B) Dehydration
C) Insufficient oxygen reaching the body's tissues
D) Hyperventilation

Spatial disorientation is...

A) A weather term
B) A battery fault
C) A loss of orientation relative to the horizon or aircraft
D) A radio call

Fatigue that builds up over several days is called...

A) Acute fatigue
B) Chronic fatigue
C) Hypoxia
D) Hyperventilation

Short-term fatigue from lack of sleep is...

A) Acute fatigue
B) Chronic fatigue
C) Hypoxia
D) Dehydration

Operations — Physiology and Human Factors — Correct Answers

Correct: C. It impairs judgment and vision.

Correct: C. Illusions can cause it.

Correct: B. Chronic fatigue results from prolonged stress and poor rest.

Correct: A. Acute fatigue is temporary.

Operations — Physiology and Human Factors — Questions (45-75s)

Over-the-counter medications can...

A) Always help
B) Improve skills
C) Have no effect
D) Impair alertness and judgment

Stress can...

A) Improve it
B) Eliminate fatigue
C) Reduce decision-making ability
D) Fix vision

The vestibular system in the inner ear helps a pilot sense...

A) Color
B) Taste
C) Balance and spatial orientation
D) Sound pitch only

The best prevention for fatigue is...

A) Caffeine only
B) Skipping meals
C) Working longer
D) Adequate rest

Operations — Physiology and Human Factors — Correct Answers

Correct: D. Even OTC drugs may impair.

Correct: C. Stress degrades performance.

Correct: C. The inner ear provides balance information, which illusions can confuse.

Correct: D. Rest is the only real cure.

Operations — Physiology and Human Factors — Questions (45-75s)

Noise and vibration can contribute to...

A) Better performance
B) Higher altitude
C) Fatigue and reduced performance
D) Weather

A pilot with a cold should consider that...

A) Colds are harmless
B) Colds improve focus
C) Colds prevent errors
D) Congestion can affect concentration and ear pressure

Medication use should be...

A) Cleared with a medical provider before flying
B) Ignored
C) Doubled
D) Shared

Operations — Physiology and Human Factors — Correct Answers

Correct: C. Environmental stress affects performance.

Correct: D. Illness impairs flying.

Correct: A. Consult a professional.

Operations — Battery Safety and Maintenance — Questions (45-75s)

Lithium polymer batteries should be stored at about...

A) 100 percent charge
B) 0 percent charge
C) 40-60 percent charge
D) Any charge

A LiPo battery should never be charged...

A) At room temperature
B) With the proper charger
C) In a safe place
D) Unattended

Which charger should be used for a LiPo battery?

A) One approved by the manufacturer
B) Any charger
C) A car charger
D) A solar charger

A punctured battery should be...

A) Used again
B) Charged
C) Taped
D) Removed from service and handled with care

Operations — Battery Safety and Maintenance — Correct Answers

Correct: C. Partial charge is best for long storage.

Correct: D. Charging requires supervision.

Correct: A. Use the correct charger.

Correct: D. Damaged batteries can ignite.

Operations — Battery Safety and Maintenance — Questions (45-75s)

Cold weather can reduce...

A) Battery capacity and flight time
B) Weight
C) Altitude
D) Speed

Before cold-weather flight, batteries should be...

A) Left cold
B) Frozen
C) Overcharged
D) Warmed to the recommended temperature

The safest way to transport LiPo batteries is in...

A) A pocket
B) A glove box
C) A paper bag
D) A fire-resistant bag

A swollen battery indicates...

A) A new battery
B) A fully charged battery
C) Internal damage and fire risk
D) Good health

Operations — Battery Safety and Maintenance — Correct Answers

Correct: A. Cold hurts battery chemistry.

Correct: D. Warm batteries perform better.

Correct: D. Fire-resistant containers reduce risk.

Correct: C. Swelling means gas buildup.

Operations — Battery Safety and Maintenance — Questions (45-75s)

Low-voltage cutoff exists to...

A) Protect the battery and warn of low power
B) Improve camera
C) Shorten flight
D) Increase weight

Propellers should be inspected for...

A) Color
B) Brand
C) Cracks and nicks before each flight
D) Stickers

Loose connectors can cause...

A) Better performance
B) Longer flight
C) Power loss or in-flight failure
D) Lower weight

Firmware and software should be...

A) Never updated
B) Updated in flight
C) Disabled
D) Kept up to date per the manufacturer

Operations — Battery Safety and Maintenance — Correct Answers

Correct: A. It prevents deep discharge.

Correct: C. Damage can cause failure.

Correct: C. Connections must be secure.

Correct: D. Updates may fix bugs.

Operations — Battery Safety and Maintenance — Questions (45-75s)

Motors should be checked for...

A) Color
B) Smooth rotation and no excess heat
C) Sticker
D) Weight

A pilot should discard a battery that...

A) Is swollen, punctured, or overheated
B) Is new
C) Is fully charged
D) Is cool

Batteries should be allowed to cool before...

A) Takeoff
B) Storage
C) Weighing
D) Charging after a flight

Operations — Battery Safety and Maintenance — Correct Answers

Correct: B. Motor condition matters.

Correct: A. Damaged batteries are unsafe.

Correct: D. Hot batteries should cool before charging.

Operations — Flight Planning and Site Inspection — Questions (45-75s)

A site survey before flight should identify...

A) Only the weather
B) Only the airport
C) Only the color
D) Power lines, trees, people, and other hazards

Before flight, the pilot should select...

A) Any area
B) A crowded area
C) A safe launch and recovery area
D) A road

Power lines are dangerous because they are...

A) Easy to see
B) Harmless
C) Short
D) Hard to see and can cause entanglement

Electromagnetic interference can come from...

A) Clouds
B) Power lines, towers, and metal structures
C) Birds
D) Grass

Operations — Flight Planning and Site Inspection — Correct Answers

Correct: D. Hazards must be located before flight.

Correct: C. A clear site is safer.

Correct: D. Wires are low-visibility hazards.

Correct: B. EMI affects compass and links.

Operations — Flight Planning and Site Inspection — Questions (45-75s)

Pilots should check NOTAMs...

A) Never
B) Once a year
C) Before each flight
D) After flight

A pre-flight briefing with crew should include...

A) Nothing
B) Roles, emergency plans, and communication
C) Jokes
D) Only music

Flying over private property requires...

A) Nothing
B) FAA permission only
C) Compliance with Part 107 and local privacy laws
D) Neighbor's permission always

Flight over bystanders should be...

A) Avoided unless compliant with Part 107
B) Encouraged
C) Required
D) Common

Operations — Flight Planning and Site Inspection — Correct Answers

Correct: C. NOTAMs reveal hazards and restrictions.

Correct: B. Briefings improve safety.

Correct: C. Both federal and local rules may apply.

Correct: A. Avoiding people reduces risk.

Operations — Flight Planning and Site Inspection — Questions (45-75s)

When planning a flight, battery planning should include...

A) Reserve capacity for return and landing
B) Using all power
C) Ignoring reserves
D) Only 5 minutes

The best landing zone is...

A) A road
B) A flat, clear area away from people
C) A crowd
D) A roof

Setting a geofence on a drone is...

A) Required by law
B) Not helpful
C) A tool but not a replacement for pilot responsibility
D) Prohibited

Wildlife in the flight area should be...

A) Considered and avoided
B) Chased
C) Ignored
D) Photographed up close

Operations — Flight Planning and Site Inspection — Correct Answers

Correct: A. Reserves prevent emergencies.

Correct: B. A clear zone reduces hazards.

Correct: C. Geofencing assists but does not remove duty.

Correct: A. Respect wildlife and minimize disturbance.

Operations — Flight Planning and Site Inspection — Questions (45-75s)

A written flight plan or checklist can help to...

A) Increase risk
B) Slow the flight
C) Replace judgment
D) Ensure consistency and reduce errors

Having a contingency plan means...

A) Knowing what to do if something goes wrong
B) Hoping for the best
C) Ignoring risk
D) Flying faster

An environment with strong glare or sun can...

A) Make it harder to see the aircraft
B) Improve visibility
C) Increase battery
D) Reduce wind

Operations — Flight Planning and Site Inspection — Correct Answers

Correct: D. Plans support safety.

Correct: A. Plan alternatives before flight.

Correct: A. Glare affects VLOS.