<Final Project>

<Alejandro Gil>

<Feb 6, 2024>

IBM Developer

SKILLS NETWORK

OUTLINE

- Executive Summary
- Introduction
- Methodology
- Results
  - Visualization – Charts
  - Dashboard
- Discussion
  - Findings & Implications
- Conclusion
- Appendix

EXECUTIVE SUMMARY

- Summary of methodologies
  - Data Collection through API
  - Data Collection with Web Scraping
  - Data Wrangling
  - Exploratory Data Analysis with SQL
  - Exploratory Data Analysis with Data Visualization
  - Interactive Visual Analytics with Folium
  - Machine Learning Prediction
- Summary of all results
  - Exploratory Data Analysis result
  - Interactive analytics in screenshots
  - Predictive Analytics result

INTRODUCTION

- Project background and context
- Space X advertises Falcon 9 rocket launches on its website with a cost of 62 million dollars; other providers cost upward of 165 million dollars each, much of the savings is because Space X can reuse the first stage. Therefore, if we can determine if the first stage will land, we can determine the cost of a launch. This information can be used if an alternate company wants to bid against space X for a rocket launch. This goal of the project is to create a machine learning pipeline to predict if the first stage will land successfully.
- Problems you want to find answers
  - What factors determine if the rocket will land successfully?
  - The interaction amongst various features that determine the success rate of a successful landing.
  - What operating conditions needs to be in place to ensure a successful landing program.

METHODOLOGY

- Executive Summary
- Data collection methodology:
  - Data was collected using SpaceX API and web scraping from Wikipedia.
- Perform data wrangling
  - One-hot encoding was applied to categorical features
- Perform exploratory data analysis (EDA) using visualization and SQL
- Perform interactive visual analytics using Folium and Plotly Dash
- Perform predictive analysis using classification models
  - How to build, tune, evaluate classification models

Data Collection

- The data was collected using various methods
  - Data collection was done using get request to the SpaceX API.
  - Next, we decoded the response content as a Json using .json() function call and turn it into a pandas dataframe using .json_normalize().
  - We then cleaned the data, checked for missing values and fill in missing values where necessary.
  - In addition, we performed web scraping from Wikipedia for Falcon 9 launch records with BeautifulSoup.
  - The objective was to extract the launch records as HTML table, parse the table and convert it to a pandas dataframe for future analysis.

Data Collection – Data Cleansing

- We applied web scrapping to webscrap Falcon 9 launch records with BeautifulSoup
- We parsed the table and converted it into a pandas dataframe.

1. Apply HTTP Get method to request the Falcon 9 rocket launch page

```
In [4]: static_url = "https://en.wikipedia.org/w/index.php?title=List_of_Falcon_9_and_Falcon_Heavy_launches&oldid=1027686922"
```

```
In [5]: # use requests.get() method with the provided static_url
        # assign the response to a object
        html_data = requests.get(static_url)
        html_data.status_code

Out[5]: 200
```

2. Create a BeautifulSoup object from the HTML response

```
In [6]: # Use BeautifulSoup() to create a BeautifulSoup object from a response text content
        soup = BeautifulSoup(html_data.text, 'html.parser')
```

Print the page title to verify if the `BeautifulSoup` object was created properly

```
In [7]: # Use soup.title attribute
        soup.title

Out[7]: <title>List of Falcon 9 and Falcon Heavy launches - Wikipedia</title>
```

3. Extract all column names from the HTML table header

```
In [10]: column_names = []

         # Apply find_all() function with `th` element on first_launch_table
         # Iterate each th element and apply the provided extract_column_from_header() to get a column name
         # Append the Non-empty column name (`if name is not None and len(name) > 0`) into a list called column_names

         element = soup.find_all('th')
         for row in range(len(element)):
             try:
                 name = extract_column_from_header(element[row])
                 if (name is not None and len(name) > 0):
                     column_names.append(name)
             except:
                 pass
```

4. Create a dataframe by parsing the launch HTML tables
5. Export data to csv

Data Wrangling

- We performed exploratory data analysis and determined the training labels.
- We calculated the number of launches at each site, and the number and occurrence of each orbits
- We created landing outcome label from outcome column and exported the results to csv.



EDA with SQL

- We carried out various tasks to find mout more about type of boosters used, landing sites, dates, mission outcomes, etc.

Task 2

Display 5 records where launch sites begin with the string 'CCA'

```
5]: %sql select * from SPACEXTBL where Launch_Site like 'CCA%' limit 5;
```

```
 * sqlite:///my_data1.db
Done.
```

5]:

Date	Time (UTC)	Booster_Version	Launch_Site	Payload	PAYLOAD_MASS__KG_	Orbit	Customer	Mission_Outcome	Landing_Outcome
2010-06-04	18:45:00	F9 v1.0 B0003	CCAFS LC-40	Dragon Spacecraft Qualification Unit	0	LEO	SpaceX	Success	Failure (parachute)
2010-12-08	15:43:00	F9 v1.0 B0004	CCAFS LC-40	Dragon demo flight C1, two CubeSats, barrel of Brouere cheese	0	LEO (ISS)	NASA (COTS) NRO	Success	Failure (parachute)
2012-05-22	7:44:00	F9 v1.0 B0005	CCAFS LC-40	Dragon demo flight C2	525	LEO (ISS)	NASA (COTS)	Success	No attempt
2012-10-08	0:35:00	F9 v1.0 B0006	CCAFS LC-40	SpaceX CRS-1	500	LEO (ISS)	NASA (CRS)	Success	No attempt
2013-03-01	15:10:00	F9 v1.0 B0007	CCAFS LC-40	SpaceX CRS-2	677	LEO (ISS)	NASA (CRS)	Success	No attempt

Task 3

Display the total payload mass carried by boosters launched by NASA (CRS)

```
3]: %sql select SUM(PAYLOAD_MASS__KG_) from SPACEXTBL where Customer is 'NASA (CRS)';
```

Would you like to receive official Jupyter news?

EDA - Data Visualization

- We explored the data by visualizing the relationship between flight number and launch Site, payload and launch site, success rate of each orbit type, flight number and orbit type, the launch success yearly trend.



Interactive Map with Folium

- We marked all launch sites, and added map objects such as markers, circles, lines to mark the success or failure of launches for each site on the folium map.
- We assigned the feature launch outcomes (failure or success) to class 0 and 1.i.e., 0 for failure, and 1 for success.
- Using the color-labeled marker clusters, we identified which launch sites have relatively high success rate.
- We calculated the distances between a launch site to its proximities. We answered some question for instance:
  - Are launch sites near railways, highways and coastlines.
  - Do launch sites keep certain distance away from cities.



Predictive Analysis

- We loaded the data using numpy and pandas, transformed the data, split our data into training and testing.
- We built different machine learning models and tune different hyperparameters using GridSearchCV.
- We used accuracy as the metric for our model, improved the model using feature engineering and algorithm tuning.
- We found the best performing classification model.

TASK 9

Calculate the accuracy of tree_cv on the test data using the method `score` :

```
print("test set accuracy :",tree_cv.score(X_test, Y_test))
```

```
test set accuracy : 0.8888888888888888
```

We can plot the confusion matrix

```
yhat = tree_cv.predict(X_test)
plot_confusion_matrix(Y_test,yhat)
```



IBM Developer
SKILLS NETWORK

CONCLUSION

- We can conclude that:
- The larger the flight amount at a launch site, the greater the success rate at a launch site.
- Launch success rate started to increase in 2013 till 2020.
- Orbits ES-L1, GEO, HEO, SSO, VLEO had the most success rate.
- KSC LC-39A had the most successful launches of any sites.
- The Decision tree classifier is the best machine learning algorithm for this task.

Thank You

APPENDIX

- Include any relevant additional charts, or tables that you may have created during the analysis phase.

JOB POSTINGS

In Module 1 you have collected the job posting data using Job API in a file named “job-postings.xlsx”. Present that data using a bar chart here. Order the bar chart in the descending order of the number of job postings.

POPULAR LANGUAGES

In Module 1 you have collected the job postings data using web scraping in a file named "popular-languages.csv". Present that data using a bar chart here. Order the bar chart in the descending order of salary.