

GD Intelligence

Google Ads API Tool Design and Security Documentation

Organization	Productora Green Diamond
Manager account (MCC)	127-404-8292
Google Cloud project number	888433678265
Tool audience	Internal employees and authorized contractors only
Access model	Read-only reporting and analysis
Document date	August 24, 2026

Purpose

GD Intelligence is an internal business intelligence platform used by Green Diamond to consolidate sales, finance, website analytics, SEO and paid media performance. The Google Ads integration retrieves reporting data from advertising accounts owned or managed by Green Diamond and presents it to authorized internal users.

The integration does not create or modify campaigns, ads, keywords, audiences, budgets, bids, billing settings or account permissions. Its Google Ads adapter implements reporting requests only.

1. Business model and users

Green Diamond operates event production, food service and mobile cart brands in Chile. Advertising accounts are used to promote the organization's own products and services. GD Intelligence is not sold, licensed or exposed as a public application.

Authorized users

- Company administrators who configure integrations and assign account-to-brand mappings.
- Control de Gestion and finance personnel who analyze marketing spend, leads, quotes, sales and profitability.
- Marketing employees and authorized contractors who review campaign and search-term performance.

Intended decisions

- Compare spend, impressions, clicks, conversions and conversion value by brand, campaign and date.
- Connect paid media performance with CRM leads, quotes and sales using privacy-preserving click identifiers.
- Review search terms, creative inventory and performance trends.
- Detect reporting gaps, stale synchronization and material changes for internal follow-up.

Explicitly excluded operations

- No campaign, ad, asset, keyword, audience, budget or bidding mutations.
- No automated optimization actions and no automatic spend changes.
- No resale, benchmarking service or access for external clients or the general public.

2. System architecture

Google Ads	Read-only API adapter	GD Intelligence	Internal users
Owned and managed advertising accounts	OAuth 2.0 + developer token GET and searchStream reporting calls	PostgreSQL reporting store FastAPI service Role-based web dashboard	Admin Control de Gestion Marketing
Campaign and reporting resources	Validation, normalization and safe error handling	Daily metrics, entities, search terms and hashed click references	Read-only dashboards and exports

Data flow

- An authorized administrator completes OAuth consent for the Google Ads read scope.
- The server stores the refresh credential encrypted and keeps the developer token in protected server configuration.
- A scheduled or manually triggered synchronization requests accessible accounts and reporting resources.
- Provider responses are normalized and upserted into internal reporting tables using stable external identifiers.
- Dashboards query the internal reporting store; normal users do not call Google Ads directly.

Google Ads resources queried

Resource	Purpose	Stored fields
customer	Discover authorized accounts	Account ID, name, currency, time zone, status
campaign	Daily performance	Campaign ID/name/status/type, date, device, cost, impressions, clicks, conversions, value
ad_group_ad	Creative inventory	Campaign, ad group and ad identifiers, names and statuses
search_term_view	Search analysis	Search term, match type and aggregated performance
click_view	Internal attribution	Hashed GCLID reference, timestamp and advertising entity identifiers

3. User interface and workflow

Integration setup

- The integration center shows whether backend credentials are configured and whether an account has been authorized.
- An authorized administrator discovers accessible Google Ads accounts and links each selected account to the corresponding Green Diamond brand/site.
- The UI never displays OAuth refresh credentials or the developer token.

Reporting workflow

- Executive summary: spend, clicks, conversions and data freshness across linked brands.
- Attribution view: paid-media metrics compared with CRM leads, quotations and completed sales.
- Search-term view: aggregated terms and performance for internal marketing review.
- Creative inventory: campaign, ad group and ad status review without mutation controls.
- Alerts and readiness: stale data, missing account mappings and connector errors are reported with safe error codes.

Account selection controls

Account discovery returns the advertising accounts available to the authorized Google identity. An administrator explicitly selects an account and associates it with one or more internal site records. The application does not automatically expose every discovered account to all users.

Role-based access

Role	Capabilities
Administrator	Authorize Google, discover accounts, maintain account-to-brand mappings, trigger synchronization and view reports.
Control de Gestion	View and analyze paid media, sales and finance reporting; may trigger approved reporting workflows according to assigned permissions.
Marketing	View permitted paid media reports and analysis for assigned brands.
Other CRM roles	No access unless explicitly granted through the internal permission matrix.

4. Security, privacy and operational controls

Credential protection

- OAuth 2.0 is used for delegated authorization with the Google Ads scope.
- Refresh credentials are encrypted at rest; the encryption key and developer token are held outside source code in protected server configuration.
- Secrets are never returned by public status endpoints and are never rendered in the BI dashboard.
- The production service is reachable only through the organization's authenticated CRM and controlled network path.

Least privilege and mutation prevention

- The Google Ads adapter exposes account discovery and reporting synchronization methods only.
- The implementation uses `customers:listAccessibleCustomers` and `googleAds:searchStream` reporting requests.
- There are no mutate endpoints, campaign editors, budget controls or bid controls in the integration.
- Internal permissions separate viewing, configuration and synchronization actions.

Data minimization

- Only fields required for reporting, attribution and account mapping are retained.
- Click identifiers are transformed to one-way hashes before storage; raw GCLIDs are not retained in reporting tables.
- No Google profile, Gmail or Drive content is requested for the Google Ads integration.

Audit and reliability

- Authorization, account selection, synchronization and connector errors are logged with actor and timestamp.
- Synchronization uses idempotent upserts to reduce duplicate reporting rows.
- Errors presented to users are sanitized and do not expose provider tokens or raw provider responses.
- Data freshness and last successful synchronization are visible to authorized users.

Revocation and incident response

- Administrators can disconnect the integration while preserving historical reporting records.
- Credentials can be revoked at Google and rotated in the protected server configuration.
- If unauthorized access is suspected, the integration is disabled, credentials are revoked, audit logs are reviewed and affected users are notified according to company procedure.

5. API usage summary

Operation	Method	Frequency	Mutation
List accessible customers	GET	On account discovery	No
Customer metadata	searchStream	On discovery/sync	No
Campaign daily metrics	searchStream	Scheduled and manual reporting sync	No
Ad entity inventory	searchStream	Scheduled reporting sync	No
Search terms	searchStream	Scheduled reporting sync	No
Click references	searchStream	Maximum 90-day reporting window	No

Volume and quota approach

The tool is intended for a limited set of Green Diamond advertising accounts. It requests bounded date ranges, uses daily aggregation for metrics and avoids unnecessary repeated calls. Synchronization frequency is controlled by internal jobs and manual administrative actions. Provider errors and quota responses stop the affected synchronization and are logged for review.

Compliance statement

Productora Green Diamond will use the developer token only for this internal reporting tool and only for advertising accounts it is authorized to access. The organization will maintain accurate API contact information, comply with Google Ads API policies and keep the application restricted to its documented read-only purpose.