BIRP

The Home Canary

A physical bird that makes
room conditions visible.



Engineering partner discussion

Michael Gee • Founder

A clearer signal in the room

Working hypothesis

A glanceable bird and halo could help people notice a change and check the reading that caused it.

First audience to test

People who want simple room-level air awareness at home.



Concept illustration. Demand is unvalidated.

The bird moves around the perimeter

A physical bird outside a 5-inch round display

Condition	Bird position	Supporting signal
Better	Top	Teal halo and readings
Needs attention	Partway down	Amber halo and visible cause
Higher concern	Bottom	Red halo and visible cause

Proposed states. Thresholds and mechanism remain unvalidated.

Missing readings get an explicit status. Body tilt is a separate motion.

Standalone core, optional connected services

Core experience

Room readings on the display

Bird and halo in the room

Useful without an app or subscription

Broader product vision

Optional app and smart-home links

Camera and video intercom

Multiple room units with a master unit

Product requirements and roadmap goals. Hardware and services are not implemented.

Original design direction



Round display and light halo

Wall or stand mounting concept

Baby, pet, plant and greenhouse use cases to explore

Original concept artwork. Labels and assembly are not a build specification.

A documented concept, ready for review

Available today

Original product artwork

Four-page invention brief

Browser simulation of bird states

Draft control and fault behavior

Evidence still needed

Working physical mechanism

Integrated sensors and firmware

User understanding and demand

Cost and manufacturing feasibility

The browser demo uses simulated input. No physical prototype has been validated.

The first physical proof

01 **User understanding**

Test whether people understand the bird’s top-to-bottom meaning.

02 **Mechanism feasibility**

Select a reference method and prove bounded perimeter travel.

03 **Sensor-to-indicator loop**

Connect proposed CO_2, PM2.5, temperature and humidity inputs.

04 **Recorded demonstration**

Show visible causes, missing readings, recovery and fault handling.

Proposed bench experiment. Resources and engineering choices remain open.

Engineering partner sought

Help turn the perimeter-bird concept into one reproducible bench demonstration.

Mechanical motion and enclosure feasibility
Sensor, display and embedded control integration
A scoped prototype plan with measured limits

Next discussion: feasibility, contribution and prototype scope.

birp-home-canary.oolongee.chatgpt.site