

▼ Copyright 2019 The TensorFlow Authors.

Licensed under the Apache License, Version 2.0 (the "License");

```
!wget --no-check-certificate \  
https://storage.googleapis.com/laurencemoroney-blog.appspot.com/horse-or-human.zip \  
-O /tmp/horse-or-human.zip
```

```
--2021-02-03 09:11:25-- https://storage.googleapis.com/laurencemoroney-blog.appspot.com/horse-or-human.zip  
Resolving storage.googleapis.com (storage.googleapis.com)... 74.125.71.128, 74.125.133.128, 74.125.140.128, ...  
Connecting to storage.googleapis.com (storage.googleapis.com)|74.125.71.128|:443... connected.  
HTTP request sent, awaiting response... 200 OK  
Length: 149574867 (143M) [application/zip]  
Saving to: '/tmp/horse-or-human.zip'
```

```
/tmp/horse-or-human 100%[=====>] 142.65M 39.2MB/s in 3.8s
```

```
2021-02-03 09:11:29 (37.9 MB/s) - '/tmp/horse-or-human.zip' saved [149574867/149574867]
```

```
!wget --no-check-certificate \  
https://storage.googleapis.com/laurencemoroney-blog.appspot.com/validation-horse-or-human.zip \  
-O /tmp/validation-horse-or-human.zip
```

```
--2021-02-03 09:11:33-- https://storage.googleapis.com/laurencemoroney-blog.appspot.com/validation-horse-or-human.zip  
Resolving storage.googleapis.com (storage.googleapis.com)... 173.194.76.128, 64.233.184.128, 66.102.1.128, ...  
Connecting to storage.googleapis.com (storage.googleapis.com)|173.194.76.128|:443... connected.  
HTTP request sent, awaiting response... 200 OK  
Length: 11480187 (11M) [application/zip]  
Saving to: '/tmp/validation-horse-or-human.zip'
```

```
/tmp/validation-hor 100%[=====>] 10.95M 65.5MB/s in 0.2s
```

```
2021-02-03 09:11:33 (65.5 MB/s) - '/tmp/validation-horse-or-human.zip' saved [11480187/11480187]
```

The following python code will use the OS library to use Operating System libraries, giving you access to the file system, and the zipfile library allowing you to unzip the data.

```
import os
import zipfile

local_zip = '/tmp/horse-or-human.zip'
zip_ref = zipfile.ZipFile(local_zip, 'r')
zip_ref.extractall('/tmp/horse-or-human')
local_zip = '/tmp/validation-horse-or-human.zip'
zip_ref = zipfile.ZipFile(local_zip, 'r')
zip_ref.extractall('/tmp/validation-horse-or-human')
zip_ref.close()
```

The contents of the .zip are extracted to the base directory [/tmp/horse-or-human](#), which in turn each contain horses and humans subdirectories.

In short: The training set is the data that is used to tell the neural network model that 'this is what a horse looks like', 'this is what a human looks like' etc.

One thing to pay attention to in this sample: We do not explicitly label the images as horses or humans. If you remember with the handwriting example earlier, we had labelled 'this is a 1', 'this is a 7' etc. Later you'll see something called an ImageGenerator being used -- and this is coded to read images from subdirectories, and automatically label them from the name of that subdirectory. So, for example, you will have a 'training' directory containing a 'horses' directory and a 'humans' one. ImageGenerator will label the images appropriately for you, reducing a coding step.

Let's define each of these directories:

```
# Directory with our training horse pictures
train_horse_dir = os.path.join('/tmp/horse-or-human/horses')

# Directory with our training human pictures
train_human_dir = os.path.join('/tmp/horse-or-human/humans')
```

```
# Directory with our training horse pictures
validation_horse_dir = os.path.join('/tmp/validation-horse-or-human/horses')
```

```
# Directory with our training human pictures
validation_human_dir = os.path.join('/tmp/validation-horse-or-human/humans')
```

```
train_horse_names = os.listdir(train_horse_dir)
train_human_names = os.listdir(train_human_dir)

validation_horse_hames = os.listdir(validation_horse_dir)
validation_human_names = os.listdir(validation_human_dir)
```

▼ Building a Small Model from Scratch

But before we continue, let's start defining the model:

Step 1 will be to import tensorflow.

```
import tensorflow as tf
```

We then add convolutional layers as in the previous example, and flatten the final result to feed into the densely connected layers.

Finally we add the densely connected layers.

Note that because we are facing a two-class classification problem, i.e. a *binary classification problem*, we will end our network with a [sigmoid activation](#), so that the output of our network will be a single scalar between 0 and 1, encoding the probability that the current image is class 1 (as opposed to class 0).

```
model = tf.keras.models.Sequential([
    # Note the input shape is the desired size of the image 150x150 with 3 bytes color
    # This is the first convolution
```

```

tf.keras.layers.Conv2D(16, (3,3), activation='relu', input_shape=(150, 150, 3)),
tf.keras.layers.MaxPooling2D(2, 2),
# The second convolution
tf.keras.layers.Conv2D(32, (3,3), activation='relu'),
tf.keras.layers.MaxPooling2D(2,2),
# The third convolution
tf.keras.layers.Conv2D(64, (3,3), activation='relu'),
tf.keras.layers.MaxPooling2D(2,2),
# The fourth convolution
#tf.keras.layers.Conv2D(64, (3,3), activation='relu'),
#tf.keras.layers.MaxPooling2D(2,2),
# The fifth convolution
#tf.keras.layers.Conv2D(64, (3,3), activation='relu'),
#tf.keras.layers.MaxPooling2D(2,2),
# Flatten the results to feed into a DNN
tf.keras.layers.Flatten(),
# 512 neuron hidden layer
tf.keras.layers.Dense(512, activation='relu'),
# Only 1 output neuron. It will contain a value from 0-1 where 0 for 1 class ('horses') and 1 for the other ('humans')
tf.keras.layers.Dense(1, activation='sigmoid')
])

```

The `model.summary()` method call prints a summary of the NN

```
model.summary()
```

Model: "sequential_1"

Layer (type)	Output Shape	Param #
=====		
conv2d_3 (Conv2D)	(None, 148, 148, 16)	448

max_pooling2d_3 (MaxPooling2D)	(None, 74, 74, 16)	0

conv2d_4 (Conv2D)	(None, 72, 72, 32)	4640

max_pooling2d_4 (MaxPooling2D)	(None, 36, 36, 32)	0

conv2d_5 (Conv2D)	(None, 34, 34, 64)	18496
max_pooling2d_5 (MaxPooling2D)	(None, 17, 17, 64)	0
flatten_1 (Flatten)	(None, 18496)	0
dense_2 (Dense)	(None, 512)	9470464
dense_3 (Dense)	(None, 1)	513
=====		
Total params: 9,494,561		
Trainable params: 9,494,561		
Non-trainable params: 0		

The "output shape" column shows how the size of your feature map evolves in each successive layer. The convolution layers reduce the size of the feature maps by a bit due to padding, and each pooling layer halves the dimensions.

Next, we'll configure the specifications for model training. We will train our model with the `binary_crossentropy` loss, because it's a binary classification problem and our final activation is a sigmoid. (For a refresher on loss metrics, see the [Machine Learning Crash Course](#).) We will use the `rmsprop` optimizer with a learning rate of `0.001`. During training, we will want to monitor classification accuracy.

NOTE: In this case, using the [RMSprop optimization algorithm](#) is preferable to [stochastic gradient descent](#) (SGD), because RMSprop automates learning-rate tuning for us. (Other optimizers, such as [Adam](#) and [Adagrad](#), also automatically adapt the learning rate during training, and would work equally well here.)

```
from tensorflow.keras.optimizers import RMSprop

model.compile(loss='binary_crossentropy',
              optimizer=RMSprop(lr=0.001),
              metrics=['accuracy'])
```

▼ Data Preprocessing

Let's set up data generators that will read pictures in our source folders, convert them to `float32` tensors, and feed them (with their labels) to our network. We'll have one generator for the training images and one for the validation images. Our generators will yield batches of images of size 300x300 and their labels (binary).

As you may already know, data that goes into neural networks should usually be normalized in some way to make it more amenable to processing by the network. (It is uncommon to feed raw pixels into a convnet.) In our case, we will preprocess our images by normalizing the pixel values to be in the `[0, 1]` range (originally all values are in the `[0, 255]` range).

In Keras this can be done via the `keras.preprocessing.image.ImageDataGenerator` class using the `rescale` parameter. This `ImageDataGenerator` class allows you to instantiate generators of augmented image batches (and their labels) via `.flow(data, labels)` or `.flow_from_directory(directory)`. These generators can then be used with the Keras model methods that accept data generators as inputs: `fit`, `evaluate_generator`, and `predict_generator`.

```
from tensorflow.keras.preprocessing.image import ImageDataGenerator

# All images will be rescaled by 1./255
train_datagen = ImageDataGenerator(rescale=1/255)
validation_datagen = ImageDataGenerator(rescale=1/255)

# Flow training images in batches of 128 using train_datagen generator
train_generator = train_datagen.flow_from_directory(
    '/tmp/horse-or-human/', # This is the source directory for training images
    target_size=(150, 150), # All images will be resized to 150x150
    batch_size=128,
    # Since we use binary_crossentropy loss, we need binary labels
    class_mode='binary')

# Flow training images in batches of 128 using train_datagen generator
validation_generator = validation_datagen.flow_from_directory(
    '/tmp/validation-horse-or-human/', # This is the source directory for training images
    target_size=(150, 150), # All images will be resized to 150x150
    batch_size=32,
    # Since we use binary_crossentropy loss, we need binary labels
    class_mode='binary')
```

```
Found 1027 images belonging to 2 classes.  
Found 256 images belonging to 2 classes.
```

▼ Training

Let's train for 15 epochs -- this may take a few minutes to run.

Do note the values per epoch.

The Loss and Accuracy are a great indication of progress of training. It's making a guess as to the classification of the training data, and then measuring it against the known label, calculating the result. Accuracy is the portion of correct guesses.

```
history = model.fit(  
    train_generator,  
    steps_per_epoch=8,  
    epochs=15,  
    verbose=1,  
    validation_data = validation_generator,  
    validation_steps=8)
```

```
Epoch 1/15  
8/8 [=====] - 8s 889ms/step - loss: 2.1358 - accuracy: 0.5236 - val_loss: 0.4409 - val_accuracy: 0.835  
Epoch 2/15  
8/8 [=====] - 7s 832ms/step - loss: 0.5899 - accuracy: 0.6732 - val_loss: 0.7490 - val_accuracy: 0.652  
Epoch 3/15  
8/8 [=====] - 7s 831ms/step - loss: 0.3155 - accuracy: 0.8901 - val_loss: 1.0425 - val_accuracy: 0.789  
Epoch 4/15  
8/8 [=====] - 7s 823ms/step - loss: 0.1188 - accuracy: 0.9594 - val_loss: 1.8774 - val_accuracy: 0.714  
Epoch 5/15  
8/8 [=====] - 7s 835ms/step - loss: 0.1835 - accuracy: 0.9236 - val_loss: 0.7190 - val_accuracy: 0.671  
Epoch 6/15  
8/8 [=====] - 7s 831ms/step - loss: 0.2342 - accuracy: 0.9251 - val_loss: 1.4202 - val_accuracy: 0.839  
Epoch 7/15  
8/8 [=====] - 7s 830ms/step - loss: 0.0470 - accuracy: 0.9803 - val_loss: 1.4726 - val_accuracy: 0.847  
Epoch 8/15  
8/8 [=====] - 7s 826ms/step - loss: 0.0882 - accuracy: 0.9628 - val_loss: 1.9213 - val_accuracy: 0.785  
Epoch 9/15
```

```
8/8 [=====] - 7s 830ms/step - loss: 0.0724 - accuracy: 0.9717 - val_loss: 1.6667 - val_accuracy: 0.835
Epoch 10/15
8/8 [=====] - 7s 835ms/step - loss: 0.0287 - accuracy: 0.9881 - val_loss: 1.8675 - val_accuracy: 0.828
Epoch 11/15
8/8 [=====] - 7s 878ms/step - loss: 0.0112 - accuracy: 0.9991 - val_loss: 1.8165 - val_accuracy: 0.855
Epoch 12/15
8/8 [=====] - 7s 876ms/step - loss: 0.0059 - accuracy: 1.0000 - val_loss: 2.0703 - val_accuracy: 0.847
Epoch 13/15
8/8 [=====] - 7s 833ms/step - loss: 0.3390 - accuracy: 0.9250 - val_loss: 2.0028 - val_accuracy: 0.843
Epoch 14/15
8/8 [=====] - 7s 942ms/step - loss: 0.1997 - accuracy: 0.9271 - val_loss: 1.3883 - val_accuracy: 0.851
Epoch 15/15
8/8 [=====] - 7s 834ms/step - loss: 0.0088 - accuracy: 1.0000 - val_loss: 1.6265 - val_accuracy: 0.859
```

▼ Running the Model

Let's now take a look at actually running a prediction using the model. This code will allow you to choose 1 or more files from your file system, it will then upload them, and run them through the model, giving an indication of whether the object is a horse or a human.

```
import numpy as np
from google.colab import files
from keras.preprocessing import image

uploaded = files.upload()

for fn in uploaded.keys():

    # predicting images
    path = '/content/' + fn
    img = image.load_img(path, target_size=(150, 150))
    x = image.img_to_array(img)
    x = np.expand_dims(x, axis=0)

    images = np.vstack([x])
    classes = model.predict(images, batch_size=10)
    print(classes[0])
```



```
if classes[0]>0.5:
    print(fn + " is a human")
else:
    print(fn + " is a horse")
```

Choose Files

rsz_istock-909755578.jpg

- **rsz_istock-909755578.jpg**(image/jpeg) - 80826 bytes, last modified: 2/3/2021 - 100% done

Saving rsz_istock-909755578.jpg to rsz_istock-909755578 (1).jpg

[0.]

rsz_istock-909755578.jpg is a horse

▼ Visualizing Intermediate Representations

To get a feel for what kind of features our convnet has learned, one fun thing to do is to visualize how an input gets transformed as it goes through the convnet.

Let's pick a random image from the training set, and then generate a figure where each row is the output of a layer, and each image in the row is a specific filter in that output feature map. Rerun this cell to generate intermediate representations for a variety of training images.

```
import matplotlib.pyplot as plt
import numpy as np
import random
from tensorflow.keras.preprocessing.image import img_to_array, load_img

# Let's define a new Model that will take an image as input, and will output
# intermediate representations for all layers in the previous model after
# the first.
successive_outputs = [layer.output for layer in model.layers[1:]]
#visualization_model = Model(img_input, successive_outputs)
visualization_model = tf.keras.models.Model(inputs = model.input, outputs = successive_outputs)
# Let's prepare a random input image from the training set.
horse_img_files = [os.path.join(train_horse_dir, f) for f in train_horse_names]
human_img_files = [os.path.join(train_human_dir, f) for f in train_human_names]
img_path = random.choice(horse_img_files + human_img_files)
```

```

img = load_img(img_path, target_size=(150, 150)) # this is a PIL image
x = img_to_array(img) # Numpy array with shape (150, 150, 3)
x = x.reshape((1,) + x.shape) # Numpy array with shape (1, 150, 150, 3)

# Rescale by 1/255
x /= 255

# Let's run our image through our network, thus obtaining all
# intermediate representations for this image.
successive_feature_maps = visualization_model.predict(x)


# These are the names of the layers, so can have them as part of our plot
layer_names = [layer.name for layer in model.layers]

# Now let's display our representations
for layer_name, feature_map in zip(layer_names, successive_feature_maps):
    if len(feature_map.shape) == 4:
        # Just do this for the conv / maxpool layers, not the fully-connected layers
        n_features = feature_map.shape[-1] # number of features in feature map
        # The feature map has shape (1, size, size, n_features)
        size = feature_map.shape[1]
        # We will tile our images in this matrix
        display_grid = np.zeros((size, size * n_features))
        for i in range(n_features):
            # Postprocess the feature to make it visually palatable
            x = feature_map[0, :, :, i]
            x -= x.mean()
            x /= x.std()
            x *= 64
            x += 128
            x = np.clip(x, 0, 255).astype('uint8')
            # We'll tile each filter into this big horizontal grid
            display_grid[:, i * size : (i + 1) * size] = x
# Display the grid
scale = 20. / n_features
plt.figure(figsize=(scale * n_features, scale))
plt.title(layer_name)
plt.grid(False)

```

```
plt.grid(False)
plt.imshow(display_grid, aspect='auto', cmap='viridis')
```

/usr/local/lib/python3.6/dist-packages/ipykernel_launcher.py:44: RuntimeWarning: invalid value encountered in true_divide



As you can see we go from the raw pixels of the images to increasingly abstract and compact representations. The representations downstream start highlighting what the network pays attention to, and they show fewer and fewer features being "activated"; most are set to zero. This is called "sparsity." Representation sparsity is a key feature of deep learning.

These representations carry increasingly less information about the original pixels of the image, but increasingly refined information about the class of the image. You can think of a convnet (or a deep network in general) as an information distillation pipeline.

▼ Clean Up

Before running the next exercise, run the following cell to terminate the kernel and free memory resources:

```
import os, signal
os.kill(os.getpid(), signal.SIGKILL)
```