Sures Comp fws Datum/Date: 2, 5, 248 Datum/Date: 2.6. 2011 Suns Cap to m tower worked de only one snowheret First right, was add ~ - 20°C Cent no wind. Set up at 5:30 sine we get to bed of 11 pm. Sc Aus : worked all only one show heart and # 0468 Sviss Cap GP4 height prior at both stetions Seemed to be working of gear unite tiles 13346 11/13/2017 There was a Major storm with 9.8 Hb 12/11/2017 + 30 mls 2.1 116 2/3/7018 29. Hb (today) 5/2/2018 It was ked!

Swis Camp Datum / Date: 3, 5 . 2018 GPS & Datum / Date: 2, 5, 2016 wind from East, light snow and Downloaded dele from part over cart ... Uch not very good, we year and aploaded new went mit going to street are settings for 2018/18. dour 10. Also propounce # 0334 Biange weeke up with headed for 2018/19 and mill ped but slept pool and a 70 h. It at 2111 (3) is warmer the last morning (--17) JAR1 GPS # 3598 up to 2018 Listelled solar panel andown bones which showed off day [DU10] A 0471 UP to 2018 worked in 2017 Seemed to work, but date is Still off (1998) - Dwel 168 ME -11/13/2017 to update the Rom, 02/28/1998 - 148 NB 45 MB 5/12/2017 20724HB 5/3/2018 3/4/1998 - 4.648 3/9/1991 - 20 AR worked in secured lest no pours ni ja 2018! was there a pour tortere? Had not been residen who I omied now GPS stated to rewise. no pone of Other GPS she I wishiled!

Datum/Date: 3, 1. 2018 Datum/Date: 3.5.2018 DXR1 AWS 2017 UNE 1 AWS Worked good until 22 by 2017 Snow 1,2m.

Snow Sleve interface and than stopped, even though the botteny had good charge 13.8 V Sho-J Started again on 18 Feb 2018 ree 3.om 1.8 mg lent power was low and then icc personered. Melt up to and of Any, Ca 110cm 1,2m - 2.8m = 1.6 us height including Snow there was del me snow bail to 2.0 toda loss 2017-12018 It was drilled 3 m into the year 1,8m Show with drive at the ice show interface 1,2 m is show - 40 ania loss => 2018 it has again 1.2 m of snow, that would usean there is 2.6 m today the Sleve is of the Show Sufar. The pole in the 2n of in - 3 200 - 120 cm : 1.5 m into te ice! Is that enough? It seems it wight be a bit online - ho There is 0,1 to In snow on

up grade GPS Datum/Date: 3, 7, 2018 Datum/Date: 3.6.200 GPS units R7 wind flood U5,0 software SN timware 2018-0 unit use modulas receiper 00220283932 1,209 5 700 , we largey password 00220284018 1,20 V 5700 022 0400 468 2,3 Sinis Cap R7 Win Harh WTC +2x -5x-V500 022 038 0334 213 DN 10 77 are Tribuble survey modely receive 0220373598+ 227 R7 update receive option 2,3 3/121 022 0400 471 127 To med - 1 lagery persurone received from unavio 4 necas approde - o dd dda stamp 5194 bonu up 18 R7 5136 × pomo up 50 R7 Should be updated 127

Datum/Date: 4.5.2018	Smil Camp Datum/Date: 4.5. 2018
DAR 1 + DN10	Very mire, colum, clear, sold day
he need: - Spare batteries - showls - wit motes	Willig fet Began going today, Shidoo's and SAR1 Wisit.
- close connectors (but box)	Began running Line, wide Shidos running again after the spring and tracks got replaced.
	Snow rador works again, ephoaded o new propoun or lon buer b include rodas again. Thouse
	be tracereithy direct date organ.

. Began Datum/Date: 4.5. Datum/Date: 4, 5. 2018 TAR1 GPS Laundi Pad 5.0.9 anor Reconnected the battery box, cobe AT + CGACT = 1,2 Service instability was broken, proberly due to small erevouse. Box fore in rela was (Vizada - Usa: bgan, inmarsat.com) from in the seither by ~ 5-Dan. Stot the Byon working for Dancoure CF-19 At fine now at DARY GRS + Aus. APN address *

ETH RLY Citzhy Datum/Date: 5,5,2018 Datum/Date: 5.5.2018 5 now Sulvey Sc WC = 58.13 on 16 Mai 14:45-16:00 States Planing 1 om town (1314/8) x= 164,21 2021-2024 of the Snow: 155 155, 160, 167, ETH Board (1st reading) 1 to, 170 (radar) Coaster Dir FA'S - durchal Hos 180, 157 Underside Boy 95 on fut ence? to Fix Selvenos " lower rim 178 cm 4 rodor box 53 en ENOS - 8105 MAINE CONS kws tower (131+/3) x = 164,02 cu Snow! 161, 162, 166, 167 10 m town Box 2 27 (17) 259,(18) (+360m) 166, 167, 169 169 Party Box 265 (A) 223(B) (+47cm) y love am ssen menuet 11.4 cm, Snow meen +31.6cm A upper + lower ain 10 your MS: 286 (A) 257 (R) +29 am VE = 59,2 cm low an 232(1)/ 252(18) + 400m we x = 12 cm you x = + 34cm WE = 55, 1cm Show acc. X Show - 164on 2016-2016 + 34 cm Sulface + 34 cm Coupanio 127 Lee 27.5.2015

from 1990 - 2018 Datum/Date: 7.5. 2018 Datum/Date: Surg Comp location 1993 did the ralambation 63° 33120'N, 45° 21.531 2018: -1 0.35 ml day 69° 331 27" N +9° 211 29" 2017 69° 33' 25:10, 49° 21 34'W - 6 128 m / 9 2016 1990 69° 341 21" 45° 17144" 65 33' 27'N 41021'27" 2015 added to google sheet -> 3,35 km from 2018 added to google sheet 2018 6] = 331 32" N, 49021 10" N 2013 1,990 28 yall x 0,35 × 365 69° 33' 41"N, 49° 20' 44"N 2011 69-33 43"N 450 201 34"N in 2010, 48 would be 69° 33' 46'h, 49° 20' 34" more likely as 43 or 44 360 200 2003 65° 331 471W 45° 251 17 1825 2008 1095. 51, (1 10 77 % = \m FIL = 117.76 2000 65° 33' 571, 49°19' 47" N 2006 128 ~ () 69° 33' 531, 49°19 571"D 2005 128 m. x 28 moved Since 1890 1024 256 (Expeded 3,5 km) 69° 34' 03" N, 49° 19' 17" W 69° 341 10'N 49° 18' 47W 49°21' 53' W 69°331 20'H 1998 690 341 1731 490 181 12 49 27 44 W 63° 34' 25"N 794 - 410511W 1993 341 201 49 18 07 0° 1' 5"N 127

Datum/Data: 17- F 2018 h.H	Datum (Pater 12 2 2
Datum/Date: 17, 5, 2018 Aws	Aus Datum/Date: 17. 1. 2011
Southern Travers:	Nother Traverse:
5-Dome: - (resolved in 2017) - was not transmitting	EGRIB: all working.
	Samuel : 2" Tilt broken
NAST-SE: - needs extension?	Samuel : 2" T/H broken
X-mit of	4-10-2
Tat are love open	NASA -ui both snow seems out
	could need extension
Saddle: - needs extusion! Only SD out lower orm in show (?)	1.550
	(bottem)
- (www extender = 2017)	2nd Till and
- (were extended in 2017)	2nd wind and
	2 hor SD height and
	NEX E X mit obe,
	wind Speed + dir?
	2001 SP aut
	exposion nadad.

Kanger Datum/Date: 17. J. 2018 Datum/Date: 17.5.211 Aus Scandiz Palace Hotel Tuna Di - o may be extensive! + 45 331 44050 Room 227 come due 1 Pet: X- mit ok mis both T/H seuson aut , CSII to get NF down jocket back one so out bring one extension to and hunt \$?) cent 15433 27 890 Pin 6718 is then ton. 6115: all working, date is wrang! Hun: Extensions: WASA-SE Souddle) 2

WASA-4, NASA-E }4

Thum-H, GITS Pet +1 7

Datum / Date: 15.5.2018 Miles station S. Dome Datum/Date: 20, 5, 2018 Dounload dala d CP1, Scodore left et 8:30 tanges in direction PAST- SE Dismonte Stehon che S-Dome, WX ni kangas was over cert with snow, 5- Pone is a To be removed: chance of clouds and we might have 1) Toron bor with T-108 funr to return to Dyr-II without landing, + Source Post and Adian are rounty day 2/ Blow panel + neount 3) Helix ankena with Derch H. B. ance and Sime to Date logger box and content stayed in Kanja. 5) co-axial come of indian There were bear alonds on the way to the it short. Once obove good ux lent low cloves, Ohly 40 und left for Some and the surface clouds stat. I don't see to may holes we could go down! 150km (38mm) & D.

Datum/Date: S-Dome 20, 5, 2018	5-0 on Datum/Date: 20.5, 318
63° 08' 55" N 2878 n 44° 48' 03" W added to google sheet	Derek took some PM det, penn. Hvyg
- upper solar panel needs replacement,	regulation of the control of the
lost the plas due to jeging.	Annual accountation ~ 160 cm.
- needs new invind approx level	
lost the propelled part. lower	Cledes the data on was his
one lost the tail, so combines	exept the wind speed was lost.
the two , recovering now of lows	
level.	
· the tone was not fixed and	
moved some 450, The flanch	,
was look. It was for to 260'	
instrool of 213	
	1
- Hy CPS needed to be on	
may direction to show the	the state of the s
Sun at 180 at nove!!??	
- Seans All worker except the broken wind from.	127

Pyc - 11 pris and 10 Datum/Date: 20. 5. 2018 Datum / Date: 20, 5, 2018 Pet: how und not! 66° 28' 55 1" N added to google sheet SD1 = 2.68 m DD 140 2018 46° 17' 26,5"W 846m 1.41m ~130,2014 2.60m 130 2016 The schille coble from (Rux) No surface lowing sine 2016 - 2018 ! was disconnected! It was an de we should drive a new pole if we blue cable without screwes. Was that my doing? Hard G To No redally of Pet. Replaced used SD snow height fensor. Walls de Replaced TIH 1st Love last WASA-E: SD 140: 2-9 m. 2,2 m 208 dit not correct the him day. To box is still 2.4 m above snow! ~ 135: 368 1.85 2017 All the rest works. M = 0.8 m needs extension has Reset Set fransmitted Antenne was o- 189 how 210 Downbook of, all with wolf Choded date: SPA was out, hunidy was out all the restot.

Datum/Date: 21. 5. 2318 Synn 7 fuel cach NETT Datum/Date: 21.5, 2018 Robin and to ded on the Woalho und better in the firel coth at NEFF put there north, we decided to fly & Summit stasting the norther travers, will be Seddle + North 77-31 14.33N 510 20'16.73" of the end of the season. a tokun from old NEEM station + draws of face, look for Adia will have to got and with the C-130 on wednesday. flags, that with be all their is showing. Sciencest Aws: 2nd 7/H gent or Och all the rest is recening! 2 ms TH out NEED! 1 of SD show height and NASE - E 1st wind screen and rent ok! needs extension NASA-4 both so snow service test EGRIP. 2nd TH out us, di has herly 150 SD snow height and needs extention! rest all remain de nacas now bothey Tynu -N: 2nd wind dir ourt needs extension

Datum/Date: 21.5.2018 Janua Summer BSRW Datum/Date: 21. C. 2019 trus a downloaded and splaced Raised radicha arm with doubody apper HMP series fum instruents to 1.8 m show snow. Tan for pyranometer up loshing Source instrument by 300 to have less effect on ust working. Cylial Largo. All Golded Solar trades reduction could not fore Snow pit by dod the vaige because we had un extusion cable => tore Zu bue: paised arm by 12m, tuined intured box (whole tower) so that the flowerists aploshing pyranometer unissing in rable could read the box. Storage according to Het. paroloaded date for For not woshing a Pys fearets. Solar tracks out worky wither DD 270 2017 to today all worked well Tower needs to be moved to => needs extusion ofthe for thermiour =0 Rare 2 cables needed! from the red into the

WASA-4 Datum/Date: 23, 5, 2019 Datum/Date: 22. 5, 2018 Sammy - NASA U left of Jam after a pool night steep. Coordinder: 73° 50' 26.6" N It was - 32°C of widnight and added to google sheet 49. 31' 35.5"W -47 c wind doll. Slept the whole nips - probably because I dok Lowe arm was in show, wind Gurried in snow, onto tomo was still above IRMPROFED (2 Tobas). the snow, NASA -u next! Digsty down to get all cables and Needs two SD Sendors pulled stead instruments and Please extension New Bothy box (one box Br of) Nords battery box Did not transmit (206/10) reset. Replaced 60th 50 snow heigh. Replaced Cower TIH Sensor Summet GPR AWI Pulled list shortwest and had to replace. NEW Radiometers # , fear, DO , h-m , toir , 5x , then , 4x , incoming shot was 77538 PY 280R7 15 Oct 86 V, V-dir, 8x, pase, Ch, voit all channels working again. Antenna was only 50 off. Transportino de now

Datum / Date: 22.5.2018

Tun- N Datum/Date: 24,5,218

NEEM pipe - take a protuce!

Photo for Porthe and OP!

Postert day to fly north Hod a

Deci into for work well was do to to labe at that hoday, Tun- to only one would direction shows b.

EGRIP AWS

Download dota woman disp was

corrupted, head to down tood

with Pe worked well. I for moter the drip and put new dip -

celas,

All worked wice, Still now photops and couldingles.

750 37 364"N Coordinate. 35° 58' 48.2 W

added to google sheet 2653 m

All but one wind director worky.

Coordinates: 78° 01'7.5'N added to google sheet 23° 581 00,6° W

Extually Lower and power adde.

Put the two poweroldes in one. The sterion win he food for 15 years

Had to cut thermitor robbo.

Finished of Moor - NASA-E

af po/. All watery, about loaded hime Wind not worky, and converted beed now cables for the wind,

the orbles get brittle. snow pit done as wall fore

offer 30 min. 1 45 cm occumulation.

Hz. 226 was de.

We still have two the ples on · storage love, need to remember

Datum/Date: 23,5, 2018

for next years!

EGRIP

bon hole stide

· Survey draws (+) from 2 years aga.

We so to find each first to see it

we can spat the Logs. Than to NEED,

Hum, Pet Danney if fucl and wind one favorable.

2 nd T/(+ ant) 1st SD out from transmitted dos pressure out J

Fuel cash still vib with 27/0p

ca 0.5 m above the surface, the

some coordinate.

Coordinder:

77° 26' 28.6"N added to google sheet 51 0 051 52,8"W 2460

Reconnected upper TIH which was disconnected. Replaced upper SD.

All worky exent pressure?

Downlood, had to get a new drip first and purhol it is. Then downooded the deta. Sel.

Snow pit clone; Noen this shelt was willed and meaning by piloto.

Accumbbs. A 69 cm (or 39 cm)

Pet Datum/Date: 24. 5.218 Datum/Date: 24.5.2010 Humby 11 From transmission tog 19, 2018 It seems at intrements are working Both le air not working also in 2016! as of Hay 20, 2318; So are 2.2 and 2 nd SD show not worky 2.4 m above pound, · Pert lodes de! Be quoie dercienses 78° 31' 42'N Coordinates; Coordinates: 80° 05' 57.3" N 56° 50' 32.4' W M50 added to google sheet Time wo off 2017-08-12, 126nt added to google sheet 58 ° 98 ′ 56, 9° W 907 2018 -05 -24 15gmt Replaced 2"d SD downlac dos of down God worked de, in working. 26 cm show ow in Snowpit 26 cm or stan Pole 140 cm above the ice + 254 days +3h 18d are and of spara. 50 254.25 = 0,63654 - ORDER SP replacements

Datum/Date: 25 5. 218 Datum / Date: GITS 25,5,2018 511 D Needs now botteny box, extention cold is dready on the town. What did not work in 2017 Windepeed 2 =0 Weeds extrusion - 2019 50 1,2 and Battery in Jan gust low with 11.8 V Jan gust low All is working but not transmitting, Gits stopped due to power chartege, the solar panels were both fixed or the botten box sone, Used a Smell 12 V bettery, connecty on new small solor pund and disconnected the Ayus line. One source was broken off and burned In in the Show. Howard new SD SR 50A SW 7276 we did not extend the tower, needs to be done in 2019.

Datum/Date: 25, 5, 2018 Sold4 Dose- SE Datum/Date: 25.5, 208 2 prepareton for None-SE In preparation for Scoldle. Transmission de Extension apple could be there Wind 1 seams out most likely Transmissia de Lower am with hind + SP an Snow 1 most likly burned probaby in snow. Bathy still of Power robbe - could be an extension Battery is de.

Datum/Date: 27.5.2018 I all dat Kunge de processing Datum/Date: 27.5.2016 Dota analysis 2016: 10 m town 136cm suar BOX 200(16) 2951A) - 95cm Cane an 302 (16) 359 (17) - 57 am 1 1991 1 (radar 201/16) 265(17) - 640 336 2018 12 (added (work!) surface x - 720m this is ice we 338 -446 1991 Sming 339 443 Summer 340-444 720/6 V=120 am snow 1911 341 - 445 uniter 230(16) 286cm(17) -56am 1997 13.2 277 (16) 292 (an (H) - 65 an X = - 60 cm Rout (26) (2.3) C 1 = -66 ac Snow heart = 18 cm 2.3 4 warming in 26 years 46cm JX Juan / N2 (0.9°C/derade/ In xxxxx 11111 /11/1 /a Fruited updating Santa Caus 127

NASX-SE Datum/Date: 29 5.2018 leavy , 12:15 to DAS# SE 660 281 40,6 N 42° 29' 42.2" W 2360m added to google sheet lower our in show, wind broken - sneed new Who instrument - SD was out and we had no replacements. Extended tower which is only one I'm store the snowl/worker) All worked onept the burned sensor. Pour look of. Saldlik Lansmitti's robbe was pular and four the anterno Repoind cable and reconnable Task down Hike's station, was deeply buried und the

Datum/Date: 29.5 2018 Siddle PR + P Datum / Date: Cosidinates: 650 50' 50.1"N Innannguag 40x added to google sheet 44° 30' 10.1'W Peter Jouser +299 559311 2447m Tax: +299321 321 bus arm in show, wind was still turning, Swiss N3 X ABG -141 848700200 To stooded the data, but had to repair the file and returned the Masks card 5474 2840 0019 5640 8-18 # 917 Sat. 2 Ine 4x 1267 Extended the Lower is Litted 4 June LX 1267 9,35 all works exert lowe so /is filled wit snow - may be comes later) and wind speed, air freedland on +299 343434 MY7D56 + MXNUJL +41 61 582 18 07 Savis hosting dech in 3 Duce 2018 8:15-9:10 ; 22:55 -7:15

8 , .

9 4

16 Biance Shis

16:45 544

17:40 leanger

Return shipment WSL 2018 1. Lan Edok Koni 2 4 a Simon 3 4 r 4 skeping bon + mets 4 " 2 tents, 2 mots 5 6 4 2 Pano sour Pe ad 6 4 1 Bianca 7 med Edge empty 10 small Edde Tools1 11 4 1 Tods? 13 h ws parts cross. 14 med Edde GPS's Trimble 15 med lage Resa cloth 17 Pers. do thing Der els

Develo Grantes Datum/Date: 13.7.2018 Datum / Date: HE flight to seria Sumit DEN - 2the Ay 109 armos Ay 10 to W.7 WIL 7 HR - CPH early mony Ayxell CPH - Kanger Ay se 11 leaves o 11 am Kango to Sumo 13 Aug. Succest to kanger 24 kg Kauge - CA+ 28 Ay 26 2726 Aug COH - DEN

Datum/Date: 22, 7, 2016 Datum / Date: CRESX -0 CELOSO needs new program ~ CR Banic Sus diff 1.2 2 LW.in 3.4 5 Bridge : 6 Si6 + Buse; 8 +8 (Global fix) 3, 10 (Sw- rot.) 11, 12 Sw-dir 13,14 8 15 Brid , 16 15,16 CKLOSO 17,18 GLOR 10 SW-ref. 15,70

Datum/Date: Swis Cour Swow Hulpel Datum / Date: 23 NOV 2018 from Schone page Major: 0,64 m 0.6 m gest 20 1. 37 m 1.75 m 1.23m 1.15 4 Show May 164 m 1.64 4 Surphers ~ 0. 4m accumleton. No ablation in Surum 2018, Out the suites increased by

Datum/Date: 20,2,2018 Field from 209 Datum / Date: Norther Trawn S. Dome (was not excludes in 2018) Summit to ocherio wooder Nov 8: 1.2 - Snow Scene 6 3? · not transmitting law snow and cent Kunt de , vind senors ant? Saddle was extended in 818 EGRIP no extensión needed traversion sports, Bothy 12V needs radiation sursus (s, net) lo war smow high working show height de bothy de X-with de Dyc 2 was extuded in 2018 NKSA-E Bound of Notes of my be extusion bother wit fest 10 balley was of no x- ust Mass-SE was extended in 2018 NEFT no extensi preder upper snow that out one vive seed out, but went battery de

12

Datum/Date: 23,2,2019	. Datum/Date:
GC Net Display	Hunboldt (needs now keeting)
Crawford Point ak	Other balley?
Al stations Duery'au NoT Vuekar	U6
	Little bottery was of in Old Saggest
DIE-TT Acmidity - Whom 6-10 to missing data don't show zero line	N 470 7
missing deta	NASAE SOPPLE FORT CO
dou't show zero line	botter was o'k!
Snow Herpert source (don't	NASALI-LL SLAPPER 31 Pec bothy de!
show volus con b zero)	NASALI-LL SAPARO 31 Pec bothy de!
	Ded: Se
V Show temporar - don't show	NY .
	PE Blu- &
wind director com only to 34	5
wind director goes only to 32	PE GUN de
EGRIP don't show HAP45 below-t	o'c Peterman Stopped Perd.
has no cod. How few our	Oc Peterman Stopped Per 1. Balley low:
	127

Bellevis Datum/Date: 28, 2, 2019 Datum/Date: 28,3.2019 Extensions · S · Dime · Humbolat OHASA-E (majbe) · Petermany · JAR1 · GITS Total 3 boxes de.

3 pades in storage in les contactor · JAR1 - CP1 (may be) B+W 27 mm Total 5 (or 3) Red contained 2 Egens should be 2 sporter!) Send anout to Poithe and IP

Datum / Date: Datum/Date: 29.2.2019 GOES LRIT GOES 15 anded Oce 2018 DCS GOES West -> GOES -17 W . S. FEL 9 Polyset feed will end 14 May 2019 This probably does not offer the GCUET transmissor of four date? 127

Datum/Date: April 2013 Word Scess report			Datum / Date:				
			•	2	(3)	4	
	200		new cable	Young 5178A	gay	blad	
1 blade		Eash gone	black	clear	blode	bol	
2 block		WS ref	bh.e	blade	gella	qull	
3 bode	XIV.	WD red.	violett	white	violette	ble!	
4 green		WD sig	green	green	gree-	gan	
5 white		mb exc	white	blue	white	wh	
6 red	*	612 2W	red	red	blu blu	e!! rel	
Para		V				with Tope	
			-	with sur	ew arous	e the bay	
				y od ~ o			
		5					
		-					
			•				
		*					

Datum / Date:

Sc 63° 33' 20"N, 43°21' 53"W 113r DWID 69-29'59"N 49 "33 49"W 1000 JAR1 65. 25. 36"N 48. 42' 51"W 100 S-Dome 63° 08' 56"N 44° 49' 03"W 2878

Dye- I 66° 28' 55,1"W, 46.17'26.5"W 846

UNBA-4 73°50' 266"N 49°31' 35.5"W THUN -N 78001 7.50 23'58'006W'

NASL E 75° 00 8,2"N 29° 59' 01,0"210

added to google sheet

