

Site: 14 June

Date:

time: 15h

Lat: 66.000118

Lon: 44.502579

who?

Dirk

Dug most

JEB sampled

comments:

Jacob + Lars filmed

depth	T °C	kg/m ³	quality
0 - 10	-8	451	1
10 - 20	-9	374	1
20 - 30	-11	367	1
30 - 40	-12	387	2
40 - 50	-12	425	2
50 - 60	-13	400	2
60 - 70	-12	416	3
70 - 80	-14	* 96 x 4?	2
80 - 90	-14	⊗ 84 x 4?	
90 - 100	-15		
100 - 120		* small cutter 109 cm	
120 - 130		⊗ cylinder	
130 - 140			

probe depths to hard layer

10x:

108	104	110	112	1st
197	193	193	195	2nd
137	85	117	111	203
205		203	201	205
				206

Scale: 1 square =

photos

UP SPR

1760 ft

156 degrees

66 28.68

46 17.27

Saddle

65° 59' 59.6

44° 30' 09.2

2451 m

65° 59.993' N

44° 30.150' W

8040 ft

JL DARLING LLC
Tacoma, WA, USA • RiteInTheRain.com

NSN: 7530-01-505-3665

Rite in the Rain

No. 982T

SDL

IMEI

initial depth of + string

solar connected

3 guy cables @ 535 cm
from mast

height of top of insert
50.5 ~~54.0~~ cm

165 + 50.5 = bottom of
enc

50.5 + 210.5 = " of boom

boom bottom to bottom
= 120.5 cm

Scale: 1 square =

Scale: 1 square =

14 June

SDL

①

13:20

JEB, APA

top of lower boom 35 cm
3rd plate of T/H 67top of upper boom 156
3rd plate 189 cm

bottom of sonic 143

axel of lower wind 59

SR 1 3 cm

top of upper boom 136

wind 2 axel 170

swt 171 - swt 181

broken top some of net rod
171 cm

enc top height.

J-string top sensor is
40 cm above surface

Scale: 1 square =

SONIC.
upper boom tilt -3°
down tilt to NNE

mast 11° to the North

upper boom 8° down
to NNE

solar bottom just
above upper wind

broken upper plates
of T/H 1

T/H boom 1 pointing
ESE, 120°

" 2 150°

rad arm pointing 255°

question if APT app
is measuring magnet
~~seems to be rad~~

N. 982T

JL DARLING LLC
Tacoma, WA, USA - Ritchie@jldarling.com

NSN: 7530-01-505-3665

Ritchie@jldarling.com

SDL 14 JUNE
strat

107 cm

1 mm

95

84.5

08

milli hour 2-3 mm = 100

110 cm
PSS

SDL

14

June

battery 1 m W of
mast, buried

5 hours on site
in very comfortable
conditions.

we left old SDL AWS
running