Dynamics 365 Intelligent Order Management documentation

Discover how to make the most of Dynamics 365 Intelligent Order Management with training, docs, and videos covering product capabilities and how-to articles. Learn how Intelligent Order Management can help your organization coordinate, standardize, and optimize orders captured in a mix of channels and systems through a single point of order orchestration.



GET STARTED
Welcome to Dynamics 365 Intelligent Order Management



WHAT'S NEW
What's new



TRAINING
Training



CONCEPT
Troubleshoot

Implement

Guidance

- Security, compliance, and privacy
- Implementation guide
- Implementation tools and samples
- End-to-end business processes

Try/Buy

- Sign up for Intelligent Order Management trial
- Get trial licenses for Intelligent Order Management
- Trial FAQ
- Quick start lab overview
- Set up and open demo providers

Set up

- Set up an environment
- Work with providers
- Provider catalog
- Email capabilities in Intelligent Order Management

Administer and develop

Architecture

Architecture overview

State framework architecture

Extensibility

Administer

Administration overview

Admin home workspace

Data management

Develop

Power Automate flows

Finance and operations integration solution

Reporting and Power BI integrations

Integrate Supply Chain Management procurement

Integrate Supply Chain Management transfer orders

Use

Manage your orders

Fulfillment and Returns Optimization provider overview

Manage subscription orders

AI simulations feature

Get reports

Power BI dashboards in Intelligent Order Management

Intelligent Order Management Insights reporting

More resources

Get support

Blogs and communities

Videos

Related products

Dynamics 365 Supply Chain Management

Build an adaptable, resilient supply chain that automatically reacts to challenges using real-time visibility, agile planning,...

Dynamics 365 Finance

Finance and operations apps are enterprise resource planning (ERP) software as a service (SaaS) offerings.

Microsoft Power BI

Power BI amplifies your insights and the value of your data. With Power BI documentation, you get expe...

Welcome to Intelligent Order Management documentation

Welcome to Dynamics 365 Intelligent Order Management. This solution helps your organization coordinate, standardize, and optimize orders captured in a mix of channels and systems through a single point of order orchestration. The standardization and optimization, together with incorporated intelligence, optimize the speed of delivery while minimizing costs. These improvements lead to better customer satisfaction and higher gross margin for your organization.

The Intelligent Order Management overview video is part of the Finance and Operations playlist available on YouTube.

https://learn-video.azurefd.net/vod/player?id=d1b2c68f-4bc1-4fea-b4f1-03ab43d0dca0&locale=en-us&embedUrl=%2Fdynamics365%2Fintelligent-order-management%2Fwelcome-to-iom

Get started

- Intelligent Order Management website

Videos

- Intelligent Order Management overview video

Blogs and communities

- Intelligent Order Management Blog
- Intelligent Order Management Community
- Intelligent Order Management Forum

Last updated on 01/30/2026

Intelligent Order Management overview

By using Dynamics 365 Intelligent Order Management, you can manage the orchestration of orders through to fulfillment. These capabilities enable your organization to orchestrate order flows across different platforms and apps.

Intelligent Order Management is designed to operate in complex environments where many internal and external systems and partners enable the supply chain processes. The platform scales up and down with your business, regardless of your organization's size.

Intelligent Order Management is designed for customers who are implementing business-to-consumer, direct-to-consumer, and business-to-business order process flows.

Customers who want to implement new fulfillment strategies like buy-online ship and buy-online and collect have complex implementation requirements. To help implement business strategies, these customers choose different e-commerce systems and fulfillment partners. Intelligent Order Management enables customers to choose the best systems and partners and integrate them into a single system.

Intelligent Order Management is designed as a Microsoft Dataverse application and shares the common data model with other apps in the Dynamics 365 family. Intelligent Order Management has no dependency on other Dynamics 365 apps. However, it works with both Dynamics 365 and non-Dynamics 365 business apps through the provider framework.

Partners and customers can benefit from the following benefits.

- Partners can understand the core architecture and integration capabilities and start developing solutions to integrate with external services or build application functionality.
- Customers can learn the core components, including the orchestration, fulfillment optimization, provider services concepts, data platform, and insights capabilities.

Components

Intelligent Order Management is a cloud-based solution. The following list contains the core components of the solution:

- App: The Intelligent Order Management app provides an interface to view orders and the fulfillment state. It provides a single place to view orders, regardless of the order source or how they were fulfilled.
- Providers: Providers enable the transfer of orders and fulfillment information between different platforms and apps.

- Orchestration: You configure flows to manage the journey of an order. Communication with providers creates events that drive an order through the flow. Customers implement business processes for their products and business requirements.
- Inventory Visibility Service: This service provides real-time visibility of inventory in the supply network so that decisions can be made through the order flow. Inventory can be communicated from source and target systems through the orchestration flows and providers.
- Fulfillment optimization: This is a service that you can leverage through the orchestration flow. The service enables optimization decisions about where an order can be fulfilled, using concepts such as cost and closest in distance.
- Insights: Understanding order and fulfillment metrics is critical in decision-making. Dashboards provide visibility to key order data and fulfillment key performance indicators (KPIs).

Intelligent Order Management app

Intelligent Order Management provides a single view of an order that helps organizations understand the state of fulfillment. Orders can originate in different e-commerce systems, point of sales systems, electronic data interchange (EDI), and customer relationship management (CRM) apps.

Providers

Providers enable you to integrate Intelligent Order management with other systems. Providers wrap the API calls between systems and present them to the organization as actions. The actions can raise events that drive the orchestration.

Providers use Power Automate connectors. This technology allows Intelligent Order Management to connect to an ecosystem of platforms and apps that you choose.

Intelligent Order Management ships connectors to populate marketplace, e-commerce systems, fulfillment and logistics systems, and partners. Both customers and partners can use the platform capabilities of Power Automate and Microsoft Dataverse development tools to build new providers.

You might want to build a provider to an existing warehouse or manufacturing system in your organization. A partner can build providers to integrate their platforms or apps with the Intelligent Order Management provider ecosystem.

There are two types of providers: first-party and third-party. First-party providers connect with Microsoft apps, such as Dynamics 365 Supply Chain Management, Dynamics 365 Commerce, or Dynamics 365 Finance. Services that ship with Intelligent Order Management are also implemented as a provider and are used to communicate between the fulfillment optimization service and the Inventory Visibility service.

Third-party providers are for services that Microsoft doesn't ship. Use them to integrate Intelligent Order Management with different capabilities in e-commerce platforms and fulfillment and logistics systems.

For more information, see Work with providers.

Orchestration

Intelligent Order Management enables the business user to directly change order flows, so they don't need to rely on their IT administrator. The supply chain team can leverage the embedded policy designer to design the rules to optimize their business processes.

The supply chain team can use the journey orchestration designer tools to model and automate the response to fulfillment constraints and leverage machine learning to influence and optimize the flow of the order. If an organization predicts or detects constraints in their fulfillment network, the journey orchestration designer tools can help them proactively overcome the bottlenecks and drive efficiencies across the supply chain.

Organizations can scale during peak order volumes by supporting various order intake, fulfillment, and delivery partners by using prebuilt connectors. The order orchestration engine is built on Microsoft Power Platform, which has more than 200 prebuilt connectors, allowing business users to easily connect into this ecosystem. Microsoft will continue to grow the ecosystem of connectors by working with external design partners.

Inventory visibility service

Intelligent Order Management ships with an integrated real-time inventory visibility service that is highly scalable and extensible, providing a single, global view of the inventory positions across all legal entities.

The fulfillment orchestration engine uses real-time inventory data to optimize fulfillment and ensure optimal stock levels across the channel.

Fulfillment optimization

Intelligent Order Management includes a fulfillment optimization service that you can use to define different fulfillment strategies. These strategies act as an engine through the orchestration process to determine the best location to fulfill an order from.

Insights

Intelligent Order Management includes Power BI dashboards that provide visibility to order and fulfillment metrics, helping you manage the order processes. You can extend the prebuilt dashboards by using the Power BI tools and data stored in Dataverse.

Additional resources

Work with providers

Overview video

Adapt quickly and fulfill efficiently with Dynamics 365 Intelligent Order Management - Microsoft Dynamics 365 blog

---

Last updated on 01/30/2026

Sign up for a free Dynamics 365 Intelligent Order Management trial

Dynamics 365 Intelligent Order Management offers a free 30-day trial. After a quick sign-up, you get access to many of the app's key features. The trial lets you test the app with sample data and even try out your own customer data. Learn more about Dynamics 365 Intelligent Order Management.

To sign up for the trial:

1. Go to the Intelligent Order Management get started page and select the **Sign up now** button.
2. Follow the guidance to enter the email associated with your Microsoft account and your contact information.

The trial takes a few moments to load, and then you can start using Intelligent Order Management.

What to try

Your trial environment includes many of the same features as the paid version. The links below guide you through some of the key features.

- Get started
- Create orchestration flows
- Set up providers
- Intelligent Fulfillment Optimization

Additional resources

- Intelligent Order Management overview video
- Trial FAQ

Last updated on 01/30/2026

Dynamics 365 Intelligent Order Management trial FAQ

This article answers your most frequently asked questions about the free product trial of Intelligent Order Management.

Sign-up

What are the system requirements for the trial?

This app is a cloud-based service that doesn't require special software other than an up-to-date web browser, though some restrictions apply. For the best trial experience, avoid accessing the trial site in private browsing mode. Learn more about web application requirements.

How do I sign up for the trial without a Microsoft 365 tenant?

You can enter a non-work email address and we will create an account and tenant for you.

Can I sign up for multiple Dynamics 365 apps such as Sales, Marketing, and Customer Service?

Yes, you can. To view all available trials, visit the trial hub page. You can use the same email account to sign up for different trials. However, it is not possible to have multiple apps on the same trial site. Each trial will be on a different org and URL. The trial data won't be shared across apps.

Trial app

I didn't receive the trial details email after signing up, what should I do?

When you sign up for the trial, you'll receive an email with the trial details. If you don't see the email in your inbox, check your spam folder. Alternatively, use the following steps to access your app:

1. Go to the trial site and select **Try for free**.

2. Enter the email ID that you used to sign up for the trial. You'll be redirected to your trial app.

How do I add more users to a trial?

To add users, go to the Microsoft 365 admin center using the trial admin account. Follow the admin center guidance to add users up to the trial license limit. If the user you are adding already has a Microsoft 365 account, assign them an appropriate security role in the trial org. For more information, see Assign a security role to a user.

How many users can I add to my trial environment?

You can add an unlimited number of users to the trial environment.

How do I reset the trial environment?

You can't reset the trial environment. However, you can wait for the trial period to end and then sign up again for a new trial.

Trial expiration and extension

Why did my trial expire before the end of the trial period?

The trial expires if there's no activity for 14 consecutive days. An email notification is sent to you after seven days of inactivity. Expired trials cannot be reactivated. However, you can start a new trial.

How do I extend the trial?

You can extend the trial for another trial period in the admin center. For instructions, see Extend your trial. You can extend your trial one time.

Can I convert the trial to a paid license?

Yes. You can purchase a license by using a credit card purchase. Go to the admin center. Alternatively, you can work with Microsoft Sales to establish a volume licensing or enterprise agreement. For more information on pricing and purchasing, see the Pricing page.

To purchase a license by using an existing account, work with the administrator of the account to apply for the license.

After you apply for the license to your tenant, you can remove the sample data and publish your environment to production. However, you must manually reset the configuration and remove any test data that you added. Create a new environment for your production environment and add the configurations you want to move forward with.

What are the trial limits and quotas?

The following limitations apply for the trial:

- The trial is available to you for 30 days. After that period, you can request an extension for another 30 days, buy a paid license, or sign up for a new trial.
- The trial expires if there's no activity in the app for 14 consecutive days. You can't reactivate expired trials, but you can start a new trial.
- You can have only one active trial per app at a time. You can sign up again after your current trial for the app ends.

Specific questions for Dynamics 365 Intelligent Order Management

How do I start using the trial?

After you sign up for the trial, you're redirected to the landing page for the app. The landing page provides links to user guides and tutorials. To learn more, select the links under **More resources** on the trial setup page.

What features are available in the trial?

The environment you receive as part of the trial is a fully functional Dynamics 365 environment with the following capabilities:

- Orchestration flows
- Providers
- Intelligent fulfillment optimization

How long does the trial last?

The Intelligent Order Management trial lasts 30 days. As mentioned above, you can extend the trial one time.

How do I remove sample data from the trial?

The trial environment provides a fully functional application so you can discover the business value of Intelligent Order Management right away. Sample data helps you learn how the app works as if it were deployed to many users in your organization and with existing customer interactions. Because this is an actual environment, you can manually add or delete individual data records in your trial environment. There's no option to bulk delete the sample data and configurations from the trial environments.

How do I restore sample data?

The trial environment and experience include sample data. To get a fresh dataset, you must wait for your trial to expire and start a new trial.

See also

Try Intelligent Order Management
Overview of Intelligent Order Management

Last updated on 01/30/2026

Deployment

Intelligent Order Management is a software as a service (SaaS) app that runs on the Microsoft Azure infrastructure.

Deployment options

You can deploy the preview release of Intelligent Order Management as a trial in two ways.

- Sign up for trial: Visit the Dynamics 365 Intelligent Order Management marketing page. Select **Get started** to step through the process of creating a trial system. You're prompted to enter your email address and other information. To access Intelligent Order Management, you must meet at least one of the following requirements:
  - If you're not part of a Microsoft tenant: Microsoft creates a tenant for you and adds Intelligent Order Management to it. You're the admin of the tenant and environment.
  - If you're an admin of an existing Microsoft tenant: Microsoft provides a trial Microsoft Power Apps environment and installs Intelligent Order Management there. If you're part of an existing Microsoft tenant and not the admin, you can't get access to the trial.

- Power Platform Administration Center: If you're an existing Microsoft Power Platform admin, you can deploy a new environment for your organization for evaluation. Learn about Power Platform Administration Center in Working with the admin portals. You can only deploy in trial environments. Learn more about deployment environments in About trial environments.

System requirements

You deploy the preview release through the trial experience, which Microsoft provisions and manages. As a customer or a partner, there are no systems prerequisites for using the trial experience.

Local requirements

You deploy Intelligent Order Management in the Microsoft Azure data centers. Admins and business users access the app by using a web browser. There are no components that must be downloaded and configured on a user machine. Use a common web browser of your choice, such as Microsoft Edge. Learn more about supported web browsers and hardware requirements in Web application requirements.

Service protection limits

Service protection limits exist to protect the health of the service. These limits provide a level of protection against random and unexpected surges in request volumes that threaten the availability and performance characteristics of the Microsoft Dataverse platform. Microsoft publishes guidance on the limits for Intelligent Order Management when the app is released for general availability. For more information about this concept, see Why choose Microsoft Dataverse?

Capacity add-ons

Microsoft manages the trial environments for customers to evaluate and provide feedback. More information is available when the app is released for general availability. For more information about this concept, see Why choose Microsoft Dataverse?

Backups

Use trial environments for evaluation and feedback. They include demo data to support evaluations. If you provision a trial environment, Microsoft deletes the trial environment after the 30-day trial period unless your environment is designated to be recovered.

Additional resources

Set up an environment

Last updated on 01/30/2026

Install Dynamics 365 Intelligent Order Management

Create an environment

Before you install Microsoft Dynamics 365 Intelligent Order Management, create an environment. If you're integrating with finance and operations apps and you set up dual-write, you already created an environment. After you create the environment, the instructions remain the same.

If you don't already have an environment, follow these steps to create one.

1. Go to the Power Platform admin center.
2. In the left navigation pane, select **Environments** > **New**.
3. In the **Name** field, enter a name for the environment.
4. In the **Type** field, select **Sandbox** or **Production**, depending on the type of environment that you're deploying.
5. Set the **Create a database for this environment** option to **Yes**, and then select **Next**.
6. On the next page, select your preferred options for language and currency.
7. Set the **Enable Dynamics 365 apps** option to **Yes**. If you skip this step, you must re-create the environment because the key data model for Intelligent Order Management is missing.
8. Make sure that the **Automatically deploy these apps** field is set to **None**. Intelligent Order Management isn't a default app that can be deployed.
9. Select **Save**. You receive a message that your environment is being prepared, and the environment state is **PreparingInstance**. When the environment is created, the state changes to the **Ready**. Creation of the environment takes less than one hour.

Install Intelligent Order Management

Follow these steps to install Intelligent Order Management in your environment.

1. Select the environment that you want to use.
2. Go to **Resources** > **Dynamics 365 Apps**.
3. Select **Install app**.
4. In the list, find and select **Dynamics 365 Intelligent Order Management**.
5. Select **Next**, select to agree to the Terms of Service, and then select **Install**. Installation might take a few hours. You can use the **Refresh** button to see when it finishes.

Next steps

Configuring Intelligent Order Management

Last updated on 01/30/2026

Quick start lab overview

This article provides an overview of the quick start lab for Microsoft Dynamics 365 Intelligent Order Management.

In this quick start lab, you learn how to:

- Create providers.
- Set up platform connection references.
- Set up Power Automate connections.
- Onboard providers.
- Set up policies.
- Set up order orchestration flows.
- Set up internal and external ID mappings.
- Test the end-to-end order orchestration at runtime.

Lab scenarios

The quick start lab includes the following scenarios.

- Order comes into IOM as email attachment.
- Validate order header to make sure ship to country/region is US.
- Validate order line to make sure quantity is more than 1.
- Route order based on quantity.
  - If quantity >= 100, send to Seattle store.
  - If quantity < 100, send to Chicago store.
- If order is routed to Seattle store, emails with fulfillment order attached are sent.
- If order is routed to Chicago store, requests with fulfillment order as payload are sent to RequestBin.

Lab business components

The quickstart uses the following business components.


- Order capturing endpoint: Email
- Order fulfillment endpoints:
  - Orders fulfilled from Seattle: Email
  - Orders fulfilled from Chicago: Request Bin
- Order orchestration flow and central visibility: Dynamics 365 Intelligent Order Management app

Lab flows

The quickstart demonstrates the following flows.


Nominal business flow

The following illustration shows a nominal business flow in Intelligent Order Management.




Exception flow (order header validation failed)

The following illustration shows an nominal exception flow caused by an order header validation failure in Intelligent Order Management.



Exception flow (order line validation failed)

The following illustration shows a nominal exception flow caused by an order line validation failure in Intelligent Order Management.



Next quick start lab step: Create and configure connections

Last updated on 01/30/2026

Create and configure connections

This article describes the steps required to create and configure connections in Microsoft Dynamics 365 Intelligent Order Management.

Create platform Power Automate connections

Navigate to https://us.flow.microsoft.com/ and ensure you are in the right Intelligent Order Management trial environment. To confirm which environment you are in, select the **Environment** icon on the top right corner of the Power Automate portal.

Create Dataverse connection

To create the Dataverse connection, follow these steps:

1. Go to **Data** > **Connections**.
2. Select **New connection**.
3. In the search box on the upper right corner, enter "Dataverse."
4. Select the plus symbol "+" to create the Dataverse connection. When prompted to sign in, make sure to use the same credentials you used to sign in to Intelligent Order Management.

Create Power Automate connection

To create the Power Automate connection, follow these steps:

1. Go to **Data** > **Connections**.
2. Select **New connection**.
3. In the search box on the upper right corner, enter "Power Automate Management."
4. Select the plus symbol "+" to create the Power Automate connection. When prompted to sign in, make sure to use the same credentials you used to sign in to Intelligent Order Management.

Configure platform connection references

> **Note**
>
> You need to configure three platform Dataverse connection references, but you can use the same Dataverse connection created previously for all three.

To configure platform connection references, follow these steps:

1. On the Intelligent Order Management **Welcome and get started** screen, select **Configure settings** > **Manage**.
2. For each connection reference, do the following:
   a. Select the connection reference.
   b. Go to the Power Automate portal.
   c. To retrieve the connection URL, select the corresponding connection to navigate to that specific connection page, and then copy the URL. For example, if you're setting up the Intelligent Order Management Data Transformer, you need to select the **IOM Data Transformer** connection on the Power Automate connection page and then copy the Intelligent Order Management Data Transformer connection page URL from your browser's address bar.
   d. Return to the corresponding Intelligent Order Management platform connection reference page and paste the copied URL into the **Connection URL** field.
3. Select **Activate System**.

Next quick start lab step: Create provider solution

Last updated on 01/28/2026

Create a new provider solution package


This article describes the steps required to create a new provider solution package in Microsoft Dynamics 365 Intelligent Order Management.

It's recommended to have one provider per solution, but you can include multiple providers in the same solution. This solution is the one you share and install on Intelligent Order Management environments.

Create a new provider solution

To create a new provider solution, follow these steps:

1. Go to the Power App Maker Portal and sign in with your Intelligent Order Management credentials.
2. Go to **Solutions**.
3. Select **New solution**.
4. For **Display name**, enter "IOM LabProviders".
5. For **Name**, enter "IOM LabProviders".
6. For **Publisher**, select **CDS Default Publisher**.
7. For **Version**, enter "1.0.0.0".



Next quick start lab step: Create RequestBin custom connector.

Last updated on 01/30/2026

Create RequestBin custom connector

This article describes the steps required to create a RequestBin custom connector in Microsoft Dynamics 365 Intelligent Order Management.

> **Note**
>
> RequestBin is non-Microsoft third party software used to collect, inspect, and debug HTTP requests and webhooks. This article uses it for demo purposes, please use it at your own discretion.

Create RequestBin account

To create a RequestBin account, follow these steps:

1. Go to RequestBin.com and select **Create Request Bin**.
2. You can choose to create a public bin, but if you want to keep your request bin long-term, sign in by using one of the suggested authentication methods.
3. Once your RequestBin is set up, you have a public endpoint URL in the format `https://xxxxxxxxxxxxxx.m.pipedream.net`.

Create custom connector

To create a custom connector, follow these steps:

1. Go to the Power App Maker portal and go to the newly created solution **IOMLabProviders**.
2. Select **New** > **Custom connector** and name it "RequestBin".
3. In the **Host** field, enter the public endpoint URL you got from RequestBin. Don't add `https://` to the URL.
4. Select **Security**.
5. Select **Definition**.
6. Select **+ New action**
7. In the **General** dialog box, enter the following information:
   a. For **Summary**, enter "Create fulfillment order".
   b. For **Description**, enter "Create fulfillment order".
   c. For **Operation ID**, enter "CreateFulfillmentOrder".
   d. For **Visibility**, select **none**.
8. Under **Request**, select **Import from sample**.
9. In the **Import from sample** dialog box, enter the following information:

a. For **Verb**, select **POST**.
b. For **URL**, enter `https://<URL_FROM_REQUESTBIN>/CreateFulfillmentOrder`, where **<URL_FROM_REQUESTBIN>** is the public endpoint URL you got from RequestBin.

10. Select **Import**.
11. Select **+ New action**
12. In the **General** dialog box, enter the following information:
    a. For **Summary**, enter "Create fulfillment order lines".
    b. For **Description**, enter "Create fulfillment order lines".
    c. For **Operation ID**, enter "CreateFulfillmentOrderLines".
    d. For **Visibility**, select **none**.
13. Under **Request**, select **Import from sample**.
14. In the **Import from sample** dialog box, enter the following information:
    a. For **Verb**, select **POST**.
    b. For **URL**, enter `https://<URL_FROM_REQUESTBIN>/CreateFulfillmentOrderLines`, where **<URL_FROM_REQUESTBIN>** is the public endpoint URL you got from RequestBin.
15. Select **Import**.
16. Select **Create connector**.

Next quick start lab step: Create intake provider

Last updated on 01/30/2026

Create intake provider

This article describes the steps to create an intake provider in Microsoft Dynamics 365 Intelligent Order Management.

Create new provider definition

To create a new provider definition, follow these steps:

1. Go to **Providers** > **Catalog**.
2. Select **New Provider Definition**.
3. For **Display Name**, enter "IOMLabOrderIntakeProvider".
4. For **Logical Name**, enter "msdyn_IOMLabOrderIntakeProvider".
5. For **Logo**, select "IOMLab.png".
6. For **Service Type**, enter "Order intake".
7. For **Description**, enter "IOM lab order intake provider".
8. Select **Save & close**.

Add provider definition to solution

To add a provider definition to a solution, follow these steps:

1. Go to the Power App Maker portal and navigate to the newly created solution **IOMLabProviders**.
2. Select **Add existing** > **IOM Provider Definition**.
3. Select **IOMLabOrderIntakeProvider**, and then select **Add** to add it to the solution.

Add transformation to the provider definition

To add a transformation to the provider definition, follow these steps:

1. Go to **Providers** > **Catalog**.
2. Select the newly created **IOMLabOrderIntakeProvider**.
3. Select **Edit** on the menu bar.
4. Select the **Transformations** tab.
5. Select **+ New IOM Provider Definition Transformation**.
6. For **Display Name**, enter "IOMLab Order to Dataverse Order".
7. For **Logical Name**, enter "msdyn_IOMLabOrderIntake_Order".
8. For **Provider Definition**, enter or select **IOMLabOrderIntakeProvider**.
9. For **Source Object Name**, enter "IOMLabOrderIntakeProvider".
10. For **Destination Object Name**, enter "Dataverse Order".

11. For **Transformation**, paste the following M query code:

M

```
shared ImportMappingKey = [
    account = {
            [
                ExternalRecordKey = [ProviderName = "IOMLabOrderIntakeProvider"],
                SelectedFields = {"accountid"}
            ]
    },
        pricelevel = {
            [
                ExternalRecordKey = [ProviderName = "IOMLabOrderIntakeProvider"],
                SelectedFields = {"pricelevelid"}
            ]
    },
        product = List.Distinct(List.Transform(Source[orderdetails], each
            [
                ExternalRecordKey = [sku = _[sku]],
                SelectedFields = {"productid"}
            ])),
        uom = List.Distinct(List.Transform(Source[orderdetails], each
            [
                ExternalRecordKey = [unit = _[unit]],
                SelectedFields = {"uomid"}
            ]))
];
shared TransformSourceData =
let
    orderProducts = Source[orderdetails],
    account = IOM.MapRecord(IOM.MappingTables[account], [ProviderName =
"IOMLabOrderIntakeProvider"]),
    pricelevel = IOM.MapRecord(IOM.MappingTables[pricelevel], [ProviderName =
"IOMLabOrderIntakeProvider"]),

    orderheader = Record.FromTable
                    (
                        Table.SelectRows
                        (
                            Record.ToTable
                            (
                                [
                                    ordernumber = Text.From(Source[ordernumber]),
                                    name = ordernumber,
                                    #"customerid_account@odata.bind" = "/accounts("
& Text.From(account[accountid]) & ")",
                                    #"pricelevelid@odata.bind" = "/pricelevels(" &
Text.From(pricelevel[pricelevelid]) & ")",
                                    billto_city = Record.FieldOrDefault(Source,
"billtocity"),
                                    billto_stateorprovince =
Record.FieldOrDefault(Source, "billtostateorprovince"),
                                    billto_country = Record.FieldOrDefault(Source,
```

```
"billtocountry"),
                                    billto_postalcode =
Record.FieldOrDefault(Source, "billtozip"),
                                    shipto_city = Record.FieldOrDefault(Source,
"shiptocity"),
                                    shipto_stateorprovince =
Record.FieldOrDefault(Source, "shiptostateorprovince"),
                                    shipto_country = Record.FieldOrDefault(Source,
"shiptocountry"),
                                    shipto_postalcode =
Record.FieldOrDefault(Source, "shiptozip")
                                ]
                            ), each [Value] <> null
                        )
                    ),

    orderlines = List.Transform(orderProducts, each
                        Record.FromTable
                        (
                            Table.SelectRows
                            (
                                Record.ToTable
                                (
                                    [
                                        ispriceoverridden = true,
                                        #"productid@odata.bind" = "/products(" &
IOM.MapRecord(IOM.MappingTables[product], [sku = Record.FieldOrDefault(_, "sku")])
[productid] & ")",
                                        #"uomid@odata.bind" = "/uoms(" &
IOM.MapRecord(IOM.MappingTables[uom], [unit = Record.FieldOrDefault(_, "unit")])
[uomid] & ")",
                                        quantity = [quantity],
                                        shipto_name =
Record.FieldOrDefault(orderheader, "shipto_name"),
                                        shipto_contactname =
Record.FieldOrDefault(orderheader, "shipto_contactname"),
                                        shipto_line1 =
Record.FieldOrDefault(orderheader, "shipto_line1"),
                                        shipto_line2 =
Record.FieldOrDefault(orderheader, "shipto_line2"),
                                        shipto_line3 =
Record.FieldOrDefault(orderheader, "shipto_line3"),
                                        shipto_city =
Record.FieldOrDefault(orderheader, "shipto_city"),
                                        shipto_stateorprovince =
Record.FieldOrDefault(orderheader, "shipto_stateorprovince"),
                                        shipto_country =
Record.FieldOrDefault(orderheader, "shipto_country"),
                                        shipto_postalcode =
Record.FieldOrDefault(orderheader, "shipto_postalcode"),
                                        shipto_telephone =
Record.FieldOrDefault(orderheader, "shipto_telephone")
                                    ]
                                ), each [Value] <> null
                            )
```

```
                    )
                ),

    salesorder = Record.AddField(orderheader, "order_details", orderlines)
in Text.FromBinary(Json.FromValue(salesorder));
```

1. For **Transformation Source Type**, enter "JsonPayload".
2. Select **Save**.
3. Create a JSON file, paste the following code, and save it.

JSON

```
{
  "ordernumber": "IOMLabOrder001",
  "shiptocity": "BELLEVUE",
  "shiptostateorprovince": "WA",
  "shiptocountry": "US",
  "shiptozip": "98007",
  "billtocity": "BELLEVUE",
  "billtostateorprovince": "WA",
  "billtocountry": "US",
  "billtozip": "98007",
  "orderdetails": [
    {
      "sku": "883988211855",
      "unit": "each",
      "quantity": 11
    }
  ]
}
```

1. Next to the **Sample Data** field, select **Choose File** and upload the JSON file you created.
2. Select **Save & close**.

Add provider definition transformation to solution


To add a provider definition transformation to a solution, follow these steps:

1. Go to the Power App Maker portal and navigate to the newly created solution **IOMLabProviders**.
2. Select **Add existing** > **IOM Provider Definition Transformation**.
3. Select **IOMLab Order to Dataverse Order**, and then select **Add** to add it to the solution.

Create provider message handler

To create a provider message handler, follow these steps:

1. Go to the Power App Maker portal, go to **Solutions**, and open the **Default Solution**.
2. Select **New**.
3. Select **Cloud Flow**, and then name it "IOM Lab Order Intake Message Request Handler".
4. Select the trigger type as **Outlook.com – When a new email arrives (V2)**, and then sign in by using your outlook.com account credentials.
5. For **Folder**, select **Inbox**.
6. For **To**, select **Recipient email addresses separated by semicolons**.
7. For **CC**, select **CC recipient email addresses separated by semicolons**.
8. For **To or CC**, select **To or CC recipient email addresses separated by semicolons**.
9. For **From**, select **Sender email addresses separated by semicolons**.
10. For **Include Attachments**, select **Yes**.
11. For **Subject Filter**, select **IOMLabOrderIntakeOrder**.
12. For **Importance**, select **Any**.
13. For **Only with Attachment**, select **Yes**.



14. Select **New step** and add "Parse JSON".

15. For **Content**, paste in the following code:

16. JSON

```
{
"ProviderId": "00000000-0000-0000-0000-000000000000"
}
```

17. Directly paste in the following sample schema code:

JSON


```
{
  "type": "object",
  "properties": {
    "ProviderId": {
      "type": "string"
    }
  }
}
```

18. Select **Done**.

19. Select the ellipsis ("...") and then select **Rename**.

20. Rename the action "IOM System Properties".

21. Select **Save**.



22. Select **New step**, add a **Parse JSON** action, and rename it to "Initialize Provider Variables".

23. For **Content**, paste in the following code:

```JSON
{
  "SourceObjectName": "IOMLabOrderIntakeProvider",
  "DestinationObjectName": "Dataverse Order"
}
```

24. Select **Save**.


25. Select **New step**, add an **Initialize variable** action, and rename it to "Initialize Processing Execution Result".

26. For **Name**, enter "ExecutionResult".


27. For **Type**, select **Boolean**.

28. For **Value**, select **true**.


29. Select **Save**.



30. Select **New step**, add "scope", and rename it to "Try".
31. In the **Try** scope, select **Add an action**.
32. Add "perform an unbound action" from the **Dataverse** connector and rename it to "Acknowledge the Provider Message in IOM".
33. For **Action Name**, enter "msdyn_CreateProviderMessageRequestExecution".
34. For **PowerAutomateWorkflowId**, enter `workflow()['tags']['xrmWorkflowId']` as an expression.
35. For **PowerAutomateRunId**, enter `workflow()['run']?['name']` as an expression.
36. For **ProviderExternalRequestId**, enter `guid()` as an expression.
37. Select **Save**.



38. Select **Add an action**, and then add an **Apply to each** control.
39. For **Select an output from previous steps**, select **Attachments**.



40. Select **Add an action** within the **Apply to each** loop, add **Run a child flow** from the **Flow** connector, and rename it "Transform Message with Power Query Online".

41. Select the child flow **IOM Provider Transformer**.


42. For **Provider Id**, select the **ProviderId** variable.

43. For **Source Object Name**, select the **SourceObjectName** variable.

44. For **Destination Object Name**, select the **DestinationObjectName** variable.

45. For **Payload**, enter `decodeBase64(items('Apply_to_each')?['ContentBytes'])` as an expression.

46. Select **Save**.




47. After the transformation step, select **Add an action**, add **Run a child flow** from the Flow connector, and rename it "Create Order".

48. For **Child Flow**, enter "IOM Sales Order Creation".

49. For **Payload**, enter `string(json(outputs('Transform_Message_with_Power_Query_Online')?['Body']?['result'])?[0][0])` as an expression.

50. Select **Save**.




51. Collapse the **Try** scope by selecting its title bar.

52. Select **New step**, add a scope, and rename it "Catch".

53. In the **Catch** scope, select the ellipsis ("..."), and then select **Configure run after**.

54. Select the **has failed** and **has timed out** checkboxes, and then select **Done**.




55. In the **Catch** scope, select **Add an action**, add a **Set variable** action, and rename it "Set the execution result to failed".

56. For **Name**, enter "Executionresult".

57. For **Value**, select **False**.

58. Select **Save**.




59. Collapse the **Catch** scope by selecting its title bar.

60. Select **New step**, add a scope, and rename it "Finally".

61. In the **Finally** scope, select the ellipsis ("..."), and then select **Configure run after**.

62. Select the **is successful**, **has failed**, **is skipped**, and **has timed out** checkboxes, and then select **Done**.




63. In the **Finally** scope, select **Add an action**, add a **Perform an unbound action** action, and rename it "Save Provider message request execution result".

64. For **Action Name**, enter "msdyn_UpdateProviderMessageRequestStatus".

65. For **ProviderMessageRequestExecutionId**, enter `@outputs('Acknowledge_the_Provider_Message_in_IOM')?["body/ProviderMessageRequestExecutionId']`.

66. Select **Save**.



Add provider definition logic definition to the provider definition

To add a provider definition logic definition to the provider definition, follow these steps:

1. In your Intelligent Order Management application, go to **Providers** > **Catalog**.
2. Select the newly created **IOMLabOrderIntakeProvider**.
3. Select **Edit** on the menu bar.
4. Select the **Logic definitions** tab.
5. Select **+ New IOM Provider Definition Logic Definition**.
6. For **Display Name**, enter "IOM Lab Order Intake Message Request Handler".
7. For **Logical Name**, enter "msdyn_LabOrderIntakeMessageRequestHandler".
8. For **Provider Definition**, enter "IOMLabOrderIntakeProvider".
9. For **Logic Type**, enter "Provide Message Handler".
10. For **Workflow Name**, enter "IOM Lab Order Intake Message Request Handler".
11. For **Timeout Minutes**, enter "2".
12. For **Max Retry Attempts**, enter "3".
13. For **Description**, enter "IOM Lab Order Intake Message Request Handler".
14. Select **Save**. This action generates a JSON representation of the message handler cloud flow and fills in the **Client Data** field.
15. Select **Save & close**.
16. Select **Connections**. You should see both the **Microsoft Dataverse** and **Outlook.com** connection reference definitions listed.

> **Note**
>
> If you see connections reference definitions other than **Microsoft Dataverse** and **Outlook.com**, this condition means that you're using more than one Dataverse

connection reference in your order intake message handler flow. To fix this problem, go to your flow and ensure that all Dataverse actions use the same connection reference.

Add provider definition logic definition to IOMLabProviders solution

To add a provider definition logic definition to the IOMLabProviders solution, follow these steps:

1. Go to the Power App Maker portal and navigate to the newly created solution **IOMLabProviders**.
2. Select **Add existing** > **IOM Provider Definition Logic Definition**.
3. Select **IOM Lab Order Intake Message Request Handler** and then select **Add** to add it to the solution.

Add provider definition connection reference to IOMLabProviders solution

To add a provider definition connection reference to the IOMLabProviders solution, follow these steps:

1. Go to the Power App Maker portal and navigate to the newly created solution **IOMLabProviders**.
2. Select **Add existing** > **IOM Provider Definition Connection Reference**.
3. Select the **Microsoft Dataverse** and **Outlook.com** connection reference definitions and then select **Add** to add them to the solution.

Next quick start lab step: Create fulfillment provider.

Last updated on 01/30/2026

Create fulfillment provider

This article describes the steps required to create a fulfillment provider in Microsoft Dynamics 365 Intelligent Order Management.

Create new provider definition

To create a new provider definition, follow these steps:

1. Go to **Providers** > **Catalog**.
2. Select **New Provider Definition**.
3. For **Display Name**, enter "IOMLabFulfillmentProvider".
4. For **Logical Name**, enter "msdyn_IOMLabFulfillmentProvider".
5. For **Description**, enter "IOM lab fulfillment provider".
6. For **Logo**, select "IOMLab.png".
7. For **Service Type**, enter "Fulfillment".
8. Select **Save and close**.

Add provider definition to solution

To add a provider definition to the solution, follow these steps:


1. Go to the Power App Maker portal and navigate to the newly created solution **IOMLabProviders**.
2. Select **Add existing** > **IOM Provider Definition**.
3. Select **IOMLabFulfillmentProvider** and then select **Add** to add it to the solution.

Create provider action to send a fulfillment payload to Outlook

To create a provider action that sends a fulfillment payload to Outlook, follow these steps:

1. Go to the Power App Maker portal and navigate to **Solutions**.
2. Open the **Default Solution**.
3. Select **New**.
4. Select **Cloud Flow**, and then name it "IOM Lab Send To Fulfillment (Outlook)".
5. Select the trigger type as **HTTP** trigger

a. Define a Power Automate trigger. Typically, this trigger is an HTTP endpoint that acts as a webhook trigger (recommended), connector trigger, or a Dataverse insert trigger. The trigger starts when an external service sends data to Intelligent Order Management.




Use the following JSON Schema in your HTTP trigger.

JSON

```
{
    "type": "object",
    "properties": {
        "text": {
            "title": "ProviderActionExecutionEventId",
            "type": "string",
            "x-ms-dynamically-added": true,
            "description": "Please enter your input",
            "x-ms-content-hint": "TEXT"
        },
        "text_1": {
            "title": "EntityRecordId",
            "type": "string",
            "x-ms-dynamically-added": true,
            "description": "Please enter your input",
            "x-ms-content-hint": "TEXT"
        }
    },
    "required": [
        "text",
```


```
        "text_1"
    ]
}
```



1. Add a **Try** scope.


2. Within the **Try** scope, add a **Perform an unbound action** action as follows:

    - **ProviderActionExecutionEventId**: Under **Dynamic content**, select **ProviderActionExecutionEventId**.
    - **PowerAutomateRunId**: Specify the following as an expression: `workflow()['run']?['name']`.




3. Add a **Get a row by ID** action and then do the following:

   - For **Table name**, enter "Fulfillment Orders".
   - For **Row ID**, select **EntityRecordId** under **Dynamic content**.



4. Add a **Send an email** action from the Outlook.com connector, as follows. There are couple of email connectors, make sure to select Outlook.com since that's the connection set up earlier.

   - On the **To** line, "placeholder@placeholder.com" is used as placeholder text. This text is replaced by a provider parameter in later steps.
   - On the **Subject** line, "name" is obtained from the **Get fulfillment order** step under **Dynamic content**.
   - For **Body**, specify the following as an expression: `outputs('Get_fulfillment_order')['body']`




5. Add a **List rows** action as follows:

   - For **Table name**, enter "Fulfillment Order Products".
   - For **Fetch Xml query** enter the following:


XML

```
<fetch>
  <entity name="msdyn_fulfillmentorderdetail">
   <all-attributes />
     <filter>
     <condition attribute="msdyn_fulfillmentid" operator="eq"
value="@{triggerBody()['text_1']}"/>
     </filter>
  </entity>
</fetch>
```




6. Add an **Apply to each** control with a **Send an email** action as follows:

   - **value** is obtained from the **Get fulfillment order line** step under **Dynamic content**.
   - **name** is obtained from the **Get fulfillment order line** step under **Dynamic content**.
   - **Current item** is selected from under **Dynamic content**.




7. Within the loop, add an **Append to array variable** action as follows:

- For **Name**, enter "ProcessedFulfillmentOrderLines".
- For **Value**, select **Fulfillment line ID** from under **Dynamic content**.



8. Within the loop, add another **Append to array variable** action as follows:

- For **Name**, enter "ProcessedSalesOrderLines".
- For **Value**, select **Sales line ID** from under **Dynamic content**.




9. Collapse the **Try** scope by selecting its title bar.

10. Select **New step** and add another scope named "Catch".

11. On the **Catch** scope, select the ellipsis ("..."), select **Configure run after**, and configure as follows:


    - Select the **has failed** checkbox.
    - Select the **has failed** checkbox.



12. In the **Catch** scope, select **Add an action** and add a **Set variable** action. Rename the action to "Set the execution result to failed".

13. Configure the properties as follows:


    - For **Name**, enter "ExecutionResult".
    - For **Value**, enter "false".



14. Select **New step**, and add another scope named "Finally".


15. On the **Finally** scope, select the ellipsis ("..."), select **Configure run after**, and configure as follows:

    - Select the **is successful** checkbox.
    - Select the **has failed** checkbox.
    - Select the **is skipped** checkbox.
    - Select the **has failed** checkbox.



16. In the **Finally** scope, add a "condition" step and compare the **ExecutionResult** variable to true as follows:


    - In the first field, select the **ExecutionResult** variable.
    - In the second field, select **is equal to**.
    - In the third field, select **true**.



17. In the **If yes** branch, add a **Run a child flow** action and rename it "Raise Business Events for processed fulfillment order lines".

18. Configure the properties as follows:


    - For **Child flow**, enter "IOM Raise Business Event".
    - For **BusinessEventDefinitionId**, enter "063d85c8-60a4-eb11-9443-000d3a313675".
    - For **EntityRecordId**, specify the following as expressions:
      `string(variables('ProcessedFulfillmentOrderLines'))`



19. In the **If yes** branch, add another **Run a child flow** action and rename it "Raise Sales Order Aggregated Events".

20. Configure the properties as follows:

    - For **LineBusinessEventDefinitionId**, enter "ccf64002-61a4-eb11-9443-000d3a313675".
    - For **LineRecordId**, specify the following as an expression: `string(variables('ProcessedSalesOrderLines'))`.
    - For **OrderBusinessEventDefinitionId**, enter "48688716-61a4-eb11-9443-000d3a313675".




21. Collapse the condition step.

22. Add a **Perform an unbound action** action as follows:

    - For **Action name**, enter "msdyn_CompleteProviderActionExecution".
    - For **ExecutionResult**, select the **ExecutionResult** variable from under **Dynamic content**.

- For **ProviderActionExecutionEventId**, select **ProviderActionExecutionEventId** from under **Dynamic content**.



23. Select **Save**.

Add a provider definition logic definition to the Outlook provider definition

To add a provider definition logic definition to the Outlook provider definition, follow these steps:

1. Go to **Providers** > **Catalog**.
2. Select the newly created **IOMLabFulfillmentProvider**.
3. Select **Edit** on the menu bar.
4. Select the **Logic definitions** tab.
5. Select + **New IOM Provider Definition Logic Definition**.
6. For **Display Name**, enter "IOM Lab Send to Fulfillment (Outlook)".
7. For **Logical Name**, enter "msdyn_LabSentToFulfillmentOutlook".
8. For **Provider Definition**, enter "IOMLabFulfillmentProvider".
9. For **Logic Type**, enter "Provider Action".
10. For **Workflow Name**, enter "IOM Lab Send to Fulfillment (Outlook)".
11. For **Timeout Minutes**, enter "2".
12. For **Max Retry Attempts**, enter "3".
13. For **Description**, enter "IOM Lab Send to Fulfillment (Outlook)".
14. For **Action Type**, enter "Send to Fulfillment".
15. Select **Save**. This action generates a JSON representation of the message handler cloud flow and populates the **Client Data** field.
16. Replace the placeholder email with provider parameter as follows:
    a. Copy the text block in the **Client Data** field and paste it into Notepad.


b. In the text block, find "placeholder@placeholder.com" and replace it with "{{IOMLabOutboundFulfillmentEmail}}".

Last updated on 01/30/2026

Export provider solution

This article describes the steps required to export a provider solution in Microsoft Dynamics 365 Intelligent Order Management.

At this stage of the quick start lab, you should see the following components in your provider solution.



Solutions > **IOMLabProviders**

Display name	Name	Type
RequestBin	crfff_5Frequestbin	Custom connector
IOM Lab Order Intake Message Request Handler	IOM Lab Order Intake Message Request Handler	IOM Provider Definition Logic Definition
IOM Lab Send To Fulfillment (Outlook)	IOM Lab Send To Fulfillment (Outlook)	IOM Provider Definition Logic Definition
IOM Lab Send To Fulfillment (RequestBin)	IOM Lab Send To Fulfillment (RequestBin)	IOM Provider Definition Logic Definition
IOMLab Order to Dataverse Order	IOMLab Order to Dataverse Order	IOM Provider Definition Transformation
IOMLabFulfillmentProvider	IOMLabFulfillmentProvider	IOM Provider Definition
IOMLabOrderIntakeProvider	IOMLabOrderIntakeProvider	IOM Provider Definition
IOMLabOutboundFulfillmentEmail	IOMLabOutboundFulfillmentEmail	IOM Provider Definition Parameter
Microsoft Dataverse	Microsoft Dataverse	IOM Provider Definition Connection Reference
Microsoft Dataverse	Microsoft Dataverse	IOM Provider Definition Connection Reference
Outlook.com	Outlook.com	IOM Provider Definition Connection Reference
Outlook.com	Outlook.com	IOM Provider Definition Connection Reference
RequestBin	RequestBin	IOM Provider Definition Connection Reference

For instructions on exporting your solution, see Export solutions.

Clean up after export

To clean up after export, follow these steps:

1. Go to the Power App Maker portal, navigate to **Solutions** > **default solution**, and then filter on **Cloud flow**.
2. Stop the following cloud flows that you created to initialize provider definition logic definition:

    - IOM Lab Order Intake Message Request Handler.
    - IOM Lab Sends To Fulfillment (Outlook).
    - IOM Lab Sends To Fulfillment (RequestBin).

> **Note**

You generate new flows when you instantiate a provider. If you don't turn off these flows, they send more outgoing payloads than expected.

Next quick start lab step: Onboard provider instance

Last updated on 01/30/2026

Onboard provider instance

This article describes the steps required to onboard a provider instance in Microsoft Dynamics 365 Intelligent Order Management.

Create application connections

> **Note**
>
> If you followed the previous provider creation steps, you already created these application connections and can skip this section.

Create Outlook connection

To create an Outlook connection, follow these steps:

1. Select **New connection**.
2. In the search box in the upper right corner, enter "Outlook.com".
3. Select the plus symbol ("+") to create the connection.
4. Sign in by using your Outlook credentials (user name and password). These credentials aren't related to your Intelligent Order Management credentials.

Create RequestBin connection

To create a RequestBin connection, follow these steps:

1. Select **New connection**.
2. In the search box in the upper right corner, enter "requestbin".
3. Select the plus symbol ("+") to create the connection.

Add provider for order intake

To add a provider for order intake, follow these steps:

1. Go to **Providers** > **Catalog** and select **Add Provider** on the **IOMLabOrderIntakeProvider** tile.
2. Under the **Connections** section, select **Microsoft Dataverse** to navigate to the **IOM Provider Connection Reference** form. Similar to how you set up platform connection references, set up connection references to corresponding Power Automate connections created in previous steps.

3. On the **IOM Provider Connection Reference** form:
   a. Copy the connection URL from the Dataverse Power Automate connection details page and paste it into the **Connection URL** field.
   b. Select **Save**.
   c. Select **Activate**.
   d. Select **Save & close**.
4. On the **IOM provider** form, under the **Connections** section select **Outlook.com**.
5. On the **IOM Provider Connection Reference** form:
   a. Copy the Outlook.com connection URL from the corresponding Power Automate connection details page and paste it into the **Connection URL** field.
   b. Select **Save**.
   c. Select **Activate**.
   d. Select **Save & close**.
6. On the **IOM provider** form, select **Activate**. This action deploys the Power Automate flow that processes the incoming email with order attachment.

Add provider for fulfillment

To add a provider for fulfillment, follow these steps:

1. Go to **Providers** > **Catalog** and select **Add Provider** on the **IOMLabFulfillmentProvider** tile.
2. Under the **Connections** section, set up all the connections listed.
3. On the **Parameters** tab, enter the email account where you want the fulfillment order payload to be sent. This account can be any valid email address.
4. On the **IOMLabFulfillmentProvider** form:
   a. Select **Save**.
   b. Select **Activate**.
   c. Select **Save and close**.

View the deployed Power Automate component

To view the deployed Power Automate component, follow these steps:

1. Go to the Power App Maker portal and confirm that you're in the correct Intelligent Order Management trial environment. To check which environment you're in, select the **Environment** icon on the top right corner of the maker portal.
2. Go to **Solutions** > **Default Solution**.
3. Filter the solution component to display only "Cloud flow". You should now see the following Power Automate flows.

IOM Lab Order Intake Message Request Handler (64fe5fb3-a7a9-4cd2-8f84-586e2789ae21)	···	IOM Lab Order Intake Message Request Handler (64fe5fb3-a7a9-4cc	Cloud flow
IOM Lab Send To Fulfillment (Outlook) (4d7dd3c6-d7d8-43d6-b071-72895fcc4122)	···	IOM Lab Send To Fulfillment (Outlook) (4d7dd3c6-d7d8-43d6-b071-	Cloud flow
IOM Lab Send To Fulfillment (RequestBin) (4d7dd3c6-d7d8-43d6-b071-72895fcc4122)	···	IOM Lab Send To Fulfillment (RequestBin) (4d7dd3c6-d7d8-43d6-b0	Cloud flow

Next quick start lab step: Create policies

Last updated on 01/30/2026

Create policies

This article describes the steps to create policies in Microsoft Dynamics 365 Intelligent Order Management.

Create new header validation policy

To create a new header validation policy, follow these steps:

1. Go to **Orchestration** > **Policies** and select **New**.
2. For **Policy Name**, enter `Order header validation policy`.
3. For **Policy Type**, enter `Execution Policy`.
4. For **Policy Criticality**, enter `Critical`.
5. For **Status**, enter `Unpublished`.
6. For **Associated Entity**, enter `Order`.
7. Select **Save**.

Create new order header validation policy rule


To create new order header validation policy rule, follow these steps:

1. On the order header validation policy form, select **New Rule**.

2. For **Rule Name**, enter "ShipToCountry - US".

3. For **Rule definition**:
   a. In the first field, select **Ship to Country/Region**.
   b. In the second field, select **Equals**.
   c. In the third field, select **US**.

4. For **Policy**, enter or select "Order header validation policy".



5. Select **Save & close**.

Publish the header validation policy

To publish the header validation policy, follow these steps:

1. Go to the order header validation policy you created. You should be on this screen already if you followed the preceding steps.
2. Select **Publish**.

Create new line validation policy

To create a new line validation policy, follow these steps:

1. Go to **Orchestration** > **Policies** and select **New**.
2. For **Policy Name**, enter "Order line validation policy".
3. For **Policy Type**, enter `Execution Policy`.
4. For **Policy Criticality**, enter `Critical`.
5. For **Status**, enter `Unpublished`.
6. For **Associated Entity**, enter "Order Product".
7. Select **Save**.

Create new order line validation policy rule


To create a new order line validation policy rule, follow these steps:

1. On the order line validation policy form, select **New Rule**.

2. Under **Condition**, for **Rule Name**, enter "Min quantity".

3. For **Rule definition**:
   a. In the first field, select **Quantity**.
   b. In the second field, select **Is greater than or equal to**.
   c. In the third field, enter or select **5**.

4. Under **Action**, set the **Add Action** value to **No**.



5. Select **Save and close**.

Publish the line validation policy

To publish the line validation policy, follow these steps:

1. Go to the order line validation policy. You should be on this screen already if you followed the previous steps.
2. Select **Publish**.

Create simple fulfillment assignment policy

To create a simple fulfillment assignment policy, follow these steps:

1. Go to **Orchestration** > **Policies** and select **New**.
2. For **Policy Name**, enter "Simple fulfillment assignment policy".
3. For **Policy Type**, enter `Execution Policy`.
4. For **Policy Criticality**, enter "Information".
5. For **Status**, enter `Unpublished`.

6. For **Associated Entity**, enter "Order Product".
7. Select **Save**.

Create new simple fulfillment assignment policy rule for Seattle store


To create a new simple fulfillment assignment policy rule for the Seattle store, follow these steps:

1. On the simple fulfillment assignment policy form, select **New Rule**.

2. Under **Condition**, for **Rule Name**, enter "Assignment rule- Seattle".

3. For **Rule definition**:
   a. In the first field, select **Quantity**.
   b. In the second field, select **Is greater than or equal to**.
   c. In the third field, enter or select **100**.

4. Under **Action**, set the **Add Action** value to **Yes**.
   a. In the first field, select **Fulfillment Source**.
   b. In the second field, select **Set Value**.
   c. In the third field, enter or select **Seattle store**.




5. Select **Save and close**.

Create new simple fulfillment assignment policy rule for Chicago store

To create a new simple fulfillment assignment policy rule for the Chicago store, follow these steps:

1. On the simple fulfillment assignment policy form, select **New Rule**.
2. Under **Condition**, for **Rule Name**, enter "Assignment rule- Chicago".
3. For **Rule definition**:
   a. In the first field, select **Quantity**.
   b. In the second field, select **Is less than**.
   c. In the third field, enter or select **100**.
4. Under **Action**, set the **Add Action** value to **Yes**.
   a. In the first field, select **Fulfillment Source**.
   b. In the second field, select **Set Value**.
   c. In the third field, enter or select **Chicago store**.



5. Select **Save and close**.

Publish simple fulfillment assignment policy

To publish the simple fulfillment assignment policy, follow these steps:

1. Go to the simple fulfillment assignment policy you created. You're already on this screen if you followed the preceding steps.
2. Select **Publish**.

Create filter policy for Seattle store

To create a filter policy for the Seattle store, follow these steps:

1. Go to **Orchestration** > **Policies** and select **New**.
2. For **Policy Name**, enter "Fulfillment filter policy - Seattle".
3. For **Policy Type**, enter "Filter Policy".
4. For **Policy Criticality**, enter "Information".
5. For **Status**, enter `Unpublished`.
6. For **Associated Entity**, enter "Fulfillment Order".
7. Select **Save**.

Create new filter rule for Seattle store


To create a new filter rule for the Seattle store, follow these steps:

1. On the **Fulfillment filter policy - Seattle** form, select **New Rule**.

2. Under **Condition**, for **Rule Name**, enter "Min quantity".

3. For **Rule definition**:
   a. In the first field, select **Fulfillment Source**.
   b. In the second field, select **Equals**.
   c. In the third field, enter or select **Seattle store**.

4. Under **Action**, set the **Add Action** value to **No**.



5. Select **Save and close**.

Publish filter policy for Seattle store

To publish the filter policy for the Seattle store, follow these steps:

1. Go to the Seattle filter policy you created. You should be on this screen already if you followed the preceding steps.
2. Select **Publish**.

Create filter policy for Chicago store

To create a filter policy for the Chicago store, follow these steps:

1. Go to **Orchestration** > **Policies** and select **New**.
2. For **Policy Name**, enter "Fulfillment filter policy - Chicago".
3. For **Policy Type**, enter "Filter Policy".
4. For **Policy Criticality**, enter "Information".
5. For **Status**, enter `Unpublished`.
6. For **Associated Entity**, enter "Fulfillment Order".
7. Select **Save**.

Create new filter rule for Chicago store


To create a new filter rule for the Chicago store, follow these steps:

1. On the **Fulfillment filter policy - Chicago** form, select **New Rule**.

2. Under **Condition**, for **Rule Name**, enter "Min quantity".

3. For **Rule definition**:
   a. In the first field, select **Fulfillment Source**.
   b. In the second field, select **Equals**.
   c. In the third field, enter or select **Chicago store**.

4. Under **Action**, set the **Add Action** value to **No**.




5. Select **Save and close**.

Publish filter policy for Chicago store

To publish the filter policy for the Chicago store, follow these steps:

1. Go to the Chicago filter policy you created. You should be on this screen already if you followed the preceding steps.
2. Select **Publish**.

If you followed the steps, you should now see the transpiled Power Automate cloud flows as shown in the following illustration.



Add input event to action type

To add an input event to an action type, follow these steps:

1. Go to **Providers** > **Action Types**.
2. Select **Policy Based Fulfillment Determination**.
3. Select **+ New IOM Action Type Input Business Event**.
4. For **Name**, enter "Validation of Order Lines has Succeeded".
5. For **Action Type**, enter "Policy Based Fulfillment Determination".
6. For **Business Event Definition**, enter "Validation of Order Lines has Succeeded".
7. Select **Save**.

Next quick start lab step: Create order orchestration

Last updated on 01/30/2026


Create order orchestration

This article describes the steps required to create order orchestration in Microsoft Dynamics 365 Intelligent Order Management.


Add the Validate order header tile

To add the **Validate order header** tile, follow these steps:

1. Go to **Orchestration** > **Flows** and select **New**.
2. Enter a name for your new flow, and then select **Save**.
3. Select the plus symbol ("+") and then add the **Validate order header** tile.



4. In the **Validate order header** dialog box, complete the following fields:
   a. For **Name**, enter "Order header validation".
   b. For **Action Type**, enter "Order Validation".
   c. For **Input Events**, enter "New Order".
   d. For **Execution Policies**, enter "Order header validation policy".




5. Select **Save**.

Add the Validate order line tile


To add the **Validate order line** tile, follow these steps:

1. Go to **Orchestration** > **Flows** and select **New**.

2. Select the plus symbol ("+") and then add the **Validate order line** tile.



3. In the **Validate order line** dialog box, complete the following fields:
   a. For **Name**, enter "Order line validation".
   b. For **Action Type**, enter "Order Line Validation".
   c. For **Input Events**, enter "Validation of Order Header has Succeeded".




4. Select **Save**.

Add a Custom tile


To add a **Custom** tile, follow these steps:

1. Go to **Orchestration** > **Flows** and select **New**.

2. Select the plus symbol ("+") and then add a **Custom** tile.



3. In the **Custom** dialog box, complete the following steps:
   a. For **Name**, enter "Simple fulfillment determination".
   b. For **Action Type**, enter "Policy Based Fulfillment Determination".
   c. For **Input Events**, enter "Validation of Order Lines has Succeeded".
   d. For **Execution Policies**, enter "Simple fulfillment assignment policy".




4. Select **Save**.

Add a Splitter tile


To add a **Splitter** tile, follow these steps:

1. Go to **Orchestration** > **Flows** and select **New**.

2. Select the plus symbol ("+") and then add a **Splitter** tile.



3. In the **Splitter** dialog box, complete the following steps:
   a. For **Name**, enter "Fulfillment split".
   b. For the two **Splitter Settings** fields, enter "Seattle" and "Chicago" respectively.




4. Select **Save**.


Add a Send to fulfillment tile under Seattle branch

To add a **Send to fulfillment** tile under the Seattle branch, follow these steps:

1. Go to **Orchestration** > **Flows** and select **New**.
2. Under the **Seattle** branch, select the plus symbol ("+") and then add a **Send to fulfillment** tile.



3. In the **Send to fulfillment** dialog box, complete the following steps:
   a. For **Name**, enter "Send to Seattle".
   b. For **Action Type**, enter "Send to Fulfillment".
   c. For **Input Events**, enter "Creation of Fulfillment Order has Succeeded".
   d. For **Provider Action**, enter "IOM Lab Send to Fulfillment (Outlook)".
   e. For **Filter Policy**, enter "Fulfillment filter policy - Seattle".




4. Select **Save**.

Add a Send to fulfillment tile under Chicago branch


To add a **Send to fulfillment** tile under the Chicago branch, follow these steps:

1. Go to **Orchestration** > **Flows** and select **New**.

2. Under the **Chicago** branch, select the plus symbol ("+") and then add a **Send to fulfillment** tile.



3. In the **Send to fulfillment** dialog box, complete the following steps:
   a. For **Name**, enter "Send to Chicago".
   b. For **Action Type**, enter "Send to Fulfillment".
   c. For **Input Events**, enter "Creation of Fulfillment Order has Succeeded".
   d. For **Provider Action**, enter "IOM Lab Send to Fulfillment (RequestBin)".
   e. For **Filter Policy**, enter "Fulfillment filter policy - Chicago".



4. Select **Save**.

Publish the orchestration flow

After you finish creating the order orchestration flow, select **Publish** to publish the flow.

If you followed the steps, you see the transpiled Power Automate cloud flows as shown in the following illustration.

(DO NOT DELETE OR MODIFY) Fulfillment filter policy - Chicago	···	(DO NOT DELETE OR MODIFY) Fulfillment filter policy - Chicago	Cloud flow
(DO NOT DELETE OR MODIFY) Fulfillment filter policy - Seattle	···	(DO NOT DELETE OR MODIFY) Fulfillment filter policy - Seattle	Cloud flow
(DO NOT DELETE OR MODIFY) Order header validation	···	(DO NOT DELETE OR MODIFY) Order header validation	Cloud flow
(DO NOT DELETE OR MODIFY) Order header validation policy	···	(DO NOT DELETE OR MODIFY) Order header validation policy	Cloud flow
(DO NOT DELETE OR MODIFY) Order line validation	···	(DO NOT DELETE OR MODIFY) Order line validation	Cloud flow
(DO NOT DELETE OR MODIFY) Order line validation policy	···	(DO NOT DELETE OR MODIFY) Order line validation policy	Cloud flow
(DO NOT DELETE OR MODIFY) Send to Chicago	···	(DO NOT DELETE OR MODIFY) Send to Chicago	Cloud flow
(DO NOT DELETE OR MODIFY) Send to Seattle	···	(DO NOT DELETE OR MODIFY) Send to Seattle	Cloud flow
(DO NOT DELETE OR MODIFY) Simple fulfillment assignment policy	···	(DO NOT DELETE OR MODIFY) Simple fulfillment assignment policy	Cloud flow
(DO NOT DELETE OR MODIFY) Simple fulfillment determination	···	(DO NOT DELETE OR MODIFY) Simple fulfillment determination	Cloud flow

Next quick start lab step: Run sample order orchestration flow

---

Last updated on 01/30/2026

Run sample order orchestration flow

This article describes the steps required to run a sample order orchestration flow in Microsoft Dynamics 365 Intelligent Order Management.

Set up customer

To set up a customer, follow these steps:

1. Go to **Customers** > **Accounts**.
2. Select **New**.
3. For **Account Name**, enter "DefaultAccount-IOMLabOrderIntakeProvider".
4. Select **Save & close**.

Set up account mapping

To set up account mapping, follow these steps:

1. In the lower right corner of your Intelligent Order Management application screen, change the area from **IOM** to **Configurations**. If you use a left-to-right (LTR) language, you find this setting in the lower left corner of your application screen.
2. Go to **Mappings** > **Accounts**.
3. Select **New**.
4. On the **New IOM Account Mapping** page, enter the following information:
   a. For **Mapping Group**, enter "Default Mapping Group".
   b. For **Customer**, enter "DefaultAccount-IOMLabOrderIntakeProvider".
   c. For **External Field Name**, enter `ProviderName`.
   d. For **External Field Value**, enter `IOMLabOrderIntakeProvider`.
5. Select **Save & close**.

Set up pricelist mapping

To set up pricelist mapping, follow these steps:

1. Go to **Mappings** > **Price Lists**.
2. Select **New**.
3. On the **New IOM Price List Mapping** page, complete the following fields:
   a. For **IOM Provider**, enter `IOMLabOrderIntakeProvider`.
   b. For **Price list**, enter `MasterPriceList`.
   c. For **External Field Name**, enter `ProviderName`.

d. For **External Field Value**, enter `IOMLabOrderIntakeProvider`.

4. Select **Save & close**.

Set up unit mapping

To set up unit mapping, follow these steps:

1. Go to **Mappings** > **Units**.
2. Select **New**.
3. On the **New IOM Unit Mapping** page, complete the following fields:
   a. For **IOM Provider**, enter `IOMLabOrderIntakeProvider`.
   b. For **Unit**, enter `ea`.
   c. For **External Field Name**, enter `unit`.
   d. For **External Field Value**, enter `each`.
4. Select **Save & close**.

Set up product mapping

To set up product mapping, follow these steps:

1. Go to **Mappings** > **Products**.
2. Select **New**.
3. On **New IOM Product Mapping**, complete the following steps:
   a. For **IOM Provider**, enter `IOMLabOrderIntakeProvider`.
   b. For **Product**, enter `Barista Home`.
   c. For **External Field Name**, enter `sku`.
   d. For **External Field Value**, enter `883988211855`.
4. Select **Save & close**.

Sample sales order payload

JSON


```
{
  "ordernumber": "IOMLabOrder001",
  "shiptocity": "BELLEVUE",
  "shiptostateorprovince": "WA",
  "shiptocountry": "US",
  "shiptozip": "98007",
  "billtocity": "BELLEVUE",
  "billtostateorprovince": "WA",
  "billtocountry": "US",
```

```
  "billtozip": "98007",
  "orderdetails": [
    {
      "sku": "883988211855",
      "unit": "each",
      "quantity": 110
    }
  ]
}
```

Lab scenario

1. An order arrives in Intelligent Order Management as an email attachment.
2. The system validates the order header to make sure the "ship to" country/region is US.
3. The system validates the order line to make sure the quantity is greater than 1.
4. The system routes the order based on quantity.
   a. If quantity is greater than or equal to 100, the order goes to the Seattle store.
   b. If quantity is less than 100, the order goes to the Chicago store.
5. If the order goes to the Seattle store, the system sends emails with the fulfillment order attached.
6. If the order goes to the Chicago store, the system sends requests with the fulfillment order as the payload to RequestBin.

Test runs

Test run 1

To complete test run 1, follow these steps:

1. Save the sample sales order payload as a JSON file. Attach the file to an email with the subject "IOMLabOrderIntakeOrder".
2. Send the email to the Outlook account that you previously used to set up the IOMLabOrderIntake provider.

You receive two emails back with attachment with fulfillment details. The order status reason is set to "Sent To Fulfillment".

Test run 2

To complete test run 2, follow these steps:

1. Change the **ordernumber** value to "IOMLabOrder002" and the **quantity** value to 10.

2. Save the sample sales order payload as a JSON file. Attach the file to an email with the subject "IOMLabOrderIntakeOrder".
3. Send the email to the Outlook account that you previously used to set up the IOMLabOrderIntake provider.

You receive two requests with fulfillment details in your RequestBin. The order status reason is set to "Sent To Fulfillment".

Test run 3

To complete test run 3, follow these steps:

1. Change the **ordernumber** value to "IOMLabOrder003" and the **quantity** value to "1".
2. Save the sample sales order payload as a JSON file. Attach the file to an email with the subject "IOMLabOrderIntakeOrder".
3. Send the email to the Outlook account that you previously used to set up the IOMLabOrderIntake provider.

The order fails the line minimum quantity validation, with the header status reason "Order Validation Failed" and the line status reason "Order Line Validation Failed".

Test run 4

To complete test run 4, follow these steps:

1. Change the **ordernumber** value to "IOMLabOrder004" and the **shiptocountry** value to "CA".
2. Save the sample sales order payload as a JSON file. Attach the file to an email with the subject "IOMLabOrderIntakeOrder".
3. Send the email to the Outlook account that you previously used to set up the IOMLabOrderIntake provider.

The order fails the header ship to country/region validation. The status reason is "Order Validation Failed".

Last updated on 01/30/2026

What's new or changed in Intelligent Order Management

This section contains a table that lists the releases when available.

Expand table

Version	Description	Date
1.1.3442.2	• Restructure IOM service role privileges so each role's privilege slice lives in the same solution as the entity it grants access to. This release fixes a class of issues where privileges for entities defined in late-importing solutions were silently dropped at install time, resolving missing **IOM Event Management Service** privileges that blocked orchestration flow publishing on fresh installs. • Add a configurable batch size for the **IOM Raise Business Event** flow via a new environment variable `msdyn_iomRaiseBusinessEventBatchSize` (default 500). Tenants can tune the cap to fit their pipeline cost characteristics and avoid plugin sandbox timeouts in heavier pipelines. • Cap `msdyn_GetExpiredReadyStepActionEvents` retrieval at 100 records per invocation to prevent two-minute sandbox timeouts during backlog or outage recovery. • Fix poison-pill stalls in recurrent expired-event handlers (**IOMStepActionEventInsertExpiredHandler** and **IOMStepActionEventUpdateExpiredHandler**) by handling missing **StepExecutionResult** records gracefully. This update prevents a single orphaned record from rolling back the entire batch update and wedging the escalation pipeline. • Use the refreshed `workflowidunique` when creating **ProviderActionExecutionEvent**, so republished provider action flows no longer cause **Get_ActionProvider_Trigger** 404 failures. • Add a **Yes** or **No** confirmation prompt before the Intelligent Order Management custom **Add to Solution** ribbon action to prevent accidental solution additions when the user intends to select **Delete** in the same toolbar position. It covers Provider, Policy, Orchestration Flow, and IOM Entity Metadata entities on both form and grid surfaces.	June 2026
1.1.3417.4	• Automatically recover sales orders stuck in **New** status when the orchestration business event fails to raise due to transient issues. • Resume incomplete or partial order split operations without duplicating order headers or lines. • Resolve issues in the bulk sales order line creation path so successful batches don't fail with runtime errors, duplicate provider errors aren't created for the same flow run, and platform-level failures are captured.	May 2026

Version	Description	Date
	• Surface partial order line-creation failures with a new **Orders with Incomplete Lines** view, an expected line count on the parent sales order, and a single consolidated inbound error per flow run. The **Has Incomplete Line Creation** indicator autoclears on both single-record and bulk line creation paths after you add missing lines. • Introduce **InboundOrderCreationError** category and reprocessing capability for queued orders that fail during the IOM Sales Order Creation flow. Selecting **Reprocess from Provider Inbound Errors** replays the original failed flow run via the Power Automate **Resubmit** action. • Fix throttling queue error handling reprocessing on environments upgraded from prior releases, and dispatch the retry instantly instead of waiting up to five minutes for the next retry handler sweep. • Harden exception handling for queue error reprocessing so provider errors don't get stuck in **Processing** state if reprocessing fails. • Enrich **InboundOrderQueueError** records with provider, message handler, message ID, error message, and run history URL through a new optional `ProviderMessageRequestExecutionId` input on **msdyn_QueueSalesOrderJob**. Error message and Run history URL improvements apply automatically; provider, handler, and message ID attribution require the new parameter. • Add an optional `Disable Status Update Handlers` parameter on the finance and operations provider to suppress the sales order and sales order line modified-event handler flows when fulfillment order status synchronization isn't used. Defaults to normal execution when unset. • Update **Provider Definition Logic** saved queries to replace the **Created On** column with Logic Type and Action Type, and add the **Modified On** column to most of the updated views.	
1.1.3382.2	• Add Order Creation Queue to the IOM sitemap with updated list and detail views to improve visibility into queue operations. • Introduce actionable error handling for inbound order queue failures. Orders that reach max retries now surface in Provider Inbound Errors as a new InboundOrderQueueError category and can be reprocessed. • Add Message ID to the order queueing pipeline, stored on the queue record and preserved through retries for end-to-end order traceability. • Add Application Insights telemetry for unified step execution, logging begin and finished events with entity record ID and failure reason. • Add Application Insights telemetry for the Send to Fulfillment pipeline, capturing order ID, order number, line counts, and per-line validation failure reasons. • Fix IOM installation failure in Australia preprod (AUP) environments by adding AUP region support to the package deployer. • Fix incorrect privilege name casing in security roles for the web session challenge entity, resolving Power Automate flow permission errors. • Fix missing state column on fresh installation.	April 2026

Version	Description	Date
1.1.03322.1	• Introduce automated order queue retry handler in the throttling wrapper that tracks queued orders by execution state, expiration timestamps, and failure counts to automatically retry orders that failed or expired during async processing, or log them as persistent errors after reaching retry limits. • Implement smart retry logic within unified flow execution for batch update operations (xMultiple) that automatically retries failed batch requests up to two times with intelligent delay extraction before falling back to individual request processing, handling Microsoft Dataverse throttling, Microsoft Power Automate timeouts, finance and operations apps throttling, and dual-write synchronization errors. • Add timeline validation to prevent business event crashes on entities without timeline enabled, and fix provider activation failures by detecting duplicate ProviderAction records before insertion to prevent SQL constraint violations. • Update security dependencies to address known vulnerabilities and maintain system security compliance.	Feb 2026
1.1.1.1305	• Introduce smart retry logic to improve resilience of order synchronization when transient platform failures occur • Improve tracked property resolution to ensure consistent behavior across unified orchestration flows. • Fix solution import sequencing and plugin registration issues to improve upgrade and provisioning reliability.	Dec 2025
1.1.1.1213	• Make order line batch sizes configurable to improve performance and avoid plugin timeouts in high-volume scenarios. • Fix event-driven order split behavior to prevent duplicate processing in orchestration flows. • Introduce a throttling wrapper that evaluates incoming order payloads and determines whether orders are processed immediately or queued for asynchronous processing.	Nov 2025
1.1.1.1033	• Deliver localization updates to improve global readiness and consistency. • Apply security hardening improvements, accessibility compliance, including package signing and dependency updates.	Oct 2025
1.1.1.924	• Introduce bulk operation support for sales order detail updates to improve performance and scalability. • Fix intermittent orchestration failures caused by static variable usage in plug-ins.	Sep 2025
1.1.1.745	• Deliver targeted bug fixes and stability improvements for order	Aug 2025

Version	Description	Date
	orchestration scenarios based on customer feedback.	
1.1.1.744	• Improve resilience of orchestration by better handling of policy evaluation failures. • Introduce reprocess capability from sales order listings page. • Improve resilience of FinOps provider for Release to Fulfillment action when UpdateMultiple call fails. • Other performance and security improvements.	July 2025
1.1.1.630	• Operational visibility query bug fixes to handle dimension based lookup. • Fix split order child flow publishing.	May 2025
1.1.1.541	• Update logic instance and workflow upsert to support ALM. • Fix issues related to inbound provider errors.	April 2025
1.1.1.461	• Allow you to turn off the state framework completely. • Add business rule to show the provider activation error logs in failed provider instance activation page. • Enable changing states associated with the custom business events in configuration.	March 2025
1.1.1.449	• Allow configuration for Send to finance and operations step to be successful even when one or more order lines fail to sync to finance and operations apps.	Feb 2025
1.1.1.431	• Improve Dual-write error handling by surfacing the dual-write error at the orderline entity in Microsoft Dynamics 365 Intelligent Order Management. • Improve batch handling of dual-write order lines, so that the failure of some lines doesn't cause the whole batch to fail. • Allow multiple provider instances with one active instance. • Update the orchestration logic to fix the **Orchestrate** button for manual bulk orchestration on the list page. • Filter out orders that don't have any order lines from dual-write to finance and operations apps.	December 2024
1.0.0.6962	This build contains security improvements.	April 2024
1.0.0.6940	• Fix an issue where step failures can create duplicate business events. • Add a run history URL for unified flows. • Fix an issue where import of a solution can fail because shared variables aren't found in the plugin context.	March 2024

Version	Description	Date
1.0.0.6909	• Enable the backorder service level agreement (SLA) to be set to up to 365 days. • Dual-write with sales orders now syncs all lines, even if one fails. • Fix an issue where SendForFulillment is marked as successful even though it failed. • Remove state updates for business events. We recommend that customers use the State Framework.	January 2024
1.0.0.6854	• Remove the UPS provider. • PREVIEW: Pause and resume for orchestrations. • Raise an aggregate event for in-process sales order fulfillment when all lines are in fulfillment.	December 2023
1.0.0.6738	• Enable Bing maps on sales orders. • Enable purchase order orchestration. • Enable a new action for creating purchase orders from sales orders. • Enable the Navisphere provider, and connect to its public APIs for create order, create order with quote, and rating requests. • A new working calendar control to support the addition of replenishment schedules in a modern user experience (UX) framework. • Preview DOM API to support "buy online, pickup in store" (BOPIS) and "buy online, ship to store" (BOSS) scenarios.	September 2023
1.0.0.6656	• Sales order form updates for better visibility of order to fulfillments on the same page. As a result, the number of taps or clicks that are required is reduced. • Support for Preview DOM API Payload Version 2 to support EDDs as a list for each rate. • DOM API Pick the closer fulfillment source when two fulfillment sources have the same ATP date. • Security updates and bug fixes.	July 2023
1.0.0.6606	• Enable entities for Copilot search. • Security updates and bug fixes.	June 2023

Last updated on 06/24/2026

Architecture overview

Dynamics 365 Intelligent Order Management is built on the Microsoft Power Platform, using the Power Apps model-driven apps infrastructure. The architecture supports the requirements of a complex order processing environment where many systems and apps participate in the overall order-to-fulfillment process.


Delivered as a cloud solution, you can quickly deploy Intelligent Order Management in the Microsoft Azure data centers. Deploy the app and platform in a data center region that you choose for your business, and Microsoft manages the infrastructure. You can focus on configuring the app to suit your business order and fulfillment requirements. For more information about the supported data center regions, see Globalization.

The app and platform follow these basic principles.

- Extensibility: Every organization works with a unique combination of apps and systems. You can configure the business process to match the requirements of your organization. You can flexibly extend the platform and app.
- Scale: The need to scale to support high transaction volume isn't just for enterprise organizations. Organizations of all types need an app and platform that can scale up and down as needed.
- Use the Power Platform: Customers look to technology vendors that can support them in their long-term plans. Use an organization's in-house skills or skills of consulting partners.

The platform uses the following three architecture concepts.

- Data pipeline: The data integration pipeline moves data in and out of Intelligent Order Management. It connects to upstream and downstream systems to receive and push changes as orders move through the order flow.
- Orchestration engine: The orchestration engine provides the visualization of the business process and compiles the designed process into Power Automate flows for the business user.
- Insights: The Insights components enable the flow of data to support the visualization of data in Power BI and allow data to be analyzed in machine learning models with AI Builder.



Data pipeline

The data pipeline in Intelligent Order Management provides the foundation for the providers to move data in and out of the app. Microsoft Power Query Online handles the transformation of business documents that move through the data pipeline.

The following terminology describes components in the data pipeline.

- Provider: In Intelligent Order Management, use a provider to configure data movement in the data pipeline. Microsoft provides providers, but customers and partners can build their own providers. For more information, see Work with providers.
- Connectors: Build connectors by using Power Automate. Connectors wrap the external service API that the provider uses. Customers can use the available catalog of connectors to build their own provider. For more information about connectors, see the Connectors documentation.
- Connection: A connection is the specific configuration required to enable the connection that the provider uses. The administrator supplies the sign-in or API tokens to communicate with the external service when enabling the provider in the application.
- Data transformations: Services have their own business document and entity concepts. As data moves between those systems, you need to transform data so the systems can communicate with each other. When Microsoft builds a provider, it includes transformations to common business documents for the external service. If necessary, you can change or extend the transformation to support new providers or APIs for a service.

- Business events: Business events are notifications from the processing pipeline to execute a provider action.
- Provider action: A provider action is a single task or unit of operation for a provider, as represented by a Power Automate.

Orchestration engine

Order-to-fulfillment flow is complex to model in a single business app, but when combined with other cloud services and supply chain partner systems, the complexity grows. To help business users in the organization visualize and manage this complexity, Intelligent Order Management includes a business orchestration designer. When you publish the flow, business process flows designed with the orchestration designer are compiled into Power Automate flows.

The following terminology describes components in the orchestration engine.

- Designer: The tool that the business user uses to build orchestration flows.
- Orchestration flow types: Intelligent Order Management provides two flow types:
    - Order flow represents the progression of an order to fulfillment.
    - Inventory flow represents the flow of inventory from a master system to the inventory service or to an external system.
- Policies: Rules and configurations that the business user provides to control an orchestration flow.
- Step: A step in the orchestration is a specific tile in the orchestration flow. Each tile type provides the configuration parameters to perform that function in the orchestration flow.

Insights

The platform manages data through the application lifecycle and visualizes it by using Power BI. Intelligent Order Management provides several dashboards to help the business user understand key order and fulfillment metrics. Customers can use the same technology to present and combine data from other apps as needed.

Machine learning analyzes data by using models and uses advanced algorithms to find or predict patterns in data. Customers can build models by using AI builder that uses data from Intelligent Order Management, so that results are updated on entities used during the order

and fulfillments flows. This process helps decision making in orchestration flows. Future releases of Intelligent Order Management provides models out of the box.

Related technology

Intelligent Order Management uses the following Microsoft platform technologies.

- Dataverse: Dataverse provides the data in Intelligent Order Management. For more information, see Microsoft Dataverse developer guide.
- Power Automate: For business users, Intelligent Order Management compiles organization flows into Power Automate. Developers can further extend the solution. To learn more about the capabilities of Power Automate, see Getting started with Power Automate.
- Power Query Online: Intelligent Order Management uses the capabilities of Power Query and the M query language to support transformation in the data pipeline for providers. To learn more, see the Power Query documentation.
- Power BI: The dashboards provided in Intelligent Order Management are built using Power BI tools. Customers can extend the solutions or build their own using Power BI. To learn more about Power BI, see Power BI overview.
- AI Builder: Machine learning models are available in later releases of Intelligent Order Management. Customers and partners can use the same technology to build their own models using AI Builder capabilities. To learn more, see the AI Builder documentation.

Additional resources

Work with providers

Create a new provider

Last updated on 01/30/2026

State framework architecture

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

This article describes the state framework architecture in Microsoft Dynamics 365 Intelligent Order Management.


State framework architecture is a new concept that Microsoft introduced in Dynamics 365 Intelligent Order Management in the October 2022 release. The state framework validates business process rules by checking, at runtime, whether the current state of an entity can move to another state. For example, a transition from **New** to **In Progress** succeeds if it's defined, but a transition from **Completed** to **In Progress** throws an error.

Users can add their own states, state reasons, and transitions. However, they can't customize the out-of-box definitions.

State framework data model

The state framework data model introduces some updates and new additions to the current data model.

The following illustration shows the tables that the state framework data model adds.



Updates to the data model

Entity State and State Reason columns

The state framework introduces two new columns to the entities that are part of Intelligent Order Management. These columns support localizable **State** and **State Reason** status fields. The state framework also introduces a new **ReadOnly** field that indicates that a record isn't editable in the user interface (UI).

Expand table

Field	Description
State	The state that the entity is in, as defined by the **State Definition** table.
State Reason	A detailed description of the reason why the entity is in its current state.
ReadOnly	Set the value to **True** if the record isn't editable in the UI. Otherwise, set it to **False**.

New additions to the data model

State Definition table

The **State Definition** table enables the creation of a set of states that are allowable on each entity. These states have associated properties that contain metadata to indicate the different behaviors of each state.

> **Note**
>
> Use states to determine valid transitions as part of the orchestration journey.

Expand table

Field	Description
State Definition	The globally unique identifier (GUID) of the state.
Associated Entity	The entity that the state belongs to.
Details	The name of the state.
State Definition Properties	A lookup for associated metadata.
Readonly	A value of **True** marks the entity as read-only.

State Definition Reason table

The **State Definition Reason** table provides extra details about why something is in a given state, but might not be part of indicating a valid state transition. For example, something can have a state of **On Hold** but a state reason of **Backorder** or **Preorder**.

Expand table

Field	Description
State Definition Reason	The GUID of the state reason.
State	The state that the state reason is associated with.
Details	The name or description of the state reason.

State Definition Properties table

The **State Definition Properties** table contains extra metadata for each state.

Expand table

Field	Description
State Definition Properties	The GUID of the property.
Timeline Position	The order in which the state appears in the **Progress Bar Timeline** control in the UI. (This control is introduced in the October 2022 release.)

State Transition table

The **State Transition** table contains a list of state transitions that occur when a business event is raised. The business event sets the state only if the current state is an allowable state.

Expand table

Field	Description
State Transition	The GUID of the state transition.
Business Event Definition	A lookup to the **Business Event Definition** table to determine which business event the record belongs to.
Source State	The allowable source state to transition from.
Target State	The target state to set if the state is transitioning from an allowable source state.
Target State Reason	The target state reason to set if the state is transitioning from an allowable source state.

The following table shows an example of data in this table.

Expand table

Business Event Definition	Source State	Target State	Target State Reason
On Hand Check Success	In Progress	Fulfillment in Process	Inventory Check Successful
On Hand Check Success	On Hold	Fulfillment in Process	Inventory Check Successful
On Hand Check Failed	In Progress	On Hold	Backorder Hold

Scenarios

No transition exists for the business event

If the **State Transition** table doesn't contain a record for the business event that you're raising, the validation automatically succeeds, but the process doesn't set a **State** or **State Reason** value.

Add a new state and transition

To add a new state and transition, follow these steps:

1. Add a new state definition.
2. Add a new state definition reason, if it's required.
3. Add a new state transition, and then follow these steps:
   a. Associate the new state transition with a new business event.
   b. Set the **Source** field to what is allowed. Add one row per allowable source.
   c. Set the **State** field to the state when the business event is raised.
   d. Set the **State Reason** field to the reason when the business event is raised.
4. Add any required properties (**ReadOnly** or **Timeline**).

Last updated on 01/30/2026

Get trial licenses for Intelligent Order Management

This article describes how to get trial licenses that give you full operation of Microsoft Dynamics 365 Intelligent Order Management.

To install Dynamics 365 Intelligent Order Management, install the appropriate trial licenses. When you're ready to convert your trial licenses to production licenses, work with your partner or Microsoft account executive to get the correct licenses.

The first trial license that you need is the tenant-level license for Dynamics 365 Intelligent Order Management. After you install this license, you can install Dynamics 365 Intelligent Order Management in any environment in your tenant. You don't need to assign the tenant-level license to users.


> **Note**
>
> Although the tenant-level license is free, you must sign in to the Microsoft 365 admin center by using an account that can purchase services.

The second trial license that you need is the Dynamics 365 Intelligent Order Management Unlimited Site License (USL) trial license. Use this license to assign users who deploy Power Automate flows. Dynamics 365 Intelligent Order Management uses Power Automate when providers are activated, policies are published, or orchestrations are published. Only users who perform any of these activities need a USL license assigned to them.


Sign up for the trial licenses

To sign up for the trial licenses, follow these steps:

1. Open the Microsoft 365 admin center.
2. In the left navigation, select **Billing** > **Purchase services**.
3. On the **Purchase services** page, enter **intelligent** in the search field. The search results include the **Dynamics 365 Intelligent Order Management Trial** and **Dynamics 365 Intelligent Order Management (USL) Trial** licenses.



4. For the **Dynamics 365 Intelligent Order Management Trial** license, select **Details**, and then select **Start free trial**.



5. Select **Try Now**, and then select **Continue**.

6. Repeat steps 2 through 5 for the **Dynamics 365 Intelligent Order Management (USL) Trial** license.


> **Note**
>
> Licenses aren't immediately synced. In some cases, it can take one to two days before Dynamics 365 Intelligent Order Management appears as an installable product.

Assign the Dynamics 365 Intelligent Order Management USL trial license to a user


To assign the Dynamics 365 Intelligent Order Management USL trial license to a user, follow these steps:

1. Open the Microsoft 365 admin center.

2. In the left navigation, select **Billing** > **Licenses**.



3. On the **Licenses** page, select **Dynamics 365 Intelligent Order Management USL**.




4. Select **Assign licenses** to find a user who has Power Automate licenses and assign the USL license to that user.
5. In the **Assign licenses to users** dialog box, in the search field, search for and select the user.
6. Under **Turn apps or services on or off**, select both the **Data integration for IOM with Power Automate USL** checkbox and the **Dynamics 365 Intelligent Order Management USL** checkbox.
7. Select **Assign**.

Last updated on 01/30/2026

Set up an environment

To provision a trial environment, see Deployment. After you provision your environment, the **Welcome and get started** page is displayed. The trial environment is preconfigured and you can explore the app using the demo data that's provided.



Configuration

On the **Welcome and get started** page, you can access the following features.

- **Configure settings**: Select **Manage** to create and configure required connections. For detailed instructions, refer to the create connections section.
- **Manage insights and dashboards**: Select **Manage** to go to the **Daily Events** dashboard, where you can learn more about the configuration for reporting and Power BI Integration.
- **Set up providers for third-party services**: Select **Manage** to go to the provider **Catalog**, where you can configure providers that you want to use to receive orders or communicate to external systems. To learn about providers, see Work with providers.
- **Orchestrate your order journeys**: Select **Manage** to go to the pages where you can create and manage order orchestration flows.
- **Explore data management**: Select **Manage** to go to the administration pages to manage data import and export.

- **Enable fulfillment optimization**: Select **Manage** to go to configure the fulfillment optimization service with Intelligent Order Management.
- **Configure inventory visibility services**: Select **Manage** to go to the pages where you can configure the inventory service to be used with Intelligent Order Management.
- **Invite your teammates**: Select **Manage** to go to the page where you can invite users to your environment.


Create connections

To configure Intelligent Order Management, you first need to create a Dataverse connection and a Power Automate Management connection.

1. Go to the Power Automate portal and make sure you're in the correct Intelligent Order Management environment. To check which environment you're in, select **Environments** in the top-right corner of the Power Automate portal.
2. Go to **Data** > **Connections**.

Create Dataverse connection

1. On **Data** > **Connections**, select **New connection**.
2. In the search box in the top-right corner, enter **Dataverse**.
3. Select + next to **Microsoft Dataverse**.



1. Select **Create**. When prompted to sign in, use the same credentials you used to sign in to Intelligent Order Management.

Create Power Automate connection

1. On **Data** > **Connections**, select **New connection**.
2. In the search box in the top-right corner, enter **Power Automate Management**.
3. Select + next to **Power Automate Management**. When prompted to sign in, use the same credentials you used to sign in to Intelligent Order Management.

Create HTTP with Microsoft Entra ID (preauthorized) connection

1. On **Data** > **Connections**, select **New connection**.
2. In the search box in the top-right corner, enter **HTTP with Microsoft Entra**.
3. Select + next to **HTTP with Microsoft Entra ID (preauthorized)**.
4. Select **Connect directly (cloud-services)**. For **Base Resource URL**, enter the URL of your Dataverse environment, similar to `https://orgurl.crm.dynamics.com`. For **Microsoft Entra ID Resource URI (Application ID URI)**, enter the same URL of your Dataverse environment.
5. When prompted to sign in, use the same credentials you used to sign in to Intelligent Order Management.

Set up platform connection references

After you create your connections, you need to configure them.

1. Go to the **Welcome and get started** page in Intelligent Order Management.
2. Select **Configure settings**.
3. For each connection reference, do the following:
   a. Select the connection reference.
   b. To retrieve the connection URL, go to the Power Automate portal. Select the corresponding connection, and then copy the URL for the page. For example, if you're setting up the Intelligent Order Management Data Transformer connection reference, select the **IOM Data Transformer** connection on the **Connections** page in Power Automate, and copy the URL from your browser's address bar.
   c. Go back to the corresponding connection reference page in Intelligent Order Management and paste the copied URL in the **Connection URL** field.

> **Note**
>
> There are three platform Dataverse connection references. You can use the same Dataverse connection for all three.

1. Once you configure all of the platform connection references, select **Activate System** in Intelligent Order Management to turn on the related platform Power Automate flows. This step might take a while.

Related information

Work with providers

Last updated on 01/28/2026

Create orchestration flows

This article explains orchestration flows and how to create them in Microsoft Dynamics 365 Intelligent Order Management.

Orchestration flows are a central concept in Intelligent Order Management. You create orchestration flows that determine how to orchestrate data obtained from configured providers.

Intelligent Order Management lets you define orchestration flows for different purposes. For example, you can define flows for ordering intake to fulfillment, and for collecting and distributing inventory visibility information.

Orchestration types

Orchestration types control which actions and elements you can use to define the orchestration flow. Currently, one orchestration type is supported.

Expand table

Type	Purpose
Order orchestration	Lets users define an end-to-end orchestration flow for orders, from order capture to fulfillment and billing.

Orchestration fields

An orchestration flow record consists of three fields, as listed in the following table.

Expand table

Field	Description
Name	A unique name that you provide.
Orchestration type	Specifies the orchestration type.
Created on	The date and time when you created the orchestration flow.
Status	An orchestration flow can be in two status states: • **Unpublished** – The orchestration flow and its actions aren't run when data flows into the system.

Field	Description
	• **Published** – This status is obtained when the orchestration flow is published by using the **Publish** action in designer view. The orchestration flow and its actions are run when data flows into the system.

Actions and elements

Use actions and elements to define the orchestration flow in designer view. The following table lists actions and elements for the order orchestration type.

Expand table

Action or element	Description
Validate Order Header	Validates the order header.
Validate Order Line	Validates the order line.
Send to DOM	Sends orders and order lines to the distributed order management (DOM) provider for fulfillment determination. Generates fulfillment orders and fulfillment order lines.
Assign Fulfillment Source	Assigns fulfillment determination by using a simple user-defined policy and rules. Generates fulfillment orders and fulfillment order lines.
Send to Fulfillment	Sends fulfillment orders and fulfillment order lines to the fulfillment provider.
Send to Fulfillment – Dynamics 365 finance and operations apps	Sends orders and order lines to finance and operations apps. Fulfillment determination takes place in finance and operations apps.
Send to Invoice	Sends orders and order lines to the billing provider.
Custom	Adds user-defined actions to the orchestration flow. For example, use a user-defined action to orchestrate orders to a custom provider.

The following table lists other available actions and elements.

Expand table

Action or element	Description
Condition	Splits the orchestration flow into two paths, with no constraint that the paths merge again.

Action or element	Description
	• **Yes** – This path is triggered if the previous orchestration step succeeded. • **No** – This path is triggered if the previous orchestration step failed.
Splitter	Splits the orchestration flow into a user-defined number of paths, with no constraint that the paths merge again. **Note:** A filter policy is added in the subsequent action to define the split in the path.
Condition-Merge	Splits the orchestration flow into two paths, with the constraint that the paths merge again. • **Yes** – This path is triggered if the previous orchestration step succeeded. • **No** – This path is triggered if the previous orchestration step failed.
Splitter-Merge	Splits the orchestration flow into a user-defined number of paths, with the constraint that the paths merge again. **Note:** A filter policy is added in the subsequent action to define the split in the path.


Create a new orchestration flow

To create an orchestration flow, follow these steps:

1. Go to **Orchestration** > **Flows**.
2. Select **New** to start creating an orchestration flow. The orchestration flow designer opens.
3. In the upper-left corner, enter a unique name, such as **Test Order flow sample**.
4. In the **Orchestration Type** field, select **Order Orchestration**.
5. In the **Description** field, enter **My first orchestration flow**.
6. In the designer, select the plus sign (+) to add an action or an element.
7. Select **Splitter-Merge**.
8. In the **Name** field, enter **Validation split**.
9. In **Splitter Settings**, delete **Branch 1**, and enter **Order Source 1**. Then delete **Branch 2**, and enter **Order Source 2**.
10. In the designer, under **Order Source 1**, select the plus sign (+) to add an action or an element.
11. Select **Validate order header**.
12. In the **Name** field, enter **Test validation 1**.
13. In the **Input Events** field, select **New order**.
14. Select **Add**.
15. In the **Filter Policies** field, select **Filter Policy – BigCommerce**.
16. In the **Execution Policies** field, select **Order header Validation Policy**.

17. Select **Add**.
18. In the designer, under **Order Source 2**, select the plus sign (+) to add an action or an element.
19. Select **Validate order header**.
20. In the **Name** field, enter **Test validation 2**.
21. In the **Input Events** field, select **New order**.
22. Select **Add**.
23. In the **Filter Policies** field, select **Filter Policy – Orderful**.
24. In the **Execution Policies** field, select **Order header Validation Policy**.
25. Select **Add**.
26. Select **Publish**.

The following illustration shows an example orchestration flow that is named **Test Order flow sample**.



> **Note**
>
> - Several orchestration flows of the same type can be in the **Published** status at the same time. Multiple orchestration flows can process an order and its lines. If you create and publish several orchestration flows, add and configure filter policies.
> - You can't edit an orchestration flow after you publish it.
> - You can stop a published orchestration flow. Its status updates to **Unpublished** to ensure that data no longer flows through it.
> - You might receive a message that explains that a stopped orchestration flow can't be restarted. This message is incorrectly generated from the designer platform. It doesn't apply to the implementation of the designer in Intelligent Order Management.

- You can edit an unpublished orchestration flow and then republish it. Its status updates to **Published** to ensure that data flows again through the new version.

Pause and resume an orchestration flow (preview)

Intelligent Order Management users can now pause an orchestration flow during business hours. By using this feature, they can manage unforeseen downtime that provider connection problems cause. They can also make changes to the orchestration flow during the day and republish it as needed.

To enable this feature, turn on the following settings in Power Apps:

- Go to **Solution** > **Default solution** > **Settings** > **Enable orchestration pause and resume**. Under **Setting environment value**, set the **Add existing value** field to **yes**.
- Go to **Solution** > **Default solution** > **Settings** > **Enable plugin triggers for step execution in a journey**, and change the default value to **yes**.

Last updated on 01/30/2026

Run a sample order orchestration flow from BigCommerce

This article describes the setup that is required to run a sample order orchestration flow from BigCommerce to Microsoft Dynamics 365 Intelligent Order Management.

Prerequisites

Before you begin, set up BigCommerce as a provider in Intelligent Order Management. For more information, see Set up BigCommerce provider.

Create a customer in BigCommerce

The first step is to set up a customer in BigCommerce.

1. In BigCommerce, go to the **Customer** page.
2. Select **Add**.
3. Enter details for the customer. If the orders come from a company, enter the name of the company in the **Company Name** field. Otherwise, leave the field blank.
4. Enter the customer's email address in the **Customer email** field and then select **Save**.
5. Select the **Customer Address Details** tab.
6. Enter the customer address information and then select **Save**.
7. To use the customer for a transaction, sign out of BigCommerce and then sign back in.

> **Note**
>
> If you provide a company name when you create a customer in BigCommerce, follow the steps in the "Set up account mappings" section. Otherwise, go to the "Set up pricelist mapping" section.

Set up a customer in Intelligent Order Management

1. Go to **Customers** > **Accounts**.
2. Select **New**.
3. In the **Account Name** field, enter **TestBCAccount**.
4. Select **Save & close**.

Set up account mapping

1. In the lower-right corner of any Intelligent Order Management page, change the area from **IOM** to **Configurations**.

   > **Note**
   >
   > If you use a left-to-right (LTR) language, the setting is in the lower-left corner.

2. Go to **Mappings** > **Accounts**.

3. Select **New**.

4. On the **New Account Mapping** page, enter the following information:
   a. In **Mapping Group**, enter **Default Mapping Group**.
   b. In the **Account** field, select the account you created.
   c. In the **Customer** field, enter **TestBCAccount**.
   d. In **External Field Name**, enter **ProviderName**.
   e. In **External Field Value**, enter **BigCommerce**.

5. Select **Save & close**.

Set up pricelist mapping

1. Go to **Mappings** > **Price Lists**.

2. Select **New**.

3. On **New Price List Mapping**, enter the following information:
   a. In **Mapping Group**, enter **Default Mapping Group**.
   b. In the **Account** field, select the account you created.
   c. In **Price list**, enter **MasterPriceList**.
   d. In **External Field Name**, enter **ProviderName**.
   e. In **External Field Value**, enter **BigCommerce**.

4. Select **Save & close**.

Set up unit mapping

After you set up pricelist mapping, set up unit mapping.

1. Go to **Mappings** > **Units**.

2. Select **New**.

3. On **New Unit Mapping**, enter the following information:
   a. In **Mapping Group**, enter **Default Mapping Group**.
   b. In the **Account** field, select the account you created.
   c. In **Unit**, enter **ea**.
   d. In **External Field Name**, enter **unit**.
   e. In **External Field Value**, enter **each**.

4. Select **Save & close**.

Set up product mapping

1. Go to **Mappings** > **Products**.

2. Select **New**.

3. On **New Product Mapping**, enter the following information:
   a. In **Mapping Group**, enter **Default Mapping Group**.
   b. In the **Account** field, select the account you created.
   c. In the **Product** field, enter **Accu Scale**.
   d. In the **External Field Name** field, enter **sku**.
   e. In the **External Field Value** field, enter **ABS**.

4. Select **Save & close**.

Create an order in BigCommerce

Next, create an order from the BigCommerce back-office experience to Intelligent Order Management.

1. Sign in to the BigCommerce store account that you previously set up.
2. Under **Orders**, select **Add**.
3. On the right side of the page, in the **Search** field, enter the customer that you created. Alternatively, select **New Customer**, and enter the email ID.
4. Enter billing information, and then select **Next**.
5. Under **Add Products**, in the **Search** field, enter the product that you set up in Intelligent Order Management. Then select **Next**.
6. When the shipping address is shown, select **Next**.
7. Under **Finalize**, select **Manual Payment**, and then select **Save and Process Payment**.

Your order number appears on the **View Orders** page.

View a BigCommerce order in Intelligent Order Management

To view the results of the orchestration and the flow, follow these steps:

1. In Intelligent Order Management, go to **Sales Orders**. You see your BigCommerce order in the **Name** column.
2. Select the order number to view the summary.
3. Select the **Orchestration Step Results** tab to view your results.

Last updated on 01/30/2026

Manual order orchestration in Intelligent Order Management

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

This article describes manual order orchestration in Microsoft Dynamics 365 Intelligent Order Management.

Intelligent Order Management introduces manual order orchestration to support a customer service persona in the application.

Manual order orchestration supports the following features:

- The ability to create a manual order and send it through orchestration
- New page fields that you can manually update during order entry
- Support for bulk changes on **Sales order** and **Order product** pages, based on the order state
- A view for inventory availability checks that you can access from the **Sales order** and **Product** pages
- Notifications on the order page if the account is on credit hold during order creation
- Support for simple product substitution in manual and e-commerce orders
- Clone order functionality that supports reordering

Create a new manual order and send it through orchestration

To create a new manual order and send it through orchestration, follow these steps:

1. On the **Sales** page, select **New**.
2. On the **Order** page, enter values for the mandatory fields, and then select **Save**.
3. On the **Order product** page, enter values for the mandatory fields, and then select **Save**.
4. When the order is ready to process, select **Orchestrate** so that the order flows through the published orchestration flow. You can then see all the updates related to the orchestration run in the **Orchestration Step Results** and **Timeline** views on the page.

New page fields that help improve visibility

The following table describes some of the new page fields.

Expand table

Field	Description
Order type	E-commerce orders set this field to **Sales order**. A batch job that processes subscription contracts sets it to **Subscription**. For all manually created orders, this field is automatically set to **Sales order**, and it's read-only.
Sales origin	This field is available on the order header and is used to select the order channel that an order is placed through. If dual-write is installed for Intelligent Order Management, this field shows preconfigured values from Dynamics 365 Supply Chain Management. Examples of **Sales origin** values include **e-commerce**, **email**, **phone**, and **fax**.
Fulfillment source	This field is available on the **Order product** page, and specifies the warehouse or the store name that the order fulfills from. You can manually set this field during order creation or overwrite it during an update. Alternatively, orchestration policy or fulfillment optimization can set it.
Shipping warehouse	Use this field to specify the warehouse code that matches the warehouse code in Supply Chain Management. The relationship of the **Fulfillment source** value to the **Shipping warehouse** code is maintained at **Settings** > **Order settings** > **Fulfillment settings** > **Sources**. You can't manually set this field. A default value is automatically entered based on the fulfillment source.
Bill to address	This field is available on the **Order header** page. You can capture the value either from e-commerce or manually. If the value of this field differs from the **Ship to address** value for the order, you can manually capture the values.
Is manual	Set this flag to **Yes** for any orders that you manually create through the **Order** page. Use it to configure separate orchestration flows for manual orders as required.
Customer order reference	Use this field to specify the customer reference for the sales order. It's available for input in a dual-write-enabled instance of the application and maps to the same field in Supply Chain Management.
Invoice account	This field specifies the account that is financially responsible for the transaction. By default, the value of this field matches the **Customer Account** value, but you can manually overwrite it to specify a different account. This field is available for input in a dual-write-enabled instance of the application and maps to the same field on the header in Supply Chain Management. This field is mandatory in Supply Chain Management.
Shipping site	Use this field to specify the shipping site. You can manually set it in a dual-write-enabled instance, or it can be set through orchestration policy.

Note

Company is a mandatory field in Supply Chain Management that specifies the legal entity of the customer and the sale transaction. Orchestration policy must set it. For example, you can use a rule-based policy to set the **Company** field based on the "ship to" country/region or the customer group. After this field is set via orchestration, it appears on **Order header** and **Order product** pages as a read-only field.

Support for bulk changes on the Order products page based on the order state

Bulk-update Fulfillment source values on the Order products page

To bulk update **Fulfillment source** values on the **Order products** page, follow these steps:

1. In the left navigation pane, select **Intelligent Order Management** > **Order types** > **Orders** > **Order Products**.
2. Apply a filter to the **Order product** rows that you want to change, and then select **Edit**.
3. In the dialog box, enter the new field value to apply to all the selected **Order product** rows, and then select **Save**. Only rows that are writable (that is, not read-only) are updated with new values. If an **Order product** row is sent to fulfillment, the **Edit** button isn't visible, and the following message is shown at the top of the page: "One or more records are read only. Records can't be changed."

Manually cancel rows on the Order products page

To manually cancel one or more rows on the **Order products** page, follow these steps:

1. Go to **Sales order**, and then select the **Order product** rows that you want to cancel.
2. Select **Cancel**. The status of the selected **Order product** rows changes to **Canceled**. You can't edit any **Order product** rows that are already in fulfillment or that are already delivered, as defined by the order state.

Determine when an account is on credit hold

To determine when a customer account is on credit hold, follow these steps:

1. Go to **Account** > **Accounting tab** > **On hold status**.
2. If the **On hold status** field is set to any value other than **No**, the customer is on credit hold.

As part of the sales order save operation, the system checks the **On hold status** value of the customer account. If the account is on credit hold, the system shows a notification message.

Simple substitution

The Simple substitution feature lets you substitute and maintain products in the product master data, and reference substitute products during order creation. Turn on this feature when you need to substitute one product with another product for a limited period.

To turn on the Simple substitution feature, follow these steps:

1. Go to **Settings** > **General App Settings** > **Order handling preferences**.
2. Select **Manage**.
3. Select **Simple Substitution**, and then set the option to **On**.

To maintain the substitute product in **Products**, follow these steps:

1. Go to **Demand Planning** > **Products** > **Additional Details** > **Product Relationships**.
2. Select **New Product Relationship**.
3. In the **Related Product** field, select a substitute product.
4. In the **Sales Relationship Type** field, select **Substitute**.
5. In the **Direction** field, select **Uni-Directional**.

If you maintain more than one substitute item, the application selects the first item that it finds.

How simple substitution works

During order creation (either manual or through an intake provider), a plug-in checks for a substitute product for the requested customer product in the product master data. If a substitute product is found, it appears in the **Existing Product** field, and the requested customer product appears in the **Requested Product** field. Additionally, the **Is Substitute** option on the **Order product** page is set to **Yes**, and both the **Requested Product** and **Is Substitute** fields appear on that page. These fields are locked for editing to help prevent unintentional updates. The plug-in runs only during order creation. It doesn't run during order changes.

> ⓘ **Note**
>
> If you delete or change a substitute product, you must also delete or change the product relationship accordingly.

On-hand inventory query on the Sales order products page

An on-hand inventory check is available on both the **Sales order products** page and the **Products** page to provide inventory visibility during order creation. For more information, see Inventory operations visibility.

Clone an order

The Clone order feature supports cloning existing sales orders so that users can reorder them.

To clone an existing sales order, follow these steps:

1. On the **Order listing** page, select the order to clone.
2. On the top menu, select **Clone**. The following message appears: "Cloning in progress. Please wait."

After the message disappears, you see the new order and order products that are cloned from the selected existing order. Only the mandatory fields are copied from the source order.

Last updated on 01/30/2026

Policies and rules

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

This article describes policy types and how to create a policy with rules in Dynamics 365 Intelligent Order Management.

Policy types

Use policies and their associated rules for different purposes in the Intelligent Order Management orchestration flow. Policies fall into different policy types. Policy types help you select the right policies in the orchestration flow. The following table lists the two supported policy types.

Expand table

Policy type	Description
Filter policy	Validates data running through an orchestration flow. For example, you might want to drive a specific orchestration for a specific provider. Filter policy filters the orchestration step to run based on the policy success criteria.
Execution policy	Checks and updates data running through an orchestration flow. For example, you might want to assign a specific Fulfillment location to your order when your order quantity is greater than 100. An execution policy makes this assignment simple and configurable.

Policy fields

A policy consists of five fields, as shown in the following table.

Expand table

Policy field	Description
Policy Name	A unique name that you provide.
Policy Type	Select one of two policy types: **Filter policy** or **Execution policy**.
Policy Criticality	Select one of two options: **Information** - The rules of the policy are evaluated but the orchestration flow doesn't


Policy field	Description
	stop if the evaluation isn't successful. **Critical information** - The rules of the policy are evaluated and the orchestration flow stops if the evaluation isn't successful.
Status	A policy and its associated rules can be in one of two status states: **Unpublished** - The default status of a policy. You can't select a policy and its rules in the orchestration flow when in this state. **Published** - This status is obtained when you publish the policy and its associated rules by using the **Publish** action. You can select the policy and its rules in the orchestration flow when in this state.
Associated Entity	Select one of four primary entities for the policy: **Order**, **Order product**, **Fulfillment order**, **Fulfillment order product**. Use the rules you define against the primary entity or any related entity in the data model.

Create a new policy

To create a new policy, follow these steps:

1. Go to **Orchestration** > **Policies**.
2. Select **New**.
3. Enter a unique name in the **Policy Name** field (for example, "Order line validations extended").
4. Select **Execution Policy** in the **Policy Type** field.
5. Select **Information** in the **Policy Criticality** field.
6. Select **Order Product** in the **Associated Entity** field.
7. Select **Save**.

The following image shows the policy details entered for the "Order line validations extended" policy example.



Rules

You can create conditional rules in Intelligent Order Management by using Condition Builder's user interface.

To add a condition to your policy, select **New IOM Rule**. An **Add** button appears in the rule definition that, when selected, displays the following options:

- **Add row**: Each individual condition that you check for, such as "the value is greater than 10," or "the list doesn't contain Test," creates a new row in Condition Builder.
- **Add group**: You can combine one or more rows together in a group. Each group is combined by using either an **And** or an **Or** operator. If you select **And**, then all the condition rows must be true. If you select **Or**, then only one of the condition rows needs to be true.
- **Add related entity**: You can add conditions against values in related entities. You can also select between entities that are related to the primary entity of the policy. The supported relations are **Many to One** and **One to Many**.

You can have as many rows or groups as you need to build out your logic. You can continue adding rows or groups both at the top level of the condition and inside groups by using **Add** buttons. If you want a simplified view of the condition, you can collapse it by using a button at the top-right of each group.

Additionally, an ellipsis menu ("...") on the right side of each row and group allows you to delete a row or group. Check boxes on the left side of each row or group allows you to select

several different rows. Then, you can select **Group** from the ellipsis menu to combine the rows into a single group.

The supported operators differ for each field type, as shown in the following table.

Expand table

Operator	Field	Entity-based field
Equals	Y	Y
Doesn't equal	Y	Y
Is greater than	Y	
Is greater than or equal to	Y	
Is less than	Y	
Is less than or equal to	Y	
Contains data	Y	Y
Doesn't contain data	Y	Y

Create a rule

To create a new example rule, follow these steps:

1. Go to **Orchestration** > **Policies**.
2. Select a policy record, such as "Order line validations extended."
3. Select **New IOM Rule** to start creating the rule.
4. In the **Rule Name** field, enter a unique name, such as "Order product and amount validation."

Create a condition


1. Select **Add**, and then select **Add Row**.
2. Select **Quantity**.
3. Select the **Is greater than or equal to** operator.
4. Enter "50".
5. Select **Add**, and then select **Add Group**.
6. Change the condition to "Or".
7. Select **Product Name**.
8. Select the **Equals** operator.

9. Enter "Item A".
10. Select **Add** at the bottom of the **Or** group, and then select **Add Row**.
11. Select **Product Name**.
12. Select the **Equals** operator.
13. Enter "Item B".

Create an action

1. Change **Add Action** to **Yes**.
2. Select **Add**, and then select **Add Row**.
3. Select **Price Per Unit**.
4. Select **Set Value operator**.
5. Enter "20".
6. Select **Save & Close**.
7. Select **Publish**.

The following image shows the "Order product and amount validation" rule example as it appears in the rule editor screen.



Add custom action

You can add custom actions only for execution policies. To add a custom action that the orchestration flow doesn't trigger when it evaluates a rule, under **Action**, select **Yes** for **Add Action**.

Select the fields to set for the associated entity that you chose when you created the policy.

Last updated on 01/30/2026


Intelligent Order Management alerts

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

Time-sensitive and high-impact issues can get lost in a sea of business events. If you can't surface those issues in a structured and timely manner, they might lead to customer dissatisfaction and business disruption. Microsoft Dynamics 365 Intelligent Order Management provides alerts about business-critical events, so that you can act quickly when problems arise.

In this release, Intelligent Order Management has alerts for order statuses. For example, an order triggers an alert if the current date is three days before the requested delivery date of an order, but the order isn't yet sent to fulfillment.

This feature is in private preview. Your administrator must enable alerts in the **Administration settings** area. After enabling alerts, you can find them in the **Monitoring** section on the left menu.




Create an alert

> **Note**
>
> For the private preview, the solution doesn't include any prebuilt alerts. You must create alert configurations for alerts that you want to start to trigger.

1. On the left menu, in the **Monitoring** section, select **Alert Configuration** to open the **Active Alert Configurations** page.

   On the **Active Alert Configurations** page, the top menu bar (labeled "1" in the illustration) contains several buttons, including **New**. The grid (labeled "2") contains a list

of current alert configurations. Double-tap (or double-click) any configuration in the list to open the configuration settings and make changes to the configuration.



2. Select **New** on the menu bar to open the **New Alert Configuration** page.

3. Set the following fields:

   - **Name** – Enter a descriptive name for your configuration, so that you can easily identify it among the different configurations. For example, enter **Not delivered one day past requested date**.

   - **Owner** – By default, this field shows your name as the creator of the configuration. However, you can update the value as needed.

   - **Alert action** – Select one of the following values to specify the issue that triggers the alert:
     - Not sent to fulfillment
     - Not shipped

   - **Expected date** – Use this field in combination with the **Alert action** field. Specify the date on an order that triggers an alert. For this private preview release, the only available option is **Requested delivery date**. More options are added in upcoming releases.

   - **Time before expected** – Specify the number of days, hours, or minutes between the alert action and the expected date that causes an alert to trigger.

Example

For example, configure the following alert settings:

- **Alert action:** Not sent to fulfillment
- **Expected date:** Requested delivery date
- **Time before expected:** Three days

In this case, any order that has a requested delivery date three days from now, but that isn't yet sent to fulfillment, triggers an alert.

On the **Active Alerts** page, view all the alert configurations that you created. You can also select any existing configuration and edit the settings as needed.

View alerts

- On the left menu, in the **Monitoring** section, select **Alerts** to open the **Active Alerts** list.

The **Active Alerts** page provides a list of current orders that match the criteria for your alert configurations. On this page, you can view any specific order that's under alert, change the status of the alert, and access the configuration that's triggering the alert.


> ⓘ **Note**
>
> Alerts are a list of orders that are under alert. Alert configurations are a list of the configurations that you created to generate alerts.

Each row in the grid represents an order that's currently under alert. Here's an explanation of the grid columns:

- **Order** – This column contains a link to the order in Intelligent Order Management that's currently under alert.
- **Alert Configuration** – This column contains a link to the configuration that's triggering the alert.
- **Status Reason** – This column contains the status of the alert. The following alert statuses are used:
  - Active
  - In progress
  - On hold
  - Inactive
  - Resolved

    A status of **Active** indicates that the alert is active. The order itself might have a status of **In fulfillment** or **Sent for delivery**. The purpose of the alert status is to enable you to update the status of an alert if you already took action on the order. For example, if an alert is triggered because an order is delayed, and you expedited the order for delivery, you can change the alert status to **Resolved**. Therefore, you can use the list of

alerts in the grid as a to-do list. You can view which orders are under alert, and then check them off as you take action on the orders to resolve the alerts.



Update an alert


You can change the alert status for any row on the **Active Alerts** page. (The numbered steps correspond to the numbered callouts in the illustration.)

1. In the row for the alert that you want to update, hover over the area to the left of the **Order** column, and then select the check box to select the row. When you select a row, the top menu bar changes.

2. To edit details of the alert, including the alert status, select **Edit** on the menu bar to open the **Alert edit** page. This page shows alert details such as the owner of the alert, the order that's under alert, and the configuration. You can make the following changes:

   - In the **Owner** field, select someone else in your organization as the owner of the alert.
   - In the **Alert status** field, select **Active**, **In Progress**, **On Hold**, or **Resolved** as the alert status.
   - Select **Deactivate** on the menu bar to deactivate the alert.

3. To quickly change the alert status, select **Resolve**, **Activate**, or **Deactivate** on the menu bar to update the **Status Reason** value for the row.



Other notes

Future releases include some out-of-the-box alerts, in-app notifications, and other alert types, such as inventory alerts and data anomalies.

During the private preview phase, some resource limitations exist. If an alert configuration triggers more than 5,000 orders at a time, the alert fails. Although this situation rarely occurs, you can help safeguard against it by ensuring that the **Time before expected** value is lower than the **Days before expected date** value. For example, the number of orders that aren't sent to delivery 10 days before the expected delivery date is greater than the number two days before the expected delivery date. Therefore, the limit of 5,000 orders is much less likely to be reached two days before the expected delivery date.

Last updated on 01/30/2026

Internal external ID mapping

Dynamics 365 Intelligent Order Management provides ready-to-use internal external ID mappings. By using the internal external ID mappings functionality, you can:

- Define the relationship between identities in an enterprise across applications and operating systems.
- Use the mapping for multiple integrations.
- Enable an end-to-end visualization of mapping across multiple systems.
- Configure and add your own mapping and mapping tables.

Configurations

Intelligent Order Management provides the following configurations:

- Accounts
- Products
- Price Lists
- Warehouses
- Currencies
- Unit Groups
- Units

On the **Configurations** page, you can set up the mapping of columns and values across your different providers. Each configuration connects to a corresponding Microsoft Dataverse mapping table that preserves these mappings for use in various provider integrations.

The following mappings are transactional mappings that you don't need to configure. These transactional mappings are view-only:

- Orders
- Order Products
- Fulfillment Orders
- Fulfillment Order Products


Example scenario

This scenario demonstrates how you can use internal external ID mappings when working with multiple providers. Each provider has a unique master data setup for **Products** or **Warehouses**. To integrate with these providers, you need to transform each of these datasets into provider mapping terminology. By using internal external ID mapping, you can set up the mapping once and use it for all subsequent integrations.

When a transaction flows into or out of Intelligent Order Management through a provider, the mapping service uses the internal external ID mappings to look up mapped values and transform the payload.

To set up a product mapping, use the following steps.

1. In Intelligent Order Management, select **Configuration** on the bottom left to open a page that displays all of the out-of-the-box mappings.
2. Select **Products**. The **New IOM Product Mapping** page opens.



1. Select **New** to add a new mapping.
2. In the **IOM Provider** field, enter the provider whose product master data you want to map with Intelligent Order Management.
3. In the **Product** field, enter the Intelligent Order Management product number.
4. In the **External Field Name** field, enter the external field name for the provider.
5. In the **External Field Value** field, enter the external product number to be mapped for the provider.
6. Select **Save & Close**.

> **Note**
>
> Provider-based grouping of mappings isn't currently available. This functionality is planned for an upcoming release.

Last updated on 01/30/2026

Custom entity orchestration

Custom entity orchestration enables you to orchestrate custom Microsoft Dataverse entities that you create for business purposes. For example, custom entity orchestration is a good choice if you need to create a nonstandard entity to orchestrate fulfillment or transportation processes.

> **Note**
>
> You can use a combination of custom and standard entities in your orchestration flow.

Enable custom entity orchestration

To enable custom entity orchestration, follow these steps:

1. Create a custom table in Power Apps. This table is any custom table that you create outside the out-of-box business Dataverse entities that are available for orchestration.

2. In Power Apps, go to **More**, select **Choices**, and then select **Associated Entity**. In the option set, add the custom table that you created.

3. Create a record in the **IOM entity metadata** table. You can look up records by using settings and columns on the custom entity:

    - **Name** is the logical name of the custom entity.
    - **Associated Entity** is the option set entry that you created.
    - **Has Standard State** indicates whether the custom entity uses out-of-box state and status columns.
    - **ID column name** is typically the logical name together with an ID suffix. It's the specific ID column of the custom entity.
    - **Plural Name** is the plural logical name that you set at creation.

4. To use the custom entity in orchestration, you must create the following orchestration-related entities for the new entity:

    - Action type
    - Action type input business event
    - Business event definition
    - Business event input and output

Last updated on 01/30/2026

Work with providers


> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

This article provides an overview of the process of working with providers and explains how to set up a provider in Microsoft Dynamics 365 Intelligent Order Management.

A key value proposition of Dynamics 365 Intelligent Order Management is the ability to integrate seamlessly with other systems. To achieve this integration, Intelligent Order Management uses *providers*. Providers are constructs that you use to connect Intelligent Order Management to external systems.

Intelligent Order Management includes a library of out-of-box providers that you can set up and customize to meet your needs. You can also create your own provider if the library doesn't have the one that you need.

The following illustration shows an example of providers in the Intelligent Order Management provider library.



Provider architecture

Intelligent Order Management providers have the following properties:

- **Extensibility** – You can extend and customize providers by using Microsoft Power Platform.
- **Low code customization** – Because providers are built on Microsoft Power Platform, customizations require little to no code.
- **Scale** – Providers use Power Automate so that they can scale up with the volume of incoming messages.

Provider components

A provider in Intelligent Order Management has the following components.

Expand table

Component name	Description	For more information
Connection	The connection component in Intelligent Order Management enables a provider to establish a connection with an external service. Each provider instance might require one or more connections that it uses to gain access to and communicate with the external service. Some provider instances don't require any connections. For more information, see Learn to connect to your data using connections and on-premises data gateways.	• Go to **Provider** > **Library** or **Provider** > **Installed**, and select the provider that you want to find the connection information for. On the **Overview** tab, the **Connections** section lists all the dependent connections.
Business Event	The events that you define for a provider are events that the associated provider actions can raise in the orchestration designer. All the out-of-box business events in Intelligent Order Management can be applied for all providers.	• Go to **Provider** > **Library** or **Provider** > **Installed**, and select the provider that you want to find the business event information for. The **Event** tab has two sections: **Global Events** and **Provider Events**. The **Global Events** section lists the events that are provider-agnostic. The **Provider Events** section lists the events that are provider-specific.
Action	The actions that are associated with a provider determine what actions are available to you when you create an orchestration flow. If your	• Go to **Provider** > **Library** or **Provider** > **Installed**, and select the provider that you want to find the action information for.


Component name	Description	For more information
	provider doesn't have any actions, you can't invoke the provider from the orchestration.	The **Actions** tab lists all the actions that are provider-specific. The list of provider actions is also available at **Providers** > **Provider Actions**.
Parameter	Some providers require additional configuration information to retrieve and send information. This additional information is referred to as a *provider parameter*.	• Go to **Provider** > **Library** or **Provider** > **Installed**, and select the provider that you want to find the parameter information for. The **Parameters** tab lists the provider parameters.
Transformation	Provider transformations are essential to any provider that retrieves or sends data from Intelligent Order Management to an external service. A transformation maps data from an external service to an entity in Intelligent Order Management, and from Intelligent Order Management to an external source. For more information, see What is Power Query?	• Go to **Provider** > **Library** or **Provider** > **Installed**, and select the provider that you want to find the transformations for. The **Transformations** tab lists the provider-specific actions. The list of transformations is also available at **Providers** > **Transformations**.

Activate one or more providers

Follow these steps to set up one or more providers.

1. Go to **Providers** > **Library**.
2. Select **Select**, or select the symbol next to the provider that you want to set up. To set up multiple providers, repeat this step for each additional provider.
3. Select **Activate Provider** in the upper right.
4. In the wizard for adding the connections, read the terms and conditions, and select the checkbox for each provider that you selected.
5. Select **Accept** to accept the terms and conditions.

6. For the first provider, select **See details** to open the **Provider Activation** page. You can optionally edit the provider name or leave it as it appears on the **Connection** page.



7. Scroll down to the **Connections** section to view the connections that are associated with the provider.

8. Next to the provider connection, select **Create** to open a page where you can enter the connection details.

9. Enter the connection details, and then select **Create**. When the connection is added, a green check mark appears next to it.

10. Add the **Microsoft Dataverse** connection. This connection should automatically be referenced from your system connections, and a green checkmark appears next to it.

11. When you successfully add the connections, select **Next**.

12. On the **Parameters** page, add any parameters that the provider requires.

13. Select **Mapping Group**.

14. Select **Next**.

15. On the **Transformations** page, review the details, and make any changes that are required.

16. Select **Next**.

17. On the **Summary** page, review the added connections and their details.

18. Select **Activate**. You receive the following message: "Provider activated successfully."

19. Select **Back** to make any updates.
20. Select **Next** for any additional providers that you selected.
21. Repeat steps 6 through 20 for each additional provider.
22. When you finish configuring the providers, go to the **Review and Finish** page.
23. Review the details, and close the wizard. Any providers that aren't yet activated are shown as **Installed** in gray. Providers that are successfully activated are shown as **Activated** in green.

Delete a provider instance

When you delete a provider instance, the system removes any configuration you completed for that provider. The system doesn't save any of the information you set up, including the connection details, transformations, and any customizations.

Before you delete a provider instance, ensure that you aren't using the provider in any of your orchestration flows.

To delete a provider instance, follow these steps:

1. Remove any related provider actions from your orchestration flows. Dependent flows break if you delete a provider without removing the related steps.
2. Go to **Provider** > **Installed**.
3. Select the provider that you want to delete, and then select **Delete**.
4. Optional: If you want to remove connections to your external service in this environment, delete the connections that you set up as a part of this provider in Power Automate. To remove a connection, follow the steps in Learn to connect to your data using connections and on-premises data gateways..

Additional resources

Set up an environment

Provider catalog

Customize an out-of-box provider

Create a new provider

Intelligent Order Management architecture

Last updated on 01/28/2026

Email capabilities in Dynamics 365 Intelligent Order Management

This article describes the email capabilities that are available in Microsoft Dynamics 365 Intelligent Order Management.

Dynamics 365 Intelligent Order Management supports the following out-of-box email capabilities:

- An enhanced email template editor
- Three email templates that you can call in the orchestration flow
- A highly performant and scalable email sending service
- A generic email domain that you can use in the "from" email address

Enhanced email template editor

Many features of the email template editor are shared with the Dynamics 365 Marketing app. However, the personalization editor component that includes predefined tokens was created specifically for Intelligent Order Management.

For more information, see Email marketing overview.

Enable the enhanced email template editor feature

To enable the enhanced email template editor feature, follow these steps:

1. Sign in to the Power Apps portals admin center for your environment.
2. Go to **Solutions** > **Default Solution**, and turn on **Solution preview on**.
3. Under **Default Solution**, go to the **Show Email Preview** setting.
4. Set the **Default value** option to **Yes**.

   > ⓘ **Note**
   >
   > If you set the **Default value** option back to **No**, the platform email capabilities don't include some of the key email editor enhancements of the enhanced editor feature. In addition, the orchestration flow uses older templates.

5. Go to **Setting environment value**, select **Add existing value**, select **Yes**, and then select **Save**.

Out-of-box email templates

The product includes three out-of-box email templates:

- **Order Confirmation** – The email communication that the app sends to a customer after it receives an order.
- **Shipment confirmation** – The email communication that the app sends to a customer after it ships order items. It contains tracking information.
- **Return pick up confirmation** – The email communication that the app sends to a customer after it starts a returns process.

To access the email templates, go to **Intelligent Order Management** > **Configurations** > **Communications** > **Email templates**.

You can edit the preceding templates to meet your business needs. For each template that you use, create a new template. Copy the contents of the relevant out-of-box template into the new template, save it, and then customize it. By copying and modifying out-of-box templates, you help prevent problems with future Intelligent Order Management upgrades.

Sections in an email template

Image placeholders

The out-of-box templates include a few image placeholders:

- **P1** – For a brand logo.
- **P2, P3, P4, P5** – For social media logos, as needed.

> ⓘ **Note**
>
> The current version of Intelligent Order Management doesn't include image support. You must store images in a content distribution network (CDN) of your choice and make them publicly accessible via the internet. Image support is in development for an upcoming release.

Predefined tokens

The out-of-box predefined tokens support the three standard templates in Intelligent Order Management. You can find the whole token list by selecting **Personalization** in the template. By hovering over each token, you can view the **Source**, **Data type**, and **Default value** values for it.

Copy and create a new order confirmation template

To copy and create a new order confirmation template, follow these steps:

1. Go to **Intelligent Order Management** > **Configurations** > **Communications** > **Email templates**, and open the order confirmation template.
2. Select **</> HTML** in the upper right, and then copy the HTML content from the **HTML** window.
3. Select the **F12** key on your keyboard to open your browser's developer tools.
4. In the **Console** section of the developer tools, run the following command to copy the tokens and placeholders from the template.

   ```JavaScript
   var placeholders = Xrm.Page.getAttribute('msdyn_placeholders').getValue()
   ```

5. Select **New** to create a new email template, name the template, and then save it.
6. In the new template, select **</>HTML** in the upper right, and then paste the HTML content that you copied in step 2 into the **HTML** window.
7. Close the **HTML** window, and save the template.
8. In the **Console** section of the developer tools, run the following command.

   ```JavaScript
   Xrm.Page.getAttribute('msdyn_placeholders').setValue(placeholdersStr)
   ```

Your new custom template resembles the out-of-box version, and you can edit it.

The Intelligent Order Management team is working toward an easier solution for copying and creating a template in upcoming releases.

Send emails through the orchestration flow

To send emails through the orchestration flow, first activate the Dynamics 365 Communication provider, and then add the email template to the orchestration flow.

Activate the Dynamics 365 Communication provider

To activate the Dynamics 365 Communication provider, follow these steps:

1. Go to **Intelligent Order Management** > **Providers** > **Catalog** > **Dynamics 365 Communication**, and select **Create**.
2. Go to **Connections**, and select **Communications Dataverse (current environment) Connection**.
3. Select **Save**, select **Activate**, and then select **Save and close**.
4. Select **Parameters**, and then, in the **value** field, enter the "from" email address. (See the note that follows.)

   > ⓘ **Note**
   >
   > The domain of the "from" email address (the part after the @ sign) should always be `d365iom.com`. The part before the @ sign can be any text, but add your company or brand name to it (for example `support_<your brand name>@d65iom.com`, `admin_<your brand name>@d365iom.com`, or `noreply_<your brand name>@d365iom.com`).

Add the email template to an orchestration flow

For this example, you add the order confirmation template to an orchestration flow.

To add an order confirmation template to an orchestration flow, follow these steps:

1. Add the **Send email** tile to the orchestration flow, and then, in the **Name** field, enter a name for the tile.
2. Under **Email Template**, select the **Order Confirmation** email template.
3. Select **Send Email for Sales Order**, because the order confirmation email generates from sales orders for this example. Alternatively, select **Send Email for Fulfillment Order Line** for a shipment confirmation template or **Send Email for Return Order** for a returns order process.
4. In the **Input Events** field, select **Validation of Order lines has Succeeded**. An input event indicates when the email should be invoked. It can change, based on how the orchestration is configured and how the email is sent.

Check email delivery status

You can check the status of email delivery in **Orchestration Step Results** in the sales order view. Look for an orchestration step that corresponds to email delivery. This step shows the delivery status in the **Result** column. The **Result Details** column provides more details.

Last updated on 01/30/2026

Provider catalog

This article contains a list of all the providers that are available in Dynamics 365 Intelligent Order Management. You can select a provider to get more detailed information about the provider.

List of providers

Expand table

Provider name	Provider description	Website	Terms and conditions
Inventory Visibility Service	Enables you to use inventory visibility capabilities in Intelligent Order Management.	Not applicable	Microsoft Terms of Use | Intellectual Property
Intelligent Fulfillment Optimization	Enables you to use fulfillment optimization capabilities in Intelligent Order Management.	Not applicable	Microsoft Terms of Use | Intellectual Property
Dynamics 365 Supply Chain Management, Dynamics 365 Commerce, and Dynamics 365 Finance	Provides a communication channel to retrieve orders, products, and related information from finance and operations apps.	Business Applications | Microsoft Dynamics 365	Microsoft Terms of Use | Intellectual Property
Orderful	Provides a communication channel to retrieve transaction-related data from Orderful.	Orderful home page	Orderful terms and conditions
BigCommerce	Provides a communication channel to retrieve orders, products, and related information from BigCommerce.	BigCommerce home page	BigCommerce terms of use
Avalara	Provides a channel to validate addresses and calculate tax from Avalara.	Avalara home page	Avalara terms and conditions
ShipStation	Enables you to access and manage carrier pickups from ShipStation.	ShipStation home page	ShipStation terms of service
Flexe	Enables you to access and process purchase orders from Flexe.	Flexe home page	Flexe terms of service

Provider name	Provider description	Website	Terms and conditions
Uber Freight	Enables you to transform fulfillment orders to Uber Freight.	Uber Freight home page	Uber Freight Terms of Use

Last updated on 01/30/2026

Set up and open demo providers

This article describes how to set up and start demo providers in Microsoft Dynamics 365 Intelligent Order Management.

Use demo providers to see how orders flow between Intelligent Order Management and third-party connections. After you set up demo providers, you can generate a test order and monitor its status in Intelligent Order Management as it moves through each step of an orchestration flow, from order validation through fulfillment.

> ⓘ **Note**
>
> Demo providers are only available in trial environments.

The following demo provider applications are available:

- **Demo e-commerce application** – Use this application to generate an order.
- **Demo fulfillment application** – Use this application to process and fulfill an order.
- **Demo inventory application** – Use this application to update the inventory system after fulfillment.

Set up demo providers

Before you can use demo providers, you must set them up. The setup process has four stages:

1. Activate connections.
2. Publish policies.
3. Add providers.
4. Activate and publish the demo orchestration flow.

Activate connections

To activate connections, follow these steps:

1. On the Intelligent Order Management home page, select **Settings**, and then select **Initial Connections**.
2. Open each connection, wait for it to establish, and then select **Save and close**. (A green check mark indicates that a connection is established.)
3. After all the connections are established, on the top menu, select **Activate System**.

Change the fulfillment process policy

To change the fulfillment process policy, follow these steps:

1. Go to **Settings** > **General app settings** > **Order handling preferences**.
2. In the **Fulfillment Process policy** section, select **Fulfillment Order Creation** to change the policy from **Inventory Check and Fulfillment Order Creation**.

Publish policies

To publish policies, follow these steps:

1. In the left navigation pane, under **Orchestration**, select **Policies**.
2. Select and publish each policy in the list.

Add providers

To add providers, follow these steps:

1. In the left navigation pane, under **Providers**, select **Library**.
2. Select and activate the **Internal Application Service**, **Demo Order Fulfillment**, **Demo Order Intake**, and **Demo Order Inventory** providers.
3. Select **Activate Providers**. The **Provider Activation** wizard appears.
4. On the **Terms and conditions** page, read the terms and conditions. If you agree with them, select **Accept**.
5. Complete the **Provider Activation** installation wizard for each provider in the following way:
   a. Ensure that the connection is established. (A green check mark indicates that a connection is established.)
   b. Keep the default settings for each provider. For the **Internal Application Service** provider, select **No** when you're asked whether you want to create new split order lines.
   c. Select **Next**.
6. When you reach the end of the wizard, select **Activate**.

After you activate the providers, changes take approximately six minutes to go into effect. You can verify that all the providers are active by going to **Provider** > **Installed** and viewing the status for each provider.

Publish a demo orchestration flow

To publish a demo orchestration flow, follow these steps:

1. Go to **Orchestrations** > **Flows**.
2. Select **Demo Order Journey** to open it.
3. Select **Save and Publish**.

> ⓘ **Note**
>
> If you encounter problems while publishing the orchestration flow, reselect the provider action and policy, and then try again.

If the policy doesn't publish, confirm that the execution policies for **Demo Order Validate Header**, **Demo Order Validate Lines**, and **Simple Fulfillment Determination** are set correctly.

Start the demo providers

After you publish the orchestration flow, the demo providers are ready to use.

Open the e-commerce demo app

First, open the e-commerce demo app. Play the part of a consumer as you place an order in a simulated e-commerce store. The order then flows into Intelligent Order Management, where you can view its status and details in the sales and fulfillment order tables.

To open the e-commerce demo app, follow these steps:

1. In the left navigation pane, select the area switcher at the bottom left, and then select **Demo Providers**.
2. On the **Demo Providers** page, under **Ecommerce Store - Demo**, select **Launch Demo**. The e-commerce demo site appears.
3. On the home page or a category page, select a product.
4. Enter or select a quantity.
5. Select **Add To Cart**.
6. On the cart page, select **Place Order**.
7. A checkout page appears that's prefilled with demo customer information. You can optionally change the customer information before you create the order.
8. Select **Create Order**. After the order is successfully created, you're redirected to a confirmation page.

Verify the order in Intelligent Order Management

After you place the order, verify it in the Intelligent Order Management sales table.

To verify the order, follow these steps:

1. In the left navigation pane, select the area switcher at the bottom left, and then select **Sales orders**.
2. The order that you created appears at the top of the list. Select the order to open it and review the order details.

When Intelligent Order Management receives an order, it runs an orchestration flow and eventually sends the order to the appropriate warehouse.

Open the demo fulfillment app


Next, open the demo fulfillment provider app to fulfill the order.

To open the demo fulfillment provider app, follow these steps:

1. In the left navigation pane, select the area switcher at the bottom left, and then select **Demo Providers**.
2. On the **Demo Providers** page, under **Fulfillment Center - Demo**, select **Launch Demo**.
3. Select the order that you placed, and then use the wizard to move through the fulfillment steps to shipment. After you complete the wizard, the updated status appears in the Intelligent Order Management sales order table.

Inbound Order


In the demo fulfillment application, select **Inbound Order** to view details about the inbound order on the **Inbound Order** page. The following illustration shows an example.



Select **Accept** to move to the next page of the wizard.

Outbound Order


On the **Outbound Order** page, you can view details about the outbound order. The following illustration shows an example.



Select **Accept** to move to the next page of the wizard.

Ready to Ship


On the **Ready to Ship** page, you can view details about the ship status of the order. The following illustration shows an example.



Select **Ship Order** to move to the next page of the wizard.

Order Complete

On the **Shipped** page, you can view details about the shipped order. The following illustration shows an example.



Select **Finish** to close the wizard. Then return to Intelligent Order Management, and review the updated status of your order in the sales orders table.

Open the demo inventory app


You can view information about different inventories and their respective products and warehouses in the demo inventory app. After the order ships to the fulfillment center, the app decreases the quantity of the product according to the sales order.

To open the demo inventory app, follow these steps:

1. In the left navigation pane, select the area switcher at the bottom left, and then select **Demo Providers**.
2. On the **Demo Providers** page, under **Inventory System - Demo**, select **Launch Demo**.


Inventory Dashboard

In the demo inventory app, select **Inventory Dashboard** to view a list of products that have inventory. The following illustration shows an example.




Products

Select **Products** to view a list of products and product IDs. The following illustration shows an example.



Warehouses

Select **Warehouses** to view a list of warehouses. The following illustration shows an example.



Last updated on 01/27/2026

Set up Orderful provider

This article provides information about how to set up the Orderful provider in Dynamics 365 Intelligent Order Management.

Orderful is a cloud electronic data interchange (EDI) platform for manufacturers, distributors, retailers, and technology companies. The Orderful provider enables Intelligent Order Management to access and process purchase orders from Orderful.

For more information about Orderful, contact Orderful at sales+msft@orderful.com.

Prerequisites

To set up the Orderful provider, you need an Orderful developer account. You can create an account on the Orderful sign-in page.

Set up the provider

To set up the provider, follow these steps:

1. In Intelligent Order Management, go to **Providers** > **Catalog**.
2. Select **Add Provider** on the **Orderful** tile.
3. Select **Create** on the **Terms and Conditions** page.
4. Set up two connections in the **Connections** section:
    a. Orderful Dataverse connection.
    b. Orderful connection:
        i. Select the connection.
        ii. Select the **Retrieve Connection Link** URL.
        iii. Search for **Orderful** and then select the connector.
        iv. Enter the following information:
            - **Connection Name**: Enter a name of your choice.
            - **API Key**: Enter the Orderful API key. You can retrieve it by following the instructions here.
        v. Save the connection.

vi. Test the connection by selecting **Test** in the top ribbon.

vii. Copy your URL.

viii. Go back to the **Connection URL** page in Intelligent Order Management and paste the URL.

ix. Select **Save**.

x. Select **Activate** to activate the connection.

xi. Select **Save and close**.

5. Go to the **Parameters** tab and add the **Owner Id** and **Webhook Name**.
6. Select **Save**.
7. Select **Activate** to activate the provider.
8. Select **Save and close**.
9. Go to **Providers** > **Installed** and validate that the provider you set up is listed with the status **Activated**.

Out-of-box capabilities

Expand table

Capability	Details
Connection	The connection component in Intelligent Order Management allows a provider to establish a connection with an external service. Each provider instance might require one or more connections that it uses to gain access and communicate with the external service. **Orderful Connection** **Orderful Dataverse (current environment) Connection**
Parameters	Some providers require extra configuration information to retrieve and send information. **Owner ID** **Webhook Name**
Provider Actions	The actions associated with a provider determine what actions are available when you create an orchestration flow.
Business Events	The events defined for a provider are events that the associate provider actions can raise in the orchestration designer.

Capability	Details
Transformations	Provider transformations are essential to any provider that retrieves or sends data from Intelligent Order Management to an external service. **Orderful 850 Purchase Order to Dataverse Sales Order**

Additional resources

Orderful API documentation

Last updated on 01/30/2026

Set up BigCommerce provider

This article provides information about how to set up the BigCommerce provider in Dynamics 365 Intelligent Order Management.

BigCommerce is a flexible, open SaaS platform. You can connect to BigCommerce to retrieve orders, products, and related information. The BigCommerce provider enables Intelligent Order Management to access and process purchase orders from BigCommerce.

For more information about BigCommerce, see the BigCommerce website.

Prerequisites

You need to set up a sample store. Go to the BigCommerce website and select **Start your free trial**. Follow the instructions to set up your sample store.

Set up the provider

To set up the provider, follow these steps:

1. In Intelligent Order Management, go to **Providers** > **Catalog**.
2. Select **Add Provider** on the **BigCommerce** tile.
3. Select **Create** on the **Terms and Conditions** page.
4. Set up two connections in the **Connections** section.
    a. BigCommerce Common Data Service Connection
    b. BigCommerce connection:
        i. Select the connection.
        ii. Select the **Retrieve Connection Link** URL.
        iii. Search for **BigCommerce** and then select the connector.
        iv. Enter the following information:
            - **Connection Name**: Enter a name of your choice.
            - **API Key**: Enter the BigCommerce API key. You can retrieve it by following the instructions here: https://<your store hash code>.mybigcommerce.com/manage/settings/auth/api-accounts.

v. Save the connection.

vi. Test the connection by selecting **Test** in the top ribbon.

vii. Copy your URL.

viii. Go back to the **Connection URL** page in Intelligent Order Management and paste the URL.

ix. Select **Save**.

x. Select **Activate** to activate the connection.

xi. Select **Save and close**.

5. Go to the **Parameters** tab and add the BigCommerce store hash.
6. Select **Save**.
7. Select **Activate** to activate the provider.
8. Select **Save and close**.
9. Go to **Providers** > **Installed** and validate that the provider you set up is listed with the status **Activated**.

Out-of-box capabilities

The BigCommerce provider has the following capabilities:

Expand table

Capability	Details
Business events	**Billing of order confirmed by billing provider**: Event that indicates that billing was confirmed by BigCommerce. **Creation of fulfillment line succeeded**: Event that indicates that a fulfillment line was successfully created. **Creation of fulfillment order failed**: Event that indicates that fulfillment of the order failed. **Creation of fulfillment order succeeded**: Event that indicates that fulfillment of the order succeeded.
Transformation	**BigCommerce sales order to Microsoft Dataverse sales order**: Transforms a purchase order from BigCommerce into a sales order in Dataverse.

Additional resources

- BigCommerce API documentation – Learn more about BigCommerce's API.
- Run sample order orchestration flow from BigCommerce

Last updated on 01/30/2026

Set up Avalara provider

This article explains how to set up the Avalara provider in Dynamics 365 Intelligent Order Management.

Avalara is software for automated tax compliance. By using the Avalara provider, Intelligent Order Management can validate addresses and calculate tax by using Avalara.

For more information about Avalara, see the Avalara website.

Prerequisites

To set up the Avalara provider, you need an Avalara developer account. To create an account, go to the Avalara get started page.

Set up the provider

To set up the provider, follow these steps:

1. In Intelligent Order Management, go to **Providers** > **Catalog**.
2. Select **Add Provider** on the **Avalara** tile.
3. Select **Create** on the **Terms and Conditions** page.
4. Set up two connections in the **Connections** section:

    a. Avalara Dataverse (current environment) connection.

    b. Avalara connection:

        i. Select the connection.

        ii. Select the **Retrieve Connection Link** URL.

        iii. Search for **Avalara** and then select the connector.

        iv. Enter the following information:

            - **Connection Name**: Enter a name of your choice.
            - **Username**: Enter your Avalara login username.
            - **Password**: Enter your Avalara password.

        v. Save the connection.

        vi. Test the connection by selecting **Test** in the top ribbon.

vii. Copy your URL.

viii. Go back to the **Connection URL** page in Intelligent Order Management and paste the URL.

ix. Select **Save**.

x. Select **Activate** to activate the connection.

xi. Select **Save and close**.

5. Go to the **Parameters** tab and add the **Avalara Company Code**.
6. Select **Save**.
7. Select **Activate** to activate the provider.
8. Select **Save and close**.
9. Go to **Providers** > **Installed** and validate that the provider you set up is listed with the status **Activated**.

Out-of-box capabilities

Expand table

Capability	Details
Connection	The connection component in Intelligent Order Management enables a provider to connect with an external service. Each provider instance might need one or more connections to access and communicate with the external service. **Avalara Connection** **Avalara Dataverse (current environment) Connection**
Parameters	Some providers need extra configuration information to retrieve and send information. **Avalara Company Code**
Provider Actions	The actions associated with a provider determine what actions are available when you create an orchestration flow. The following actions are available as out-of-the-box capabilities: **Resolve Address** **Calculate Tax**
Business Events	The events defined for a provider are events that the associate provider actions can raise in the orchestration designer.
Transformations	Provider transformations are essential to any provider that retrieves or sends data from Intelligent Order Management to an external service.

Capability	Details
	Build Avalara CreateTransaction payload Build Avalara ResolveAddress payload

Additional resources

Avalara API documentation

Last updated on 01/30/2026

Set up ShipStation provider

This article describes how to set up the ShipStation provider in Dynamics 365 Intelligent Order Management.

ShipStation is a software as a service (SaaS) shipping platform that allows you to manage all your small parcel shipping needs in one place. The ShipStation provider enables Intelligent Order Management to access and manage carrier pickups.

To contact ShipStation for more information, see Contact Support.

Prerequisites

To set up the ShipStation provider, you must have a ShipStation trial account. To create a trial account, see Create My Account.

Set up the ShipStation provider

To set up the ShipStation provider, follow these steps:

1. In Intelligent Order Management, go to **Providers** > **Catalog**.
2. Select **Add Provider** on the **ShipStation** tile.
3. Select **Create** on the **Terms and Conditions** page.
4. In the **Connections** section, set up the **ShipStation Dataverse** connection.
5. In the **Connections** section, set up the **ShipStation** connection:
   a. Select the connection.
   b. Select **Retrieve Connection Link**.
   c. Search for **ShipStation** and then select the connector.
   d. For **Connection Name**, enter a name for the connection.
   e. For **Username**, enter the ShipStation API key located at `https://ss.shipstation.com/#/settings/api`.
   f. For **Password**, enter the ShipStation API secret located at `https://ss.shipstation.com/#/settings/api`.
   g. Save the connection.
   h. Copy the connection URL.
   i. Go back to the **Connection URL** page in Intelligent Order Management and paste the URL.
   j. Select **Save**.
   k. Select **Activate** to activate the connection.
   l. Select **Save and close**.
6. Select **Activate** to activate the provider.

7. Select **Save and close**.
8. Go to **Providers** > **Installed** and confirm that the provider you set up is listed with the status **Activated**.

Out-of-box provider capabilities

The following table describes the out-of-box provider capabilities in Intelligent Order Management.

Expand table

Capability	Details
Connection	The connection component in Intelligent Order Management allows a provider to establish a connection with an external service. Each provider instance might require one or more connections that it uses to gain access and communicate with the external service. **ShipStation connection** **ShipStation Dataverse connection (current environment)**
Parameters	Some providers require extra configuration information to retrieve and send information.
Provider actions	The actions associated with a provider that determine what actions are available to you when you create an orchestration flow.
Business events	The events defined for a provider are events that the associated provider actions can raise in the orchestration designer.
Transformations	Provider transformations are essential to any provider that retrieves or sends data from Intelligent Order Management to an external service. **Dataverse fulfillment order to ShipStation order**

Additional resources

ShipStation API documentation

Last updated on 01/28/2026

Set up Flexe provider

This article provides information about how to set up the Flexe provider in Dynamics 365 Intelligent Order Management.

Flexe is a warehousing and fulfillment service that provides simple integrations, performance insights, and scalability. The Flexe provider enables Intelligent Order Management to access and process purchase orders from Flexe.

For more information about Flexe, see the Flexe website.

Prerequisites

To set up the Flexe provider, you need a Flexe developer account. You can create an account on the Flexe developer portal.

Set up the provider

To set up the provider, follow these steps:

1. In Intelligent Order Management, go to **Providers** > **Catalog**.
2. Select **Add Provider** on the **Flexe** tile.
3. Select **Create** on the **Terms and Conditions** page.
4. In the **Connections** section, set up two connections.
    a. Flexe Common Data Service connection.
    b. Flexe connection:
        i. Select the connection.
        ii. Select the **Retrieve Connection Link** URL.
        iii. Search for **Flexe** and then select the connector.
        iv. Enter the following information:
            - **Connection Name**: Enter a name of your choice.
            - **API Key**: Enter the Flexe API key. You can retrieve it by following the instructions here.
        v. Save the connection.

vi. Test the connection by selecting **Test** in the top ribbon.

vii. Copy your URL.

viii. Go back to the **Connection URL** page in Intelligent Order Management and paste the URL.

5. Go to the **Parameters** tab and add the **Owner ID** and **Webhook Name**.

Out-of-box capabilities

The Flexe provider has the following capabilities.

Expand table

Capability	Details
Business events	**Billing of order confirmed by billing provider**: Event that indicates that billing was confirmed by Flexe. **Creation of fulfillment line succeeded**: Event that indicates that a fulfillment line was successfully created. **Creation of fulfillment order failed**: Event that indicates that fulfillment of the order failed. **Creation of fulfillment order succeeded**: Event that indicates that fulfillment of the order succeeded.
Transformation	**Microsoft Dataverse fulfillment line to Flexe order line**: Transforms a fulfillment order line from Intelligent Order Management to a Flexe order line. **Dataverse fulfillment order to Flexe order**: Transforms a fulfillment order from Intelligent Order Management to a Flexe order.

Additional resources

To learn more about Flexe's API, see the Flexe API documentation.

Last updated on 01/30/2026

Fulfillment and Returns Optimization provider overview

This article provides an overview of the Fulfillment and Returns Optimization provider in Microsoft Dynamics 365 Intelligent Order Management.

The Fulfillment and Returns Optimization provider is an intelligent optimization service that determines the source of order fulfillment while achieving required goals and respecting the desired configuration that the business determines. The Fulfillment and Returns Optimization provider helps you ensure that products are delivered to your customers in the right quantities, from the right sources, and at the right time. Therefore, it can help you maximize profits, minimize costs, and satisfy service-level requirements.

In a modern supply network where product fulfillment can come from multiple channels, organizations must quickly adapt to order changes, supplier availability issues, or spikes in demand. The Fulfillment and Returns Optimization provider helps you maximize order fulfillment and find the right source for the delivery of products based on different business constraints and business objectives such as minimizing costs by fulfilling orders from the closest sources.

The Fulfillment and Returns Optimization provider is built as a microservice and reads configuration data such as fulfillment sources, source lists, business constraints, and strategies from Microsoft Dataverse to optimize order fulfillment. The provider uses Azure Maps to provide geocode shipping address information for orders and fulfillment sources, and to provide the distance between those locations.

Fulfillment and Returns Optimization provider settings

To enable the Fulfillment and Returns Optimization provider as part of the order orchestration journey, set up and activate the Fulfillment and Returns Optimization provider by following the instructions in Set up Fulfillment and Returns Optimization provider. After the provider is activated, set the following settings to achieve business goals.

Configurate Intelligent Order Management mappings

It's important to maintain the **Intelligent Order Management mappings** as a prerequisite for the fulfillment and returns optimization engine to work correctly. For more information, see Set

up inventory visibility provider.

> **Note**
>
> You need to set up calculated measure mappings if fulfillment happens through Microsoft Dynamics 365 finance and operations apps.

Sources

Fulfillment sources are entities that house inventory or provide products. Examples include warehouses, distribution centers, retail stores, drop-ship vendors, and virtual sites. You can create and modify fulfillment sources by selecting the area switcher at the bottom of the left navigation pane and switching to **Settings** > **Fulfillment Settings**. Then, on the **Fulfillment settings** page, under **Sources**, select **Manage**.

For each fulfillment source, you can perform the following actions:

- Define a unique name.
- Set the time zone of the source.
- Set the type of source (warehouse or other).
- Specify where the source is located (latitude and longitude).
- Specify where the system should look for inventory in the Inventory Visibility service.

If you use Intelligent Order Management with finance and operations apps, map each fulfillment source to a shipping warehouse. Maintain the shipping warehouse assigned in fulfillment source settings.

Add details about the average processing time of orders in a warehouse. This information determines the planned shipment date of various orders. You can also set the cutoff time of a warehouse. This information is used if the **Respect warehouse timings constraint** setting is enabled, so that orders can be sent to a warehouse only between 12 AM and the cutoff time.

Source lists

Fulfillment source lists let you group a list of sources and manage the sources in a flexible manner, within specific constraints. To define fulfillment source lists, on the **Fulfillment settings** page, under **Source lists**, select **Manage**.

Depending on your business situation, you can define multiple source lists and use them as needed.

For example, in your strategy definition, include all the sources where fulfillment occurs. For your business constraints, use a different source list. You can also define different maximum distance constraints for retail stores and warehouses, and restrict partial fulfillment for only your retail stores.

The **Manage** page shows active source lists (**Source Lists** > **Manage**). To create a new source list, select **New**. Enter a name that helps you easily identify the source list, and then add new or existing sources on the **Sources** tab. To remove a source from a source list, select the source on the **Sources** tab, and then select **Remove**.

Constraints

Constraints are an optional component of fulfillment optimization. The following business constraints are supported:

- Maximum distance
- Restrict partial fulfillment of orders
- Limit number of warehouses per order
- Respect warehouse timings
- Maximum order lines
- Limit number of warehouses per order line
- Safety stock constraint

To create or modify constraints, on the **Fulfillment settings** page, under **Constraints**, select **Manage**. To create a constraint of a specific type, select the appropriate constraint type when you create the constraint.

All business constraints share a set of common attributes as part of their definition. The details differ, based on the type of business constraint. The following common attributes are applicable to all business constraints:

- **Name** – This attribute is used to identify the business constraint.
- **Description** – This attribute is used to describe the business constraint.
- **Constraint type** – This attribute indicates the type of business constraint.
- **Is enabled** – This attribute is used to enable or disable a business constraint.

You can define multiple business constraints of each type and apply them to different optimization strategies.


Maximum distance constraint

The maximum distance constraint enables an organization to define the maximum distance that a source or group of sources can extend to fulfill an order. Currently, distance is

considered as the straight-line distance between the source and the customer address, as calculated by Azure Maps.

You can define the maximum distance for a source or a source list. When you define the maximum distance for a source list that contains an individually defined source distance, there might be an overlapping maximum distance constraint defined for the source. In this case, the optimization service applies the lowest defined maximum distance for the sources.

The following illustration shows an example where the Seattle warehouse can deliver only up to 10 miles from its radius, even though it's part of the **All Sources** list, where the maximum distance is 50 miles. Because of the way that this constraint works, the shortest distance is used if there's a conflict.



If, as a result of a constraint, no warehouse is suitable for a sales order, the system can't create any fulfillment order for the sales order. Instead, the status of the sales order changes to **Inventory not found**.

Restrict partial fulfillment of orders constraint

Sometimes, the Fulfillment and Returns Optimization provider must handle scenarios where demand exceeds supply. By default, when Intelligent Order Management receives orders that require more quantity than the available inventory, it splits sales orders by order line. Some lines of the order are then fulfilled, whereas others are either backordered or set to the **Inventory not found** order state. An individual order line can't be split further and partially assigned, but it can be assigned to different sources. When you enable the **Restrict partial fulfillment of orders constraint**, the Fulfillment and Returns Optimization provider ensures that either the entire order is fulfilled or the order isn't fulfilled at all.

Respect warehouse timings constraint

Businesses sometimes have delivery trucks that leave at a specific time every day. To optimize for this scenario, each source can be configured to have a different cutoff time. To ensure that

this constraint works as expected, before you run it, add cutoff times to the warehouses that must respect them.

When you enable the **Respect warehouse timings constraint**, the Fulfillment and Returns Optimization provider ensures that sources create fulfillment orders only if those orders can be sent to the warehouse before the cutoff times. If they can't, the Fulfillment and Returns Optimization provider tries to assign the sales orders to warehouses that are still open to processing orders. In this way, the Fulfillment and Returns Optimization provider optimizes for faster fulfillment and delivery.

Limit number of warehouses per order constraint

There can be instances where not all inventory is available at a single source. To fulfill orders in these cases, the Fulfillment and Returns Optimization provider splits a single sales order and assigns different warehouses to different parts of it. The limit number of warehouses constraint lets you control the degree to which orders are split.

You can configure this constraint to specify the maximum number of warehouses that you want a single order to be split among. In other words, if you specify three warehouses for this constraint, every sales order must be fulfilled from one, two, or three different warehouses. If you prefer the whole sales order to be fulfilled from only one fulfillment source, specify one as the maximum number of warehouses. If fulfillment of a sales order requires more than three warehouses, the sales order isn't fulfilled at all unless the **Restrict partial fulfillment of orders** constraint is disabled and the **Limit number of warehouses** constraint is enabled.

By default, the Fulfillment and Returns Optimization provider splits a sales order among as many warehouses as are required, while also respecting inventory conditions and other constraints.

To specify the number of warehouses to split orders among, select **New Limit Number of Warehouses Constraint** to add an entry, and then select **Save**.

Limit number of warehouses per order line constraint

You can configure this constraint to specify the maximum number of warehouses that you want a single order line to be split among. In other words, if you don't want to fulfill a single order line from multiple sources, specify one as the maximum number of warehouses.

Maximum number of order lines constraint

Sometimes, fulfillment sources can't process more than some order lines on a given day because of capacity or resource limitations. Use the **Maximum number of order lines**

constraint to limit the number of order lines that route to a single fulfillment source. You can configure this constraint to specify the maximum order lines per day, per fulfillment source, or per source list. After the number is reached for the fulfillment source or source list, order lines aren't considered for selection during that day.

Maintaining safety stock

Some businesses maintain safety stocks to efficiently manage customer demand and to avoid running too low on inventory. The Fulfillment and Returns Optimization provider lets you maintain safety stock at two levels for each of your fulfillment sources.

The Fulfillment and Returns Optimization provider excludes a fulfillment source if inventory for the product is below the safety stock level. To configure the safety stock constraint, perform the following setup steps:

- **Safety stock constraint:** Create a new constraint, and set the **Constraint type** field to **Safety stock Constraint**.
- **Safety stock at fulfillment source:** Maintain the safety stock on the fulfillment source.

After you complete this setup, the Fulfillment and Returns Optimization provider excludes the fulfillment source if on-hand inventory is below the safety stock limit.

Introducing soft constraints

Define constraints as **hard** or **soft** in the constraint setup. When you define a constraint as soft, the selection includes it only if it can be respected in the fulfillment source determination algorithm.

By default, constraints are hard constraints until you disable them. To define a constraint as a soft constraint, set the **Is hard constraint** option to **No** in constraint setup.

For example, **Limit to one warehouse** is set up as a soft constraint. Therefore, it first checks to determine whether the order can be fulfilled by a single source. If the order can't be fulfilled by a single source, multiple sources are used.

Activating and deactivating a fulfillment source

Sometimes businesses want to exclude certain fulfillment sources, due to various reasons, either temporarily or permanently. Fulfillment and returns optimization offers flexibility to turn on or off the fulfillment source based on your needs. To exclude the fulfillment source, select **Deactivate** on the fulfillment source settings. If you want to include it back again, select **activate** on the fulfillment source settings.

Strategies

A strategy helps define the optimization configuration that achieves your business needs. A strategy brings together objectives, constraints, and sources that you should consider, and specifies how inventory optimization should occur. To create and modify a strategy, on the **Fulfillment settings** page, under **Strategies**, select **Manage**.

The predefined objective of every strategy is to fulfill orders while minimizing distance.

Depending on the nature of your business, you can define multiple optimization strategies. You can define a list of fulfillment sources that participate in fulfillment, and define constraints that the optimization service must enforce. Those constraints are hard constraints that the optimization service mandatorily imposes when it determines the optimal source. You can configure a strategy as the default strategy. However, only one strategy can be the default strategy at any single time.

You can configure a strategy to run in either real-time mode or batched mode. When a strategy runs in batched mode, sales orders that use it queue until the configured period is reached. Both real-time mode and batched mode result in the creation of a single fulfillment plan.

Within a single business, fulfillment optimization can vary, based on the type of customer, the channel, and other business attributes. Intelligent Order Management supports the use of multiple fulfillment strategies. Businesses can set up multiple fulfillment strategies either by using policies or by setting the fulfillment strategy attribute on a sales order during the order intake process.

Set up a fulfillment strategy

To define a strategy, follow these steps:

1. On the **Fulfillment settings** page, under **Strategies**, select **Manage**.

2. Select **New**.

3. On the **Strategies** page, set the following fields:

    - **Name** – Enter the name of the strategy.
    - **Description** – Enter a description of the strategy.
    - **Source List** – Define the list of fulfillment sources that the optimization service must consider when performing optimization.
    - **Is default** – Specify whether the strategy is the default strategy. There must always be a default strategy, and only one strategy per organization can be set as the

default strategy. The default strategy is used if a sales order doesn't specify which strategy must be used to perform optimization.

- **Enable batch processing** – When this option is turned off, every order is processed in real time. When it's turned on, orders are collected in a queue and then processed periodically.
- **Batch processing in minutes** – Specify the time interval for processing each queue, in minutes. The default interval is two minutes.
- **Owner** – The user who created the strategy.

Don't explicitly add any inventory measure here. Instead, configure inventory for the Fulfillment and Returns Optimization provider in Intelligent Order Management as follows:

1. In Intelligent Order Management, in the left navigation pane, under **Order settings**, change the area to **Settings** > **Index and reservation**, and then select **Intelligent Order Management mappings**.
2. Configure the inventory source and the measure name. The measures that the Fulfillment and Returns Optimization provider uses are **Onhand** and **ATP Onhand**.

Fulfillment optimization in order orchestration flows

To optimize fulfillment in order orchestration flows, first set up and activate the Fulfillment and Returns Optimization provider. After you activate the provider, you can enable intelligent optimization by using the Fulfillment and Returns Optimization provider as part of the order orchestration journey.

When order processing begins, the service picks up orders that require optimization and determines the optimal location from the closest fulfillment source in the list of sources. The Fulfillment and Returns Optimization provider then calculates the latitude and longitude for the fulfillment source address and the order line's shipping address. It also calculates the aerial distances between the two addresses. The provider then applies the constraints and determines the optimal fulfillment source. The results are written to Dataverse for further processing as part of the order orchestration flow.

An organization can query the fulfillment plan to view the results. Fulfillment plans show the order line details, original quantity on the line, fulfilled quantity, and fulfillment type (fully sourced, partially sourced, not sourced, or exception).

Multiple fulfillment strategies in order orchestration flows

The Fulfillment and Returns Optimization provider supports multiple fulfillment strategies that you can set up based on the needs of different businesses. For example, a business might want to fulfill business-to-business (B2B) orders from its distribution centers only and business-to-

consumer (B2C) orders from all its fulfillment sources (such as distribution centers, warehouses, and stores). By using multiple fulfillment strategies, organizations can employ different fulfillment approaches for different sales orders.

Businesses can set fulfillment strategy attributes for sales orders during the orchestration journey by adding the fulfillment strategy identifier to the sales order. Set the fulfillment strategy on a sales order based on the source, or by using transformations as part of the order intake process. You can also set the fulfillment strategy with policy actions by using sales order attributes and other entities. By using policies, businesses can employ the attributes of different entities in the condition builder to set the strategy. If you set up multiple strategies but don't configure the policy assignment for the fulfillment strategy, the system uses the configured default strategy.

Alternate strategy

The Fulfillment and Returns Optimization provider also supports defining an alternate strategy to allow for more flexibility in rule-based fulfillment. If the default strategy that you assign to the order is unsuccessful at determining the fulfillment source for the order or the order lines, the alternate strategy is used instead. For example, businesses might want to use retail store inventory by default to fulfill orders, but to use distribution centers if there's no retail store inventory. By having the flexibility to define an alternate strategy, organizations can multiply the options for rule-based fulfillment.

Specify an alternate strategy in the **General** section of the **Strategies** page.

Fulfillment plans

The result of any single fulfillment optimization (in batch mode or otherwise) is a single fulfillment plan. This entity contains details of the breakdown between warehouses and the assignment of sales orders to these warehouses.

An internal Power Automate flow converts the fulfillment plan into fulfillment orders. Fulfillment providers can consume the entity and use it to move the orchestration process to subsequent steps, such as delivery carriers.

Privacy notice

The Fulfillment and Returns Optimization provider uses the Azure Maps geolocation feature, which is governed by Service Specific Terms. Third parties power the Azure Maps geolocation feature, and they might operate outside of your tenant's geographic boundary.

If you enable the Fulfillment and Returns Optimization provider, Microsoft shares your customer's address, city, state, and postal code with third parties to retrieve geolocation information. Microsoft doesn't share the email address, phone number, or name of the user who entered the information.

Your privacy is important to Microsoft. For more information, see the Microsoft Privacy Statement.

Additional resources

Fulfillment and Returns Optimization architecture

Set up Fulfillment and Returns Optimization provider

Orchestration flows

Last updated on 01/28/2026

Call the Intelligent Order Management Fulfillment optimization engine (DOM) via API

Starting with the April 2023 release, you can call the Microsoft Dynamics 365 Intelligent Order Management Fulfillment optimization engine (DOM) from outside the sales order orchestration via Application programming interface (API). Any platform, such as an e-commerce, marketplace, or enterprise resource planning (ERP) platform, can make an API request to Intelligent Order Management to get the optimal fulfillment source, together with shipping options such as carrier shipping rates and estimated delivery date information. To get just a fulfillment plan, include at least the shipping address, products, and quantity in the API request. To get the carrier ship rates and estimated delivery dates in addition to a fulfillment plan, pass the carrier information. Currently, the API is built to call the FedEx rate API to get the shipping rates. However, the payload response is generic for any carrier.

Prerequisites

Before you use the Intelligent Order Management Fulfillment optimization engine (DOM) via API, make sure you meet the following prerequisites:

- Install the latest version of Intelligent Order Management (version 1.0.0.6035).
- Set up the fulfillment settings, such as strategies, source lists, and constraints. For more information, see Fulfillment and Returns Optimization provider overview.
- Set up an inventory visibility provider. For more information, see Inventory visibility.
- Ensure that the warehouse ID is mapped to each fulfillment source in the fulfillment source settings.

If you expect results that include the shipping options from a FedEx carrier, make sure you complete the following setup.

1. Set up a FedEx provider. For more information, see Set up FedEx provider.
2. Set up a holiday calendar at **Settings** > **Fulfillment settings** > **Holiday calendar**.
3. Set up a carrier pickup schedule at **Settings** > **Fulfillment settings** > **Shipping carriers**. Select the carrier, go to the pickup schedules, and add a new pickup schedule.
4. Ensure that at least one calendar and pickup schedule are assigned to the fulfillment source settings.
5. Ensure that weights and dimensions are in the Shared product table of the product.
6. Ensure that the carrier's Shipping rate factor table is updated with the shipping rate factor and fallback rate information. To access the Shipping rate factor tables, go to **Settings** > **Fulfillment settings**> **Shipping carriers** > **Shipping rate factor**.

Functionality description

When you make an API request, the Intelligent Order Management Fulfillment optimization engine (DOM) returns the best fulfillment source for each line, based on the preconfigured fulfillment optimization strategies and constraints. If the request contains a carrier such as FedEx, the carrier pickup schedule is checked along with the working calendar of the fulfillment source, and the next available pickup time is sent to the carrier APIs. The response to the DOM API combines both a fulfillment plan and the carrier output, and presents them back to the calling application.

Sample API request

Create a Power Automate flow-to-Dataverse unbound action to test in your environment.

JSON

```
{{Dataverse URL}}/api/data/v9.2/msdyn_IomDomAPI
**apiVersion**: 1.0
{
    "fnoCompanyId": "USMF",
    "orderId": "b16bd573-ad9a-4188-bc08-e5ac5eca776e",
    "strategyId": null,
    "carrier": "fedex",
    "salesOrderOrigin": null,
    "customerInformation": {
        "name": "Whole sales",
        "customerNumber": "US-001",
        "customerGroup": "10",
        "customerEmail": "test@microsoft.com"
    },
    "orderDestinationAddress": {
        "addressType": "Residence",
        "address1": "537 N St. Francis",
        "address2": null,
        "address3": null,
        "city": "Wichita",
        "stateOrProvince": "KS",
        "postalCode": "67214",
        "phoneNumber": null,
        "country": "US"
    },
    "lineItems": [
        {
            "lineId": "d5670621-910d-486b-90ca-61d739e9a92e",
            "itemId": "1000",
            "quantity": 2,
            "freeShipping": "No"
        },
        {
```

```
            "lineId": "5c8b423b-c9fe-4ff1-a16e-a75a35d7c424",
            "itemId": "T0001",
            "quantity": 2,
            "freeShipping": "Yes",
            "dimensions": {
                "sizeId": "10"
            }
        },
        {
            "lineId": "a359a0ec-cded-4eda-b7b0-d7478dff48b9",
            "itemId": "T0004",
            "quantity": 2,
            "freeShipping": "Yes",
            "dimensions": {
                "colorId": "black"
            }
        }
    ]
}
```

Sample response

JSON

```
Fulfillment Successful
{
    "fulfillmentPlan": {
        "executionId": "616d8797-0654-4ca7-bae2-c4771521e5f4",
        "planLines": [
            {
                "orderId": "47c1c1c6-5cc7-4691-a0ae-b50b83b2bba1",
                "lineId": "34d8209b-3a4b-4c54-a666-76fef99bef63",
                "quantityToFulfill": 1.0,
                "orderedQuantity": 1.0,
                "fulfillmentCenter": "127",
                "itemId": "1000"
            }
        ],
        "notFulfilledLines": []
    }
}
```

API reference guide

This section describes the data type and the header fields in the API request.

Expand table

Name	Data type	Description
fnoCompanyId	string, optional	The identifier for the company in the system. This field is required if Dataverse is linked to finance and operations apps.
salesOrderOrigin	string, optional	The identifier for the order origin in the system. This field is required if inventory must consume from allocated, based on the order origin.
orderId	guid string, required	A user-defined order number that identifies an order or cart ID in the originating system.
strategyId	guid string, optional	The identifier for the fulfillment strategy in Intelligent Order Management. If you don't provide this identifier, the process uses the default strategy that's defined in the system.
carrier	string, optional	You need this field to retrieve shipping rates and predictive delivery estimates. The supported value is **FedEx**.
orderDestinationAddress	Address, required	The recipient's shipping address. Use the Address model.
customerInformation	CustomerInformation, optional	Customer information for the order. Use the Customer Information model.
lineItems	OrderDetail, required	An array of order detail objects. Use an array of the Order Detail model.

Model

This section describes the fields that use the data model in the API request.

Address

This section describes the fields in the address object in the API request.

Expand table

Name	Data type	Description
addressType	string, optional, values: Business, Residence, Any	A value that indicates whether the specified address is residential.
name	string, optional	The name of the person.

Name	Data type	Description
address1	string, optional	The first line of the address.
address2	string, optional	The second line of the address.
address3	string, optional	The third line of the address.
city	string, required	The city.
stateOrProvince	string, required	The state or province. The two-letter ISO Origin State code is required.
postalCode	string, required	The postal code.
country/region	string, required	The country/region code. The two-letter ISO Origin country/region code is required.
phoneNumber	string, optional	The telephone number.

Order detail

This section describes the fields in the order detail section of the API request.

Expand table

Name	Data type	Description
lineId	guid string, required	The identifier for the order line in the originating system.
itemId	string, required	The name of the product associated with this line item. The value can't be null.
quantity	number, required	The quantity of products that were ordered.
freeShipping	string, optional, values: Yes, No	A value of *Yes* means that product weight is excluded when a rate request is made.
dimensions	ProductDimensions, optional	Product dimensions are characteristics that identify a product variant. They use the Product Dimensions model. This field is required if Dataverse is linked to finance and operations apps. Select the product dimensions to identify the product variant.

Product dimensions

This section describes the fields in the product dimensions table.

Expand table

Name	Data type	Description
colorId	string, optional	The value of the item color. This field is required if Dataverse is linked to finance and operations apps. Select the product dimensions to identify the product variant that you want to work with.
sizeId	string, optional	The value of the item size. This field is required if Dataverse is linked to finance and operations apps. Select the product dimensions to identify the product variant that you want to work with.
styleId	string, optional	The value of the item style. This field is required if Dataverse is linked to finance and operations apps. Select the product dimensions to identify the product variant that you want to work with.
configId	string, optional	The value of the item configuration. This field is required if Dataverse is linked to finance and operations apps. Select the product dimensions to identify the product variant that you want to work with.

Last updated on 01/30/2026

Set up a fulfillment source working calendar

This article explains how to set up a working calendar and assign it to a fulfillment source in Microsoft Dynamics 365 Intelligent Order Management.

Businesses can set up working calendars for their stores or warehouses, and then assign them to fulfillment sources in fulfillment source settings. Use calendars to describe working hours, non-working hours, and time-off information.

To set up a calendar, follow these steps:

1. Go to **Fulfillment settings** > **Holiday Calendar** > **Manage**.
2. On the **Quick create** page, enter a name and description for the calendar, and then select **Save and close**. A calendar that uses default working hours is shown.
3. To add the actual working hours, select **New**, and then select **Working hours**.
4. Select the calendar's start date (for example, January 1, 2023), and then select **Custom**.
5. Select **Choose an end date**, and then select the end date of the calendar year (for example, December 31, 2023).
6. Clear the selection of any non-working days.
7. Select the working hours by selecting each day, changing the start time and end time, and selecting **Apply**.

> ⓘ **Note**
>
> Select the time zone of the calendar based on the time zone of the fulfillment source that you link the calendar to.

Set up nonworking hours or holidays

> ⓘ **Note**
>
> You can also use nonworking hours to set up time off.

To set up nonworking hours or holidays, follow these steps:

1. Select **New**, and then select **Non-Working**.
2. Select the date and the reason for the holiday.
3. Select the start time and end time.

> **Note**
>
> The default time zone is the user's current time zone.

Assign a calendar to a fulfillment source

To assign a calendar to a fulfillment source, follow these steps:

1. Go to **Settings** > **Fulfillment Settings** > **Sources** > **Manage**.
2. Select a source.
3. Under **Schedule**, in the **Working Calendar** field, select a calendar.

Using a calendar for Fulfillment optimization

In Intelligent Order Management, the Fulfillment optimization API uses a working calendar when the **Respect warehouse timings** constraint is enabled. If you enable this constraint, the API checks the working calendar of the fulfillment source to determine whether the fulfillment source is working. If the source isn't working, the API filters it out from the selection, and the orders are routed to a source that *is* working.

Using a calendar to determine carrier pickup times

Carrier APIs, such as FedEx, need an accurate pickup date and time to accurately calculate the estimated delivery date. The Fulfillment optimization API uses the working calendar to determine whether the date and time are during the working hours of the fulfillment source. If the date and time are outside the working hours, the next available working day is checked.

Last updated on 01/30/2026

Set up a carrier pickup schedule

This article explains how to set up a shipping carrier and assign it to a fulfillment source in Microsoft Dynamics 365 Intelligent Order Management.

Businesses can set up pickup schedules for their shipping carriers, and then assign them to their stores or warehouses. A carrier pickup schedule indicates the times when a shipping carrier arrives at a business's facility to pick up packages.

To set up a carrier pickup schedule, follow these steps:

1. Go to **Fulfillment settings** > **Shipping carriers** > **Manage**.
2. Select the shipping carrier.
3. On the **Pickup Schedule** tab, select **New Pickup Schedule**.
4. On the **New Pickup Schedule** page, enter a name.
5. Select up to five pickup slots for any day. Times are listed in 24-hour format and select them in ascending order for each successive pickup slot.
6. Select **Save**.

> **Note**
>
> You can maintain multiple pickup schedules for each carrier. However, you can assign only one pickup schedule to a fulfillment source.

Assign a carrier pickup schedule to a fulfillment source

To assign a carrier pickup schedule to a fulfillment source, follow these steps:

1. Go to **Settings** > **Fulfillment Settings** > **Sources** > **Manage**.
2. Select a source.
3. Select the pickup schedule for the carrier.

> **Note**
>
> Currently, you can select a pickup schedule only for the FedEx and UPS parcel carriers. However, this feature will eventually be expanded and become more generic, so that you can select a pickup schedule for multiple carriers.

Using carrier pickup schedules

Carrier APIs, such as FedEx, need an accurate pickup date and time to calculate the estimated delivery date and time for a shipment. The Carrier API uses the Carrier pickup schedule table to send the next available pickup time, based on the working calendar of the fulfillment source.

Shipping carrier service types

Shipping carriers offer different service types that you can preconfigure in the **Shipping carrier** setup.

To set up the master data for carrier service types, follow these steps:

1. Select the shipping carrier, and then select **Related data**.
2. Select **Carrier services**.
3. Add the relevant information, and then select **Save**.

> ⓘ **Note**
>
> Fields such as **Method code**, **Carrier Code**, and **Service type** are carrier-specific. Work with your shipping carriers to maintain these fields.

Last updated on 01/30/2026

Set up the Fulfillment and Returns Optimization provider

This article describes how to set up the Fulfillment and Returns Optimization provider in Microsoft Dynamics 365 Intelligent Order Management. For more information and prerequisities, see Fulfillment and Returns Optimization provider.

Add the Fulfillment and Returns Optimization provider

To add the Fulfillment and Returns Optimization provider, follow these steps:


1. In Intelligent Order Management, go to **Providers** > **Library**.
2. Select the tile, and then select **Activate Provider** in the upper-right corner of the page.
3. In the dialog box that appears on the left, accept the terms and conditions.
4. Don't change the mapping group. Keep it set to **Default mapping group**.
5. For **Transformations**, select **Next**.
6. Select **Edit** to add **Dataverse connection for IOM**.
7. Sign in to Dataverse by using your credentials. You should previously created a Dataverse connection in Power Automate by following the instructions in Create connections.
8. Go to the Power Automate portal, and copy the URL by following the instructions in Set up platform connection references.
9. Select **Save**, and then select **Next**.
10. Select **Activate**.

Configure a provider action

Typically, add the **Send to Fulfillment and Returns Optimization** provider action after an order is validated. When you add it to an orchestration flow, set the properties on the **Send to Fulfillment and Returns Optimization** tile to the following values:

- **Name:** Send to fulfillment and returns optimization
- **Input Events:** Validation of Order Lines has Succeeded
- **Provider Action:** Send to fulfillment optimization
- **Output Event:** Fulfillment optimization request succeeded, Fulfillment optimization request failed
- **Action Description:** This provider action sends the order through fulfillment optimization and outputs a fulfillment plan and creates fulfillment order

Sample orchestration flow with the provider



Additional resources

Intelligent Fulfillment Optimization

Intelligent Fulfillment Optimization architecture

Orchestration flows

Last updated on 01/30/2026

Set up Inventory Visibility provider

This article describes how to set up the Inventory Visibility provider in Microsoft Dynamics 365 Intelligent Order Management.

The Inventory Visibility provider add-in is a first-party, out-of-box service that's available as part of Intelligent Order Management. It's also known as the Inventory Visibility service. The Inventory Visibility provider enables real-time, on-hand inventory change postings and visibility tracking across all your data sources and channels.

For more information about the Inventory Visibility service, see Inventory Visibility Add In.

Prerequisites

To use the Inventory Visibility provider in orchestration, install the add-in. Then validate and update the following configurations.

> **Note**
>
> If you're a Dynamics 365 Supply Chain Management customer and want to use the Inventory Visibility add-in, see **Inventory Visibility tips**.

To validate and update the Inventory Visibility add-in configurations, follow these steps:

1. Go to **Inventory Visibility** > **Index And Reservations** in the site map.
2. Confirm that the following tabs appear on the page:
    - **Product Index Hierarchy**
    - **Data Source**
    - **Calculated Measure**
    - **Soft Reservation**
    - **Soft Reservation Hierarchy**
    - **Intelligent Order Management Mappings**
    - **ATP Setting**
    - **Allocation**
    - **Feature Management**
3. On the **Product Index Hierarchy** tab, confirm that the following elements appear:
    - A grid that has the title **Set Product Index Hierarchy**
    - A **New Index Set** button

- A grid that has the following columns:
  - **Set Number**
  - **Dimension**
  - **Hierarchy**
  - **Settings Button Image**

4. On the **Data Source** tab, confirm that the following elements appear:

   - **Set Data Source** title
   - **New Data Source** button

5. Confirm that the following controls appear:

   - **Datasource - IV**
   - **Datasource - FNO**
   - **Datasource - IOM**
   - **Datasource - SAP**
   - **Datasource - POS**

6. Expand the **DataSource - IOM** control, and confirm that the following elements appear:

   - Under **Dimension Mappings**:
     - **Add** button

   - Under **Physical Measures**:
     - **Measure Name**
     - **Modified On**
     - **Sample Data**

7. On the **Calculated Measure** tab, confirm that the following elements appear:

   - **Set Calculated Measures** tab
   - **New Calculated Measure** button

8. Go to **Feature Management**, and enable the **OnHandReservation** feature.

9. Go to **Soft Reservation Hierarchy**, and confirm that the grid has the following elements:

   - **Dimensions** column
   - **Hierarchy** column
   - **Settings** button

10. Go to **Soft Reservation Mapping**, and confirm that the grid has the following elements:

    - **Physical Measure Data Source** column
    - **Physical Measure** column


- **Available For Reservation Data Source** column
- **Available For Reservation Calculated Measure** column
- **Settings** button

11. Go to **Intelligent Order Management Mappings**, and confirm the grid has the following elements:

    - **Set Physical Measure Mapping** – This section includes the following columns. Use it to map any of the physical measure mappings of your data source to a standard physical measure. This step becomes essential if you're updating inventory by using Intelligent Order Management.
        - **Data Source** – This column refers to the source system.
        - **Base Measure** – This column refers to the Intelligent Order Management standard measure.
        - **Physical measure** – This column refers to the physical measure that's used in the source system.

    - **Set Calculated measure Mappings** – This section includes the following columns. Use it to map any of the calculated measure mappings of your data source to a standard calculated measure. This setup becomes critical when using fulfillment and returns optimization within Intelligent Order Management for fulfillment source determination and finance and operations apps for fulfillment.
        - **Data Source** – This column refers to the source system.
        - **Base Measure** – This column refers to the Intelligent Order Management standard measure.
        - **Calculated measure** – This column refers to the calculated measure that's used in the source system.

    - **Set Allocation Group Mappings** – This section includes the following columns. Use it to map your defined allocation groups to a standard set of allocation groups.
        - **Allocation Group** – This column refers to a defined allocation group. The value can range from **group 0** through **group 7**.
        - **Allocation Group Name** – This column refers to the standard allocation group that your defined allocation group maps to.



> **Note**
>
> Currently, Intelligent Order Management supports allocation groups of up to two groups.

After you complete the preceding validations and configuration updates, Intelligent Order Management configures or reuses the physical and calculated measures across all your data sources.

Set up the provider

> **Note**
>
> - Use the Inventory Visibility provider to connect to both the inventory service that's available as part of Intelligent Order Management and to a Dynamics 365 Finance Inventory Visibility instance to soft reserve or update inventory upon shipment or receipt at returns.
> - The upload capability that uses Azure Blob Storage is exclusive to Intelligent Order Management and can only be used to upload an instance of the Intelligent Order Management Inventory service.

To set up the provider, follow these steps:

1. In Intelligent Order Management, go to **Providers** > **Library**.

2. On the **Dynamics 365 Inventory Visibility** tile, select **Select**.


3. In the upper right, select **Activate Providers**.

4. On the **Terms and Conditions** page, select the checkbox, and then select **Accept**.

5. In the **Connections** section, set up two connections:

   - Inventory Visibility Blob Storage connection
   - Inventory Visibility Dataverse (current environment) connection

6. To set up the **Inventory Visibility Blob Storage** connection, follow these steps:
   a. Select the Inventory Visibility Blob Storage connection.
   b. Select **Create**. The Power Automate **Connections** page appears.
   c. Select **Add New Connection**.
   d. Search for **Azure Blob Storage**, and then select it.
   e. Select **Create**.
   f. Enter values for the **Display name** and **Azure Storage account name or blob endpoint** fields.
   g. Select **Save**.



7. To set up the **Inventory Visibility Dataverse (current environment)** connection, select **Create**.

8. Select **Next**.

9. In the **Parameters** section, set the following mandatory parameters:
   a. **Inventory Visibility Error File Drop Location** – Specify the path of the location where the inventory error log should be saved if you're using inventory upload through Blob Storage.
   b. **Inventory Visibility File Drop Location** – Specify the path in Blob Storage where the Inventory Visibility file should be saved so that it can be read by and uploaded to the

Inventory Visibility service.

c. **Inventory Visibility Organization ID** – Specify the Intelligent Order Management organization ID.

10. Review the transformations, and then select **Next**.

11. Review the connections, and then select **Activate**.

12. Select **Next**, and then select **Review and Finish**.

Inventory Visibility JSON file example

The following JavaScript Object Notation (JSON) example shows what the contents of an uploaded Inventory Visibility JSON file look like. In this example, the **feedtype** value is set to **overwrite** for a one-time update. You can also set the value to **incremental** to add quantities to existing Inventory Visibility data.

JSON

```
{
    "messagetype": "inventoryonhand",
    "feedtype": "overwrite",
    "source": "Flexe warehouse system",
    "customdimensions": false,
    "onhand": [
        {
            "productid": "prod301",
            "quantities": {
                "pos": {
                    "inbound": 25
                }
            }
        },
        "dimensions": {
            "locationid": "414"
        }
        {
            "productid": "prod302",
            "quantities": {
                "pos": {
                    "inbound": 50
                }
            }
        },
        "dimensions": {
            "locationid": "414"
        }
    ]
}
```

Out-of-box capabilities

Provider actions associate with a provider and determine the actions that are available when you create an orchestration flow. *Transformations* are essential for any provider that retrieves or sends data from Intelligent Order Management to an external service.

Expand table

Capability	Details
Provider action	**Bulk or Delta Inventory Upload:** Part of inventory orchestration
Provider action	**Inventory Update on Receipt:** Part of order orchestration
Provider action	**Inventory Update on Shipment:** Part of order orchestration
Provider action	**Soft Reserve Inventory:** Part of order orchestration
Transformation	**Dataverse Inventory Onhand Data to Inventory Visibility Onhand Changes**

Additional resources

Inventory Visibility prerequisites

Last updated on 01/28/2026

Set up the Internal Application Service provider

This article describes how to set up the Internal Application Service provider in Microsoft Dynamics 365 Intelligent Order Management.

The Internal Application Service provider is an internal provider that supports various processes across different services in Intelligent Order Management. The following functionality is part of the provider. Therefore, setup of the provider is a prerequisite for it.

- Create and process return fulfillment orders.
- As part of the orchestration flow, split one order into multiple orders, based on the assignment of split groups via an execution policy.
- Create fulfillment orders for policy-based fulfillment.

To add the Internal Application Service provider, follow these steps:

1. In Intelligent Order Management, go to **Provider settings** > **Library**.
2. Select the tile for the Internal Application Service provider, and then select **Activate Providers** in the upper-right corner of the page.
3. In the dialog box on the left, accept the terms and conditions.
4. Leave the mapping group set to **Default mapping group**.
5. For **Transformations**, select **Next**.
6. Follow the prompts, and then select **Activate**.

The following table shows the out-of-box provider actions that are available as part of the Internal Application Service Provider.

Expand table

Action	Description
Create Fulfillment Return Orders	This provider action creates fulfillment plans for return orders and then processes the plans to generate fulfillment orders.
Create returns orders	This provider action processes return order request information and generates a Dataverse return order.
Send fulfillment process request	This provider action checks product inventory, and creates a fulfillment plan and fulfillment order for policy-based fulfillment.
Split order	This provider action splits a parent order into child orders, based on split groups that are assigned to order lines.

Last updated on 01/28/2026

Policy-based fulfillment

This article provides an overview of the settings and prerequisites that you should consider when you set up policy-based fulfillment in Microsoft Dynamics 365 Intelligent Order Management.

In policy-based fulfillment, an execution policy sets the fulfillment source at the line level. Choose this option when the rules are simple or the number of sources is limited.

General settings for policy-based fulfillment

To configure your preferences for policy-based fulfillment, follow these steps:

1. Go to **Settings** > **General Settings** > **Order handling preferences** > **Manage**.
2. Under **Fulfillment process policy**, select one of the following policy options:

    - **Inventory On hand check** – This option checks inventory availability for the selected fulfillment source, but it doesn't create a fulfillment order.

        > ⓘ Note
        >
        > If you use this option to send the whole sales order to Dynamics 365 Supply Chain Management, use the **Send sales order to fulfillment** action. When you use this execution policy, assign both a fulfillment source and a shipping warehouse.


    - **Fulfillment order creation - Fulfillment order creation without inventory check** – This option enables a fulfillment order to be created without an availability check. This option is best suited to cases where fulfillment is done by using enterprise resource planning (ERP), and the fulfillment order must be created to record the status of the fulfillment from ERP.

    - **Inventory check and fulfillment order creation** – This option is best suited to cases where the sales order must be sent to warehouse management or ERP applications after fulfillment is determined.

        > ⓘ Note
        >
        > If you use this option to send all sales order lines that have a fulfillment order to Supply Chain Management, use the **Send sales order lines to billing** action.

For all the preceding policy options, the action type that's used for policy-based fulfillment is **Send fulfillment process request**.

Sample flow for policy-based fulfillment



Last updated on 01/30/2026

Set up the Dynamics 365 Finance + Operations provider

This article explains how to set up the Microsoft Dynamics 365 Finance + Operations (on-premises) provider in Dynamics 365 Intelligent Order Management.

Finance + Operations helps businesses manage their global financial systems, operational business processes, and streamlined supply chains, so that business decision makers can make fast, informed decisions. The Finance + Operations provider enables Intelligent Order Management to write orders to Finance + Operations or consume orders from Finance + Operations. It also performs other supply chain actions.

For more information about Finance + Operations, see the Dynamics 365 Finance website.

Prerequisites

This setup enables order synchronization between Intelligent Order Management and Finance + Operations, in both directions.

- Set up dual-write in your Finance + Operations instance. For information about how to set up dual-write, see Guidance for dual-write setup.
- Install Intelligent Order Management in the same Dataverse instance that hosts Finance + Operations.
- Enable mappings that are associated with dual-write in Intelligent Order Management.

  To enable mappings that are associated with dual-write, follow these steps:

  1. In Finance + Operations, go to **Workspaces** > **Data management** > **Dual-write**.
  2. Set the dual-write mappings to enable synchronization from Intelligent Order Management to Finance + Operations. You must add order mapping filters to delay order synchronization to Finance + Operations when an order isn't ready to sync.

     a. On the dual-write page, select **CDS sales order headers (saleorders)**.

     b. On the **CDS sales order headers (saleorders)** page, select the **Filter** button (funnel symbol) next to **Microsoft Dataverse.order** to edit the query.

     c. In the **Edit query** dialog box, enter the following query string:

     ```
     msdyn_ordertype eq 192350000 and _msdyn_company_value ne null and msdyn_isreadytosync eq true and statuscode ne 100003
     ```

d. Select **Accept**.

e. On the dual-write page, select **CDS sales order lines V2 (saleorderdetails)**.

f. On the **CDS sales order lines V2 (saleorderdetails)** page, select the **Filter** button (funnel symbol) next to **Microsoft Dataverse.order** to edit the query.

g. In the **Edit query** dialog box, enter the following query string:

```
_msdyn_company_value ne null and _msdyn_shippingsite_value ne null and _msdyn_shippingwarehouse_value ne null and msdyn_isreadytosync eq true and msdyn_statuscode ne 192350001
```

h. Select **Accept**.


i. On both the **CDS sales order headers (saleorders)** page and the **CDS sales order lines V2 (saleorderdetails)** page, edit the **msdyn_isreadytosync** entity fields, and set the following values:
   - **Sync direction:** Finance and operations apps to Dataverse
   - **Transform type:** Default
   - **Default value:** true

- Order synchronization from Intelligent Order Management to Finance + Operations requires that some key parameters be sent in the order:

  - **Sales Order** policy parameters:
    - Company
    - Invoice Customer

  - **Sales Order Product** policy parameters:
    - Company
    - Shipping Site
    - Shipping Warehouse

  You can pass these parameter values through policy rule definitions in Intelligent Order Management, as shown in the following example for a sales order policy.



For more information, see Policies and rules.

Set up the provider

To set up the Finance + Operations provider, follow these steps:


1. In Intelligent Order Management, go to **Providers** > **Catalog**.
2. On the **Microsoft finance and operations apps** tile, select **Add Provider**.
3. On the **Terms and Conditions** page, select **Create**.
4. In the **Connections** section, set up one connection: **Microsoft finance and operations Dataverse (current environment) Connection**.
   a. Add the Dataverse connection.
   b. Select **Save**.
   c. Select **Activate** to activate the connection.
   d. Select **Save and close**.
5. Select **Save**.
6. Select **Activate** to activate the provider.
7. Select **Save and close**.

8. Go to **Providers** > **Installed**, and verify that the provider you set up is listed and has a status of **Activated**.

> ⓘ **Note**
>
> Only orders that are confirmed in Finance + Operations can sync to Intelligent Order Management. To help ensure that an order from Finance + Operations syncs successfully to Intelligent Order Management, first verify that the order is confirmed in Finance + Operations.

To send an order from Intelligent Order Management to Finance + Operations, you must call the Finance + Operations provider action in the order orchestration flow, regardless of whether the order is sent to fulfillment or accounting.

The following illustration shows an example of an order processing orchestration flow that has a custom **Send Order to FinOps for Fulfillment** action.



Last updated on 01/30/2026

Set up Uber Freight provider

This article describes how to set up the Uber Freight provider in Microsoft Dynamics 365 Intelligent Order Management.

Uber Freight is a division of Uber that focuses on trucking freight across North America. It connects independent drivers with shippers who need to transport their cargo from one location to another.

For more information about Uber Freight, see the Uber Freight website.

Prerequisites

To set up the Uber Freight provider, you must have an Uber Freight development account and be onboarded to the Uber Developer Platform.

Set up the provider

To set up the provider, follow these steps:

1. In Intelligent Order Management, go to **Providers** > **Catalog**.
2. On the **Uber Freight** tile, select **Add Provider**.
3. On **Terms and Conditions**, select **Create**.
4. In the **Connections** section, set up two connections:
   - Uber Freight Dataverse (current environment) connection
   - Uber Freight connection

   For each connection, follow these steps:
   a. Select the connection.
   b. In the **Connection** section, select **Create**.
   c. Set the **Connection Name**, **API Key**, and **Store Host URL** fields.
   d. Select **Save**, and then select **Activate**.
   e. Select **Save and close**.
5. On the **Parameters** tab, set the **Uber Freight customer ID** field.
6. Select **Save**.
7. Select **Activate** to activate the provider.

8. Select **Save and close**.

9. Go to **Providers** > **Installed**, and validate that the provider is listed and has a status of **Activated**.

Out-of-box capabilities

The Uber Freight provider has the following capabilities.

Expand table

Capability	Details
Transformation	**Dataverse Fulfillment Order to Uber Freight Quote:** Transform a fulfillment order from Dataverse to Uber Freight to generate a quote.
Transformation	**Dataverse Fulfillment Order to Uber Freight Tender:** Transform a fulfillment order from Dataverse to Uber Freight to generate a shipment booking.

Additional resources

Uber Freight application programming interface (API) documentation

Last updated on 01/30/2026

Set up Adobe Commerce provider

This article describes how to set up the Adobe Commerce provider in Microsoft Dynamics 365 Intelligent Order Management.

Adobe Commerce (formerly Magento) is an e-commerce platform that gives online businesses a flexible shopping cart system. It enables businesses to manage the appearance, content, and features of an online store.

For more information about Adobe Commerce, see Adobe Commerce.

Prerequisites

To set up the Adobe Commerce provider, you must have a sample store set up. For information about how to set up your account and sample store, see Cloud guide for Commerce.

Set up the provider

To set up the provider, follow these steps:

1. In Intelligent Order Management, go to **Providers** > **Catalog**.
2. On the **Adobe Commerce** tile, select **Add Provider**.
3. On the **Terms and Conditions** page, select **Create**.
4. In the **Connections** section, set up two connections:
   - Adobe Commerce Dataverse (current environment) Connection
   - Adobe Commerce connection

   To set up each connection, follow these steps:

   a. Select the connection.

   b. Select **Create**.

   c. Enter the following information:

      - **Connection Name** – Enter a name of your choice.
      - **API Key** – Enter the Adobe Commerce API key.
      - **Store Host URL** – Enter the Adobe Commerce Store Host URL.

   d. Select **Create**.

e. Save the connection.

f. Select **Activate** to activate the connection.

g. Select **Save and close**.

5. Select **Activate** to activate the provider.
6. Select **Save and close**.
7. Go to **Providers** > **Installed**, and validate that the provider you set up is listed and has a status of **Activated**.

Out-of-box capabilities

The Adobe Commerce provider has the following capabilities.

Expand table

Capability	Details
Transformation	**Adobe Commerce Sales Order to Dataverse Sales Order** – Transform a sales order from Adobe Commerce into a sales order in Dataverse.
Transformation	**Adobe Commerce Customer to Dataverse Account** – Transform an Adobe Commerce customer into an account in Dataverse.
Transformation	**Dataverse Sales Order Status to Adobe Commerce Order Status** – Send the order update status back to Adobe Commerce.

Run a sample transaction by using Adobe Commerce

After you set up your store, you're ready to run a sample transaction by using Adobe Commerce. To set up data for the sample transaction, complete the following procedures in Adobe Commerce and Intelligent Order Management.

Create a customer in Adobe Commerce

First, you must set up a customer in Adobe Commerce.

To set up a customer in Adobe Commerce, follow these steps:

1. In Adobe Commerce, open the **Customer** page.

2. Select **Add New Customers**.
3. Enter details for the customer.
4. In the **Customer email** field, enter the customer's email address. Then select **Save**.
5. Add **Customer Address Details**.
6. Enter the customer's address information, and then select **Save Customer**.
7. To use the customer for a transaction, sign out of Adobe Commerce and then sign back in.

Configure the mappings in Intelligent Order Management

- In Intelligent Order Management, change the area from **IOM** to **Configurations** in the lower-right corner of any page.

  > ⓘ **Note**
  >
  > If you use a left-to-right (LTR) language, find the setting in the lower-left corner.

Set up price list mapping

Next, set up price list mapping.

To set up price list mapping, follow these steps:

1. Go to **Mappings** > **Price Lists**.
2. Select **New**.
3. On the **New Price List Mapping** page, enter the following information:
   a. In the **Mapping Group** field, enter **Default Mapping Group**.
   b. In the **Account** field, select the account that you created (if you created one).
   c. In the **Price list** field, enter **MasterPriceList**.
   d. In the **External Field Name** field, enter **ProviderName**.
   e. In the **External Field Value** field, enter **Adobe Commerce**.
4. Select **Save and close**.

Set up unit mapping

After you set up price list mapping, set up unit mapping.

To set up unit mapping, follow these steps:

1. Go to **Mappings** > **Units**.
2. Select **New**.
3. On the **New Unit Mapping** page, enter the following information:
   a. In the **Mapping Group** field, enter **Default Mapping Group**.
   b. In the **Account** field, select the account that you created (if you created one).
   c. In the **Unit** field, enter **ea**.
   d. In the **External Field Name** field, enter **unit**.
   e. In the **External Field Value** field, enter **each**.
4. Select **Save and close**.

Set up product mapping

Next, set up product mapping.

To set up product mapping, follow these steps:

1. Go to **Mappings** > **Products**.
2. Select **New**.
3. On the **New Product Mapping** page, enter the following information:
   a. In the **Mapping Group** field, enter **Default Mapping Group**.
   b. In the **Account** field, select the account that you created (if you created one).
   c. In the **Product** field, enter **Airport Duo**.
   d. In the **External Field Name** field, enter **productid**.
   e. In the **External Field Value** field, enter **WS03-XS-Red**.
4. Select **Save and close**.

Create an order in Adobe Commerce

Next, create an order in Adobe Commerce and submit it to Intelligent Order Management.

To create an order in Adobe Commerce, follow these steps:

1. Sign in to the Adobe Commerce store account that you previously set up.
2. Go to **Sales** > **Orders**, and select **Create New Order**.
3. In the list of customers, double-tap (or double-click) the customer that you created earlier.

4. Select **Add Products By SKU** or **Add Products**, enter the product that you set up in Intelligent Order Management, and then select **Enter**.
5. Scroll down, select **Get shipping methods and rates**, and then select either **Table rate** or **Fixed Rate**.
6. Select **Submit Order**. An order ID is generated.

   > **Note**
   >
   > Adobe Commerce order IDs aren't unique.

7. To view the order, go to **Sales** > **Orders**.

View an Adobe Commerce order in Intelligent Order Management

To view the results of the orchestration and the flow, follow these steps:

1. In Intelligent Order Management, go to **Sales Orders**. Your Adobe Commerce order is shown in the **Name** column.
2. Select the order number to view the summary.
3. Select the **Orchestration Step Results** tab to view the results.

Additional resources

- Adobe Commerce API documentation .

Last updated on 01/30/2026

Set up the FedEx provider

This article describes how to set up the FedEx provider in Microsoft Dynamics 365 Intelligent Order Management.

FedEx Corporation is an American multinational conglomerate holding company that's based in Memphis, Tennessee, and is focused on transportation, e-commerce, and business services. It was formerly known as Federal Express Corporation and later as FDX Corporation. The name "FedEx" is a syllabic abbreviation of the name of the company's original air division, Federal Express, which was used from 1973 until 2000. For more information about FedEx, see the FedEx website.

Dynamics 365 Intelligent Order Management integrates with FedEx services as an out-of-box provider model.

Prerequisites

FedEx has the following three areas of operations. To use the capabilities of these areas via Intelligent Order Management, you must make your credentials available across them.

- **FedEx APIF** – This FedEx area focuses on FedEx logistics that help brands access new information and capabilities so that they can better fulfill, ship, and service customer orders. To register and integrate with the FedEx APIF APIs, follow these steps:

    1. Create a FedEx developer portal account by following the steps in Getting started.
    2. Copy your project's **API key**, **Secret**, and **Shipping account** values from the developer portal. You need these values later when you set up the connection and future transactions.

- **FedEx Dataworks** – This FedEx area focuses on intelligence and predictability aspects of logistics, such as two-day delivery and expected delivery delay predictions. The APIs in this area are manually onboarded, and you must connect with FedEx to obtain the credentials to onboard them.

- **FedEx Return Tech** – This FedEx area lets you enable easy returns from an e-commerce website through a branded, seamless customer return process that includes an option for a printer-less QR code experience and the ability to choose from approximately 60,000 drop-off locations. To configure FedEx Return Tech, follow these steps:

    1. Register in the FedEx developer portal for the sandbox environment.
    2. Register in the FedEx fulfillment portal for the production environment.
    3. After you're registered, go to FedEx Supply Chain Developer Production, and create an **API Connect** account. You can then select the FedEx Return Tech APIs to

use and obtain approval. Subsequent steps are enabled by the FedEx onboarding team. A **Retailer Commerce ID** value is generated that you can use for future transactions.

Set up FedEx connections

To set up the FedEx connections in Intelligent Order Management, follow these steps:

1. Go to **Providers**, and then select **Library**.
2. Select **FedEx**, and then select **Activate Providers**.
3. In the **Terms and Conditions** wizard, select **FedEx**, and then select **Accept**.
4. Review the events and actions.
5. In the **Connections** section, confirm the **Microsoft Dataverse** connection that should connect automatically.
6. Next to the **FedEx** connection, select **Create**.
7. Enter a **Connection name** value, select the environment (**Sandbox** or **Production**), enter a **Client Id** value, and enter a **Client Secret** value.
8. Select **Create**.
9. Repeat steps 6 through 8 for the **FedEx Dataworks** connection.
10. Repeat steps 6 through 8 for the **FedEx Supply Chain Returns** connection. For this connection, you must also enter **Client Application Name**, **Client Application Username**, and **Client Application password** values.
11. After all the connections show green check marks, select **Next**.
12. If you're using the webhook from FedEx Dataworks, enter the **EDD Webhook CallbackSignatureKey** value. This key is the webhook name that was registered to consume estimated delivery delay updates from FedEx.
13. Enter the **Retail Commerce ID** value. This ID was generated when you registered with FedEx Return Tech.
14. Select **Next**.
15. Review the setup.
16. Select **Next**.
17. Review the connections, and then select **Activate**. The final page of the wizard shows a status of **Inactive** for a short time but then shows a status of **Active**.

Out-of-box capabilities

Provider actions associate with a provider and determine the actions that are available to you when you create an orchestration flow.

The FedEx provider has the following capabilities.

Expand table

Action	Description
FedEx Validate Address	This provider action validates the correctness of the shipping address with FedEx.
Select FedEx TSS Plan	This provider action optimizes the best plan for fulfillment, based on available inventory.
FedEx Generate Shipping Label	This provider action generates the shipping label from FedEx for forward shipments.
FedEx Cancel Shipment	This provider action cancels a shipment until the time when it's shipped.
FedEx Generate Return Shipping Label	This provider action generates the FedEx return label for a customer-initiated return.
FedEx Generate Return Drop Locations	This provider action fetches the available drop-off locations for a specific postal code.

Last updated on 01/30/2026

Customize an out-of-box provider

You can customize a provider for Dynamics 365 Intelligent Order Management by modifying a provider that comes out of the box with Intelligent Order Management. Choose this option if:

- You need custom fields or want to change the way fields are mapped from an external service to Intelligent Order Management. In this case, modify the provider transformation.
- You want to change what happens when a specific action is triggered in the orchestration designer. In this case, modify the provider action.

If this option doesn't meet your needs, you can create a new provider.

Modify the provider transformation

To customize a built-in provider, modify the transformation for the provider. Intelligent Order Management uses Power Query Online for data transformations. For more information about Power Query Online, see What is Power Query? and Power Query M formula language reference.

To modify the provider transformation, complete the following steps.

1. Go to **Providers** > **Installed**.
2. Find and select the provider that you want to change.
3. Go to the **Transformations** tab.
4. Select the transformation that you want to change.
5. Modify the transformation by doing one of the following steps.
    a. Edit the transformation directly by changing the M formula in the **Transformation** field.
    b. Select **Edit in PowerQuery** to open the PowerQuery editor and change the mapping.

Last updated on 01/30/2026

Create a new provider

To create a new provider, use the following steps. You can also use these steps to make additions to existing providers.

Define provider architecture

Before you creating a provider, understand what you want the provider to do and what you want to use it for. Providers have multiple components and you might not need all of the components.

Use the following table to determine which components you need.

Expand table

Condition	Component needed
The service you want to create a provider for doesn't have a connector in Power Automate. For more information, see List of all Power Automate connectors.	Create a customer connector or use a generic connector.
Your provider exchanges data between an external service and Microsoft Dataverse.	Your provider needs a provider transformation. Add a provider transformation component for each transformation.
Your provider executes logic from the orchestration designer.	Create a separate Power Automate flow to represent each of the actions.
Your provider needs to process messages from an external service.	Create a Power Automate Message Handler flow.
Your provider pulls messages from an external service at a regular interval.	Create a Power Automate Message Puller flow.
Your provider raises business events that aren't currently defined in Intelligent Order Management.	Create a new business event definition and add existing events.

When you have a good understanding of the solutions, proceed to implementing your provider.

Create a provider solution

Complete the following tasks to create a provider solution:

- Set up a custom provider.
- Add a provider definition.
- Add the components to your solution.

Set up a custom provider

Create a solution in Power Apps to hold the components of your provider. For steps to create a new solution in Power Apps, see Create a solution in Power Apps.

Add a provider definition

A provider definition contains details about your provider. The definition determines how your provider appears in the Provider Catalog.

1. In the provider solution you created, select **New**.
2. Select **IOM Provider Definition**.
3. Add the following details:
    - **Display name**: The name you want to give your provider, for example, "Test Provider."
    - **Logical name**: The export key for your provider.
    - **Description**: Text to describe what your provider does.
4. Select **Save**.
5. If you want to add a logo, upload the image.
6. Validate that your provider definition appears in the solution. A record with the component type **IOM Provider Definition** should be displayed. If it isn't displayed, select **Add existing**, and then select the record you created.
7. Validate that your provider appears in the Provider Catalog. If you set the **Is Active** field to **Yes**, your provider definition shows up in the Provider Catalog. Open Intelligent Order Management. Go to **Providers** > **Catalog**. Verify that your provider definition is displayed.

Add components to solution

After you create your provider definition, add the provider components to the solution.

1. Go to your solution.
2. Select **Add existing**.
3. Select the Intelligent Order Management component type, and then select the record you created.

Create a provider transformation

If your provider requires a transformation, add a provider transformation component to your solution. You might need to create multiple transformations.

1. In your provider solution, select **New**.
2. Select **IOM Provider Definition Transformation**.
3. Add the following details:
    a. **Display name**: The name of your provider transformation, for example, "Transform Sales Orders."
    b. **Logical name:** The unique identifier of your provider. This value is the import and export key of the data. It should start with the publisher's prefix. For example, Microsoft uses the publisher prefix msdyn_. Examples for logical name are: msdyn_flexe_fulfillmentorderproduct_orderline, and msdyn_flexe_fulfillmentorder_order.
    c. **Source type**: This field indicates what type of data is received. Two options are available: **JsonDocument** or **Dataverse Entity**. If your data is already in Dataverse, select **Dataverse Entity**. If not, select **JsonDocument**. The Power Automate element you define uses this information to look up the transformation.
    d. **Source object name**: The name of the data you're transforming. If you're transforming a Dataverse record, make sure the **Source Object Name** is the same name as in the Dataverse table.
    e. **Destination object name**: The destination of the record you want to transform.
    f. **Transformation**: The Power Query Online MQuery that is used to transform the input data. For information about Power Query and MQuery, see What is Power Query? and Power Query M formula language reference. The following is an example of a MQuery that transforms a sales order from an external order service to a sales order in Intelligent Order Management.

Power Query M

```
shared TransformSourceData =

let

orderItems = Source\[OrderItems\],

orderheader =

Record.FromTable

(

Table.SelectRows

(

Record.ToTable

(

\[

ordernumber = Record.FieldOrDefault(Source, "SellerOrderId", Text.From(Source\
[OrderServiceOrderId\])),

name = ordernumber,

msdyn\_ExternalOrderId = Text.From(Source\[OrderServiceOrderId\]),

\#"customerid\_account@odata.bind" = "/accounts(" & Text.From(Source\[accountid\]) &
")",

\#"pricelevelid@odata.bind" = "/pricelevels(" & Text.From(Source\[pricelevelid\]) &
")",

totalamount = if Record.HasFields(Source, "OrderTotal") then
Decimal.From(Record.FieldOrDefault(Source\[OrderTotal\], "Amount")) else null,

shipto\_name = if Record.HasFields(Source, "ShippingAddress") then
Record.FieldOrDefault(Source\[ShippingAddress\], "Name") else null,

shipto\_contactname = shipto\_name,

shipto\_line1 = if Record.HasFields(Source, "ShippingAddress") then
Record.FieldOrDefault(Source\[ShippingAddress\], "AddressLine1") else null,

shipto\_line2 = if Record.HasFields(Source, "ShippingAddress") then
Record.FieldOrDefault(Source\[ShippingAddress\], "AddressLine2") else null,

shipto\_line3 = if Record.HasFields(Source, "ShippingAddress") then
Record.FieldOrDefault(Source\[ShippingAddress\], "AddressLine3") else null,

shipto\_city = if Record.HasFields(Source, "ShippingAddress") then
```

```
Record.FieldOrDefault(Source\[ShippingAddress\], "City") else null,

shipto\_stateorprovince = if Record.HasFields(Source, "ShippingAddress") then
Record.FieldOrDefault(Source\[ShippingAddress\], "StateOrRegion") else null,

shipto\_country = if Record.HasFields(Source, "ShippingAddress") then
Record.FieldOrDefault(Source\[ShippingAddress\], "CountryCode") else null,

shipto\_postalcode = if Record.HasFields(Source, "ShippingAddress") then
Record.FieldOrDefault(Source\[ShippingAddress\], "PostalCode") else null,

shipto\_telephone = if Record.HasFields(Source, "ShippingAddress") then
Record.FieldOrDefault(Source\[ShippingAddress\], "Phone") else null,

overriddencreatedon = Record.FieldOrDefault(Source, "PurchaseDate")

\]

), each \[Value\] \<\> null

)

),

orderlines = List.Transform(orderItems, each

Record.FromTable

(

Table.SelectRows

(

Record.ToTable

(

\[

isproductoverridden = true,

ispriceoverridden = true,

productdescription = \[OrderItemId\] & "-" & Record.FieldOrDefault(\_, "SellerSKU")
& "-" & Record.FieldOrDefault(\_, "Title"),

quantity = \[QuantityOrdered\],

quantityshipped = Record.FieldOrDefault(\_, "QuantityShipped"),

priceperunit = if Record.HasFields(\_, "ItemPrice") then
Decimal.From(Record.FieldOrDefault(\[ItemPrice\], "Amount")) else null,

manualdiscountamount = if Record.HasFields(\_, "PromotionDiscount") then
```

```
Decimal.From(Record.FieldOrDefault(\[PromotionDiscount\], "Amount")) else null,

tax = if Record.HasFields(\_, "ItemTax") then Decimal.From(Record.FieldOrDefault(\
[ItemTax\], "Amount")) else null,

shipto\_name = Record.FieldOrDefault(orderheader, "shipto\_name"),

shipto\_contactname = Record.FieldOrDefault(orderheader, "shipto\_contactname"),

shipto\_line1 = Record.FieldOrDefault(orderheader, "shipto\_line1"),

shipto\_line2 = Record.FieldOrDefault(orderheader, "shipto\_line2"),

shipto\_line3 = Record.FieldOrDefault(orderheader, "shipto\_line3"),

shipto\_city = Record.FieldOrDefault(orderheader, "shipto\_city"),

shipto\_stateorprovince = Record.FieldOrDefault(orderheader,
"shipto\_stateorprovince"),

shipto\_country = Record.FieldOrDefault(orderheader, "shipto\_country"),

shipto\_postalcode = Record.FieldOrDefault(orderheader, "shipto\_postalcode"),

shipto\_telephone = Record.FieldOrDefault(orderheader, "shipto\_telephone"),

overriddencreatedon = Record.FieldOrDefault(orderheader, "overriddencreatedon")

\]

), each \[Value\] \<\> null

)

)

),

salesorder = Record.AddField(orderheader, "order\_details", orderlines)

in Text.FromBinary(Json.FromValue(salesorder));
```

1. Select **Save**.
2. Validate that your transformation component appears correctly. A component type of **IOM Provider Definition Transformation** with the transformation name should be displayed. If it isn't displayed, select **Add existing**, and then select the transformation you created.

Add business event definitions

If your provider creates or uses new business events, add **IOM Provider Definition Business Event Definition** components to your solution. Add only business events that aren't already in Intelligent Order Management.

If the business event that you want to create isn't already in Intelligent Order Management, create your own.

1. Select **New**.
2. Select **IOM Provider Definition Business Event Definition**.
3. Add the following details:
    a. **Name**: The name of your business event.
    b. **Provider**: The provider you're creating this business definition for.
    c. **Associated entity**: The Dataverse entity in Intelligent Order Management that changes or is affected when the event is created.
    d. **Associated state value**: If you want the state of your associated entity to update when the business event is raised, include a state value in this field.
    e. **Associated status value**: If you want the status of your associated entity to update when the business event is raised, include a status value in this field.
4. Select **Save**.
5. Check your solution to verify that the **IOM Provider Business Event Definition** record is displayed. If the record doesn't appear in the solution, select **Add existing**, and then select the record you created.

Add a connector

If your provider needs a connector that isn't available in Power Automate, create your own connector. For more information, see List of all Power Automate connectors.

To create your own Power Automate connector, follow the steps in Custom connectors overview.

After you create your custom connector, add it to your provider solution as a component.

1. Go to your provider solution.
2. Select **Add existing.**

3. Select the connector that you created.

Types of Power Automate flows

Power Automate flows represent any action that you execute in the orchestration designer. If you want Power Automate to retrieve specific information or execute specific actions, you need to create the flows for those actions. To learn more about Power Automate, see Introduction to Power Automate.

Add your flows as **Provider Definition Logic Definition** components to your provider.


Before you begin the flow creation process, review the types of flows that Intelligent Order Management uses.

Provider message handler

These flows receive and process messages from an external service. They raise the appropriate business event to notify Intelligent Order Management orchestration. An external service triggers these flows.

The following example shows the structure for creating a message handler type of Power Automate flow.

1. Define a Power Automate trigger. Typically, this trigger is an HTTP endpoint that is a webhook trigger (recommended), connector trigger, or a Dataverse insert trigger. An external service raises the trigger when it has data to send to Intelligent Order Management.



Use the following JSON Schema in your HTTP trigger.

JSON

```
{
    "type": "object",
    "properties": {
        "text": {
            "title": "ProviderActionExecutionEventId",
            "type": "string",
            "x-ms-dynamically-added": true,
            "description": "Please enter your input",
            "x-ms-content-hint": "TEXT"
        },
        "text_1": {
            "title": "EntityRecordId",
            "type": "string",
            "x-ms-dynamically-added": true,
            "description": "Please enter your input",
            "x-ms-content-hint": "TEXT"
        }
    },
    "required": [
        "text",
        "text_1"
    ]
}
```

1. Initialize the message processing. Two steps are involved in this task.


    a. Initialize the execution result that tracks the processing of the message.

    b. Acknowledge the provider message in Intelligent Order Management so you can track, retry, and display the processing state. This step is a Power Automate action that Intelligent Order Management introduces. This action is called **Acknowledge Provider message request in IOM**. This action has the following required parameters.

        i. **PowerAutomateWorkflowId**: WorkflowId on the message handler definition. Retrieve this value by using a compose function with `workflow()['tags']`.

        ii. **PowerAutomateRunId**: The unique identifier for the Power Automate run that received the message. This identifier allows the pipeline to retry the processing and link the execution logs. Retrieve this value by using a compose function with `workflow()['run']?['name']`.

        iii. **ProviderMessageExternalRequestId**: An identifier for the message sent. If no identifier is present, generate a GUID. The pipeline uses this identifier to help prevent the sender from sending duplicate messages. The identifier depends on the source payload. For example: `concat(triggerOutputs()?['body']?['type']?['name'], '_', triggerOutputs()?['body']?['ID'])`.



1. The provider transformation you defined earlier retrieves the input data and transforms it. Intelligent Order Management provides an out-of-box child-flow called **IOM Provider Transformer** that executes the transformation. Add the following details to process the event or message:


a. **Provider name**: The name of the provider linked to the message handler. This value must be the same name as your provider transformation.

b. **Source object name**: The source lookup key value for the transformation to perform. This value needs to be the same as the source object name defined in your provider transformation.


c. **Destination object name:** The destination lookup key value for the transformation to perform. This value needs to be the same value defined in the provider transformation.

d. **Payload**: Provided when transforming a JSON payload. Power Automate requires the parameters to be passed as a serialized string. Supply a **Payload** or a **Record ID** value, not both.

e. **Record ID**: Provided when transforming a Dataverse record. Supply a **Payload** or a **Record ID** value, but not both.



1. You can insert data into Dataverse by using HTTP requests or the Dataverse connector **Insert** action. If you're doing more than one insert and you want to improve performance, wrap the inserts into a changeset so that the requests are in a transaction batch.



1. If you want your flow to raise a business event, use the **Raise Business Event** child flow. Add the following details.

   a. **BusinessEventName**: Name of the event that you want raised.

   b. **EntityRecordId**: The ID of the record created and associated to the event.

2. Update the message processing state by using the **Update Provider Message Request Status** action to save the processing execution result. Add the following details.

   a. **ProviderMessageRequestExecutionId**: The output ID of the record created to track the progress of the message processing.

   b. **IsProviderMessageRequestExecutionSuccess:** Boolean value to indicate whether the processing was successful.


Provider message puller

Provider message pullers are Power Automate flows that pull messages at a regularly defined interval from an external service.


> ⓘ **Note**
>
> A message handler is a prerequisite for a message puller flow.

The following example shows the structure for creating a message puller type of Power Automate flow.

1. Use a recurrence workflow to schedule a trigger.
2. Get a checkpoint from Dataverse. Checkpoints track which messages the flow successfully pulls from the external provider. Add the following details.
    a. **Action name**: Name for the checkpoint.
    b. **WorkflowId**: Set the following compose function to retrieve this information: `workflow()['tags']['xrmWorkflowId']`.




1. Create an HTTP post request to an external provider to pull the messages. Add the following details.
    a. **Method**: Set this field to **POST.**
    b. **URL**: The external provider endpoint.
    c. **Body**: The JSON request should have the following formula: `if(empty(outputs('Get_Checkpoint')?['body/Checkpoint']), 0, int(outputs('Get_Checkpoint')?['body/Checkpoint']))`.



1. Parse the messages that the flow pulls in step 3. Add the following details.

   a. **Content**: The body retrieved from step 3.

   b. **Schema**: The structure of the body retrieved in step 3.




1. Process messages to loop through each message from step 4.

2. Parse each message from the previous steps. Add the following information.

    a. **Content**: Current item from **Process Messages**.


    b. **Schema**: A single message in JSON format.



1. Call the associated provider message handler that you set up in the prerequisites. Add the following information.

   a. **Child flow**: Select your provider message handler.


   b. **Message**: The message parsed from step 6.



1. Save the checkpoint to Dataverse. Add the following information.

    a. **Checkpoint**: This value can be any string value (max 100). In this example, this value is the ID of the last processed message.

    b. **WorkFlowId**: You can retrieve this ID by adding the compose function set to `workflow()['tags']['xrmWorkflowId']`.



Provider action

Invoke provider action flows from the orchestration designer. These flows typically make calls from Intelligent Order Management to external services.

The key difference between a provider message handler and a provider action is that while a message handler can notify the orchestration designer, it can't be triggered by an action tile in the orchestration designer. A provider action can be triggered by an action tile.

The following example shows the structure for a provider action Power Automate flow.

1. Start with an HTTP trigger. The orchestration service passes the following information at runtime. The following JSON schema is used for the body:

JSON

```
{
    "type": "object",
    "properties": {
        "text": {
            "title": "ProviderActionExecutionEventId",
```

```
            "type": "string",
            "x-ms-dynamically-added": true,
            "description": "Please enter your input",
            "x-ms-content-hint": "TEXT"
        },
        "text_1": {
            "title": "EntityRecordId",
            "type": "string",
            "x-ms-dynamically-added": true,
            "description": "Please enter your input",
            "x-ms-content-hint": "TEXT"
        }
    },
    "required": [
        "text",
        "text_1"
    ]
}
```

1. Initialize the action processing.

    a. Initialize the execution result and any other processing variables.

    b. Acknowledge the start of the action execution by using the **Start Provider Action Execution** Dataverse action. This step allows the pipeline to track, retry, and display the processing state within Intelligent Order Management. Add the following information.

        i. **ProviderActionExecutionEventId:** The action receives this value as an input parameter in step 1.

        ii. **PowerAutomateRunID**: The unique run of the Power Automate action. This value allows the pipeline to link the execution logs. Get this information by setting the field to a Power Automate expression `worflow()['run']?['name']`.

2. Perform the action.

    a. If necessary, transform the records by using the **Transform Message with Power Query Online** child flow.


        i. **Provider name**: The name of the provider to link to the action. The name must be the same name as your provider definition.

        ii. **Source object name**: The source name of the transformation to perform. This name must be the same source object defined in your Power Automate transformation.

        iii. **Destination object name**: The destination lookup key value for the transformation to perform. This name must be the same value defined in the provider transformation.

iv. **Payload**: Provided when transforming an inbound JSON payload. Power Automate requires the parameters to be passed as a serialized string. Add a **Payload** or a **Record ID** value, but not both.

v. **Record ID**: Provided when transforming an outbound Dataverse record. Add a **Payload** or a **Record ID** value, but not both.



b. Execute any custom actions you define. These actions are present on the Power Automate connector you're using.

c. Raise an action-specific business event. Use the **Raise Business Event** child flow. Add the following information.

i. **BusinessEventName**: The name of the event you want to raise.


ii. **EntityRecordId**: The ID of the record associated to the event.

3. Complete the action execution and save the results. The orchestration designer processes the results. Add the following information.

a. **ExecutionResult**: Boolean value to indicate whether the processing was successful.

b. **ExecutionDetails**: Optional log details for testing and debugging purposes.

c. **ProviderActionExecutionEventId**: The action receives this value as an input parameter that you define in step 1.



Child flow

A child flow is a subflow that other Power Automate flows reference. It's helpful to define a child flow if there are some steps that you repeat across multiple areas. There's no specific template or recommended process for child flows, as they're primarily meant to be used for the convenience of consolidating similar steps.

Provider child flows can't call other provider child flows.

Create cloud flows

When you understand the types of flows that you want to create, you're ready to create cloud flows. To do this, follow these steps:

1. Open the default solution in your Power Apps environment.

> **Important**
>
> Don't add these solutions to your provider solution.

1. Select **New**, and then select **Cloud Flow**.
2. Build your Power Automate flow. Use the templates in the previous section for reference.
3. Refer to the following section to save your flows.

Save Power Automate definition

After you create your flows, save them as **Provider Definition Logic Definition** components. This component type provides Intelligent Order Management with the actions to deploy during provider activation.

Before you can save your flows, make sure you have the following prerequisites.


- To save your Power Automate logic definitions, you need to send OData requests. To send these requests, you need an account with PostMan or a similar service.
- You need to generate an access token for your Dataverse environment to send GET and POST requests.
    - Set up an Azure account with an active subscription. If you don't have an active account, set up an account on the Azure website.
    - PowerShell must be installed. For more information, see Installing PowerShell.
    - Enter the following command in PowerShell to get an access token: `az sign in --allow-no-subscriptions account get-access-token --resource=<https://YourDataverseTenantURL.api.crm.dynamics.com/> --query=accessToken --output=tsv \| Set-Clipboard.`

To save your Power Automate definition, follow these steps:

1. Find the workflow ID of the Power Automate flow you want to save. Do one of the following options.

    a. Find the workflow ID by using a Power Automate action.

        i. Create a compose action with the workflow() expression at the end of your Power Automate flow.



        i. Run Power Automate.


        ii. The **xrmWorkflowId** property from the execution results contains the workflow ID.



i. Delete this action from the flow so that it doesn't run again.

b. Optionally, you can send a Get OData request.

i. Go to the flow that you want to save the workflow ID for. Find the unique identifier in the URL. This ID appears after ../flows/ in the URL.




i. Send an OData request to retrieve the workflow metadata. The following example shows a GET request.
GET {Env url}/api/data/v9.1/workflows?$filter=workflowidunique eq '{Unique Workflow Id from the Power Automate U}'&$select=workflowid,workflowidunique

ii. Save the returned **workflowid** property.

2. Find the provider definition ID.

a. Select the provider definition that you want to save the flow to.

b. Copy the provider definition ID from the URL. This part of the URL is ../id={example number}/.



3. Make a note of the option set value for the type of Power Automate that you're saving.

   a. **Child flow**: 192350002

   b. **Provider action**: 192350001

   c. **Provider message handler**: 192350000

   d. **Provider message puller**: 192350003

4. Send a POST request to save your Power Automate definition. The following example shows the request.

HTTP

```
    POST: {Env url}/api/data/v9.1/msdyn\_SaveProviderDefinitionLogicDefinition
    Body:
    {

"ProviderDefinitionId": "{ProviderId previously found}",

"WorkflowId": "{Power Automate WorkflowId previously found}",

"LogicalName": "{Export prefix \_ Power Automate Export Name}",

"LogicType": {Logic Type},

"MaxRetryAttempts": {Max number of attempts},

"TimeoutMinutes": {Timeout number ex: 5}

}
```

1. Check that your Provider Definition Logic Definition component is in the solution. To do this check, follow these steps:

   a. Go to your provider solution.

   b. Verify that the Provider Definition Logic Definition you created is in the solution. If it's not in the solution, select **Add Existing**, and then add the component you created.

Save connection references

If your provider uses customer Power Automate connectors, complete the following steps to save connection references to your Power Automate solution.

1. Send a GET request to retrieve your connection reference ID. For example:

```
HTTP
GET {Env url}/api/data/v9.2/connectionreferences
```

If you want to filter it further, filter by connection reference name. For example:

```
HTTP
    {Env url}/api/data/v9.2/connectionreferences?$[connectionreferences?
$filter=connectionreferencedisplayname]
(https://orgdb90e3a2.api.crm10.dynamics.com/api/data/v9.2/connectionreferences?
$filter=connectionreferencedisplayname) eq 'Provider
Example'&$select=connectionreferencelogicalname,connectionreferencedisplayname,conne
ctionreferenceid,connectorid
```

1. Validate that the correct connection reference ID is retrieved by searching your Power Automate Client Data.

    a. Go to the Provider Definition Logic Definition component that you saved earlier.

    b. Check the Client Data to verify that the **connectionReferenceLogicalName** appears.

2. Find your Provider Definition ID. This value is the same value that you used in Step 2 to save your Power Automate logic definitions.

3. Send a POST request to save your connection reference. For example:

```
HTTP
POST {Env url}/api/data/v9.1/msdyn\_SaveProviderDefinitionConnectionReference
    Body:
    {

"ProviderDefinitionId": "{ProviderId previously found}",

"ConnectionReferenceId": "{Connection reference id previously found}"

}
```

1. Validate that your Provider Definition Logic Definition component was added.

    a. Go to your provider solution.

    b. Verify that the Provider Definition Logic Definition reference component you created was added. If it wasn't added, select **Add Existing** and add the component you created.

Share your providers

If you want to use your provider definition in another environment or share your solution, export your provider solution. For more information, see Export solutions.


Last updated on 01/30/2026

Inventory dashboards

This article provides an overview of inventory-related dashboards in Microsoft Dynamics 365 Intelligent Order Management.

Inventory management is one of the most expensive parts of the order management process. Intelligent Order Management's inventory dashboards provide visibility into the items that your business has in stock versus the demand for those items. They also provide other relevant key performance indicators (KPIs) that can help you lower costs.

The following illustration shows an example of an inventory dashboard in Intelligent Order Management.



Prerequisites and setup

To view inventory dashboards for your Intelligent Order Management organization, first ensure that your organization's Intelligent Order Management build version is 1.0.0.4354 or later.

Dashboards provide useful information only if your Intelligent Order Management organization is configured to use the Inventory Visibility service. For more information, see Inventory Visibility Add-in overview.

To configure the Inventory Visibility service for your Intelligent Order Management organization, follow these steps:

1. In Intelligent Order Management for your organization, at the bottom of the left navigation pane, select the area switcher, and then select **settings**.
2. Under **Inventory visibility**, go to the **Index and reservation** section.
3. On the **Feature management** tab on the right side, turn on the **OnHandMostSpecificBackgroundService** option. This setting ensures that data flows from the Inventory Visibility service into Intelligent Order Management, so that the dashboard can consume it. Note that turning this flag off after the dashboard is functional causes the dashboard to display incorrect information. The data is picked up from the time the flag is turned on and doesn't consider the prior data before the flag was turned off.

   Next, you must enable Microsoft Power BI Insights.
4. In the left navigation pane, select **Power BI Insights**.
5. Select **Manage**, set the status to **Enabled**, and then select **Save & Close**.

Visualizations

This section describes the visualizations that inventory dashboards provide: filters, KPIs, charts, and tables.

Filters

The dashboard provides two interactive filters: **Product name** and **Location ID**. Use these filters to focus on one or more products or locations. They refine your data so that the KPIs and charts reflect the selected products or locations.

Product name

Product name information flows into the inventory dashboard from the **Products** section of Intelligent Order Management. The **Products** section contains data for all products that you can create sales orders for and record inventory for.

Location ID

Location ID information flows into the inventory dashboard from the inventory dashboard configuration page.

KPIs

- **Physical available** – The value is the sum of all units that are physically available in the warehouse. It includes items that are "soft reserved." The value of this KPI updates whenever inventory data is uploaded into the system. When items ship from the warehouse, the number of those items is deducted from the KPI value.
- **Soft reserved** – After fulfillment optimization occurs and the warehouses for sales orders are determined, the system soft reserves the appropriate items in that warehouse. When you soft reserve items, add the number of those items to the value of this KPI, to ensure that the same items aren't double booked against two different orders. After soft-reserved items ship, deduct the number of those items from the KPI value.
- **Onhand inventory** – The value shows the number of units that are available when the warehouse source for sales orders is evaluated. It's calculated by subtracting the **Soft reserved** KPI value from the **Physical available** KPI value. When a fulfillment optimization runs, the **Onhand inventory** KPI value is the inventory value that is considered.
- **New order line qty** – The value is the total number of product units that are in demand. It's calculated by adding the quantity value of all order lines that are in a new state.
- **Returned** – The value is the number of product units that are returned to the warehouse after they were sold to customers.
- **Return rate** – The value is the return rate of product units that are returned to the warehouse after they were sold to customers. It's calculated as (*Units returned* ÷ *Units sold*) × 100.
- **Sell rate** – The value is the rate at which items are sold to customers. It's calculated as (*Units sold* – *Units returned*) ÷ (*Units in stock* + *Units sold*) × 100.
- **Out-of-stock** – The value is the number of units of products that must be replenished to fulfill demand. It's calculated as *Units in supply* – *Units in demand*.

Charts

- **Supply by product name** – This stacked bar chart shows a breakdown of the inventory supply by product name. It shows the distribution of on-hand, soft-reserved, and returned quantities of the product. Each bar total represents the **Physical available** KPI for the product.
- **Supply by location ID** – This stacked bar chart shows a breakdown of the inventory supply by location. It shows the distribution of on-hand, soft-reserved, and returned quantities of the product. Each bar total represents the **Physical available** KPI for the location.

- **Return rate by product name** – This bar chart shows the rate of return broken down by product name.
- **Stockout and near stockout item** – This chart shows the number of product units that are understocked or that are nearing an understocked state in comparison to demand. The bars below the zero line represent understocked products, and the value on each bar represents the number of units of the corresponding product that are in deficit. The bars above the zero line represent products that are nearing an understocked state, and the value on each bar represents the number of units of the corresponding product that remain after the current demand is satisfied.

Table

- **Products** – This table represents all products and their individual KPIs, as described in the KPIs section.

Frequently asked questions

After setup, how long does it take for the dashboard to provide useful information about the organization?

After the initial setup, it can take up to 24 hours for the reports to be provisioned. If it takes longer than 24 hours, contact Microsoft Support for help.

Does the inventory dashboard represent data in real time?

Currently, the inventory dashboard is more suitable as a daily report that you can use to assess the health of a business's inventory than as a real-time representation of inventory information. You can expect 4 to 10 hours of latency for the information that flows into the inventory dashboard. A feature that provides real-time information on the inventory dashboard is planned for an upcoming release.

Can I view data for specific products that I care about?

Yes. Use the **Product name** and **Location ID** filters to refine the product data that is represented in the KPIs and charts.

Can I sort the data differently than what is available out of the box?

Yes. When you hover over a chart, a vertical ellipsis appears in the upper-right corner. To resort the data, select the ellipsis, select **Sort axis**, and then select the option that you want.

Can I modify the KPIs that the dashboard provides?

Currently, only the KPIs described in the KPIs section are available. Market research showed that these KPIs are the most useful for most businesses. If you have suggestions for new KPIs or charts, or changes to the existing KPIs and charts, contact the team at D365OMS@microsoft.com.

I'm unsure how some of these KPIs are calculated. How do I get more information?

The KPIs section describes how these KPIs are calculated. You can also hover on an inventory dashboard KPI number (not the KPI name) to open a tooltip that describes how that KPI is calculated.

Can I look for historical information of the inventory?

All data that the inventory dashboard shows is a current representation of the inventory system. However, there's 4 to 10 hours of latency. The ability to view previous states of the inventory system isn't currently supported.

Can I use the inventory dashboard if Intelligent Order Management is connected to dynamics supply chain management?

No. Currently the dashboard only supports the IV datasource. This limitation means you can't use the dashboard when your inventory is managed within dynamics supply chain management.

Last updated on 01/30/2026

Set up inventory allocation

This article describes how to set up the inventory allocation feature of the Inventory Visibility add-in in Microsoft Dynamics 365 Intelligent Order Management.

For information about the Inventory Visibility add-in, see Inventory Visibility Add In. For information about how to add the Inventory Visibility add-in as a provider in Intelligent Order Management, see Set up Inventory Visibility provider.

Key terms

The following terms and concepts are useful in discussions of inventory allocation:

- **Allocation group** – The group that owns the allocation, such as a sales channel, customer group, or order type.
- **Allocation group value** – The value of each allocation group. For example, **web** or **store** might be the value of a sales channel allocation group, and **VIP** or **normal** might be the value of a customer allocation group.
- **Allocation hierarchy** – A way to combine allocation groups hierarchically. For example, you can define **channel** as hierarchy level 1, **region** as level 2, and **customer group** as level 3. During inventory allocation, you must follow the allocation hierarchy sequence when you specify the value of the allocation group. For example, you might allocate 200 red bikes in priority order to the web channel, the London region, and the VIP customer group.
- **Available to allocate** – The virtual common pool that indicates the quantity that's available for further allocation. It's a calculated measure that you can define by using your own formula. If you're also using the soft reservation feature, use the same formula to calculate available-to-allocate and available-to-reserve quantities.
- **Allocated** – A physical measure that shows the allocated quota that the allocation groups can consume.
- **Consumed** – A physical measure that indicates quantities that are consumed against the original allocated quantity. As you add numbers to this physical measure, the allocated physical measure is automatically reduced.

Business background and purpose

In many cases, manufacturers, retailers, and other supply chain business stakeholders must preallocate stock for important sales channels, locations, or customers, or for specific sales events. Inventory allocation is a typical practice in the sales operational planning process. You perform it before actual sales activities occur and a sales order is created.

For example, a bicycle company that does both online and in-store sales has limited stock available for a popular bicycle. In each sales channel, the company has a few important corporate partners (marketplaces and large retailers) that demand that the company saves a specific portion of the bicycle's available inventory for them. To satisfy corporate partners, the bicycle company must be able to balance stock distribution across channels, and also manage the expectations of its VIP partners. The best way to achieve both goals is to use inventory allocation. In this way, each channel and retailer can receive specific allocated quantities that they can sell to consumers later.

Inventory allocation has two basic business purposes:

- **Inventory protection (also known as ringfencing)** – Organizations want to preallocate restricted or limited stock to prioritized channels, regions, VIP customers, and subsidiary companies. The Inventory Visibility add-in inventory allocation feature helps protect allocated inventory, so that the other allocations, reservations, or sales demands don't affect previously allocated inventory.
- **Oversell control** – Oversell control restricts allocated quantities, so that receiving parties don't consume more than their allocated quantity. The Inventory Visibility add-in inventory allocation feature puts a restriction on previously allocated quantities. Therefore, receiving parties such as channels or customer groups don't over-consume when actual sales transactions that are based on soft reservations go into effect.

Inventory Visibility inventory allocation feature

The Inventory Visibility add-in inventory allocation feature consists of the following components:

- The predefined, allocation-related data source, physical measures, and calculated measures
- Customizable allocation groups that have a maximum of eight levels
- A set of allocation application programming interfaces (APIs):
  - allocate
  - reallocate
  - unallocate
  - consume
  - query

Although the inventory allocation feature doesn't set aside physical inventory quantities, it refers to the available physical inventory quantity of a product to define the initial quantity of the available-to-allocate virtual pool. Inventory allocation is a soft allocation. In other words, the allocation is done before actual sales transactions occur and doesn't depend on sales orders. For example, you can allocate stock to your most important sales channels or large corporate retailers before any e-commerce customers visit the sales channel or retail store to purchase the stock.

Inventory allocation differs from inventory soft reservation in that soft reservation is linked to actual sales transactions such as sales order lines. If you want to use the allocation and soft reservation features together, we recommend that you do inventory allocation first. Then, soft reserve against the allocated quantities.

The inventory allocation feature lets sales planners and account managers manage and preallocate important stock across allocation groups such as channels, regions, and customer groups. It also supports real-time tracking, adjustment, and analytics of consumption against allocated quantities, so that replenishment or reallocation can be done on time. This ability to have real-time visibility into allocation, consumption, and allocation balance is especially important at fast sale or promotional events.


Prerequisites

Before you configure settings for the Inventory Visibility add-in inventory allocation feature, complete the following prerequisite steps.

Turn on the inventory allocation feature

To turn on the inventory allocation feature in Intelligent Order Management, follow these steps:


1. Go to **Settings**.
2. Select **Index and Reservation**.
3. On the **Feature Management & Settings** tab, turn on the toggle switch for **Allocation**.



Enable a product for allocation

To enable a product for allocation in Intelligent Order Management, follow these steps:

1. Go to **Products**, and open the product.
2. On the **Additional Details** tab, in the **Inventory** section, in the **Allows Inventory Allocation** field, select **Yes**.



Configure inventory allocation settings

The process of configuring the Inventory Visibility add-in inventory allocation feature has three phases:

- Set up the data source and its measures.
- Set up the allocation group name and hierarchy.
- Map allocation groups to Intelligent Order Management mappings.

Set up the data source and its measures

When you enable the inventory allocation feature and call the configuration update API, the Inventory Visibility add-in creates one predefined data source and several initial measures.

Predefined data source

The predefined data source is named `@iv`.

Initial physical measures

The feature creates the following initial physical measures:

- `@iv`
- `@allocated`
- `@cumulative_allocated`
- `@consumed`
- `@cumulative_consumed`

Initial calculated measures

The feature creates the following initial calculated measures:

- `@iv`
- `@iv.@available_to_allocate = ?? - ?? - @iv.@allocated`

Add other physical measures to the available-to-allocate calculated measure

To use allocation, you must set up the available-to-allocate calculated measure (`@iv.@available_to_allocate`). For example, you have the **fno** data source and the **onordered** measure, and the **pos** data source and the **inbound** measure, and you want to do allocation on the on-hand inventory for the sum of **fno.onordered** and **pos.inbound**. In this case, the `@iv.@available_to_allocate` measure should contain both **pos.inbound** and **fno.onordered** in the formula, as shown in the following example:

```
@iv.@available_to_allocate = fno.onordered + pos.inbound - @iv.@allocated
```

> **Note**

The `@iv` data source is a predefined data source. The physical measures that the feature defines in `@iv` and prefixes with an at sign (@) are predefined measures. These measures are a predefined configuration for the inventory allocation feature. To help avoid unexpected errors when you use the feature, don't change or delete the predefined measures. You can add new physical measures to the predefined `@iv.@available_to_allocate` calculated measure, but you must not change its name.

Set up the allocation group name and hierarchy

In the current release, you can set up to two allocation group names and extend to allocation groups. The groups have a hierarchy.

To set up the allocation groups, follow these steps:

1. Go to **Settings**.
2. Select **Index and Reservation**.
3. Select the **Allocation** tab.


For example, use two group names, and set them to **channel** and **customerGroup**. Those names are valid for allocation-related requests when you call the configuration update API.

Map allocation groups to Intelligent Order Management mappings

To call groups from Intelligent Order Management order orchestration flows, map allocation groups to a predefined list of allocation groups.

To map allocation groups, follow these steps:

1. Go to **Settings**.
2. Go to **Index and Reservations**.
3. On the **Intelligent Order Management Mappings**, in the **Set Allocation Group Mappings** section, in the **Allocation Group Name** field, select the predefined allocation group name from Intelligent Order Management to map the Inventory Visibility allocation group.



Use the allocation API

Intelligent Order Management has a set of APIs to perform operations that are relevant to allocation. As part of order orchestration, Intelligent Order Management determines whether it must call Microsoft Dynamics 365 Supply Chain Management APIs or Intelligent Order Management APIs. For more information about Supply Chain Management APIs, see Using the allocation API.

The following APIs are available for allocation as part of Intelligent Order Management. The request and response for the payloads resemble what's available from Supply Chain Management. The following table shows the mapping between the Intelligent Order Management APIs and Inventory Visibility add-in APIs, and provides links to relevant documentation.

Expand table

Intelligent Order Management API	Inventory Visibility API	Method	Description	Documentation
OnHandAllocate	POST /api/environment/{environmentId}/allocation/allocate	POST	Allocate inventory across allocated groups.	Allocate Inventory
OnHandReallocate	POST /api/environment/{environmentId}/allocation/reallocate	POST	Reallocate inventory.	Reallocate inventory
OnHandUnallocate	POST /api/environment/{environmentId}/allocation/unallocate	POST	Unallocate inventory.	Unallocate Inventory
OnHandConsume	POST /api/environment/{environmentId}/allocation/consume	POST	Consume allocated inventory.	Consume allocated inventory

Intelligent Order Management API	Inventory Visibility API	Method	Description	Documentation
OnHandAllocationQuery	/POST /api/environment/{environmentId}/allocation/query	POST	Query from allocated inventory.	Allocation Query

Last updated on 01/28/2026


Enable Bing Maps for your environment

Dynamics 365 Intelligent Order Management can display information about fulfillment order source and destination locations by using Bing Maps. Typically, you enable Bing Maps for your environment when you deploy the environment.

To enable Bing Maps for your environment, follow these steps:

1. Go to **Settings** > **Advanced Settings**.
2. Select **Settings** > **Administration** > **System Settings**.
3. On the **General** tab, select **Yes** for **Show Bing Maps on forms**, and then select **OK**.

The following example image shows the **System Settings** page with the **Show Bing Maps on forms** option highlighted.



Privacy notice

If you enable the Bing Maps feature, the application automatically sends address information over the internet to the Bing Maps service. This process displays an online map of the address within the application. If you select Bing Maps within the application, you're redirected to www.bing.com/maps. Your use of Bing Maps is also governed by the Bing Maps End User Terms of Use. Your administrator can turn the Bing Maps feature on or off from the Microsoft Dataverse system settings as described earlier. Turning off the Bing Maps app makes the

feature unavailable in this application. Information sent to Bing Maps is subject to Microsoft Privacy and Cookies.

Last updated on 01/30/2026

Enable timeline capabilities

This article describes how to enable timeline capabilities on the **Sales order** and **Fulfillment order** pages in Microsoft Dynamics 365 Intelligent Order Management.

When you enable the timeline on the **Sales order** or **Fulfillment order** page, it lists all business events that the orchestration flow raises, in chronological order. It provides valuable insights into how a sales order or fulfillment order and its lines are processed. It also helps explain the current status of the sales order or fulfillment order.


Enable timeline

To enable the timeline, follow these steps:

1. Go to **Settings** > **Advanced Settings**.
2. Expand **Settings**.
3. Select **Activity Feeds Configuration**.
4. On the ribbon, select **Refresh**.
5. Select **Entity Name Sales Order**.
6. On the ribbon, select **Activate**, and then confirm the activation.
7. When the message "You need to publish the related entity for form wall changes to take effect" appears, select **OK**.

> **Note**
>
> You must clear the cache on your browser before the timeline can be populated with data.

When enabled, the timeline starts to list business events as the orchestration flow raises them, as shown in the following example image.



Additional resources

Configure timeline

Last updated on 01/30/2026

Integrate Supply Chain Management procurement with Intelligent Order Management

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

This article describes how to integrate procurement in Microsoft Dynamics 365 Supply Chain Management with Dynamics 365 Intelligent Order Management.

To extend support for inbound transactions and provide transaction visibility alongside inventory visibility, Intelligent Order Management introduces a **Purchase Orders** entity. The **Purchase Orders** entity includes the following features:

- Dual-write support for purchase orders, so that purchase order data flows seamlessly from Dataverse into Intelligent Order Management and is visible in real or near-real time.
- The ability to create purchase orders in Intelligent Order Management. The system then processes the purchase orders in Supply Chain Management via dual-write support.
- User interface (UI) fields for the **Purchase Orders** entity that support sales order fulfillment scenarios.
- Transaction status and visibility of purchase orders from Supply Chain Management are available directly in Intelligent Order Management.
- The **Purchase Order products** view on the **Sales Order** products tab provides visibility into incoming inventory from individual purchase order transactions. The **Purchase Order products** view is also available on the site map, for easy access to the status of individual purchase order lines at the product level.

For more information about purchase orders, see Purchase order overview.

Dual-write support for purchase orders

Before you activate dual-write support for purchase orders, make sure you meet the following prerequisites:

- Install or update the following dual-write packages to ensure that you have the latest versions:
  - Dual-write core solution package
  - Dual-write Application Core package

    - Dual-write finance package
    - Dual-write Human Resources package

- If dual-write for sales orders is already installed in your environment, make sure it's up to date.

- If an older version of Intelligent Order Management is running in your instance, and dual-write is already installed there, make sure you import the user experience (UX) solution package for purchase orders and transfer orders.

General guidelines for installing the add-on UX package for new users

- If you're installing Intelligent Order Management first, install the dual-write solution before you import the UX package solution.
- If you're installing the dual-write solution first, the UX package solution is imported as part of the installation. You can then install Intelligent Order Management.

Initial synchronization of prerequisite tables

After you meet all the preceding prerequisites, perform an initial synchronization of the prerequisite and dependent master data and tables. This synchronization makes existing purchase orders available in both Supply Chain Management and Intelligent Order Management. For information about which tables you must sync and how to sync them, see Integrate procurement between Supply Chain Management and Field Service.

Dual-write purchase order mapping reference

For information about dual-write purchase order mapping, see Mapping reference.

Create a purchase order

To create a purchase order in Intelligent Order Management, follow these steps:

1. In the site map, go to **Purchase orders**.

2. Select **New**, enter values for the mandatory fields, and then select **Save**.

3. On the **Purchase Order** header entity, enter values in the **Name**, **Receiving Warehouse**, **Site**, **Vendor**, and **Company** fields. The **Name** value represents the purchase order number that Supply Chain Management assigns.

> **Note**
>
> If you save the header without entering any of the field values, and you then want to edit them immediately afterward, you must confirm the header in Supply Chain Management before you can update any of the fields on the **Purchase Order** page.

4. Select **Save**.
5. Select **New Purchase Order Product**, and then select values in the **Existing Product**, **Line number**, **Associate to Warehouse**, **Quantity**, and **Unit of measure** fields.
6. Select **Save**. If the transaction is successfully saved, the dual-write operation was successful, and the purchase order was created and updated in Supply Chain Management.

UI fields for purchase order entities

The following sections list the UI fields that are available for purchase order entities.

Purchase order header fields

- Name
- Purchase order ID
- Contact email
- Receiving warehouse
- Vendor
- Vendor reference
- Company
- Receiving site ID
- Reason code
- Reason comment
- Delivery terms
- Shipping via
- Expected date
- Confirmed delivery dates
- Delivery address

Purchase order product fields

- Purchase order ID

- Existing product
- Description
- Line number
- Associate to warehouse
- Company
- Receiving site ID
- Quantity
- Unit cost
- Discount amount
- Discount percentage
- Total price
- Amount
- Purchase order line status

Purchase Order Goods Receipt header fields

- Name
- Purchase Order
- Note
- Company
- Order Vendor
- Record ID
- Ship Via
- Date Received
- Requester Personnel
- Delivery Term
- Remaining Inventory Quantity
- Remaining Purchase Quantity

Purchase Order Goods Receipt product fields

- Name
- Purchase order ID
- Purchase Order Product
- Quantity
- Product Receipt Number
- Product Receipt Date
- Company
- Expected Delivery Date
- Ordered Purchase Quantity

- Received Inventory Quantity

Supported dual-write scenarios

The following dual-write scenarios are supported:

- Dataverse users can create and update purchase orders, but Supply Chain Management controls the process and data. The constraints on updates to purchase order columns in Supply Chain Management apply when updates come from Intelligent Order Management. For example, you can't update a purchase order if it's finalized, and you can't update a purchase order that was created in Intelligent Order Management until the purchase order is confirmed in Supply Chain Management.

- Several columns are managed only by Supply Chain Management and can't be updated in Intelligent Order Management. To learn which columns can't be updated, review the mapping tables in the product. Most of these columns are set to read-only on Dataverse pages.

  For example, Supply Chain Management manages the columns for price information. Supply Chain Management has trade agreements in place, and columns such as **Unit price**, **Discount**, and **Net amount** come only from Supply Chain Management. To ensure that a price is synced to Intelligent Order Management, use the **Sync** feature on the **Purchase Order** and **Purchase Order Product** pages in Dataverse after entering purchase order data. For more information, see Sync with the Dynamics 365 Supply Chain Management procurement data on demand.

- Supply Chain Management manages product receipts (which are known as purchase order receipts in Dataverse) and can't be created from Dataverse if Supply Chain Management is installed. Product receipts from Supply Chain Management are synced from Supply Chain Management to Dataverse.


- Supply Chain Management allows under-delivery. The OneFSSCM solution adds logic so that, when a product receipt line (known as a purchase order receipt product in Dataverse) is created or updated, an inventory journal row is created in Dataverse to adjust the remaining quantity that is on order for under-delivery scenarios.

Transaction status and visibility of purchase orders from Supply Chain Management directly in Intelligent Order Management

As a purchase order progresses in Supply Chain Management, status updates flow back to Intelligent Order Management for tracking and visibility. You can view open purchase order lines and purchase order line status by going to **Purchase Order products** in the site map. In this way, you can stay informed about incoming inventory. Purchase order product fields such as **Expected date** and **Confirmed delivery date** provide insights into the in-transit purchase orders.

The **Purchase Order Receipt** and **Purchase Order Receipt products** entities provide visibility into the **Received inventory quantity**, **Remaining inventory quantity**, **Product receipt date**, and **Purchased quantity** values. The **Purchase Order Receipt** entity on a purchase order can be accessed via a separate tab on the purchase order page. Fields on the purchase order page can provide insights into under-receipts and over-receipts.


The following illustration shows an example of the **New Purchase Order Receipt Product** page.



For information about the detailed mapping between Supply Chain Management purchase order status and purchase order line status, see Integrate procurement between Supply Chain Management and Field Service.

Purchase order product view on the sales order products page

The **Purchase Orders** tab that is available on the sales order products page lists all the open purchase order lines for the product. The following illustration shows an example.



Last updated on 01/28/2026

Integrate Supply Chain Management transfer orders with Intelligent Order Management

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

This article describes how to integrate transfer orders in Microsoft Dynamics 365 Supply Chain Management with Dynamics 365 Intelligent Order Management.

Warehouse workers create transfer orders to transfer products from one warehouse or location to another. Here are some typical reasons why workers create transfer orders:

- Product transfers from manufacturing to a distribution facility
- Stock replenishment at a store from a distribution center
- Ad-hoc transfers to a warehouse from another warehouse to meet a spike in demand
- Transfers between warehouses for service purposes, such as packaging and customization requirements

To extend support and provide visibility into enterprise transactions, Intelligent Order Management introduces a **Transfer Order** entity. This entity includes the following features:

- Dual-write support for transfer orders is available, so that transfer order data flows seamlessly from Dataverse into Intelligent Order Management and is visible in real or near-real time.
- You can create transfer orders in Intelligent Order Management. Dual-write support processes them in Supply Chain Management.
- The user interface (UI) fields for the **Transfer Orders** entity support sales order fulfillment scenarios.
- You can access transaction status and visibility of transfer orders from Supply Chain Management directly in Intelligent Order Management.
- The **Transfer Order products** view is available on a tab of the sales order product page and provides visibility into the transfers from individual transfer order transactions.

Dual-write support for transfer orders

Before you activate dual-write support for transfer orders, make sure you meet the following prerequisites:

- Install or update the following dual-write packages to ensure that you have the latest versions:
  - Dual-write core solution package
  - Dual-write Application Core package
  - Dual-write Finance package
  - Dual-write Human Resources package

- If dual-write for sales orders is already installed in your environment, make sure it's up to date.

- If an older version of Intelligent Order Management is running in your instance and dual-write is already installed, make sure you import the user experience (UX) solution package for purchase orders and transfer orders.

General guidelines for installing the add-on UX package for new users

- If you're installing Intelligent Order Management first, install the dual-write solution before you import the UX package solution.
- If you're installing the dual-write solution first, the installation imports the UX package solution. You can then install Intelligent Order Management.


Initial synchronization of prerequisite tables

After you meet all the preceding prerequisites, sync the reference data between Supply Chain Management and Dataverse before you create new transfer orders and work with existing transfer orders. Use the initial write functionality to detect the table relationships and find the tables that you must enable for a given map.

In the dual-write synchronization settings, you see the prerequisite tables for both the **Transfer Order Headers** table map and the **Transfer Order Products** table map.


Sync the following tables for the **Transfer Order Header** table map:

- Sites
- Worker
- Modes of delivery
- Terms of delivery
- Warehouses



Sync the following tables for the **Transfer Order Products** table map:

- Worker
- Modes of delivery
- Terms of delivery
- Styles
- Colors
- Configurations
- Sizes
- Currencies
- Units
- CDS released distinct products
- Sites
- Warehouses



For more information about dual-write mapping references, see Dual-write mapping reference.

Create a transfer order

To create a transfer order, follow these steps:

1. In the left navigation pane, under **Orders**, select **Transfer orders**.

2. Select **New**.

3. Set the following mandatory fields:
   a. In the **Name** field, specify a transfer order ID. (It should match the ID that is used in Supply Chain Management.)
   b. Set the **Company** field.
   c. In the **From warehouse** field, specify the warehouse to transfer from. In the **To warehouse** field, specify the warehouse to transfer to.
   d. Optional: In the **Ship date** field, specify when the transfer is shipped, if you know the date. In the **Receive date** field, specify when the transfer is received. You can leave

both these optional fields blank.

4. To create a transfer order product, select **New Transfer Order product**, and then enter values in the **Product**, **Line number**, and **Transfer quantity** fields. If you see that other fields are locked, the values come from Supply Chain Management as part of dual-write synchronization.

5. If you set the **Ship date** and **Receive date** fields on the header, the values are entered by default on the lines. However, you can override them.


6. Select **Save**. After **Transfer Order Products** is saved, it's synced to Supply Chain Management for further processing.

Process transfer order and status updates

As transfer orders are processed in Supply Chain Management, dual-write reflects status updates in Dataverse, and they become visible in Intelligent Order Management. When you ship a transfer order, the status is **Shipped** on the header and lines. The **Shipped Quantity** value appears on the **Transfer Order product** page. When you receive the transfer order in Supply Chain Management, the status is **Received** on the header. After the item is received, the **Line Status** value is set to **None**.

View transfer order products on the sales order product page

A view of transfer orders is available via a tab on the sales order product page. The **Transfer Orders** tab shows the list of transfers for the order product, including values for the **Shipping Warehouse** and **To Warehouse** fields. This tab provides visibility into incoming inventory for the warehouse that is assigned to the sales order product.



Last updated on 01/30/2026

Set up available-to-promise inventory capabilities

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

This article describes how to set up available-to-promise (ATP) capabilities in Microsoft Dynamics 365 Intelligent Order Management.

ATP is the projected amount of inventory that will be available in the upcoming period and that can be promised for customer orders. Use of this calculation can greatly increase your order fulfillment capability.

For many manufacturers, retailers, and sellers, it isn't enough to know what inventory is currently on hand. They must have full visibility into future availability. This future availability should consider future supply, future demand, and ATP.

Prerequisites

Before you can set up and use ATP capabilities in Intelligent Order Management, ensure the following prerequisites are met:

- Install the Dynamics 365 Inventory Visibility provider. For installation instructions, see Set up Inventory Visibility provider.
- Submit on-hand change schedule updates to the Dynamics 365 Inventory Visibility provider to confirm that the dates are within the period defined by the **Schedule period** setting.

The following table lists the details of the APIs that you use to submit an on-hand schedule change request. You can access these APIs from the Microsoft Dynamics 365 Supply Chain Management Inventory visibility add-in and in Intelligent Order Management. For more information, see Dynamics 365 Inventory Services.

Expand table

Path	Method	Description
/api/environment/{environmentId}/onhand/changeschedule	POST	Create one scheduled on-hand change.
/api/environment/{environmentId}/onhand/changeschedule/bulk	POST	Create multiple scheduled on-hand changes.


Set up and enable ATP features

Before you can use ATP, complete one or more of the following key setup procedures.

Enable the ATP settings

First, enable the ATP settings in Intelligent Order Management.

1. In Intelligent Order Management, go to **Settings**.
2. In the left navigation, under **Inventory settings**, select **Index and Reservation**.
3. On the **Feature Management & Settings** tab, turn on the **OnHandChangeSchedule** option.



Define the calculated measure for the ATP settings

Next, define the calculated measure for the ATP settings.


The ATP calculated measure is a predefined calculated measure that you typically use to find the on-hand quantity that's currently available. The supply quantity is the sum of quantities for physical measures that have an addition modifier type. The demand quantity is the sum of quantities for physical measures that have a subtraction modifier type.

You can add multiple calculated measures to calculate multiple ATP quantities. However, the total number of distinct physical measures across all ATP calculated measures should be less than nine.

> **Note**
>
> A calculated measure is a composition of physical measures. A calculated measure formula can include only physical measures without duplicates. It can't include calculated measures.

To define the calculated measure for the ATP settings, follow these steps:

1. Go to **Settings**.
2. In the left navigation, under **Inventory settings**, select **Index and Reservation**.
3. On the **ATP Setting** tab, in the **Data Source** field, select the data source.
4. In the **Calculated Measure** field, select the calculated measure for the data source.
5. In the **Schedule Period** field, enter the number of days for the schedule period. Currently, a maximum value of **7** is supported.
6. Select **Save**.



Calculated measure examples

For example, you first set up the **On-hand-available** calculated measure:

On-hand-available = (PhysicalInvent + OnHand + Unrestricted + QualityInspection + Inbound) – (ReservPhysical + SoftReservePhysical + Outbound)

The sum `(PhysicalInvent + OnHand + Unrestricted + QualityInspection + Inbound)` represents supply, and the sum `(ReservPhysical + SoftReservePhysical + Outbound)` represents demand. Therefore, the calculated measure can be understood in the following simplified way: **On-hand-available** = Supply – Demand.

You can then set up another calculated measure, **On-hand-physical**, to calculate the on-hand physical ATP quantity:

On-hand-physical = (PhysicalInvent + OnHand + Unrestricted + QualityInspection + Inbound) – Outbound

Between these two ATP calculated measures, eight distinct physical measures are used: PhysicalInvent, OnHand, Unrestricted, QualityInspection, Inbound, ReservPhysical, SoftReservePhysical, and Outbound.

For more information about calculated measures, see Calculated measures.

Define the calculated measure mapping


Next, define the Intelligent Order Management calculated measure mapping.

1. Go to **Settings**.
2. In the left navigation, under **Inventory settings**, select **Index and Reservation**.
3. On the **Intelligent Order Management Mappings** tab, in the **Set Calculated Measure Mappings** section, select the data source that you selected in the calculated measure for the ATP settings.
4. In the **Base Measure** field, select **atponhand**.

> **Note**

The base measure is a predefined measure in Intelligent Order Management that the inventory check actions in orchestration call. Use the calculated measure for the ATP settings to maintain this base measure mapping.

5. In the **Calculated Measure** field, select the calculated measure that you selected in the calculated measure for the ATP settings.




Run a sample transaction with ATP check

Intelligent Order Management can perform inventory checks as an independent provider action. If a fulfillment source is assigned to the sales order lines via a policy or manual order creation, you can orchestrate the order to perform independent inventory checks. If you enable the following settings, the system checks ATP dates and determines the **Material Availability Date** and **Estimated Shipment Date** values on the sales order line.

> **Note**
>
> Inventory checks occur as part of fulfillment and returns optimization. The system updates the sales order lines accordingly, based on the ATP settings.

The following illustration shows an example of an orchestration journey that has a policy-based fulfillment assignment.




The following provider actions are available as part of Intelligent Order Management. They check ATP when you enable the ATP settings.

Expand table

Provider action	Description
Send fulfillment process request	This provider action checks for inventory availability of the assigned fulfillment source on the sales order line. If you enable the ATP settings, it also checks for promise dates. This action also generates the fulfillment order, and updates the **Inventory Availability Date** and **Estimated Ship Date** values on the sales order line.
Send to fulfillment optimization	This provider action determines the best fulfillment location for a sales order line, based on an inventory check. It also generates the fulfillment order, and updates the **Inventory Availability Date** and **Estimated Ship Date** values on the sales order line.

The example in the following illustration highlights the **Estimated Ship Date** and **Inventory Availability Date** values on the sales order line after the preceding order orchestration runs. In this example, the inventory check found no inventory and backordered the lines.



API URLs

As part of the ATP feature capabilities, Intelligent Order Management provides a set of API URLs. Supply Chain Management also provides these URLs. Third-party enterprise resource planning (ERP), commerce, or supplier systems can call these URLs directly for inventory queries that have ATP capabilities. For more information, see Submit change schedules, change events, and ATP queries through the API.

The following example shows a payload for the inventory query to call various services from Intelligent Order Management.

JSON

```
{
    "API": "OnHandQuery",
    "Payload": "{\"filters\": {\"OrganizationId\": [\"{{orgid}}\"],\"ProductId\": [\"ACSC-SP\"],\"SiteId\":
[\"default\",\"1\"],\"LocationId\":    [\"120\"]},\"groupByValues\": [],\"returnNegative\": true }"]
}
```

The associated path resembles the following example.

`{{orgurl}}/api/data/v9.1/msdyn_IOMInventoryAPICall`

The request and response for these payloads resemble what Supply Chain Management provides. The following table shows the mapping between the Intelligent Order Management APIs and Dynamics 365 Inventory Visibility APIs. It also provides links to the appropriate documentation.

Expand table

Intelligent Order Management API name	Dynamics 365 Inventory Visibility API	Method	Description	Documentation
OnHandQuery	/api/environment/{environmentId}/onhand/indexquery	POST	Query inventory availability.	Query inventory availability
OnHandDelta	/api/environment/{environmentId}/onhand	GET	Query on-hand delta.	Create one on-hand change event

Intelligent Order Management API name	Dynamics 365 Inventory Visibility API	Method	Description	Documentation
OnHandDelta_Bulk	/api/environment/{environmentId}/onhand/bulk	POST	Create multiple change events.	Create multiple change events
OnHandChangeSchedule	/api/environment/{environmentId}/onhand/changeschedule	POST	Create on-hand change schedule.	Create one on-hand change schedule
OnHandChangeSchedule_Bulk	/api/environment/{environmentId}/onhand/changeschedule/bulk	POST	Create multiple on-hand change schedules.	Create multiple on-hand change schedules

Last updated on 01/30/2026

Set up backorder and preorder functionality

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

This article describes how to set up and manage backorder and preorder functionality in Microsoft Dynamics 365 Intelligent Order Management. Managing backorders and preorders gives you the flexibility to optimize the handling of your inventory.

Backorders

A backorder is an order for a product or service that you can't immediately fulfill because of a lack of available supply. Customers who place an order for an item that isn't currently in stock might be informed that the product is on backorder. They might be told that they can still make a payment in return for a promise of future delivery. Items that are on backorder might indicate a date when they're back in stock.

Effective backorder management provides the following benefits:


- Optimized use of inventory
- Regular inventory checks to fulfill backorders

How backorder functionality works


When you create an order in Intelligent Order Management, you can run an inventory check as part of either the policy assignment process or the fulfillment and returns optimization process. In both these processes, the system might not find inventory for the ordered product. In this case, the system updates the order line with a **Status Reason** value of **Backorder Hold**.

If you enable the available-to-promise (ATP) settings, the system updates the **Inventory Availability Date** and **Estimated Shipment Date** values for the product on the backordered lines.

The following illustration shows an example of an order orchestration journey that has a policy-based fulfillment assignment.



The example in the following illustration highlights key updates that the system makes to sales order lines when it backorders them. The system updates the order line with a **State** value of **Sale Order Product on Hold** and a **Status Reason** value of **Backorder Hold**. The system also updates the **Estimated Shipment Date** and **Inventory Availability Date** values.



After the system backorders a product, it automatically runs a background job that triggers an inventory check, based on the launch date, to determine whether the order lines can move to subsequent fulfillment. From the orchestration, Intelligent Order Management determines whether an inventory check should be triggered independently or through the fulfillment and returns optimization process.

A job log is available where you can view the list of job runs, the status of each, and the number of records that the system successfully processed and moved to fulfillment. To open the job log, on the **Home** page, in the left navigation, under **Monitoring**, select **Background jobs**.

If a background job fails, you can manually run it by using the **Run** option on the upper toolbar. Select **Back-Order Job** to start a new instance of the background job.

To view the details of a background job run, select the job line.

Preorders


A preorder is an order that you place for a product before the product is released. The ability to handle preorders gives you more flexibility to handle inventory effectively.

Preorders provide the following benefits:

- **Manufacturers** can gauge how much demand there will be and how large initial production runs should be.
- **Sellers** can be assured of minimum sales. High preorder rates can also be used to further increase sales.
- **Customers** can be guaranteed immediate delivery when products are released.

How preorder functionality works

When you create an order in Intelligent Order Management, if it contains products that are marked as **Preorder eligible** and that have a launch date, the system updates those lines on the sales order with a **Status Reason** value of **Preorder Hold**. The system also updates the lines with the product launch date, as defined in the prerequisite settings.



After a product is preordered, a background job that runs automatically triggers an inventory check, based on the launch date, to determine whether the order lines can move to subsequent fulfillment. From the orchestration, Intelligent Order Management determines whether an inventory check should be triggered independently or through the fulfillment and returns optimization process.

If an inventory check fails, and no inventory is found, the system updates the status of the order lines to **Backorder Hold**.

A job log is available where you can view the list of job runs, the status of each, and the number of records that were successfully processed and moved to fulfillment. To open the job log, on the **Home** page, in the left navigation, under **Monitoring**, select **Background Jobs**.

If a background job fails, you can manually run it by using the **Run** option on the upper toolbar. Select **Pre-Order Job** to start a new instance of the background job.

To view the details of a background job run, select the job line.


Set up backorder and preorder functionality

To set up backorder and preorder functionality in Intelligent Order Management, complete the following procedures.

Enable the ATP settings

First, enable the ATP settings.

1. Go to **Settings**.
2. In the left navigation, under **Inventory settings**, select **Index and Reservation**.
3. On the **Feature Management & Settings** tab, turn on the **OnHandChangeSchedule** option.




Upload on-hand schedule changes

Next, upload on-hand schedule changes in case you want to provide an expected ship date to your customers. For instructions, see Inventory Visibility on-hand change schedules and available to promise.

Enable general app settings

Next, enable some general app settings.

1. Go to **Settings**.
2. In the left navigation, under **App settings**, select **General app settings**.
3. Go to **Order handling preferences**, and then select **Manage**.
4. Set the **Backorders** option to **On**.
5. After you enable backorders, a **Cancellation SLA** section appears. Here, you can optionally enter the number of days that you want to try to fulfill the backorder. After that number of days passes, the order is automatically canceled.




Enable preorder eligibility for products

Next, enable preorder eligibility for products.

To enable preorder eligibility for a product, follow these steps:

1. In the sitemap, go to **Demand Planning**, and then select **Products**.
2. Select a product.
3. If the product is preorder eligible, select **Yes** in the **Pre-order Eligible** field.
4. Enter the release date for the product in the **Launch Date** field.
5. Select **Save** or **Save & Close**.



Last updated on 01/30/2026

Intelligent Fulfillment Optimization

Intelligent Fulfillment Optimization is an intelligent optimization service that maximizes order fulfillment in the supply chain network. Intelligent Fulfillment Optimization helps you ensure that products are delivered to your customers in the correct quantities, from the correct sources, and at the correct time. Intelligent Fulfillment Optimization can help you maximize profits, minimize costs, and satisfy service-level requirements.

In a modern supply network where product fulfillment can be done from multiple channels, organizations must quickly adapt to order changes, supplier availability issues, or spikes in demand. Intelligent Fulfillment Optimization helps you maximize order fulfillment and find the best source for the delivery of products, based on different business constraints and business objectives, such as minimizing costs by fulfilling from the closest sources.

Intelligent Fulfillment Optimization is built as a microservice. It reads configuration data such as fulfillment sources, source lists, business constraints, and strategies from Microsoft Dataverse, and optimizes order fulfillment. It uses Azure Maps to geo-code shipping address information on orders and fulfillment sources. It also uses Azure Maps to find the distance between the shipping address and the fulfillment source.

Set up Intelligent Fulfillment Optimization

To enable Intelligent Fulfillment Optimization as part of the order orchestration journey, follow the steps in Set up Intelligent Fulfillment Optimization provider to set up and activate the Intelligent Fulfillment Optimization provider.

Fulfillment sources

Fulfillment sources are entities that house inventory or provide products. Examples include warehouses, distribution centers, retail stores, drop-ship vendors, and virtual sites. You can create and modify fulfillment sources on the **Sources** page in Intelligent Order Management (**Fulfillment** > **Sources**).

For each fulfillment source, define a name that uniquely identifies the source, the time zone where the source or location resides, the type of source (warehouse or other), its address, and its latitude and longitude. You can also specify whether the system should look up inventory in the Inventory Visibility service, for optimized fulfillment that's based on inventory availability.

To look up inventory from the Inventory Visibility service, set the **Use real inventory** field to **On**. To include inventory from a source and make the source available to fulfill the order, set the **Use real inventory** field to **Off** on the **Sources** page.

The system assumes unlimited inventory.

Fulfillment source lists

By using fulfillment source lists, you can group a list of sources and manage the sources in a flexible manner, within specific constraints. You can define fulfillment source lists on the **Source Lists** page in Intelligent Order Management (**Fulfillment** > **Source Lists**).

Depending on your business situation, you can define multiple source lists and use them as needed.

For example, in your strategy definition, include all the sources where fulfillment occurs. For your business constraints, use a different source list. You can also define different minimum inventory constraints for retail stores and warehouses, and assign your warehouses a higher fulfillment priority than your retail stores.

The **Source Lists** page shows active source lists. To create a new source list, select **New**. Enter a name that helps you easily identify the source list, and add new or existing sources on the **Sources** tab. To remove a source from a source list, select the source on the **Sources** tab, and then select **Remove**.

Business constraints

Business constraints are an optional component for fulfillment optimization. Add them as controls to the optimization strategy. The following business constraints are supported:

- Fulfillment location priority
- Maximum distance
- Maximum number of fulfillment sources and partial order

Use the **Constraints** page in Intelligent Order Management (**Fulfillment** > **Constraints**) to create or modify constraints. To create a constraint of a specific type, select the appropriate constraint type when you create the constraint.

All business constraints share a set of common attributes as part of their definition. The details differ, based on the type of business constraint. The following common attributes apply to all business constraints:

- **Name** and **Description** – These attributes identify the business constraint.
- **Start date** and **End date** – Every business constraint must have a period of days when it's enforced.
- **Constraint type** – This attribute indicates the type of business constraint.

- **Is enabled** – You can enable or disable a business constraint.
- **Hard constraint** – A business constraint can be a hard constraint or not a hard constraint.

Every optimization run goes through two iterations. During the first iteration, the system treats every business constraint as a hard constraint, regardless of the **Hard constraint** setting. In other words, the system applies every constraint. During the second iteration, the system removes business constraints that aren't defined as hard constraints. The system then tries to use the reduced constraint set to assign orders or order lines that weren't assigned to sources when the business constraints were applied to sources.

You can define multiple business constraints of each type and apply them to different optimization strategies.

Fulfillment location priority constraint

The fulfillment location priority constraint enables organizations to define a hierarchy of sources that's based on priority. The optimization service considers priority when it identifies fulfillment sources for specific products. The optimization service considers sources with higher priority first, and then considers other sources. A source that has a priority of **1** has higher priority than a source that has a priority of **2**.

You can define a location priority at the source list level and then define a more specific product-based constraint for sources and products in terms of priority. For write-in products or unknown products, the optimization service uses location priority and assumes that 100 percent of inventory is available at the fulfillment source.

Maximum distance constraint

The maximum distance constraint enables organizations to define the maximum distance that a source or group of sources can extend to fulfill the order.

You can define the maximum distance for a source list and override it for specific sources. If you define an overlapping maximum distance constraint for a source, the optimization service applies the lower of the defined maximum distances.

Maximum number of fulfillment sources and partial order constraint

The maximum number of fulfillment sources and partial order constraint lets you define whether an order or order lines can be fulfilled by one or multiple sources, and whether they can be partially fulfilled.

When you create this constraint, set **Partial lines** and **Partial orders** to **Yes** in the **Maximum providers per order** field.

Fulfillment strategies

A fulfillment strategy helps define the optimization strategy. It brings together objectives, constraints, sources that you should consider, and information about how inventory optimization should occur. You can create and modify a strategy on the **Strategies** page in Intelligent Order Management (**Fulfillment** > **Strategies**).

The strategy also defines whether unlimited product inventory or real product inventory is used with the Inventory Visibility service. You can define whether the optimization run is a simulation, whether it can be enabled or disabled, and whether it can be valid for a date range.

Depending on the nature of your business, you can define multiple optimization strategies. You can define the list of fulfillment sources that participate in fulfillment, and define constraints that the optimization service must consider. The constraints are hard constraints that the optimization service mandatorily imposes when it determines the optimal source.

Fulfillment from the closest source is supported as the predefined objective in every strategy.

Intelligent Fulfillment Optimization batches the orders that are provided as part of the order journey, to ensure that maximum optimization is obtained for the set of orders.

Within a single business, fulfillment optimization can vary, based on the type of consumer, the channel, and other business attributes. Intelligent Order Management supports the use of multiple fulfillment strategies. Businesses can set up multiple fulfillment strategies either by using policies or by setting the fulfillment strategy attribute on a sales order during the order intake process.

Set up a fulfillment strategy

To define a strategy, go to the **Strategies** page in Intelligent Order Management (**Fulfillment** > **Strategies**), and select **New**. For each strategy, enter a unique name and description. Provide a source list that consists of fulfillment sources for the strategy, and configure the strategy to use real inventory.

On the **Strategies** page, enter the following information:

- **Source List** – Specify the fulfillment sources that the optimization service considers when it performs the optimization.
- **Use real inventory** – Specify whether the optimization service should consider inventory from the Inventory Visibility service. If you turn off this setting, the system assumes

unlimited inventory at the source. This setting overrides the setting that's defined at the source.

- **Simulation** – Specify whether the strategy should be used to simulate sourcing. In the fulfillment plan output, the system writes a flag to indicate that the processing run is a simulation.
- **Process with empty sales origin** – Set this field to **Yes** if the sales order and line that must be fulfilled don't have a sales origin.
- **Use road distance calculation** – The optimization service calculates the distance between the fulfillment source and the shipping address on the sales order to find the closest source. If you don't enable road distance calculation, the service uses the aerial distance between the two locations.
- **Owner** – The user who created the strategy.
- **Optimization service batching** – The optimization service batches orders that are provided as part of the order orchestration journey and optimizes them together in a batch. The **Aggregation interval minutes** task determines the time interval during which orders that are received are batched together. The **Maximum order line** task determines the number of tasks that should be created based on order lines that are received during the time interval.
- **Inventory visibility data source** – Specify the data source name that the inventory lookup should consider.
- **Inventory visibility measure name** – Specify the measure name that contains the on-hand inventory for fulfillment optimization.

Fulfillment optimization in order orchestration flows

For information about how to set up and activate the Intelligent Fulfillment Optimization provider, see Set up the Intelligent Fulfillment Optimization provider. After you activate the provider, you can enable intelligent optimization by using Intelligent Fulfillment Optimization as part of the order orchestration journey.

When order processing begins, the service picks up orders that require optimization and determines the optimal location from the closest fulfillment source in the list of sources. Intelligent Fulfillment Optimization calculates the latitude and longitude for the fulfillment source and the order line's shipping address. It also calculates the road and aerial distances between the two. It applies the constraints and then determines the optimal fulfillment source. The results are written to Dataverse for further processing as part of order orchestration flow.

Organizations can query the fulfillment plan to view the results. Fulfillment plans show the order line details, the original quantity on the line, the fulfilled quantity, and the fulfillment type

(for example, fully sourced, partially sourced, not sourced, or exception).

Multiple fulfillment strategies in order orchestration flows

Intelligent Fulfillment Optimization supports multiple fulfillment strategies that you can set up to meet the needs of different businesses. For example, a business might want to fulfill business-to-business (B2B) orders from its distribution centers only and business-to-consumer (B2C) orders from all its fulfillment sources (such as distribution centers, warehouses, and stores). By using multiple fulfillment strategies, organizations can employ different fulfillment approaches for different sales orders.

Businesses can set fulfillment strategy attributes for sales orders during the orchestration journey by adding the fulfillment strategy identifier to the sales order. Set the fulfillment strategy on a sales order either based on the source or by using transformations as part of the order intake process. You can also set the fulfillment strategy with policy actions by using sales order attributes and other entities. By using policies, businesses can employ the attributes of different entities in condition builder to set the strategy. If you set up multiple strategies but don't configure policy assignment for the fulfillment strategy, the system selects the first strategy that's available.

Additional resources

Intelligent Fulfillment Optimization architecture

Set up Intelligent Fulfillment Optimization provider

Orchestration flows

Last updated on 01/30/2026

Shipping rate factor table overview

As part of the April 2023 release, the Shipping rate factor table is now available in Microsoft Dynamics 365 Intelligent Order Management. This table lets you configure rate markups, static rates, and increments, based on weight thresholds for different carrier service levels. The Shipping rate factor table represents a fallback option when either the carrier rate API fails or the dynamic rate APIs aren't available for a carrier.

Fields in the Shipping rate factor table

The following table describes the fields in the Shipping rate factor table.

Expand table

Field	Description
Name	The name or description of the carrier service.
Fulfillment source type	The **Fulfillment source type** value in the fulfillment settings. Use this field when, for example, a store and a distribution center have different carrier services that the two locations offer at different rates.
Address type	The destination address type (for example, **Business** or **Residence**).
Rate factor	A markup or markdown of the calculated rate from the carrier API, if applicable.
Free shipping	A flag that indicates whether the service is applicable for free shipping.
Fallback weight threshold	The weight threshold that a static rate is defined for.
Fallback rate	The static rate until the weight threshold is met.
Fallback increment rate factor	The rate factor that's applied for incremental weight over the threshold. For example, the weight threshold is 5 pounds, the static rate is $8, the increment rate factor is 0.75, and the total weight of the order is 10 pounds. In this case, the rate is calculated as 8 + (0.75 × 5) = 11.75.

Using the Shipping rate factor table in the Intelligent Order Management DOM API

The Intelligent Order Management Distributed Order Management (DOM) API calls the FedEx rate API to calculate the shipping rate. If the shipping rate can't be calculated because of an issue with the API, the API calculates a fallback rate by using the **Fallback weight threshold** and **Fallback increment rate factor** values that you define for each service level in the table. If the

carrier API returns a valid rate, the API applies a markup or markdown percentage by using the **Rate factor** percentage that you maintain in the table.

Last updated on 01/30/2026

Manage subscription orders

This article describes how to manage subscription orders in Microsoft Dynamics 365 Intelligent Order Management.

Intelligent Order Management can handle subscription orders, and therefore gives customers the flexibility to have their orders regularly fulfilled. The order frequency is specified at the product level.

Through appropriate subscription order management, retailers can gain the following benefits:


- Increased customer loyalty and a strong customer base
- Predictable recurring revenue
- Better cash flow management

Turn on subscription order functionality

To get started with subscription management, turn on the subscription order functionality.

To turn on subscription order functionality, follow these steps:

1. In the left navigation pane, select **Settings**, and then select **General app settings**.
2. Select **Order handling preferences**, and then select **Manage**.
3. Set the **Subscription Orders** option to **On**.



Specify the subscription frequency

For each subscription order that you start in Intelligent Order Management, specify the subscription frequency.

To specify the subscription frequency at the product level, follow these steps:

1. In the left navigation pane, select **Demand Planning**, and then select **Products**.
2. Select the product to specify the subscription frequency for.
3. Select **Allowed Subscription Frequency**, and then select **Monthly**, **Quarterly**, **Yearly**, or **Select All**. The subscription order product is then validated for the eligible fulfillment frequency.
4. Select **Save** or **Save & Close**.

How subscription order management works

You can create a subscription order in an e-commerce application or through a customer service representative in Intelligent Order Management. Both methods create a subscription order under **Orders** in Intelligent Order Management.


The following table describes the subscription order fields.

Expand table

Field name	Description
Fulfillment Frequency	The product frequency that you set up in **Products**. This value initiates the subscription fulfillment job.
Current Subscription	The current recurrence of the subscription. The value is an integer that reflects the current subscription number.
Subscription Start Date	The start date for the subscription.
Subscription End Date	The end date for the subscription, if the customer specifies an end date.
Last Ordered Date	The date when the last order was created. This field is automatically set.

> **Note**
>
> Currently, Intelligent Order Management supports one product per subscription. Support for multiple-product subscription will be available in later releases.

After you create a subscription order in Intelligent Order Management, a background job automatically picks up the orders and generates sales orders from the subscription, based on the product frequency that the customer selected. The sales orders then follow the order orchestration and generate fulfillments accordingly.



If a background job fails, you can manually run it. Select **Run** on the upper toolbar, and then select **Subscription-Order Job** to start a new instance of the background job. To view the details of the background job run, select the job line.

Last updated on 01/30/2026

Fulfillment entity relationships in Intelligent Order Management

This article explains entity relationships for out-of-the-box entities in Microsoft Dynamics 365 Intelligent Order Management.

In Dynamics 365 Intelligent Order Management, you model order fulfillment through a set of interconnected entities that represent the customer order, its line items, fulfillment instructions, and tracking updates. These relationships enable traceability, support partial shipments, and provide visibility into fulfillment progress across systems.

The following table outlines the key entities involved in the fulfillment lifecycle, along with their relationship cardinality and foreign key mappings.

Entity relationship table

Expand table

Parent entity ("One")	Child entity ("Many")	Foreign key in child entity	Cardinality	Description
`Order`	`Order Product`	`salesorderid`	1:N	One order contains multiple products.
`Order`	`Fulfillment Order`	`salesorderid`	1:N	One order generates multiple fulfillment orders.
`Order Product`	`Fulfillment Order Product`	`orderproductid`	1:N	Each order product can be fulfilled in multiple ways.
`Fulfillment Order`	`Fulfillment Order Product`	`fulfillmentorderid`	1:N	One fulfillment order includes multiple fulfillment order products.
`Fulfillment Order`	`Fulfillment Tracking`	`fulfillmentorderid`	1:N	One fulfillment order has multiple tracking records.
`Fulfillment Tracking`	`Fulfillment Tracking Line`	`fulfillmenttrackingid`	1:N	One tracking header has multiple line-level updates.
`Fulfillment Order Product`	`Fulfillment Tracking Line`	`fulfillmentorderproductid`	1:N	Each fulfillment order product is tracked across

Parent entity ("One")	Child entity ("Many")	Foreign key in child entity	Cardinality	Description
				multiple tracking lines.

This schema supports extensible fulfillment workflows that enable systems to monitor progress, capture events, and reconcile fulfillment status back to the original order and product lines.

Last updated on 01/30/2026

Finance + Operations integration solution

This article describes how the Microsoft Dynamics 365 Finance + Operations (on-premises) integration solution integrates with Microsoft Dynamics 365 Intelligent Order Management.

Prerequisites

You must set up Finance + Operations as a provider and enable dual-write in Dataverse and Intelligent Order Management. For more information, see Set up the Dynamics 365 Finance + Operations provider.

Finance + Operations integration solution with Intelligent Order Management

The Finance + Operations high-level solution for integration with Intelligent Order Management works in the following ways:

- Intelligent Order Management uses dual-write for data synchronization between Finance + Operations and Intelligent Order Management.
- E-commerce orders that come into Intelligent Order Management won't have company codes. Before synchronization to Finance + Operations, a policy is used to assign company codes.
- The Finance + Operations provider action sends an order from Intelligent Order Management to Finance + Operations fulfillment or billing when the order is ready for synchronization.
- The Finance + Operations data assignment policy and provider actions are called in the designed orchestration flow.
- The Finance + Operations order status event handler monitors and raises business events in Intelligent Order Management when the order status is updated in Finance + Operations.

Finance + Operations provider integration scenarios with Intelligent Order Management

Following scenarios outline the processes for integration of Finance + Operations with Intelligent Order Management.

BigCommerce (new order) > Intelligent Order Management > Finance + Operations (fulfillment) > Finance + Operations (accounting)

1. An order is created in BigCommerce.
2. The order is pulled from BigCommerce into Intelligent Order Management.
3. The order is validated in Intelligent Order Management.
4. A company, site, and warehouse are assigned in Intelligent Order Management.
5. The Finance + Operations provider action sends the order to Finance + Operations (Use **Action** = **Send order to fulfillment**).
6. The order is picked in Finance + Operations.
7. The order state in Intelligent Order Management is updated to **Fulfillment in Process** with status reason **Picked**.
8. The order is packed and delivered in Finance + Operations.
9. An "order shipped" event is raised in Intelligent Order Management that updates the Order state to **Fulfillment in Process** and status reason as **Packed**
10. The provider action updates the order status in BigCommerce.
11. The order is invoiced in Finance + Operations.
12. An "order invoiced" event is raised in Intelligent Order Management that updates the order state to **Completed** and status reason to **Fulfilled**
13. The provider action updates the order status in BigCommerce.

BigCommerce (new order) > Intelligent Order Management > Flexe (fulfillment) > Finance + Operations (accounting)

1. An order is created in BigCommerce.
2. The order is pulled from BigCommerce into Intelligent Order Management.
3. The order is validated in Intelligent Order Management.
4. The Flexe provider action sends the order to Flexe for fulfillment.
5. Flexe ships the order.
6. Site warehouses and a company are assigned in Intelligent Order Management.
7. The Finance + Operations provider action sends the order to Finance + Operations.
8. The order is invoiced in Finance + Operations.
9. An "order invoiced" event is raised in Intelligent Order Management.
10. The provider action updates the order status in BigCommerce.

Finance + Operations (new order) > Intelligent Order Management > Flexe (fulfillment) > Finance + Operations (accounting)

1. An order is created in Finance + Operations.
2. Dual-write sends the Finance + Operations order to Intelligent Order Management.
3. The order is confirmed in Finance + Operations.
4. The order is validated in Intelligent Order Management.
5. The Flexe provider action sends the order to Flexe for fulfillment.
6. Flexe ships the order.
7. The Finance + Operations provider action sends the order status to Finance + Operations.
8. The order is invoiced in Finance + Operations.
9. An "order invoiced" event is raised in Intelligent Order Management.

Finance + Operations (new order) > Intelligent Order Management > Finance + Operations (fulfillment) > Finance + Operations (accounting)

1. An order is created in Finance + Operations.
2. Dual-write sends the Finance + Operations order to Intelligent Order Management.
3. The order is confirmed in Finance + Operations.
4. The order is validated in Intelligent Order Management.
5. The order is shipped in Finance + Operations.
6. An "order shipped" event is raised in Intelligent Order Management.
7. The order is invoiced in Finance + Operations.
8. An "order invoiced" event is received in Intelligent Order Management.

Finance + Operations (new order) > Intelligent Order Management > Flexe (fulfillment) > SAP (accounting)

1. An order is created in Finance + Operations.
2. Dual-write sends the Finance + Operations order to Intelligent Order Management.
3. The order is confirmed in Finance + Operations.
4. The order is validated in Intelligent Order Management.
5. The Flexe provider action sends the order to Flexe for fulfillment.
6. An "order shipped" event is raised in Intelligent Order Management.
7. The order is invoiced in SAP.
8. An "order invoiced" event is received in Intelligent Order Management.

BigCommerce (new order) > Intelligent Order Management with DOM for source determination > Finance + Operations (fulfillment) > Finance + Operations (accounting)

1. An order is created in BigCommerce.
2. The order is pulled from BigCommerce into Intelligent Order Management.
3. The order is validated in Intelligent Order Management.
4. A company, and site are assigned in Intelligent Order Management.
5. The order is passed through the provider action **Send to Fulfillment Optimization**.
6. A fulfillment order is created for each of the fulfillment sources determined for the sales order lines.
7. The sales order lines are passed to Finance + Operations through the provider action **Send sales order lines to billing**. This action also updates the sales order lines with the shipping warehouse before the synchronization to Finance + Operations. All of the sales order lines that have a shipping warehouse on them are selected for synchronization.
8. If Fulfillment optimization fails to create a fulfillment order due to lack of inventory, those sales order lines aren't synchronized to Finance + Operations.
9. If **Backorder** is enabled in **General settings** > **Order handling preferences** , the sales order line is set to a state **Backorder hold** until a backorder job runs and finds the inventory and releases that line to fulfillment and then to Finance + Operations.
10. The order is picked in Finance + Operations.
11. The order state in Intelligent Order Management is updated to **Fulfillment in Process** with status reason **Picked**.
12. The order is packed and delivered in Finance + Operations.
13. An "order shipped" event is raised in Intelligent Order Management that updates the Order state to **Fulfillment in process** and status reason as **Packed**
14. The provider action updates the order status in BigCommerce.
15. The order is invoiced in Finance + Operations that updates the order state to **Completed** and status reason as **Fulfilled**
16. The provider action updates the order status in BigCommerce.

Last updated on 01/28/2026

Sales order form denormalization

This article explains the user experience (UX) changes that were made to the sales order form in Microsoft Dynamics 365 Intelligent Order Management, based on the Microsoft fluent protocols. These changes simplify the workflow for creating, modifying, and viewing orders in Intelligent Order Management.

Enable sales order form denormalization


To enable sales order form denormalization, follow these steps:

1. Go to **Settings** > **General Settings** > **Feature version controls** > **Manage**.
2. Select **Enhanced Pages Sales order KPI view**, and set the option to **On**.

> ⓘ **Note**
>
> When you enable the feature, you change your view of the sales order form to the new view.

Summary of changes

- The sales order form is reorganized into **Pricing**, **General**, **Billing**, **Shipping**, and **Delivery** sections.
- You can view the real-time inventory for order lines without having to switch pages. The number of taps or clicks that are required is also reduced.
- You can view order details and related fulfillments together with tracking on one page. No taps or clicks are required.



Last updated on 01/30/2026

Reporting and Power BI integration

Dynamics 365 Intelligent Order Management provides insights for the business data moving through the system. These insights are critical for business users to monitor key metrics, respond to problems, and take actions to move orders through their business process.

Intelligent Order Management offers two types of dashboard technologies.

- Microsoft Unified Client Interface (UCI) dashboards: Use UCI dashboards to visualize app data stored in Microsoft Dataverse.
- Microsoft Power BI dashboards: Use Power BI dashboards to visualize app data stored in Dataverse or other data sources that Power BI can work with.

UCI dashboards

Intelligent Order Management includes a dashboard called **Daily Events** that business users can use to monitor common data during a typical workday.

For more information about interactive dashboards, see Create or edit model-driven app dashboards.

Power BI dashboards

Intelligent Order Management includes a dashboard called **Order Management** that's based on Power BI technology. This dashboard provides longer-range insights into the order and fulfillment data moving through the app.

For more information about building dashboards with Power BI, see the Power BI documentation.

Last updated on 01/30/2026

Power BI dashboards in Intelligent Order Management

Dynamics 365 Intelligent Order Management includes a set of dashboards embedded into the user interface that are based on Microsoft Power BI technology. The Power BI dashboards provide longer-range insights into the order and fulfillment data that is moving through the app.

The Intelligent Order Management license allows you to view your data in the Power BI-based dashboards, so you don't need to get extra licenses to view the dashboards.

> ⓘ **Note**
>
> There's a known problem with trial environments. Deploying embedded Power BI isn't currently supported.


Integration to Power BI

Integration between Power BI and Intelligent Order Management is preconfigured and doesn't require additional setup.

Architecture

The Power BI dashboards use the architecture modeled in the following diagram.

1. When you enter data in Intelligent Order Management, you create or update it in Microsoft Dataverse.
2. Athena synchronizes the Dataverse data to the Dataverse-managed data lake. Synchronization runs every four hours. You can't modify the synchronization timing.
3. The process copies and transfers a data snapshot to the analytics platform storage account.
4. The process transforms the data for Power BI KPIs.
5. The process copies and transfers the transformed data back to Dataverse-managed data lake.
6. The process provisions or refreshes the Power BI workspace.
7. The process embeds the Power BI reports and pages in Intelligent Order Management.



Customizations

You can't customize dashboards based on embedded Power BI.

You can't access data stored in the managed data lake for any customizations. If you need custom reports or insights, you can build them by accessing data stored in Dataverse.

Last updated on 01/30/2026

Intelligent Order Management Insights reporting

Microsoft Dynamics 365 Intelligent Order Management provides comprehensive, out-of-the-box reports that are known as *Insights*. Insights cover a broad range of key performance indicators (KPIs) that are critical for your business.

Use Insights to find various metrics, such as products by order line, orders that are in jeopardy, returns by return reason, on-time shipped ratio, and fill rate.

Intelligent Order Management Insights are powered by embedded Power BI.

Navigating reports


Every Insights dashboard includes filters, help text, and settings. (The numbered paragraphs correspond to the numbered callouts in the illustration.)

1. **Filters** – Each dashboard includes a date filter and data filters that are relevant to the page. For example, the **Orders Insights** page has filters for **Providers** and **Ship to country/region**. Each filter updates the visuals on the whole page.

2. **Help text** – Each visual on the dashboard has an **i** button that shows helpful information about the related visual.

3. **Settings** – When each visual is selected, a toolbar of more settings appears. Here are some of these settings:

    - **Drill up**, **Drill down**, and **Next level in hierarchy** – Drill up or down on the visual to view the next level up or down in the data. For example, you can drill up from **Months** to **Year**.
    - **Next level in hierarchy** and **Expand all down one level in the hierarchy** – Expand levels down in the hierarchy of data. For example, you can expand from **Months** to **Quarters**.
    - **Filters on visual** – Show the current filters that affect the visual.
    - **Focus mode** – Go to an expanded view of the visual.
    - **Export data** – Export the underlying data to a file in comma-separated values (CSV) format. Any filters that affect the visual are used in the export.
    - **Show as a table** – View the underlying data for the visual in table format.
    - **Spotlight** – Highlight the visual.
    - **Get insights** – View automatically generated Insights for the visual, if they're available.
    - **Sort axis** – Customize axis information for the visual.



Insights metrics

The following table provides the full list of current metrics and descriptions for Insights. The descriptions in the table match the help text descriptions that are available in the product.

The "Category" column indicates the category in the left navigation. The "Page" column indicates the tab on the actual page where the report exists. For example, select **Order dashboard** in the left navigation, and then select the **Return Insights** tab to open the page that shows all the return-related metrics.

Expand table

Category	Page	Metric	Type	Description
Order dashboard	Overview	Lines per order	KPI	Average order lines per order received.
Order dashboard	Overview	Orders mtd	KPI	Total orders received for current month to date (Page date filters don't update this KPI).
Order dashboard	Overview	Orders mom growth rate	KPI	Growth rate of orders received month over month.

Category	Page	Metric	Type	Description
Order dashboard	Overview	Revenue (base) mtd	KPI	Total revenue of all orders for current month to date (Page date filters don't update this KPI).
Order dashboard	Overview	Revenue (base) mom growth rate	KPI	Growth rate of revenue from orders month over month.
Order dashboard	Overview	Orders by provider	Graph	Orders received grouped by order providers connected to Intelligent Order Management.
Order dashboard	Overview	Order details by region	Map	Map view of each order destination region's order details, such as revenue or order count.
Order dashboard	Overview	Orders by date	Graph	Order count by date on a trendline.
Order dashboard	Overview	Orders by status reason	Graph	Order count grouped by order status.
Order dashboard	Overview	Top products by order line	Graph	Top products ordered based on order lines.
Order dashboard	Order insights	Lines per order	KPI	Average order lines per order received.
Order dashboard	Order insights	Orders	KPI	Total orders received.
Order dashboard	Order insights	Order lines	KPI	Total order lines received.
Order dashboard	Order insights	Orders past due	KPI	Orders that are past the requested delivery date.
Order dashboard	Order insights	Revenue (base)	KPI	Total revenue of all orders.
Order dashboard	Order insights	D orders	Graph	Sales orders that are delayed from delivery by revenue and order count.
Order dashboard	Order insights	Orders in jeopardy	Graph	Sales orders that are in jeopardy as they aren't sent to fulfillment and are at risk of being delayed by revenue and order count.
Order dashboard	Order insights	Order lines by status reason	Graph	Order lines count grouped by order status.

Category	Page	Metric	Type	Description
Order dashboard	Order insights	Order lines by provider	Graph	Orders lines count grouped by order providers connected to Intelligent Order Management.
Order dashboard	Order insights	Revenue (base) by provider	Graph	Revenue of orders received grouped by order providers connected to Intelligent Order Management.
Order dashboard	Order insights	Orders by shipping method	Graph	Order count grouped by shipping method. For example, FedEx or UPS.
Order dashboard	Order insights	Order lines by provider	Graph	Order lines count grouped by order providers connected to Intelligent Order Management.
Order dashboard	Order insights	Lines per order by provider	Graph	Average orders lines per order, grouped by provider.
Order dashboard	Returns insights	Products returned	KPI	Total count of returned products.
Order dashboard	Returns insights	Return orders	KPI	Total count of returned orders.
Order dashboard	Returns insights	Return order lines	KPI	Total count of returned order lines.
Order dashboard	Returns insights	Revenue loss (base)	KPI	Total revenue lost from returns.
Order dashboard	Returns insights	Return rate (revenue)	KPI	Return rate by revenue of returns against revenue of sales orders.
Order dashboard	Returns insights	Return rate (orders)	KPI	Return rate by order line count of returns against order line count of sales orders.
Order dashboard	Returns insights	Returns by customer	Graph	Returns count grouped by highest volume order customers.
Order dashboard	Returns insights	Returns by delivery carrier	Graph	Returns count grouped by delivery carriers such as FedEx or UPS.
Order dashboard	Returns insights	Top five returned products	Graph	Top five products by quantity returned.
Order dashboard	Returns insights	Returns by return reason	Graph	Returns count grouped by return reason.
Order dashboard	Returns insights	Returns by order status	Graph	Returns count grouped by order status.

Category	Page	Metric	Type	Description
Order dashboard	Returns insights	Returns by fulfillment status	Graph	Returns count grouped by fulfillment status.
Order dashboard	Returns insights	Returns by warehouse	Graph	Returns count grouped by warehouse.
Order dashboard	Returns insights	Returns by country/region	Graph	Returns count grouped by country/region on a map view.
Order dashboard	Fulfillment insights	Fulfillment lines	KPI	Total fulfillment lines created.
Order dashboard	Fulfillment insights	Internal cycle time (hours)	KPI	The average time it takes to ship an order.
Order dashboard	Fulfillment insights	Internal cycle time (SLA))	KPI	SLA percentage representing orders that have shipped by an internal cycle time goal.
Order dashboard	Fulfillment insights	Fulfillment lines shipped	KPI	Total fulfillment lines that are shipped.
Order dashboard	Fulfillment insights	Shipped quantity	KPI	Total orders that are shipped.
Order dashboard	Fulfillment insights	On-time shipped ratio	Graph	On time shipped percentage shows the percentage of orders delivered on time. Orders without a requested ship date are excluded from this metric.
Order dashboard	Fulfillment insights	Book to ship ratio	Graph	Book to ship ratio shows the value ratio of orders booked vs shipped.
Order dashboard	Fulfillment insights	Fill rate	Graph	Fill rate shows the percentage of orders that are fulfilled successfully.
Order dashboard	Fulfillment insights	Fulfillments by source type	Graph	Fulfillment orders grouped by source type such as Warehouse.
Order dashboard	Fulfillment insights	Fulfillments by region	Map	Map view of fulfillment order details grouped by region of order destination.
Order dashboard	Fulfillment insights	Fulfillment lines shipped	Graph	Count of fulfillment lines shipped on a trendline.
Order dashboard	Fulfillment insights	Internal cycle time (hours)	Graph	The average time it takes to ship an order by date on a trendline.
Order dashboard	Fulfillment insights	Internal cycle time (SLA)	Graph	SLA percentage representing orders that have shipped by an internal cycle time goal by date on a trendline.

Category	Page	Metric	Type	Description
Licenses	Overview	Total order lines	KPI	Total order lines received.
Licenses	Overview	Orders lines MTD	KPI	Total order lines month to date. **Page date** filters don't update this KPI.
Licenses	Overview	Orders lines mom growth rate	KPI	Growth rate of orders lines received month over month.
Licenses	Overview	Order lines by date	Graph	Order lines by date on a trendline.
Licenses	Overview	Total order lines by date with six month project	Graph	Count of total order lines by date on a trendline, with a six month projection into the future based on historical data.
Product insights	Overview	Orders	KPI	Total orders received.
Product insights	Overview	Order lines	KPI	Total order lines received.
Product insights	Overview	Lines per order	KPI	Average order lines per order received.
Product insights	Overview	Ordered quantity	KPI	Total quantity of products ordered from sales orders.
Product insights	Overview	Ordered quantity per order	KPI	Average quantity of products ordered from sales orders.
Product insights	Overview	Active products	KPI	Current active products in your inventory.
Product insights	Overview	Top products by order lines	Graph	Top products ordered grouped by order lines.
Product insights	Overview	Top products by ordered quantity	Graph	Top products ordered grouped by ordered quantity.
Product insights	Overview	Top products by revenue (base)	Graph	Top products ordered grouped by revenue.
Product insights	Overview	Top products by order lines over time	Graph	Top products ordered grouped by order lines on a trendline.
Product insights	Overview	Key influencers/top segments	?	Key influencers and top segments responsible for product sales.
Monitoring	Order anomalies	Order quantities	Graph	Quantity of ordered products on a trendline with any anomalies. Anomalies are defined as any value that is below 70% of the

Category	Page	Metric	Type	Description
				expected range of that value based on historical data.
Monitoring	Order anomalies	Revenue	Graph	Revenue from orders on a trendline with any anomalies. Anomalies are defined as any value that is below 70% of the expected range of that value based on historical data.
Monitoring	Order anomalies	Top product revenues	Graph	Top products by quantity ordered on a trendline with any anomalies. Anomalies are defined as any value that is below 70% of the expected range of that value based on historical data.
Monitoring	Order anomalies	Order delays	Graph	Delayed orders on a trendline with any anomalies. Anomalies are defined as any value that is below 70% of the expected range of that value based on historical data.
Monitoring	Order anomalies	Quarterly revenue	Graph	Revenue of orders by quarter on a trendline with any anomalies. Anomalies are defined as any value that is below 70% of the expected range of that value based on historical data.
Monitoring	Order anomalies	Orders	Table	Total orders on a trendline with any anomalies. Anomalies are defined as any value that is below 70% of the expected range of that value based on historical data.
Provider insights	Overview	Total requests	KPI	Total message and action events associated with providers connected to Intelligent Order Management. For example, large Commerce orders and order updates, FedEx shipping, and delivery notifications.
Provider insights	Overview	MTD total request growth rate	KPI	Growth rate month to date of requests associated with providers connected to Intelligent Order Management. Page date filters don't update this KPI.
Provider insights	Overview	SLA total requests	KPI	Percentage of requests that met the SLA for a given provider connected to Intelligent Order Management, where the SLA is defined as the length of allowable time for an event to process.
Provider insights	Overview	Total requests failed	KPI	Total requests from providers that failed.

Category	Page	Metric	Type	Description
Provider insights	Overview	Total requests above threshold	KPI	Total requests that exceeded the allowable time for an event to process for a given provider.
Provider insights	Overview	Total requests by provider	Graph	Total requests grouped by providers connected to Intelligent Order Management.
Provider insights	Overview	Total requests and message type by provider	Table	Total requests grouped by provider and type. This includes inbound vs outbound.
Provider insights	Overview	Total requests by date	Graph	Total requests by date on a trendline.
Provider insights	Overview	Total requests failed by date	Graph	Total failed requests by date on a trendline.
Provider insights	Overview	Total requests above threshold by date	Graph	Total requests that exceeded the allowable time for an event to process for a given provider by date on a trendline.
Provider insights	Inbound requests	Inbound requests	KPI	Total requests coming FROM providers connected to Intelligent Order Management. For example, an order from Big Commerce or a shipping notification from FedEx.
Provider insights	Inbound requests	MTD inbound request growth rate	KPI	Growth rate month to date of requests coming FROM providers connected to Intelligent Order Management. Page date filters don't update this KPI.
Provider insights	Inbound requests	SLA inbound requests	KPI	Percentage of inbound requests that met the SLA for a given provider connected to Intelligent Order Management, where the SLA is defined as the length of allowable time for an event to process.
Provider insights	Inbound requests	Inbound requests failed	KPI	Total requests coming FROM providers that failed.
Provider insights	Inbound requests	Inbound requests above threshold	KPI	Total inbound requests that exceeded the allowable time for an event to process for a given provider.
Provider insights	Inbound requests	Inbound requests by provider	Graph	Total requests coming FROM providers, grouped by providers.


Category	Page	Metric	Type	Description
Provider insights	Inbound requests	Inbound requests and message type by provider	Table	Total requests coming FROM providers, grouped by providers and inbound type.
Provider insights	Inbound requests	Inbound requests by date by provider	Graph	Total requests coming FROM providers by date on a trendline.
Provider insights	Inbound requests	Inbound requests failed by date by provider	Graph	Total requests coming FROM providers that failed by date on a trendline.
Provider insights	Inbound requests	Inbound request anomalies on execution time	Graph	Providers with inbound requests that exceeded the allowable time for an event to process.
Provider insights	Outbound requests	Outbound requests	KPI	Total requests sent TO providers connected to Intelligent Order Management.
Provider insights	Outbound requests	MTD outbound requests growth rate	KPI	Growth rate month to date of requests sent TO providers connected to Intelligent Order Management. The **Page date** filters don't update this KPI.
Provider insights	Outbound requests	SLA outbound requests	KPI	Percentage of outbound requests that met the SLA for a given provider connected to Intelligent Order Management, where the SLA is defined as the length of allowable time for an event to process.
Provider insights	Outbound requests	Outbound requests failed	KPI	Total requests sent TO providers that failed.
Provider insights	Outbound requests	Outbound requests above threshold	KPI	Total outbound requests that exceeded the allowable time for an event to process for a given provider.
Provider insights	Outbound requests	Outbound requests by provider	Graph	Total requests sent TO providers grouped by provider.
Provider insights	Outbound requests	Outbound requests and message type by provider	Table	Total requests sent TO providers grouped by provider and outbound type.
Provider insights	Outbound requests	Outbound requests by date by provider	Graph	Total requests sent TO providers by date on a trendline.
Provider insights	Outbound requests	Outbound requests failed by date by provider	Graph	Total requests sent TO providers that failed by date on a trendline.

Category	Page	Metric	Type	Description
Provider insights	Outbound requests	Outbound requests anomalies on execution time	Graph	Providers with outbound requests that exceeded the allowable time for an event to process.

Customize dashboards

Only users with administrator and author access can customize your organization's Insights reports or create new reports. For more information about how to administer roles, see What is Power BI administration and Grant users access.

If you have the correct access to customize or create Insights reports, select **Resume editing** on any Insights page to enter edit mode.



When you enter edit mode, the following controls become available. (The numbered paragraphs correspond to the numbered callouts in the illustration that follows.)

1. **Editing controls** – Use the buttons on the top menu bar to save, discard, or publish your current draft. If you select **Publish**, you make your changes available to everyone in your organization.


2. **Customization controls** – There are three expandable and collapsible panes on the right side of the page:

    - **Filters** – View which filters are currently applied, edit the applied filters, or add more filters.

- **Visualizations** – Select any visual in the main part of the page, and then select a new visual in this pane to change it. For more information about how to change visuals, see Change the type of visualization in a Power BI report. You can also edit axis information, legends, and more. For detailed instructions, see Customize visualization titles, backgrounds, labels, and legends.
- **Fields** – View the list of fields that are available for your current schema. If you select a visual in the main part of the page, the fields that are used for it are highlighted in this pane. From this pane, you can add or delete fields, and update the data that powers any visual.

For more information about how to customize Power BI reports, see Customize reports guide.

3. **New page button** – Select the plus sign (+) to create a blank page where you can build your own dashboard of visuals. For information about how to add visuals to a page, see Add visuals to a Power BI report.



Last updated on 01/28/2026

Administration overview

Your organization can access Dynamics 365 Intelligent Order Management after you provision the app. For more information, see Deployment.

Security concepts in Microsoft Dataverse

Intelligent Order Management is built as a Microsoft Dataverse app. You can manage security by using concepts such as business units, teams, and users. For more information about security in Dataverse, see Security concepts in Microsoft Dataverse.

Manage users

As an admin of Intelligent Order Management, you can add users to your environment through the admin capabilities of the platform. For more information, see Grant users access.

Company concept in Dataverse

If you plan to implement Intelligent Order Management with a dual-write enabled app such as Dynamics 365 Supply Chain Management, Dynamics 365 Commerce, or Dynamics 365 Finance, it's important to understand the concept of company in Dataverse and finance and operations apps. For more information, see Company concept in Dataverse.

Dual-write overview

If you plan to implement Intelligent Order Management with finance and operations apps such as Supply Chain Management, Commerce, or Finance, you need to configure dual-write. For more information about dual-write, see Dual-write overview.

Last updated on 01/30/2026


Admin home workspace

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.


This article describes the **Admin home** workspace in Microsoft Dynamics 365 Intelligent Order Management.

The **Admin home** administrator workspace in Intelligent Order Management makes all levels of Intelligent Order Management–related setups and settings easily accessible and available to administrators. You can provide access to the **Admin home** workspace based on roles and customer needs.

To access the **Admin home** workspace, on the Intelligent Order Management **Home** page, select **Settings**. In the left navigation pane, select **Admin home**.



Alternatively, at the bottom of the left navigation pane, select **Intelligent Order Management** > **Settings** to change the workspace area. Then, select **Admin home**.



The **Admin home** workspace contains shortcuts to settings for key areas of Intelligent Order Management. You can access all detailed settings areas and their subareas in the left navigation pane.

Key settings areas in the left navigation pane

The left navigation pane in the **Admin home** workspace groups all the different admin settings. The following table describes the key settings areas.

Expand table

Area	Description
App settings	This area is focused primarily on enabling or disabling feature controls.
Insight settings	This area lets you switch Power BI Insights on or off.
Communication settings	This area lets you configure settings that are associated with Teams or email communications.
Provider settings	This area lets you set up your provider connections and integrate with your partner systems.
Orchestration settings	This area lets you define order journeys for your customer orders.
Data settings	This area lets you configure any form of data mappings that enable smooth integration with your providers.
Order settings	This area lets you configure settings that are related to orders, fulfillments,

Area	Description
	warehouses, and carriers.
Inventory settings	This area lets you define your inventory measures and use them for inventory transaction updates.

Settings subareas

Each settings area in the left navigation pane is divided into settings subareas. The following table describes the settings subareas and their related components.

Expand table

Area	Subarea	Components
App settings	General app settings	This subarea includes the following components: • **Order Handling Preferences** – This setting lets you turn on or off key order management capabilities, such as backorders, subscriptions, substitutions, write-in products, and replacements. • **Feature version control** – This setting lets you switch back to an older version of some app pages, based on your preferences. Options include **Enhanced Email** and **Enhanced pages**. • **Integration keys** – This setting lets you maintain any keys that are associated with your app.
Insight settings	Power BI Insights	This subarea lets you turn on or off your **Insights** dashboards.
Communication settings	Teams settings	This subarea lets you turn on or off collaboration, chat, and email functionality. It includes the following component: • **Microsoft Teams collaboration and chat** – You can enable enhanced Teams integrations, linking of records to Teams channels, and confidential labels in this subarea.
	Email settings	You can use this subarea to manage different email templates that are provided out of the box. You can also use it to define your own templates.
Provider settings	Library	This subarea contains a gallery of providers. From the gallery, you can install providers and add their connections.
	Installed	This subarea shows the providers that you've successfully installed and activated. It also shows the list of providers that are inactive and

Area	Subarea	Components
		awaiting completion.
	Additional settings	This subarea provides other settings that are required to make a provider work end to end. It includes the following components: • **Transformations** – This setting lets you add power queries to enable communication between external system data in the app. • **Mapping groups** – This setting lets you support data that is shared across multiple providers. • **Actions** – This setting lets you manage the provider functions in the form of actions in the orchestration flows. • **Action types** – This setting lets you manage your provider actions in the form of associated functions.
Orchestration settings	Order journeys	This subarea lets you set up your order orchestration flows. These orchestration flows can be **order**, **returns**, and **inventory** orchestrations.
	Policies	This subarea lets you set up different business rules that can be used in the orchestration flows.
	Business events	This subarea enables different **input** and **output** business events that trigger subsequent actions in the orchestration flow.
Data settings	Mapping	This subarea lets you add value maps and value map types across account, contacts, products, price lists, warehouses, currencies, unit groups, and units, so that data can be mapped across multiple providers.
Order settings	Fulfillment settings	This subarea lets you set up all configurations that are associated with an order fulfillment. It includes the following components: • **Strategies** – This setting lets you define different order fulfillment strategies and use them differently across your order fulfillments. • **Constraints** – This setting lets you define constraints or rules to optimize fulfillment and inventory latency. • **Source lists** – This setting lets you group multiple sources into groups, and use those groups to run strategies and constraints across a source list. • **Sources** – This setting lets you manage multiple sources to enable multi-modal fulfillment strategies. • **Fulfillment plan** – This setting lets you visualize the record for the optimized plan across a specific strategy and set of constraints that was generated. • **Ship via** – This setting lets you define the mode of delivery for a product.

Area	Subarea	Components
		• **Terms of delivery** – This setting lets you define delivery terms as negotiated across a carrier and a vendor.
	Sales settings	This subarea is focused on setups that enhance order-related orchestrations. It includes the following components: • **Split groups** – This setting lets you define split groups that can be used to split orders across any order entities. • **Shipping carriers** – This setting lets you define the master list of supported carriers in your order orchestration for fulfillments. • **Customer groups** – This setting lets you define the master list of your customer groups that can be used to allocate inventory.
	Warehouse settings	This subarea is focused on setups that are related to your stores or distribution centers that are required to complete transactions effectively. It includes the following components: • **Document types** – This setting lets you set up your document type masters, such as shipping labels and return labels. • **Document specifications** – This setting lets you set up detailed specifications, such as document print formats. • **Fulfillment source print specifications** – This setting lets you set up fulfillment source print specifications, such as supported label types and size formats. • **Disposition codes** – This setting lets you manage the master list of your disposition codes for returned items. • **Inspection codes** – This setting lets you set up the master list of your inspection codes for returned items. • **Return warehouses** – This setting lets you set up the master list of your return warehouses across a specific city, state or province, and country or region, based on the customer's delivery address.
Inventory settings	Index and Reservation	This subarea is focused on setups that are associated with inventory management in Intelligent Order management. Here, you can set up the physical measures, data sources, allocations, and calculated measure for inventory. For more information about these setups, see Inventory setup.

Last updated on 01/27/2026

Data management

Managing data is an important part of setup and administration in Dynamics 365 Intelligent Order Management. You can classify data in Intelligent Order Management into the following categories.

- System data: Set up data needed to support the administration of the app. Additionally, reference data is base data needed to support setup of master data or transactional data.
- Master data: Entities for orienting a business process. You might need master data to validate or drive different processes in the orchestration of order transactions.
- Transaction data: The main transactional document recorded by the app in the processing of order flows.

Intelligent Order Management is designed for complex environments where many internal and external systems communicate data. You design systems that share master data with other systems.

Intelligent Order Management is built on Microsoft Dataverse and the common data model, which you can use to store data you consider to be master data. You can configure Intelligent Order Management as the central app with a single view of orders in your organization, so you might consider it the master system. However, other business apps, such as your existing ERP app, might originate master data such as products or accounts. Therefore, you might consider that ERP app the master data system for some types of data.

System data

You can configure and use parameters throughout Intelligent Order Management. The app provides pages where you can administer system parameters that are needed to control functionality. Use these pages when you're initially setting up Intelligent Order Management and throughout day-to-day administration.

Some data is important for the operation of the systems, such as currency and units of measure. You can access this type of reference data through the pages provided for master data entities like product. You can also import and export this data by using the tools listed in the following sections.

Master data

Business apps often use master data entities that represent key business entities such as accounts and products. Intelligent Order Management uses these types of entities to validate

data as it moves through the orchestration flow. For example, you might have customer account numbers, so when an order comes into Intelligent Order Management, you might want to look up the account number.

Intelligent Order Management works with or without master data. Master data is an important concept if you use the orchestration capabilities, but you can use different source and destination systems to control master data at those endpoints.

An example is account data from e-commerce systems in D2C and D2C flows. If you receive an order from an online marketplace, you likely don't have an account number from that system. The order arrives with minimal customer information. You might receive thousands of these orders a day in high volume scenarios, but there's enough information on the orders to send to fulfillment, and you don't validate these orders against an account master list. Similarly, products on the order lines can use the write-in product concepts, so you might choose to not catalog a product list in Intelligent Order Management for validation of product information as it moves through the orchestration flow.

If you need to set up master data such as accounts or products, use the appropriate page in the app and use the import and export tools listed in the following sections.

Transactional data

Order transactions are the main transactional entity in Intelligent Order Management. The focus in the current release is on sales orders. The common data model in Dataverse includes entities for a sales order header named **Order** and a sales order line named **Order Product**.

Intelligent Order Management introduces a new transactional entity called a **Fulfillment Order**. This entity includes information about the fulfillment of a sales order line and includes a header named **Fulfillment Order** and lines named **Fulfillment Order Product**.

In Intelligent Order Management, orchestration is designed around the order concept of a sales order.

Import and export data

Intelligent Order Management enables admins and business users to use several different tools to import and export data.

- Using the app: Business users can use pages in the app to export to Excel and import from Excel to update data like transactions and master data.

- Maker Portal: Admins can use the Maker Portal to import and export data from Dataverse. To learn more, see Import or export data from Microsoft Dataverse.
- Dataflows: Admins can use the capabilities of dataflows to move data between Dataverse and other apps. To learn more, see Self-service data prep with dataflows.

Last updated on 01/30/2026

Troubleshoot trial sign-up problems

This article helps you troubleshoot problems that occur during sign-up for the Microsoft Dynamics 365 Intelligent Order Management trial. It provides some workarounds that you can try if you receive error messages that resemble the following examples when you sign up for the trial:

- "You're already signed up for this subscription with..."
- "You are not a member of this organization"

A preview trial is designed for testing in public. The product team uses the feedback to make improvements in later updates. The Intelligent Order Management team continues to monitor trial feedback and will provide updated instructions as required.

Sign-in problems

During sign-in, you might experience an authentication problem and receive the following message: "Sign in required - Please select sign in to continue." In this case, try the following workarounds:

- Start your browser session in a private window.
- Clear cookies for your browser session.
- Start your browser session in a different browser. The product team is currently investigating a browser-specific cache problem.

Account and tenant license issues

Depending on your account setup, you might experience account and tenant license issues. The trial experience is supported only for trial subscriptions that are created during the sign-up process when a new account is created.

If the account that you use to sign up is related to an existing tenant, but you aren't the administrator of that tenant, you will experience issues and won't be able to deploy the trial environment. For more information about what a tenant is, see What is a tenant.

If a Dynamics 365 Customer Engagement license is already associated with your tenant, you might experience issues when you deploy your trial. In this case, we recommend that you create a new tenant.

To create a new tenant, follow these steps:

1. Open a new private window in your browser.
2. Go to https://dynamics.microsoft.com/intelligent-order-management.

3. Select **Start free trial**.
4. In the **Email** field, enter your email address.
5. Select **Create a new account instead**, and enter the requested information. For more information, see Dynamics 365 Intelligent Order Management (Preview) release.

After you create your new account, you will have a new free tenant. You're automatically made the administrator of the tenant.

For more information, see Deployment.

If the sign-up issue persists after you create a new tenant, try to deploy the environment directly from the Power Platform admin center by following these steps.

1. Open the Power Platform admin center.
2. Select **New**.
3. In the **New environment** dialog box, in the **Name** field, enter your name.
4. In the **Type** field, select **Trial**.
5. Select **Next**.
6. In the **Add database** dialog box, follow these steps:
   a. In the **Language** field, select **English**. English is the only language that is supported in the trial.
   b. In the **URL** field, enter a domain name URL. If you leave this field blank, a domain name URL will be created for you.
   c. Set the **Enable Dynamics 365 Apps** option to **Yes**.
   d. In the **Automatically deploy these apps** field, select **Intelligent Order Management**.
   e. Select **Save** to start the process of deploying your environment. Deployment will take a few minutes.
7. After deployment is completed, and the **Environments** page shows the state of your environment as **Ready**, select the environment name.
8. Under **Details**, select the URL to open the environment.
9. Select the **Intelligent Order Management** application.

Mismatched regions

Mismatched regions are another common cause of errors.

The region that you selected when you created your tenant must match the region that you select when you sign up for the trial. For example, if you selected Europe as your region during tenant creation, you can't select United States as your region when you deploy your trial.

> **Note**
>
> Some issues with deployment of environments in Canada have been reported. Therefore, we recommend that you deploy your environment in another region.

Last updated on 01/30/2026

Power BI reports aren't provisioned in the trial version

In the August 2021 release of Microsoft Dynamics 365 Intelligent Order Management (version 1.0.03429), the Fulfillment Source table isn't automatically enabled for change tracking. This issue causes the Power BI reports to show the following message for an indefinite period:

> Your reports are being provisioned. Please allow up to 24 hours for the process to complete.

To fix this problem, follow these steps. This procedure reenables the Fulfillment Source table to sync and provision the Power BI reports.

1. Disable the Power BI Insights setting:
   a. Open Intelligent Order Management.
   b. Switch to the **Configurations** site map in the lower corner of the app.
   c. Under **Dashboard Settings**, select **Power BI Insights**.
   d. Select **Manage**.
   e. Under **Summary**, set the **Status** option to **Disabled**.
   f. Select **Save**.

2. Enable change tracking for the Fulfillment Source table:
   a. Open the Power Apps maker portal.
   b. In the upper-right corner, select the correct environment.
   c. In the left pane, under **Data**, select **Tables**.
   d. Under the environment name, change the filter criterion from **Default** to **All**.
   e. In the search field, enter **msdyn_fulfillmentsource**.
   f. Select the table name to go to the table details.
   g. Select **Settings**.
   h. In the **Edit table** dialog box, expand **More settings**.
   i. Expand **Create and update settings**.
   j. Select the **Enable change tracking** checkbox.
   k. Select **Done**.
   l. Select **Save Table**.

3. Synchronization of the table data should automatically begin. Wait at least an hour for the table to be fully processed.

4. When the table data syncs, enable the Power BI Insights setting:
   a. Open Intelligent Order Management.
   b. Switch to the **Configurations** site map in the lower corner of the app.

c. Under **Dashboard Settings**, select **Power BI Insights**.
d. Select **Manage**.
e. Under **Summary**, set the **Status** option to **Enabled**.
f. Select **Save**.

5. Verify that the Power BI reports are rendered. The reports should be provisioned and appear within 15 minutes.

Last updated on 01/28/2026

Dynamics 365 Intelligent Order Management Power Automate flows

This article provides a list of the flows that are available as part of Microsoft Dynamics 365 Intelligent Order Management. Use these flows to build your own custom providers or solutions.

Mapping flows

Create account mapping

The **Create account mapping** flow creates a customer account mapping that uses the specified external field name and external field value for the lookup to map back to an account ID.

Expand table

Parameter	Description	Required
Provider ID	The provider ID for the mapping.	True
Mapping Group ID	The mapping group ID for the mapping.	True
Account ID	The account ID to return when a match is found.	True
External Field Name	The name of the field to check for the value in the external data source.	True
External Field Value	The field value to match in the external data source.	True

The mapping returns the account ID, whether it's just created or it already exists.

> **Note**
>
> This value is the ID of the mapping, not the account.

Create contact mapping

The **Create contact mapping** flow creates a customer contact mapping that uses the specified external field name and external field value for the lookup to map back to a contact ID.

Expand table

Parameter	Description	Required
Provider ID	The provider ID for the mapping.	True
Mapping Group ID	The mapping group ID for the mapping.	True
Contact ID	The contact ID to return when a match is found.	True
External Field Name	The name of the field to check for the value in the external data source.	True
External Field Value	The field value to match in the external data source.	True

The mapping returns the contact ID, whether it's new or already exists.

> **Note**
>
> This value is the ID of the mapping, not the contact.

Create fulfillment order mapping

The **Create fulfillment order mapping** flow creates a fulfillment order mapping that uses the specified external field name and external field value for the lookup to map back to a fulfillment order ID.

Expand table

Parameter	Description	Required
Provider ID	The provider ID for the mapping.	True
Mapping Group ID	The mapping group ID for the mapping.	True
Fulfillment Order ID	The fulfillment order ID to return when a match is found.	True
External Field Name	The name of the field to check for the value in the external data source.	True
External Field Value	The field value to match in the external data source.	True

The mapping returns the fulfillment order mapping ID, whether it's newly created or already exists.

> **Note**
>
> This value is the ID of the mapping, not the fulfillment order.

Create fulfillment order product mapping

The **Create fulfillment order product mapping** flow creates a fulfillment order product mapping that uses the specified external field name and external field value for the lookup to map back to a fulfillment order product ID.

Expand table

Parameter	Description	Required
Provider ID	The provider ID for the mapping.	True
Mapping Group ID	The mapping group ID for the mapping.	True
Fulfillment Order Product ID	The fulfillment order product ID to return when a match is found.	True
External Field Name	The name of the field to check for the value in the external data source.	True
External Field Value	The field value to match in the external data source.	True

The mapping returns the fulfillment order product mapping ID, whether it's just created or it already exists.

> **Note**
>
> This value is the ID of the mapping, not the fulfillment order product.

Create order mapping

The **Create order mapping** flow creates an order mapping that uses the specified external field name and external field value for the lookup to map back to an order.

Expand table

Parameter	Description	Required
Provider ID	The provider ID for the mapping.	True
Mapping Group ID	The mapping group ID for the mapping.	True
Order ID	The order ID to return when a match is found.	True
External Field Name	The name of the field to check for the value in the external data source.	True

Parameter	Description	Required
External Field Value	The field value to match in the external data source.	True

The mapping returns the order mapping ID, whether it's just created or it already exists.

> **Note**
>
> This value is the ID of the mapping, not the order.

Get external mapping

The **Get external mapping** flow returns the external field value that maps to the internal field value for a specific table and external field name.

Expand table

Parameter	Description	Required
Mapping Table	The mapping table to look up for the external value.	True
Provider ID	The provider ID for the mapping.	True
Mapping Group ID	The mapping group ID for the mapping.	True
Internal Record Value	The value used internally to match.	True
External Field Name	The name of the field to check for the value in the external data source.	True

The mapping returns the record if a matching table, internal record value, and external field name exist for the specified provider or mapping group.

Get internal mapping

The **Get internal mapping** flow returns the internal field value that maps to the external field value for a specific table and external field name.

Expand table

Parameter	Description	Required
Mapping Table	The mapping table to look up for the external value.	True

Parameter	Description	Required
Provider ID	The provider ID for the mapping.	True
Mapping Group ID	The mapping group ID for the mapping.	True
External Field Name	The name of the field to check for the value in the external data source.	True
External Field Value	The value used externally to match.	True

The mapping returns the record if a matching table, external field value, and external field name exist for the specified provider or mapping group.

Fulfillment flows

Create fulfillment tracking

The **Create fulfillment tracking** flow creates a record in the tracking table to associate a tracking number with a fulfillment order or fulfillment return order, and other details.

Expand table

Parameter	Description	Required
Tracking Number	The tracking number to set for the record.	True
CarrierRecordId	A matching record from the **Shipping Carrier** table.	True
CarrierServiceId	A matching record from the **Carrier Service** table.	True
FulfillmentOrderRecordId	The fulfillment order record to set the tracking number on.	False
FulfillmentLineRecordId	The fulfillment order line record to set the tracking number on.	False
ShipmentId	The associated shipment ID, if it's available.	False
ShipmentCost	The associated shipment cost, if it's available.	False
InsuranceCost	The associated insurance cost, if it's available.	False
Tax	The associated tax, if it's available.	False
SurchargeFee	The associated surcharge fee, if it's available.	False
FulfillmentReturnOrderRecordId	The fulfillment return order record to set the tracking number on.	False

> **Note**
>
> Either a **FulfillmentOrderRecordId** value or a **FulfillmentReturnOrderRecordId** value is required.

The flow returns the tracking number ID from the **Fulfillment Trackings** table.

Fulfillment line and aggregated order events

The **Fulfillment line and aggregated order events** flow raises a business event on a fulfillment order line. When this event is raised, the flow verifies that all lines have the same status. If they have the same status, the flow raises the specified fulfillment order–level business event at the header level.

Expand table

Parameter	Description	Required
FulfillmentLineBusinessEventDefinitionId	The business event to raise on the line entity.	True
FulfillmentLineRecordId	The fulfillment order line to raise the initial business event for.	True
FulfillmentOrderBusinessEventDefinitionId	The business event to raise on the fulfillment order if all lines have the same status.	True
FulfillmentOrderRecordId	The fulfillment order to raise the business event for.	True
Payload	The optional JavaScript Object Notation (JSON) payload to pass together with the business event.	False

The flow returns **IsSuccessful true** if the business event is successfully raised.

Customer account and contact flows

Create or update an account

The **Create or update an account** flow creates or updates an existing account, based on the specified JSON payload.

Expand table

Parameter	Description	Required
Payload	The JSON representation of the account.	True
Account ID	The ID of the account to update.	False

> Note
>
> The **Account** table has specific fields that are required in the JSON payload. To see what fields are required, go to **Dataverse** > **Tables** > **All**, find your table, and select **Columns**. Use the **Required** field to determine what's required.

The flow returns the ID of the created or updated account.

Create or update a contact

The **Create or update a contact** flow creates or updates an existing contact, based on the specified JSON payload.

Expand table

Parameter	Description	Required
Payload	The JSON representation of the contact.	True
Contact ID	The ID of the account to update.	False

> Note
>
> The **Contact** table has specific fields that are required in the JSON payload. To see what fields are required, go to **Dataverse** > **Tables** > **All**, find your table, and select **Columns**. Use the **Required** field to determine what's required.

The flow returns the ID of the created or updated contact.

Order flows and Order product flows

Sales order creation

The **Sales order creation** flow creates a sales order, based on the specified JSON payload.

Expand table

Parameter	Description	Required
Payload	The JSON representation of the sales order and lines.	True
ProviderId	The ID of the calling provider.	False

> **Note**
>
> Both the **Order** table and the **Order Line** table have specific fields that are required in the JSON payload. To see what fields are required, go to **Dataverse** > **Tables** > **All**, find your table, and select **Columns**. Use the **Required** field to determine what's required.

The flow returns the ID of the created sales order.

Raise lines and aggregated order events

The **Raise lines and Aggregated order events** flow raises a business event on a sales order line. When this event is raised, the flow checks that all lines have the same status. If they have the same status, the flow raises the specified order-level business event at the header level.

Expand table

Parameter	Description	Required
LineBusinessEventId	The business event to raise on the line entity.	True
LineRecordId	The order line to raise the initial business event for.	True
OrderBusinessEventId	The business event to raise on the order if all lines have the same status.	True
OrderRecordId	The order to raise the business event for.	True
Payload	The optional JSON payload to pass together with the business event.	False

The flow returns **IsSuccessful true** if the business event is successfully raised.

Raise sales order lines business event

The **Raise sales order lines business event** flow raises a business event for all lines on a sales order.

Expand table

Parameter	Description	Required
SalesOrderId	The order record for which a business event should be raised for each line.	True
BusinessEventId	The order line business event to raise for each line.	True

The flow returns **IsSuccessful true** if the business event is successfully raised.

Unit conversion

The **Unit conversion** flow converts a quantity from one unit to another by using the unit conversions that you set up for a product.

Expand table

Parameter	Description	Required
Quantity	The quantity to convert.	True
From unit	The unit to convert from.	True
To unit	The unit to convert to.	True

The flow returns the unit conversion if a conversion exists.

Miscellaneous flows

Provider transformer

The **Provider transformer** flow applies a Power Query transformation that you define on a provider, and then returns the transformed data. This flow looks up an active provider instance by ID, and checks for a transformation that has a matching source object name and destination object name.

If the type of transformation is a Dataverse entity, a record ID is required. The flow looks up the record ID for the entity that's defined on the transformation. If a record is found, the flow uses it for the transformation.

If the type of transformation is **JsonPayload**, a value is required for the **Payload** parameter.

Expand table

Parameter	Description	Required
Provider ID	Any valid globally unique identifier (GUID).	True
Source Object Name	The source object name to look up in provider transformations.	True
Destination Object Name	The destination object name to look up in provider transformations.	True
Payload	The JSON payload to transform if the transformation type is **JsonPayload**.	False
Record ID	The record to look up for the entity that's associated with the transformation.	False

> **Note**
>
> You must provide either a **Payload** value or a **Record ID** value.
>
> The system replaces the **Provider ID** value, which is a GUID, when you activate a provider. You can enter any GUID for this parameter.

If the flow is successful, it returns a JSON representation of the transformed record.

Raise a business event

The **Raise a business event** flow raises a business event for the specified entity record and delivers an optional payload.

Expand table

Parameter	Description	Required
BusinessEventDefinitionId	The GUID of an existing business event.	True
EntityRecordId	The record ID of the entity that's associated with the business event.	True
Payload	An optional payload to deliver together with the business event.	False

> **Note**

The **EntityRecordId** value can be a comma-delimited list of record IDs. If you provide a delimited list, the flow raises a business event for each record.

The flow returns **IsSuccessful true** if the business event is successfully raised.

Last updated on 01/30/2026

Error handling

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

This article describes error handling in Microsoft Dynamics 365 Intelligent Order Management.

Dynamics 365 Intelligent Order Management has five primary error handling pages that you can use to diagnose issues with your environment. Each error handling page provides different information, based on the type of error.


Entity-specific orchestration step results

For entities such as sales orders and fulfillment orders, you can select the **Orchestration Step Results** tab on the order page to view information about every step that has run for that record, and the orchestration result.

The following table describes the fields on the **Orchestration Step Results** tab.

Expand table

Field	Description
Created On	The date and time when the step ran.
Step	The step in the orchestration journey. If you select the value in this field, you're taken to the step result, where you can view results across all entities.
Result	The result: either **Success** or **Failure**.
Result Details	Any execution result value message that the step returned.
Run ID	The Power Automate run ID.
Processed Record	The record that the step ran on.



System errors

You can view system errors for four error types:

- Provider inbound
- Provider action
- Orchestration step
- Policy

To access the error pages for these error types, select **Monitoring** > **Errors** in the left navigation pane to open the **Error pages** landing page. Then select **Manage** for a specific error type.




Provider inbound errors

Provider inbound errors are used to monitor Power Automate flows that handle data ingestion. These types of errors can be triggered from either a polling (scheduled) mechanism or a webhook that an external system calls into. The fields on the **Provider Inbound Errors** page can help you diagnose errors with inbound providers.

The following table describes the fields on the **Provider Inbound Errors** page.

Expand table

Field	Description
Time of Error	The date and time when the error occurred.
Error Status	The status of the error. You can deactivate an error so that it doesn't appear on this page.
Provider	The provider that the error belongs to.
Provider Message Handler	The message handler that failed.
Message ID	An ID that is assigned to a message to uniquely identify it.
Error Message	The error message that was returned.
Error Category	The category of the error.
Run History URL	A link to the Power Automate flow that ran.



Provider action errors


Provider action errors are associated with outbound calls from Intelligent Order Management to a provider action. You can use this page to determine whether the same provider is failing multiple times across the system. These errors might indicate that something is wrong with a specific provider.

The following table describes the fields on the **Provider Action Errors** page.

Expand table

Field	Description
Created On	The date and time when the failure occurred.
Result	The result: either **Success** or **Failure**.
Provider Action	The provider action that failed.
Step Execution Result	The step that the error is associated with.
Processed Record	The record that was processed for this failure.

Field	Description
Result Details	Any execution result that the flow returned.
Run History URL	The Power Automate flow run that failed.



Orchestration step errors

The **Orchestration Step Errors** page shows orchestration steps that have failed across the system. You can use it to determine whether there's a systemic issue across runs. For more information about these errors, see the Entity-specific orchestration step results section earlier in this article.

Policy errors


You can use the **Policy Errors** page to find all the policy and rule failures in your system.

The following table describes the fields on the **Policy Errors** page.

Expand table

Field	Description
Created On	The date and time when the policy failure occurred.
Result	The result. The value should always be **Failure**.
Policy	The policy that failed.
Step Execution Result	The step that failed.
Processed Record	The record that failed.


Field	Description
Result Details	The details of any error message that was returned.




Power Query transformation failures

If a call to Intelligent Order Management Provider Transformer fails, the best way to debug the failure is to directly observe the Power Automate execution.

1. Open the Power Platform portal for your environment.
2. Go to **Solutions** > **Default Solution**.
3. Search for the **IOM Provider Transformer** cloud flow, and open it.
4. Review the information in the **28 day run history** grid.



5. Find the execution that you're interested in, and open it.
6. Expand **Try Process**. Depending on your version of Intelligent Order Management, you might have to expand further to find the call to **Transform data**.
7. If the process is successful, you can view the result of the transformation directly. If an exception error is thrown, you can view the exception details by selecting **Show raw outputs** to show the raw outputs of the call.



Example errors


The following table shows some examples of error messages and describes the suggested steps to fix the errors.

Expand table

Error message	Suggested steps
Failed to retrieve a matching provider transformation record.	The provider ID must match an *active provider instance*, not a provider definition. The source object and destination object on the transformation must match what is shown in your call to Intelligent Order Management Provider Transformer.
Field "field_name" wasn't found on the table.	You're trying to access data that no value is provided for in the record. If data is optional, you must use **Record.FieldOrDefault** as a default value.

Reprocess orchestration errors


If a sales order fails in an orchestration step, you can reprocess it from the failed step by using the **Reprocess** button on the Action Pane.



Dual-write errors

If a sales order or sales order lines fail while they are being processed through dual-write into finance and operations apps, the errors are shown in the following places:

- The out-of-box provider action that is used to send an order to finance and operations apps is shown as **Failed** on the **Orchestration step results** tab. The result details show the error message from dual-write for order header failures.
- If one or more sales order lines fail during dual-write processing, the resulting dual-write error message appears in a new **Sync Error** field on the sales order line in Dataverse. It's also available out of the box in the Intelligent Order Management user interface (UI).



Filter orders without lines in dual-write

If a sales order doesn't have any sales order lines, the order is filtered from synchronization through dual-write to prevent errors in the downstream processing. The error message appears on the **Orchestration Step Results** tab in Intelligent Order Management.

Last updated on 01/28/2026

Inventory operations visibility

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

This article describes inventory operations visibility in Microsoft Dynamics 365 Intelligent Order Management.

Inventory operations visibility is a key feature of Intelligent Order Management that enables end-to-end visibility into inventory across your organizational units. This full visibility helps you prepare for the unexpected and make better business decisions.

Inventory operational visibility has three primary benefits:

- Optimized stock levels
- Reduced supply chain costs
- Improved decision making

To provide these benefits to customers, Intelligent Order Management introduces near-real-time inventory query pages that you can use across different areas of the application. These inventory query pages are updated with information from your source system. In this way, they follow a fundamental principle of heterogeneous supply chain systems.

> **Note**
>
> Query pages in Intelligent Order Management can automatically detect an enabled instance of Dynamics 365. Inventory query pages use inventory capabilities in Dynamics 365 Finance to query and highlight product availability. If available-to-promise (ATP) inventory capabilities are enabled, an inventory query page can also query incoming availability from Finance.

Access inventory query pages

You can access inventory query pages from multiple areas for different scenarios. The following use cases highlight some of the methods.

Use case 1: An inventory planner wants operational visibility

To get operational visibility, an inventory planner follows these steps:

1. In the left navigation pane, under **Demand planning**, select **Operational visibility**. The **Onhand Query** page appears. Queries are defined on the left side of the page, and the results appear on the right side.

2. If you're using Intelligent Order Management without Dynamics 365 Supply Chain Management, the **Organization ID** field is automatically set to the Dataverse organization ID. If dual-write is enabled in Finance, enter the **Company ID** value in this field.

3. Set the following mandatory fields:

    - **Site ID**
    - **Location ID** – Enter the **Warehouse ID** value that is associated with a store or warehouse.

4. In the **Product ID** field, enter the product ID to search for. Use the ID that is associated with the product name in the product master.

5. If you uploaded your demand and supply view by using Dynamics 365 Inventory Services, select the **Query ATP** checkbox.

6. Select **Query**. Query results appear on the right side of the page.

7. To hide the query section of the page and show only the results, select **Combo** > **Hide search criteria** in the upper right.

Use case 2: A customer representative wants to view availability from the Products page

To view availability from the **Products** page, a customer representative follows these steps:

1. In the left navigation pane, under **Demand planning**, select **Products**.

2. Select a product, and then select **View**.

3. On the upper toolbar, select **View Availability**. The **Onhand Query** page appears. The **Organization ID** and **Product ID** fields are automatically set.

4. By default, the **Organization ID** field is set to the Dataverse organization ID for Intelligent Order Management. If dual-write is enabled in Finance, enter the **Company ID** value in this field.

5. Set the following mandatory fields:

- **Site ID**
- **Location ID** – Enter the **Warehouse ID** value that is associated with a store or warehouse.

6. If you uploaded your demand and supply view by using Dynamics 365 Inventory Services, select the **Query ATP** checkbox.

7. Select **Query**. Query results appear on the right side of the page.

8. To hide the query section of the page and show only the results, select **Combo** > **Hide search criteria** in the upper right.

Use case 3: A customer representative wants to view availability from the Order Products page

To view availability from the **Order Products** page, a customer representative follows these steps:


1. In the left navigation pane, under **Orders**, select **Sales Orders**.

2. Select **New** to create an order.

3. Enter the order details, and then select **Save** to save the order header.

4. In the left navigation pane, under **Orders**, select **Order Products**.

5. Select **Add Products**. The **Quick Create: Order Product** dialog box appears.



6. Set the **Select Product** option to **Existing** or **Write-in**, and then select or add the product.

7. Add the **Unit** value.

8. Select **Check Availability**. The **Onhand Query** page appears. The **Organization ID** and **Product ID** fields are automatically set. If you entered the **Fulfillment Source** value, the **Location ID** field is also automatically set.

9. By default, the **Organization ID** field is set to the Dataverse organization ID for Intelligent Order Management. If dual-write is enabled in Finance, enter the **Company ID** value in this field.

10. Set the **Site ID** field.

11. If you uploaded your demand and supply view by using Dynamics 365 Inventory Services, select the **Query ATP** checkbox.

12. Select **Query**. Query results appear on the right side of the page.

13. To hide the query section of the page and show only the results, select **Combo** > **Hide search criteria** in the upper right.

14. Review the availability. When you finish, select **Save** on the **Order Products** page.

The query results are based on the physical and calculated measures that are configured as part of inventory configuration.

Last updated on 01/30/2026

Extensibility

Dynamics 365 Intelligent Order Management is built as a Microsoft Dataverse application that enables customers and partners to extend the application. This article lists where you can find more information about how the application that can be extended to provide the functionality that your business requires

Terminology

Understanding some of the terminology in Microsoft Dataverse will help you to get started. To learn more, see Understand terminology in Microsoft Dataverse.

Data model

As part of the Intelligent Order Management solution, the application extends Common Data Model in Dataverse. As a customer, you can modify data entities to store other data needed to implement your business processes. Modifying an entity allows you to add new fields to capture data or new tables to store related data that can help with the order and fulfillment process. For more information, see Tables in Dataverse.

User interface

The Intelligent Order Management user interface is built using model-driven app concepts. You can use the same technology to build other forms that capture data for management orders, fulfillment, or other processes. For more information, see What are model-driven apps.

Business logic

Business logic can be extended in Intelligent Order Management in multiple ways, depending on the complexity of what you need to implement. Business logic can be as simple as updating a field or as complicated as creating a complex optimization function. To help get you started, see Apply custom logic with business rules and flows in model-driven apps.

Providers

Building your own provider enables you to incorporate an external service that you can call through the orchestration flow. For more information about building a new provider, see Customize an out-of-box provider.

Orchestration

Intelligent Order Management orchestration is business process logic that represents the flow of an order document. You can build your own orchestration flows. For more information, see Orchestration flows.

Business intelligence

Intelligent Order Management is built on and extends the Common Data Model. Understanding the concepts of the Common Data Model helps you determine what data you can store with Intelligent Order Management and what you can use to enhance the reporting and business intelligence solutions you design for your business. For more information about the Common Data Model, see Common Data Model.

Last updated on 01/30/2026

Application lifecycle management for Dynamics 365 Intelligent Order Management

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

This article describes application lifecycle management (ALM) in Microsoft Dynamics 365 Intelligent Order Management. It includes information about how to move solutions from one environment to another or package solutions for storage in source control.

The following information specifies the setup tables that are required to migrate data for Dynamics 365 Intelligent Order Management configurations. These setup tables require a manual step to add each entity to an unmanaged solution. After you add the desired entities, you can export the solution as a package file that contains the data of the entities that you added to the unmanaged solution. You can then import the package file into another Intelligent Order Management environment, where you can activate the data for use.

Setup tables

The following table lists the setup tables that are required to migrate data for Intelligent Order Management configurations.

Expand table

Table name	Solution location
Policy (msdyn_iompolicy)	Intelligent Order Management Provider Integration Outbound
Rule (msdyn_iomrule)	Intelligent Order Management Provider Integration Outbound
Provider Definition (msdyn_iomproviderdefinition)	Intelligent Order Management Provider Configuration
Provider (msdyn_iomprovider)	Intelligent Order Management Provider Configuration

Table name	Solution location
Provider Connection Reference (msdyn_iomproviderconnectionreference)	Intelligent Order Management Provider Configuration
Provider Definition Connection Reference (msdyn_iomproviderdefinitionconnectionref)	Intelligent Order Management Provider Configuration
Provider Transformation (msdyn_iomprovidertransformation)	Intelligent Order Management Provider Integration Base
Provider Transformation Definition (msdyn_iomproviderdefinitiontransformation)	Intelligent Order Management Provider Configuration
Provider Parameter (msdyn_iomproviderparameter)	Intelligent Order Management Provider Configuration
Provider Definition Parameter (msdyn_iomproviderdefinitionparameter)	Intelligent Order Management Provider Configuration
Provider Definition Logic Definition (msdyn_iomproviderdefinitionlogicdefinition)	Intelligent Order Management Provider Configuration
Designer (msdyn_iomdesigner)	Intelligent Order Management Designer

Tables required for policy rule migration

The following tables are required for policy rule migration:

- Policy
- Rule

> **Note**
>
> When you manually add rules, you also automatically add the parent policies.

Tables required for provider migration

The following tables are required for provider migration:

- Provider Definition
- Provider
- Provider Connection
- Provider Connection Reference
- Provider Transformation

- Provider Definition Transformation
- Provider Parameter
- Provider Definition Parameter

Tables required for orchestration migration

The following tables are required for orchestration migration:

- Designer
- Policy and rule tables
- Provider tables, if orchestration has provider actions.

Add tables as solution components and export your solution from the source environment

To add tables as solution components and export your solution from the source environment, follow these steps:

1. Go to https://make.preprod.powerapps.com for your test environment or https://make.powerapps.com for your production environment.
2. In the upper right, select the appropriate environment.
3. In the left navigation pane, select **Solutions**.
4. On the **Solutions** page, set the solution preview option to **Solution preview off**.
5. On the toolbar, select **New solution**.
6. In the **New solution** dialog box, follow these steps:
   a. Enter values in the **Display Name** and **Name** fields.
   b. Select any publisher.
   c. Leave the version set to **1.0.0.0**. The version number can be increased as you export solutions and is required to upgrade a managed solution.
   d. Select **Create**.
7. Open the new solution.
8. On the toolbar, select **Add existing** > **Table**.
9. In the **Add existing tables** dialog box, find or search for a table that is required for the data migration, and then select it. The search field is located in the upper right.
10. Find and select the rest of the required setup tables, and then select **Next**.

11. Under **Selected tables**, select the **Include table metadata** checkbox for each table.
12. Select **Add**.
13. After existing data has been added to the solution, select **Export** on the toolbar.
14. In the **Before you export** dialog box, under **Publish All Changes**, select **Publish**, and then select **Next**.
15. In the **Export this solution** dialog box, under **Export as**, select **Managed (recommended)**, and then select **Export**. This export option creates the package zip file that contains the data that was added as a solution component.
16. Wait for the export to be completed, and then download your solution. The solution might be downloaded automatically. Therefore, check your local **Downloads** folder when you see the export success message that has a green background.

Import your solution into your target environment

To import your solution into your target environment, follow these steps:

1. In your target environment, in Intelligent Order Management, ensure that your orchestrations, providers, and policies are deactivated/unpublished. You must complete this step for each provider, policy, and orchestration that you're importing.
2. In your maker portal (https://make.preprod.powerapps.com for your test environment or https://make.powerapps.com for your production environment), select the target environment that you want to import the solution into.
3. On the toolbar, select **Import**.
4. Import your solution into the target environment. Then activate policies, providers, and orchestrations, *in that order*. After the components are activated, the flows for policy will be updated, and orchestration flows will have to be republished with the data that was imported.

Policy and rule versioning

To enable changes to be rolled back to a specific version for policy and rules, versioning records are created for the policy components.

In the policy table, there are two states for records:

- **Current** – There's only one current record for the policy.
- **Archived** – There can be many archived records, depending on the number of changes that have been made to the linked policy and rules.

An archived version of the policy has appropriate rules linked, based on the policy ID. The versioning record is created every time that a policy is unpublished.

The following tables highlight how the two tables are linked and how the **PolicyVersionId** column is used to group the versions that are created for a policy. The **PolicyVersionId** column is filled with the policy ID of the first policy record that was created. The policy ID value persists for each subsequent version that is created, whereas the **PolicyId** column is filled with a new globally unique identifier (GUID), together with a new rule that is created to link to that new GUID.

Expand table

Policy	Type
Primary Key (PK) PolicyId	GUID
PolicyVersionId	GUID
PolicyVersionState	enum
PolicyVersionNumber	int

Expand table

Rule	Type
Primary Key (PK) RuleId	GUID
Foreign Key (FK) Policy	GUID
RuleDefinition	string
AssociatedEntity	enum

Last updated on 01/27/2026

Application lifecycle management for Dynamics 365 Intelligent Order Management

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

This article describes application lifecycle management (ALM) in Microsoft Dynamics 365 Intelligent Order Management. It includes information about how to move solutions from one environment to another or package solutions for storage in source control.

The following information specifies the setup tables that are required to migrate data for Dynamics 365 Intelligent Order Management configurations. These setup tables require a manual step to add each entity to an unmanaged solution. After you add the desired entities, you can export the solution as a package file that contains the data of the entities that you added to the unmanaged solution. You can then import the package file into another Intelligent Order Management environment, where you can activate the data for use.

Setup tables

The following table lists the setup tables that are required to migrate data for Intelligent Order Management configurations.

Expand table

Table name	Solution location
Policy (msdyn_iompolicy)	Intelligent Order Management Provider Integration Outbound
Rule (msdyn_iomrule)	Intelligent Order Management Provider Integration Outbound
Provider Definition (msdyn_iomproviderdefinition)	Intelligent Order Management Provider Configuration
Provider (msdyn_iomprovider)	Intelligent Order Management Provider Configuration

Table name	Solution location
Provider Connection Reference (msdyn_iomproviderconnectionreference)	Intelligent Order Management Provider Configuration
Provider Definition Connection Reference (msdyn_iomproviderdefinitionconnectionref)	Intelligent Order Management Provider Configuration
Provider Transformation (msdyn_iomprovidertransformation)	Intelligent Order Management Provider Integration Base
Provider Transformation Definition (msdyn_iomproviderdefinitiontransformation)	Intelligent Order Management Provider Configuration
Provider Parameter (msdyn_iomproviderparameter)	Intelligent Order Management Provider Configuration
Provider Definition Parameter (msdyn_iomproviderdefinitionparameter)	Intelligent Order Management Provider Configuration
Provider Definition Logic Definition (msdyn_iomproviderdefinitionlogicdefinition)	Intelligent Order Management Provider Configuration
Designer (msdyn_iomdesigner)	Intelligent Order Management Designer

Tables required for policy rule migration

The following tables are required for policy rule migration:

- Policy
- Rule

> **Note**
>
> When you manually add rules, you also automatically add the parent policies.

Tables required for provider migration

The following tables are required for provider migration:

- Provider Definition
- Provider
- Provider Connection
- Provider Connection Reference
- Provider Transformation

- Provider Definition Transformation
- Provider Parameter
- Provider Definition Parameter

Tables required for orchestration migration

The following tables are required for orchestration migration:

- Designer
- Policy and rule tables
- Provider tables, if orchestration has provider actions.

Add tables as solution components and export your solution from the source environment

To add tables as solution components and export your solution from the source environment, follow these steps:

1. Go to https://make.preprod.powerapps.com for your test environment or https://make.powerapps.com for your production environment.
2. In the upper right, select the appropriate environment.
3. In the left navigation pane, select **Solutions**.
4. On the **Solutions** page, set the solution preview option to **Solution preview off**.
5. On the toolbar, select **New solution**.
6. In the **New solution** dialog box, follow these steps:
   a. Enter values in the **Display Name** and **Name** fields.
   b. Select any publisher.
   c. Leave the version set to **1.0.0.0**. The version number can be increased as you export solutions and is required to upgrade a managed solution.
   d. Select **Create**.
7. Open the new solution.
8. On the toolbar, select **Add existing** > **Table**.
9. In the **Add existing tables** dialog box, find or search for a table that is required for the data migration, and then select it. The search field is located in the upper right.
10. Find and select the rest of the required setup tables, and then select **Next**.

11. Under **Selected tables**, select the **Include table metadata** checkbox for each table.
12. Select **Add**.
13. After existing data has been added to the solution, select **Export** on the toolbar.
14. In the **Before you export** dialog box, under **Publish All Changes**, select **Publish**, and then select **Next**.
15. In the **Export this solution** dialog box, under **Export as**, select **Managed (recommended)**, and then select **Export**. This export option creates the package zip file that contains the data that was added as a solution component.
16. Wait for the export to be completed, and then download your solution. The solution might be downloaded automatically. Therefore, check your local **Downloads** folder when you see the export success message that has a green background.

Import your solution into your target environment

To import your solution into your target environment, follow these steps:

1. In your target environment, in Intelligent Order Management, ensure that your orchestrations, providers, and policies are deactivated/unpublished. You must complete this step for each provider, policy, and orchestration that you're importing.
2. In your maker portal (https://make.preprod.powerapps.com for your test environment or https://make.powerapps.com for your production environment), select the target environment that you want to import the solution into.
3. On the toolbar, select **Import**.
4. Import your solution into the target environment. Then activate policies, providers, and orchestrations, *in that order*. After the components are activated, the flows for policy will be updated, and orchestration flows will have to be republished with the data that was imported.

Policy and rule versioning

To enable changes to be rolled back to a specific version for policy and rules, versioning records are created for the policy components.

In the policy table, there are two states for records:

- **Current** – There's only one current record for the policy.
- **Archived** – There can be many archived records, depending on the number of changes that have been made to the linked policy and rules.

An archived version of the policy has appropriate rules linked, based on the policy ID. The versioning record is created every time that a policy is unpublished.

The following tables highlight how the two tables are linked and how the **PolicyVersionId** column is used to group the versions that are created for a policy. The **PolicyVersionId** column is filled with the policy ID of the first policy record that was created. The policy ID value persists for each subsequent version that is created, whereas the **PolicyId** column is filled with a new globally unique identifier (GUID), together with a new rule that is created to link to that new GUID.

Expand table

Policy	Type
Primary Key (PK) PolicyId	GUID
PolicyVersionId	GUID
PolicyVersionState	enum
PolicyVersionNumber	int

Expand table

Rule	Type
Primary Key (PK) RuleId	GUID
Foreign Key (FK) Policy	GUID
RuleDefinition	string
AssociatedEntity	enum

Last updated on 01/27/2026

Application Lifecycle Management feature walkthrough (preview)

> **Important**
>
> Some or all of the functionality noted in this topic is available as part of a preview release. The content and the functionality are subject to change.

This guide provides a walkthrough for enabling and using the Application Lifecycle Management (ALM) preview feature in Microsoft Dynamics 365 Intelligent Order Management. It's based on the ALM demonstration video and includes instructions for activating the feature, adding orchestration flows to a solution, and deploying across environments.

Prerequisites

Access to **Dynamics 365 Intelligent Order Management** source and target environments.

Step 1: Activate the ALM preview feature in the source environment

To activate the ALM preview feature in the source environment, follow these steps.

1. Sign in to your **Dynamics 365 environment** and the **Intelligent Order Management** app in the source environment.
2. From the landing page, select **Settings** > **Configure**.
3. Select **General** > **Manage**.
4. Select **Feature version controls** > **Manage**.
5. Find the setting for **Application Lifecycle Management Feature**.
6. Enable the feature and enter a name for the export solution.

Step 2: Create the solution for export

To create the solution for export, follow these steps.

1. From the Power Apps Maker portal, open the source environment.
2. Open the solution list.
3. Create a solution with the name you used in the previous configuration.

Step 3: Open Dynamics 365 Intelligent Order Management and access orchestration flows

To open Dynamics 365 Intelligent Order Management and access orchestration flows, follow these steps.

1. Sign in to your **Dynamics 365 environment** and the **Intelligent Order Management** app in the source environment.
2. Go to **Intelligent Order Management** > **Orchestrations** → **Flows**.
3. Select the orchestration flow you want to manage.

Step 4: Add flow to a solution

To add flow to a solution, follow these steps.

1. In the command bar, select **Add to Solution**.
2. Confirm the selection and proceed.

Step 5: Export a solution

To export a solution, follow these steps.

1. Go to **Power Platform** > **Solutions**.
2. Select the solution containing your orchestration flow.
3. Select **Export**.
4. Choose **Managed**.
5. Download the exported package.

Step 6: Import to target environment

To import to target environment, follow these steps.

1. Switch to your target environment.
2. Go to **Solutions** > **Import**.
3. Import the solution.

Step 7: Validate and publish your changes

To validate and publish your changes, follow these steps.

1. Open Dynamics 365 Intelligent Order Management in the target environment.
2. Confirm the providers are created and activate them.
3. Confirm the policies are created and publish them.
4. Confirm the orchestration appears under **Intelligent Order Management** > **Orchestrations** → **Flows**.
5. Select **Publish** to activate the orchestration.
6. Test with sample orders.

Last updated on 01/30/2026

Copy an environment with Intelligent Order Management

This article describes the recommended steps for copying environments that use Dynamics 365 Intelligent Order Management. It covers copying both the finance and operations database and the associated Microsoft Dataverse environment that hosts the Intelligent Order Management app.

Use this guidance when performing environment refreshes for testing, validation, or disaster recovery purposes.

Before you begin

- Ensure you have administrative access to:
  - Finance and operations apps
  - Power Platform admin center
- Confirm that Intelligent Order Management is installed in the target environment.
- Plan a validation window after the copy completes to reconfigure integrations and orchestrations.

Step 1: Copy the finance and operations apps and Dataverse environments

1. Copy the finance and operations apps database by following the instructions in Database refresh.
2. Copy the Power Platform Dataverse environment by following Copy an environment.

After the copy completes, the target environment is placed in **administration mode**, and all background operations are disabled.

Step 2: Exit administration mode

To exit administration mode, follow these steps:

1. Go to the Power Platform admin center.
2. Select the copied target environment.
3. In **Details**, select **Edit**.
4. Turn off **Administration mode** and save.

The environment must exit administration mode before Intelligent Order Management background processes can run.

Step 3: Reconfigure Intelligent Order Management connections and system activation

To reconfigure Intelligent Order Management connections and system activation, follow these steps:

1. Open the Intelligent Order Management app.
2. When prompted, allow app permissions to access the environment.
3. Go to **Core settings** > **Admin home** > **Connection references**.
4. Open each connection reference and save it to ensure it's owned by the correct user.
5. Select **Activate system** to re-enable Intelligent Order Management.

Step 4: Review and activate Power Automate flows

To review and activate Power Automate flows, follow these steps:

1. Go to the Power Apps maker portal.
2. Select the target environment.
3. Review all flows and confirm they're active.
4. Update flows that use custom connectors or HTTP triggers as required.

For flow-specific guidance, see Copy an environment – Flows.

Step 5: Prepare orchestrations for provider reinstallation

To ensure clean provider reinstallation, remove provider actions from all orchestration flows. To prepare orchestrations for provider reinstallation, follow these steps:

1. In the Intelligent Order Management app, go to **Orchestrations** > **Flows**.
2. For each orchestration (published and unpublished):

    - Open the flow.
    - Exit read-only mode if necessary.
    - Record the provider actions used.
    - Remove all provider actions from the flow.

3. Save the updated flows.

This step is required because provider actions aren't valid after an environment copy.

Step 6: Reinstall providers

To reinstall providers, follow these steps:

1. In the Intelligent Order Management app, go to **Providers** > **Installed**.
2. Delete all installed providers.
3. Go to **Providers** > **Library** and reinstall the required providers.

Step 7: Restore provider actions and publish orchestrations

To restore provider actions and publish orchestrations, follow these steps:

1. Return to **Orchestrations** > **Flows**.
2. Add provider actions back to each orchestration.
3. When selecting provider actions, type to search and ensure you select newly created provider actions.
4. Save and publish each flow.

Step 8: Reconfigure dual-write (if applicable)

If dual-write is enabled in the target environment:

1. Configure security roles by following Set up dual-write security roles and permissions.
2. In Finance and Operations:

    - Go to **Data management** > **Dual-write**.
    - Select **Reset link**.
    - Run **Health check**.

3. Reconfigure dual-write as if setting it up in a new environment.

> ⓘ **Note**
>
> Initial synchronization might not be necessary if the data is already aligned.

Dual-write initial sync fails due to missing reference data

You might encounter an error indicating that a team or business unit reference can't be resolved during initial sync. Although the data exists, the environment copy process might rename the default team associated with the root business unit. If this occurs, run **Reset link**, and then run **Health check**.

Provider action Send for Fulfillment doesn't trigger

If the provider action execution history is empty and you see an *Event expired in the 'Ready' state* error, the Microsoft Finance and Operations apps provider might be incorrectly installed. If this occurs, delete the provider and then reinstall it from the provider library.

Inspect provider action run history

To validate provider execution, follow these steps:

1. Open the Power Apps maker portal.
2. Select **Solutions** > **Default Solution**.
3. Filter **Cloud flows** by `msdyn_finops_releaseordertosync`.
4. Review execution status and connection references.

Additional resources

Troubleshoot issues during initial synchronization Troubleshoot live synchronization issues Dual-write error codes reference

---

Last updated on 01/08/2026

Globalization

Localization and translation

Intelligent Order Management includes functionality for the country/regions documented in the Product localization and translation availability guide. This functionality is enabled based on the primary address of the active legal entity.

Intelligent Fulfillment Optimization is supported in the geographies listed in the Intelligent Fulfillment Optimization architecture article.

Last updated on 01/30/2026

Get support

This article provides information about how to get support for Microsoft Dynamics 365 Intelligent Order Management.

Support tickets

To get support for Intelligent Order Management, contact a Microsoft Support representative by using the **Help + support** experience in Microsoft Power Platform admin center.

Prerequisites

You must have a security role that's enabled for creating support requests. Users who have one of the following security roles can create support requests:

- Microsoft Entra Role Admin
- Environment Administrator (or System Administrator role in Dataverse)
- Company Admin
- Billing Admin
- Service Admin
- CRM Service Admin
- Power Platform Admin
- Security Admin
- Partner Delegated Admin
- SharePoint Admin
- Teams Admin
- Exchange Admin
- Power BI Admin
- Compliance Admin
- Helpdesk Admin

Support is available for the following support plans :

- Subscription Support
- Professional Direct Support
- Unified Support

Create a support request

To create a support request, follow these steps:

1. Sign in to Microsoft Power Platform admin center by using your admin credentials.

2. Select **Help + support** > **New support request**.
3. Select Dynamics 365 Intelligent Order Management as the product.
4. Fill in the problem type and a description of the issue, and then select the **Solutions** tab.
5. If the guidance on the **Solutions** tab doesn't fix the issue, scroll down, and select **Next**.
6. Select the support plan, and fill in the fields on the form pages.

After you submit your request, it appears in the list of support requests. You can check the status and edit your request on this page.

Email support

If you can't create a support ticket, contact iomsupport@microsoft.com for guidance about how to have a support ticket created for you.

Other support options

To get support, submit questions to the community site for Dynamics 365 Intelligent Order Management. Microsoft monitors this community site.

Customers and partners who are part of the private preview program can post questions in the Yammer group.

Last updated on 01/30/2026

Blogs and communities

This article provides a list of the blogs and community resources available for Dynamics 365 Intelligent Order Management features.

- Intelligent Order Management Blog
- Intelligent Order Management Forum

Last updated on 01/30/2026