# Untitled

## Graham Cox

30/11/2020

```
h1 {color: steelblue;font-weight:700;border-bottom:2px steelblue solid;padding:7px}
h2 {color: orange;border-bottom:1px solid orange;padding:5px}
.columns {display: flex}
```

#### R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.

```
summary(cars)
```

```
##
        speed
                         dist
##
   Min.
           : 4.0
                           : 2.00
                    Min.
   1st Qu.:12.0
                    1st Qu.: 26.00
##
   Median:15.0
                    Median : 36.00
##
    Mean
           :15.4
                    Mean
                           : 42.98
    3rd Qu.:19.0
                    3rd Qu.: 56.00
##
##
    Max.
           :25.0
                   Max.
                           :120.00
```

### summary(cars)

```
##
        speed
                         dist
          : 4.0
                           : 2.00
##
    Min.
                   Min.
                   1st Qu.: 26.00
   1st Qu.:12.0
   Median:15.0
                   Median : 36.00
##
   Mean
           :15.4
                   Mean
                           : 42.98
                   3rd Qu.: 56.00
##
    3rd Qu.:19.0
   Max.
           :25.0
                   Max.
                           :120.00
```

# **Including Plots**

You can also embed plots, for example:



Note that the  $\mbox{echo}$  = FALSE parameter was added to the code chunk to prevent printing of the R code that generated the plot.