

1. Find the first 3 terms, in ascending powers of x , in the binomial expansion of

$$(2-5x)^6$$

Give each term in its simplest form.

(4)

2. Find the first 3 terms, in ascending powers of x , of the binomial expansion of

$$(2 - 3x)^5$$

giving each term in its simplest form.

(4)

5. (a) Use the binomial theorem to find all the terms of the expansion of

$$(2 + 3x)^4$$

Give each term in its simplest form.

(4)

- (b) Write down the expansion of

$$(2 - 3x)^4$$

in ascending powers of x , giving each term in its simplest form.

(1)

6. (a) Find the first 3 terms, in ascending powers of x , of the binomial expansion of

$$(2 - 3x)^6$$

giving each term in its simplest form.

(4)

- (b) Hence, or otherwise, find the first 3 terms, in ascending powers of x , of the expansion of

$$\left(1 + \frac{x}{2}\right)(2 - 3x)^6$$

(3)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

7. (a) Find the first 4 terms of the binomial expansion, in ascending powers of x , of

$$\left(1 + \frac{x}{4}\right)^8$$

giving each term in its simplest form.

(4)

- (b) Use your expansion to estimate the value of $(1.025)^8$, giving your answer to 4 decimal places.

(3)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

9. (a) Find the first 3 terms, in ascending powers of x , of the binomial expansion of

$$(3 + bx)^5$$

where b is a non-zero constant. Give each term in its simplest form.

(4)

Given that, in this expansion, the coefficient of x^2 is twice the coefficient of x ,

- (b) find the value of b .

(2)

10. (a) Find the first 4 terms, in ascending powers of x , of the binomial expansion of

$$\left(3 - \frac{2x}{9}\right)^8$$

giving each term in simplest form.

(4)

$$f(x) = \left(\frac{x-1}{2x}\right)\left(3 - \frac{2x}{9}\right)^8$$

(b) Find the coefficient of x^2 in the series expansion of $f(x)$, giving your answer as a simplified fraction.

(2)

11. (a) Find the first 3 terms, in ascending powers of x , of the binomial expansion of

$$(2 - 9x)^4$$

giving each term in its simplest form.

(4)

$$f(x) = (1 + kx)(2 - 9x)^4, \text{ where } k \text{ is a constant}$$

The expansion, in ascending powers of x , of $f(x)$ up to and including the term in x^2 is

$$A - 232x + Bx^2$$

where A and B are constants.

- (b) Write down the value of A .

(1)

- (c) Find the value of k .

(2)

- (d) Hence find the value of B .

(2)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

12. (a) Find the first 4 terms, in ascending powers of x , in the binomial expansion of

$$(1 + kx)^{10}$$

where k is a non-zero constant. Write each coefficient as simply as possible.

(3)

Given that in the expansion of $(1 + kx)^{10}$ the coefficient x^3 is 3 times the coefficient of x ,

(b) find the possible values of k .

(3)

13. $g(x) = (2 + ax)^8$ where a is a constant

13. $g(x) = (2 + ax)^8$ where a is a constant

13. $g(x) = (2 + ax)^8$ where a is a constant

Given that one of the terms in the binomial expansion of $g(x)$ is $3402x^5$

(a) find the value of a .

(4)

Using this value of a ,

(b) find the constant term in the expansion of

$$\left(1 + \frac{1}{x^4}\right)(2 + ax)^8$$

(3)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

14. (a) Find the first 3 terms, in ascending powers of x , of the binomial expansion of

$$\left(2 - \frac{x}{16}\right)^9$$

giving each term in its simplest form.

(4)

$$f(x) = (a + bx)\left(2 - \frac{x}{16}\right)^9, \text{ where } a \text{ and } b \text{ are constants}$$

Given that the first two terms, in ascending powers of x , in the series expansion of $f(x)$ are 128 and $36x$,

(b) find the value of a ,

(2)

(c) find the value of b .

(2)