

1. A sequence of terms a_1, a_2, a_3, \dots is defined by

$$\begin{aligned} a_1 &= 3 \\ a_{n+1} &= 8 - a_n \end{aligned}$$

- (a) (i) Show that this sequence is periodic.

- (ii) State the order of this periodic sequence.

(2)

- (b) Find the value of

$$\sum_{n=1}^{85} a_n$$

(2)

2. A sequence a_1, a_2, a_3, \dots is defined by

$$a_1 = 1$$

$$a_{n+1} = \frac{k(a_n + 1)}{a_n}, \quad n \geq 1$$

where k is a positive constant.

- (a) Write down expressions for a_2 and a_3 in terms of k , giving your answers in their simplest form.

(3)

Given that $\sum_{r=1}^3 a_r = 10$

- (b) find an exact value for k .

(3)

4. A sequence a_1, a_2, a_3, \dots is defined by

$$\begin{aligned} a_1 &= 4 \\ a_{n+1} &= k(a_n + 2), \quad \text{for } n \geq 1 \end{aligned}$$

where k is a constant.

- (a) Find an expression for a_2 in terms of k .

(1)

Given that $\sum_{i=1}^3 a_i = 2$,

- (b) find the two possible values of k .

(6)

- 5.** (i) A sequence U_1, U_2, U_3, \dots is defined by

$$U_{n+2} = 2U_{n+1} - U_n, \quad n \geq 1$$

$$U_1 = 4 \text{ and } U_2 = 4$$

Find the value of

(a) U_3

(1)

$$(b) \sum_{n=1}^{20} U_n$$

(2)

- (ii) Another sequence V_1, V_2, V_3, \dots is defined by

$$V_{n+2} = 2V_{n+1} - V_n, \quad n \geq 1$$

$V_1 = k$ and $V_2 = 2k$, where k is a constant

(a) Find V_3 and V_4 in terms of k .

(2)

Given that $\sum_{n=1}^5 V_n = 165$,

(b) find the value of k .

(3)

[illegible]

6. A sequence of numbers $a_1, a_2, a_3 \dots$ is defined by

$$a_1 = 3$$

$$a_{n+1} = 2a_n - c \quad (n \geq 1)$$

where c is a constant.

- (a) Write down an expression, in terms of c , for a_2 (1)

- (b) Show that $a_3 = 12 - 3c$ (2)

Given that $\sum_{i=1}^4 a_i \geq 23$

- (c) find the range of values of c . (4)

7. A sequence of numbers $a_1, a_2, a_3 \dots$ is defined by

$$a_{n+1} = 5a_n - 3, \quad n \geq 1$$

Given that $a_2 = 7$,

(a) find the value of a_1

(2)

(b) Find the value of $\sum_{r=1}^4 a_r$

(3)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

8. A sequence a_1, a_2, a_3, \dots is defined by

$$a_1 = 4,$$

$$a_{n+1} = 5 - ka_n, \quad n \geq 1$$

where k is a constant.

(a) Write down expressions for a_2 and a_3 in terms of k .

(2)

Find

(b) $\sum_{r=1}^3 (1 + a_r)$ in terms of k , giving your answer in its simplest form,

(3)

$$(c) \sum_{r=1}^{100} (a_{r+1} + ka_r)$$

(1)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

9. The sequence u_1, u_2, u_3, \dots is defined by

$$u_{n+1} = k - \frac{24}{u_n} \quad u_1 = 2$$

where k is an integer.

Given that $u_1 + 2u_2 + u_3 = 0$

(a) show that

$$3k^2 - 58k + 240 = 0 \quad (3)$$

(b) Find the value of k , giving a reason for your answer. (2)

(c) Find the value of u_3 (1)

10. A sequence $u_1, u_2, u_3 \dots$ is defined by

$$u_1 = 35$$

$$u_{n+1} = u_n + 7 \cos\left(\frac{n\pi}{2}\right) - 5(-1)^n$$

- (a) (i) Show that $u_2 = 40$

- (ii) Find the value of u_3 and the value of u_4

(3)

Given that the sequence is periodic with order 4

- (b) (i) write down the value of u_5

- (ii) find the value of $\sum_{r=1}^{25} u_r$

(3)

11. A sequence of numbers a_1, a_2, a_3, \dots is defined by

$$a_{n+1} = \frac{k(a_n + 2)}{a_n} \quad n \in \mathbb{N}$$

where k is a constant.

Given that

- the sequence is a periodic sequence of order 3
- $a_1 = 2$

(a) show that

$$k^2 + k - 2 = 0 \tag{3}$$

(b) For this sequence explain why $k \neq 1$

(1)

(c) Find the value of

$$\sum_{r=1}^{80} a_r \tag{3}$$

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.