

1. Given that

$$z_1 = 3 \left(\cos\left(\frac{\pi}{3}\right) + i \sin\left(\frac{\pi}{3}\right) \right)$$

$$z_2 = \sqrt{2} \left(\cos\left(\frac{\pi}{12}\right) - i \sin\left(\frac{\pi}{12}\right) \right)$$

(a) write down the exact value of

(i) $|z_1 z_2|$

(ii) $\arg(z_1 z_2)$

(2)

Given that $w = z_1 z_2$ and that $\arg(w^n) = 0$, where $n \in \mathbb{Z}^+$

(b) determine

(i) the smallest positive value of n

(ii) the corresponding value of $|w^n|$

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





1.

$$f(z) = 3z^3 + pz^2 + 57z + q$$

where p and q are real constants.

Given that $3 - 2\sqrt{2}i$ is a root of the equation $f(z) = 0$

(a) show all the roots of $f(z) = 0$ on a single Argand diagram, (7)

(b) find the value of p and the value of q . (3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



1.
$$f(z) = z^4 - 6z^3 + az^2 + bz + 145$$

where a and b are real constants.

Given that $2 + 5i$ is a root of the equation $f(z) = 0$

(a) determine the other roots of the equation $f(z) = 0$ (7)

(b) Show all the roots of $f(z) = 0$ on a single Argand diagram. (2)



Answer ALL questions. Write your answers in the spaces provided.

1.

$$f(z) = z^4 + az^3 + bz^2 + cz + d$$

where a , b , c and d are real constants.

Given that $-1 + 2i$ and $3 - i$ are two roots of the equation $f(z) = 0$

(a) show all the roots of $f(z) = 0$ on a single Argand diagram, (4)

(b) find the values of a , b , c and d . (5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



7. Given that $z = a + bi$ is a complex number where a and b are real constants,

(a) show that zz^* is a real number.

(2)

Given that

- $zz^* = 18$

- $\frac{z}{z^*} = \frac{7}{9} + \frac{4\sqrt{2}}{9}i$

(b) determine the possible complex numbers z

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



7. (a) Determine the roots of the equation

$$z^6 = 1$$

giving your answers in the form $e^{i\theta}$ where $0 \leq \theta < 2\pi$

(2)

(b) Show the roots of the equation in part (a) on a single Argand diagram.

(2)

(c) Show that

$$(\sqrt{3} + \mathbf{i})^6 = -64$$

(2)

(d) Hence, or otherwise, solve the equation

$$z^6 + 64 = 0$$

giving your answers in the form $re^{i\theta}$ where $0 \leq \theta < 2\pi$

(3)

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

4. (i) Given that

$$z_1 = 6e^{\frac{\pi}{3}i} \text{ and } z_2 = 6\sqrt{3}e^{\frac{5\pi}{6}i}$$

show that

$$z_1 + z_2 = 12e^{\frac{2\pi}{3}i} \quad (3)$$

(ii) Given that

$$\arg(z - 5) = \frac{2\pi}{3}$$

determine the least value of $|z|$ as z varies.

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



6. In an Argand diagram, the points A , B and C are the vertices of an equilateral triangle with its centre at the origin. The point A represents the complex number $6 + 2i$.
- (a) Find the complex numbers represented by the points B and C , giving your answers in the form $x + iy$, where x and y are real and exact.

(6)

The points D , E and F are the midpoints of the sides of triangle ABC .

- (b) Find the exact area of triangle DEF .

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- (a) Show that

where n is a positive integer.

(2)

- (b) Show that

(5)

- (c) Hence, making your reasoning clear, determine all the solutions of

in the interval $0 \leq \theta < 2\pi$

(3)

4. (a) Use de Moivre's theorem to prove that

$$\sin 7\theta = 7 \sin \theta - 56 \sin^3 \theta + 112 \sin^5 \theta - 64 \sin^7 \theta \quad (5)$$

- (b) Hence find the distinct roots of the equation

$$1 + 7x - 56x^3 + 112x^5 - 64x^7 = 0 \quad (5)$$

giving your answer to 3 decimal places where appropriate.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



6. In an Argand diagram, the points A , B and C are the vertices of an equilateral triangle with its centre at the origin. The point A represents the complex number $6 + 2i$.
- (a) Find the complex numbers represented by the points B and C , giving your answers in the form $x + iy$, where x and y are real and exact.

(6)

The points D , E and F are the midpoints of the sides of triangle ABC .

- (b) Find the exact area of triangle DEF .

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



4. The infinite series C and S are defined by

$$C = \cos \theta + \frac{1}{2} \cos 5\theta + \frac{1}{4} \cos 9\theta + \frac{1}{8} \cos 13\theta + \dots$$

$$S = \sin \theta + \frac{1}{2} \sin 5\theta + \frac{1}{4} \sin 9\theta + \frac{1}{8} \sin 13\theta + \dots$$

Given that the series C and S are both convergent,

(a) show that

$$C + iS = \frac{2e^{i\theta}}{2 - e^{4i\theta}} \quad (4)$$

(b) Hence show that

$$S = \frac{4\sin \theta + 2\sin 3\theta}{5 - 4\cos 4\theta} \quad (4)$$

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



9. (a) Given that $|z| < 1$, write down the sum of the infinite series

$$1 + z + z^2 + z^3 + \dots \quad (1)$$

- (b) Given that $z = \frac{1}{2}(\cos \theta + i \sin \theta)$,

- (i) use the answer to part (a), and de Moivre's theorem or otherwise, to prove that

$$\frac{1}{2} \sin \theta + \frac{1}{4} \sin 2\theta + \frac{1}{8} \sin 3\theta + \dots = \frac{2 \sin \theta}{5 - 4 \cos \theta} \quad (5)$$

- (ii) show that the sum of the infinite series $1 + z + z^2 + z^3 + \dots$ cannot be purely imaginary, giving a reason for your answer.

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

