

# Green Grower Labs

## Certificate of Analysis

Page 1 of 2

Laboratory license #0012



(509) 981-2266



124 E. Rowan Spokane,  
WA



www.greengrowerlabs.com

### Sample Information

8109 E Bratt Rd STE A STE A, Fairfield, WA 990129654

License: 413431

Sample ID: 19461329289081628

Sample Name: Overflow

Type: Flower Lot

### Results Summary

Date Analyzed: 5/18/2022

#### Water Activity

Rotronic Meter

0.55

AW

#### Pesticides

LC-MS/MS

PASS

#### Mycotoxin

LC-MS/MS

PASS

#### Foreign Matter

Inspection

PASS

Stems: 0

Other: 0

#### Total I-502 Cannabinoids

24.2

%

#### Microbial

3M Petrifilm | Hardy Shilam

PASS

## Results

### Cannabinoids

HPLC UV-VIS Detector

Analyte	MASS %
Δ9-THC	0.4
THCa	23.6
Total THC	21.1
CBD	0.1
CBDa	0.1
Total CBD	0.2

The estimation of uncertainty is: [THCa ± 0.31%] [THC ± 0.15%] [CBDa ± 0.02%] [CBD ± 0.07%]. Total THC = THCa \* 0.877 + d9-THC, Total CBD = CBDa \* 0.877 + CBD, Total I-502 Cannabinoids\* = Total THC + Total CBD, LOQ = Limit of Quantitation; the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Mycotoxins

Analyte	Limit (PPB)	Unit (PPB)
Total Aflatoxins (B1, B2, G1, G2)	20	< 9
Ochratoxin A	20	< 11

The estimation of uncertainty is: [Aatoxins ± 2 ppb] [Ochratoxins ± 2 ppb] LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory

### Microbials

Analyte	Limit (CFU/g)	Unit (CFU/G)
E. coli	Negative	0
Salmonella	Negative	0
BTGN	10000	0

The estimation of uncertainty is: Bile-tolerant gram negative ± 14 cfu/g. LOQ = Limit of Quantitation; TNC = Too Numerous to Count; NT = Not Tested; ND = Not Detected; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

This product has been tested by Green Grower Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not reproduced except in full, without the written approval of Green Grower Labs. Flower samples received are homogenized before testing by a liquid nitrogen, then separated for the required field of testing. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WSR-17- 12-032 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% condence interval

Matt Heist

Matt Heist  
Lab Director

# Green Grower Labs

Page 2 of 2



## Certificate of Analysis

Laboratory license #0012



(509) 981-2266



124 E. Rowan Spokane,  
WA



www.greengrowerlabs.com

### Sample Information Conscious Family Farms

8109 E Bratt Rd STE A STE A, Fairfield, WA 990129654

License number 413431

Sample ID: 19461329289081628

Sample Name: Overflow

Sample Type: Flower Lot

Date Analyzed: 5/18/2022

### Results Summary

Pesticides LC Ms/MS

# PASS

## Results

Analyte	Limit (PPM)	MASS (PPM)	Analyte	Limit (PPM)	MASS (PPM)	Analyte	Limit (PPM)	MASS (PPM)
Abamectin.....	0.5	< 0.16 ND	Dimethoate.....	0.2	< 0.03 ND	Naled.....	0.5	< 0.03 ND
Acephate.....	0.4	< 0.11 ND	Ethoprophos.....	0.2	< 0.13 ND	Oxamyl.....	1	< 0.02 ND
Acequinocyl.....	2	< 0.36 ND	Etofenprox.....	0.4	< 0.16 ND	Paclobutrazol.....	0.4	< 0.08 ND
Acetamiprid.....	0.2	< 0.02 ND	Etoxazole.....	0.2	< 0.01 ND	Permethrins a.....	0.2	< 0.01 ND
Aldicarb.....	0.4	< 0.03 ND	Fenoxycarb.....	0.2	< 0.07 ND	Phosmet.....	0.2	< 0.04 ND
Azoxystrobin.....	0.2	< 0.05 ND	Fenpyroximate.....	0.4	< 0.05 ND	Piperonyl butoxide b, c.....	2	0.75 Detected
Bifenazate.....	0.2	< 0.12 ND	Fipronil.....	0.4	< 0.06 ND	Prallethrin.....	0.2	< 0.11 ND
Bifenthrin.....	0.2	< 0.15 ND	Flonicamid.....	1	< 0.12 ND	Propiconazole.....	0.4	< 0.04 ND
Boscalid.....	0.4	< 0.04 ND	Fludioxonil.....	0.4	< 0.06 ND	Propoxur.....	0.2	< 0.04 ND
Carbaryl.....	0.2	< 0.06 ND	Hexythiazox.....	1	< 0.16 ND	Pyrethrins b, c.....	1	< 0.05 ND
Carbofuran.....	0.2	< 0.02 ND	Imazalil.....	0.2	< 0.03 ND	Pyridaben.....	0.2	< 0.07 ND
Chlorantraniliprole.....	0.2	< 0.04 ND	Imidacloprid.....	0.4	< 0.02 ND	Spinos a d.....	0.2	< 0.18 ND
Chlorfenapyr.....	1	< 0.33 ND	Kresoxim-methyl.....	0.4	< 0.05 ND	Spiromesifen.....	0.2	< 0.08 ND
Chlorpyrifos.....	0.2	< 0.07 ND	Malathion.....	0.2	< 0.07 ND	Spirotetramat.....	0.2	< 0.01 ND
Clofentezine.....	0.2	< 0.04 ND	Metalaxyl.....	0.2	< 0.02 ND	Spiroxamine.....	0.4	< 0.04 ND
Cyfluthrin.....	1	< 0.49 ND	Methiocarb.....	0.4	< 0.04 ND	Tebuconazole.....	0.4	< 0.06 ND
Cypermethrin.....	1	< 0.55 ND	Methomyl.....	0.2	< 0.03 ND	Thiacloprid.....	0.2	< 0.02 ND
Daminozide.....	1	< 0.19 ND	Methyl parathion.....	0.2	< 0.05 ND	Thiamethoxam.....	0.2	< 0.02 ND
DDVP (Dichlorvos).....	0.1	< 0.10 ND	MGK-264.....	0.2	< 0.15 ND	Trifloxystrobin.....	0.2	< 0.03 ND
Diazinon.....	0.2	< 0.03 ND	Myclobutanil.....	0.2	< 0.06 ND			

If a sample result shows a pesticide as detected and a numerical result as less than (example <0.02 ppm), this indicates the pesticide was detected, but not at a level that can be accurately measured.

ND = Not Detected

<sup>a</sup> Permethrins should be measured as cumulative residue of cis- and trans-permethrin isomers (CAS numbers 54774-45-7 and 51877-74-8 respectively).

<sup>b</sup> Action level applies to marijuana concentrates, marijuana extracts, intermediate products, and imported cannabinoids.

<sup>c</sup> Pyrethrins should be measured as the cumulative residues of pyrethrin 1, cinerin 1, and jasmolin 1 (CAS numbers 121-21-1, 25402-06-6, and 4466-1-2 respectively).

The estimation of uncertainty is: [Daminozide: ±0.011 ppm] [Acephate: ±0.011 ppm] [Oxamyl: ±0.011 ppm] [Methomyl: ±0.011 ppm] [Thiamethoxam: ±0.011 ppm] [MGK: ±0.011 ppm] [Imidacloprid: ±0.011 ppm] [Dimethoate: ±0.011 ppm] [Acetamiprid: ±0.011 ppm] [Thiacloprid: ±0.011 ppm] [Aldicarb: ±0.011 ppm] [Dichlorvos: ±0.011 ppm] [Propoxur: ±0.011 ppm] [Carbofuran: ±0.011 ppm] [Carbaryl: ±0.011 ppm] [Imazalil: ±0.011 ppm] [Naled: ±0.011 ppm] [Metalaxyl: ±0.011 ppm] [Chlorantraniliprole: ±0.011 ppm] [Spiroxamine-1: ±0.011 ppm] [Phosmet: ±0.011 ppm] [Azoxystrobin: ±0.011 ppm] [Methiocarb: ±0.011 ppm] [Boscalid: ±0.011 ppm] [Paclobutrazol: ±0.011 ppm] [Malathion: ±0.011 ppm] [Myclobutanil: ±0.011 ppm] [Bifenazate: ±0.011 ppm] [Spirotetramat: ±0.011 ppm] [Ethoprophos: ±0.011 ppm] [Fenoxycarb: ±0.011 ppm] [Kresoxim-methyl: ±0.011 ppm] [Spinosyn: ±0.022 ppm] [Tebuconazole: ±0.011 ppm] [Diazinon: ±0.011 ppm] [Propiconazole: ±0.011 ppm] [Clofentezine: ±0.011 ppm] [Trifloxystrobin: ±0.011 ppm] [Prallethrin: ±0.011 ppm] [Piperonyl Butoxide: ±0.011 ppm] [Chlorpyrifos: ±0.011 ppm] [Hexythiazox: ±0.011 ppm] [Etoxazole: ±0.011 ppm] [Spiromesifen: ±0.011 ppm] [Pyrethrins: ±0.033 ppm] [Cyfluthrin: ±0.008 ppm] [Fenpyroximate: ±0.011 ppm] [Cypermethrin: ±0.011 ppm] [Pyridaben: ±0.011 ppm] [Permethrins: ±0.022 ppm] [Abamectin: ±0.011 ppm] [Etofenprox: ±0.011 ppm] [Bifenthrin: ±0.011 ppm] [Acequinocyl: ±0.011 ppm] [Flonicamid: ±0.011 ppm] [Fludioxonil: ±0.011 ppm] [Fipronil: ±0.011 ppm] [Chlorfenapyr: ±0.038 ppm] [Methyl Parathion: ±0.011 ppm]

This product has been tested by Green Grower Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples received are homogenized before testing by a liquid nitrogen, then separated for the required field of testing. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WSR-17- 12-032 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval

Matt Heist

Matt Heist  
Lab Director