TESTING SUMMARY

DATE RECIEVED: 1/9/2025 DATE REPORTED: 1/12/2025

HEAVY METALS: **PASS**

ANALYTICAL METHODS

HEAVY METALS: ICP-MS

ANALYTICAL INFO

> HEAVY METALS The estimation of uncertainty is: [Arsenic: ± 0.12 ppm, Cadmium $\pm~0.10~\text{ppm}$, Lead $\pm~0.11~\text{ppm}$, Mercury $\pm~0.10~\text{ppm}$]. Heavy metals are not covered under I502 Lab certification. All Heavy metals testing conforms to the WAC 314-55-103 Good Laboratory checklist and QA/ QC requirements.

NOTE// Heavy metals were tested by GGL as a subcontractor for Treeline Analytics.

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, with-out the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As reguired per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.



Certificate of Analysis

Laboratory license: #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA www.greengrowerlabs.com

Sample ID: GF41261500046825

| Origination: | TREELINE ANALYTICS LLC | Sample Name: | Pink Zaza 133803 |
|--------------|---|----------------|----------------------|
| License: | 9734451004 | Type: | Cannabis Mix Infused |
| Address: | 5373 GUIDE MERIDIAN SUITE F201, BELLINGHAM, WA 98226 | Sampling Date: | UNK |

> HEAVY METALS •-

| Analyte | LIMIT (μg/g) | UNIT (μg/g) | |
|---------|--------------|-------------|----|
| ARSENIC | 2.0 | < 0.30 | ND |
| CADMIUM | 0.82 | < 0.10 | ND |
| LEAD | 1.2 | < 0.10 | ND |
| MERCURY | 0.40 | < 0.10 | ND |

Matt Heist Lab Director