

TESTING SUMMARY

DATE RECEIVED: 3/25/2025

DATE REPORTED: 4/1/2025

| | |
|---------------|------|
| HEAVY METALS: | PASS |
|---------------|------|

ANALYTICAL METHODS

» HEAVY METALS: ICP-MS

ANALYTICAL INFO

> HEAVY METALS

The estimation of uncertainty is: [Arsenic: ± 0.12 ppm, Cadmium ± 0.10 ppm, Lead ± 0.11 ppm, Mercury ± 0.10 ppm]. Heavy metals are not covered under ISO2 Lab certification. All Heavy metals testing conforms to the WAC 314-55-103 Good Laboratory checklist and QA/QC requirements.

NOTE// Heavy metals were tested by GGL as a subcontractor for Treeline Analytics.

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested.

All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.



Certificate of Analysis

Laboratory license: #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA
www.greengrowerlabs.com



Sample ID: **GF41574705569992**

| | | | |
|--------------|---|----------------|--------------------------------|
| Origination: | TREELINE ANALYTICS LLC | Sample Name: | Isolated Pure Michigan -136121 |
| License: | 9734451004 | Type: | Flower Lot |
| Address: | 5373 GUIDE MERIDIAN SUITE F201, BELLINGHAM, WA 98226 | Sampling Date: | UNK |

> HEAVY METALS

| Analyte | LIMIT ($\mu\text{g/g}$) | UNIT ($\mu\text{g/g}$) | |
|---------|---------------------------|--------------------------|----|
| ARSENIC | 2.0 | < 0.30 | ND |
| CADMIUM | 0.82 | < 0.30 | ND |
| LEAD | 1.2 | < 0.30 | ND |
| MERCURY | 0.40 | < 0.30 | ND |

Matt Heist

Matt Heist
Lab Director