



# CERTIFICATE OF ANALYSIS

MNS-PNP

APPLE FRITTER

CANNABIS FLOWER

UBI: 60334944600

3 ROLLING HILLS DR.

TONASKET WA 98855

Analysis Date: 2023-10-25  
External ID: 01HC3J29EMK3NCS5  
Integrity ID: 1148853

CANNABINOID PROFILE	HPLC
Cannabinoids LOQ = 0.10	% by weight

## Cannabinoids

Tetrahydrocannabinolic Acid (THCa)	21
Delta 9 Tetrahydrocannabinol (D9 THC)	1.0

## Total THC 19 % by weight

Cannabidiolic Acid (CBDA)	nd
Cannabidiol (CBD)	nd

## Total CBD 0.00 % by weight

## Total i502 19 % by weight

Cannabinol (CBN)	0.11
Delta 8 Tetrahydrocannabinol (D8)	nd
Tetrahydrocannabivarin (THCV)	nd
Cannabidivarin (CBDV)	nd
Cannabigerol (CBG)	0.10
Cannabigerolic Acid (CBGa)	0.53
Cannabichromene (CBC)	nd
<b>Total Tested Cannabinoids</b>	<b>23 % by weight</b>

## PROFILE TESTING

Foreign Matter	
IHE	PASS
seeds	PASS
Stems	PASS
Water Activity	0.61 a <sub>w</sub> PASS
LOQ = 0.25	

Total THC = THCA x .877 + D9 THC  
Total CBD = CBDA x .877 + CBD  
LOQ = Level Of Quantification  
nd = not detected  
mrl = method reporting limit

MICROBIAL PROFILE	3M Petrifilm & Hardy Chroma Agar		
Assay	Action Level	cfu/g	Result
Gram Negative Bile-Tolerant Bacteria	10,000	1000	PASS
Salmonella	pass-fail	nd	PASS
Shigatoxin-producing E. coli (STEC)	pass-fail	nd	PASS

MYCOTOXIN PROFILE	Elisa		
Assay LOQ = 20.0 ppb	Action Level	ppb	Result
Aflatoxin B1, B2, G1, G2	20 ppb	nd	PASS
Ochratoxin A	20 ppb	nd	PASS

Marilyn Olson, Scientific Director

Integrity Labs, LLC | 2747 Pacific Ave SE B21 | Olympia, WA 98501 | WA State I502 Certification #09 | (360) 951-3220

Test results reflect values for sample provided. Integrity Labs, LLC has no claims to the efficacy, safety, or other risks associated with any detected or no-detected reported results.

Analysis Date: 2023-10-25  
 Original Global: 01HC3J29EMK3NCS5  
 Integrity ID: 1148853

# CERTIFICATE OF ANALYSIS

MNS-PNP  
 APPLE FRITTER  
 CANNABIS FLOWER  
 UBI: 60334944600  
 3 ROLLING HILLS DR.  
 TONASKET WA 98855

PESTICIDES					LC- MS/MS					PESTICIDES					LC- MS/MS				
	result	mrl	limit	status		result	mrl	limit	status		result	mrl	limit	status		result	mrl	limit	status
Abamectin	nd	0.25	0.50	PASS						Imazalil	nd	0.10	0.20	PASS					
Acephate	nd	0.20	0.40	PASS						Imidacloprid	nd	0.20	0.40	PASS					
Acequinocyl	nd	1.0	2.0	PASS						Kresoxim-Methyl	nd	0.20	0.40	PASS					
Acetamiprid	nd	0.10	0.20	PASS						Malathion	nd	0.10	0.20	PASS					
Aldicarb	nd	0.20	0.40	PASS						Metalaxyl	nd	0.10	0.20	PASS					
Azoxystrobin	nd	0.10	0.20	PASS						Methiocarb	nd	0.10	0.20	PASS					
Bifenazate	nd	0.10	0.20	PASS						Methomyl	nd	0.20	0.40	PASS					
Bifenthrin	nd	0.10	0.20	PASS						Methyl parathion	nd	0.10	0.20	PASS					
Boscalid	nd	0.20	0.40	PASS						MGK-264	nd	0.10	0.20	PASS					
Carbaryl	nd	0.10	0.20	PASS						Myclobutanil	nd	0.10	0.20	PASS					
Carbofuran	nd	0.10	0.20	PASS						Naled	nd	0.25	0.50	PASS					
Chlorantraniliprole	nd	0.10	0.20	PASS						Oxamyl	nd	0.50	1.0	PASS					
Chlorfenapyr	nd	0.50	1.0	PASS						Paclobutrazol	nd	0.20	0.40	PASS					
Chlorpyrifos	nd	0.10	0.20	PASS						Permethrins	nd	0.10	0.20	PASS					
Clofentazine	nd	0.10	0.20	PASS						Phosmet	nd	0.10	0.20	PASS					
Cyfluthrin	nd	0.50	1.0	PASS						Piperonyl butoxide	nd	1.0	2.0	PASS					
Cypermethrin	nd	0.50	1.0	PASS						Prallethrin	nd	0.10	0.20	PASS					
Daminozide	nd	0.50	1.0	PASS						Propiconazole	nd	0.20	0.40	PASS					
DDVP (dichlorvos)	nd	0.05	0.10	PASS						Propoxur	nd	0.10	0.20	PASS					
Diazinon	nd	0.10	0.20	PASS						Pyrethrins	nd	0.50	1.0	PASS					
Dimethoate	nd	0.10	0.20	PASS						Pyridaben	nd	0.10	0.20	PASS					
Ethoprophos	nd	0.10	0.20	PASS						Spinosad	nd	0.10	0.20	PASS					
Etofenprox	nd	0.20	0.40	PASS						Spiromesifen	nd	0.10	0.20	PASS					
Etoxazole	nd	0.10	0.20	PASS						Spirotetramat	nd	0.10	0.20	PASS					
Fenoxycarb	nd	0.10	0.20	PASS						Spiroxamine	nd	0.20	0.40	PASS					
Fenpyroximate	nd	0.20	0.40	PASS						Tebuconazole	nd	0.20	0.40	PASS					
Fipronil	nd	0.20	0.40	PASS						Thiacloprid	nd	0.10	0.20	PASS					
Flonicamid	nd	0.50	1.0	PASS						Thiamethoxam	nd	0.10	0.20	PASS					
Fludioxonil	nd	0.20	0.40	PASS						Trifloxystrobin	nd	0.10	0.20	PASS					
Hexythiazox	nd	0.50	1.0	PASS															



Marilyn Olson, Scientific Director

Integrity Labs, LLC | 2747 Pacific Ave SE B21 | Olympia, WA 98501 | WA State I502 Certification #09 | (360) 951-3220

Test results reflect values for sample provided. Integrity Labs, LLC has no claims to the efficacy, safety, or other risks associated with any detected or no-detected reported results.

## TESTING SUMMARY

DATE RECEIVED: 7/18/2024  
DATE REPORTED: 7/20/2024

HEAVY METALS:	PASS
---------------	------

## ANALYTICAL METHODS

» HEAVY METALS: ICP-MS

## ANALYTICAL INFO

### > HEAVY METALS

The estimation of uncertainty is: [Arsenic:  $\pm 0.12$  ppm, Cadmium  $\pm 0.10$  ppm, Lead  $\pm 0.11$  ppm, Mercury  $\pm 0.10$  ppm]. Heavy metals are not covered under 1502 Lab certification. All Heavy metals testing conforms to the WAC 314-55-103 Good Laboratory checklist and QA/QC requirements.



# Certificate of Analysis

Laboratory license: #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA  
www.greengrowerlabs.com



Sample ID: **WA413287.IN3QVS**

Origination:	Grow Op	Sample Name:	Apple Fritter
License:	413287	Type:	Flower Lot
Address:	2611 N WOODRUFF RD STE B, SPOKANE VALLEY, WA	Sampling Date:	7/18/2024

### > HEAVY METALS

Analyte	LIMIT ( $\mu\text{g/g}$ )	UNIT ( $\mu\text{g/g}$ )	
ARSENIC	2.0	< 0.30	ND
CADMIUM	0.82	< 0.10	ND
LEAD	1.2	< 0.10	ND
MERCURY	0.40	< 0.10	ND

Report updated to include heavy metals 7.20.24 ggl

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested.

All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.

*Matt Heist*

Matt Heist  
Lab Director