

Testing Summary

Date Tested: 1/24/2025

Water Activity (AW):	0.24	PASS
Foreign Matter:	Stems (%):	0.0
PASS	IEH (ea.):	0.0
	Seeds or Other (%):	0.0
Pesticides:		PASS
Mycotoxins:		PASS
Microbials:		PASS

Analytical Methods

- Water Activity: *Rotronic Meter*
- Foreign Matter: *Visual Inspection*
- Pesticides & Mycotoxins: *LS- Ms / Ms*
- Microbials: *RT- qPCR & 3M Petrifilm*
- Potency: *HPLC UV-VIS Detector*

Analytical Information

Potency /

The estimation of uncertainty is: [THCA \pm 0.31%] [THC \pm 0.15%]
 [CBDA \pm 0.02%] [CBD \pm 0.07%]. Total THC = THCa * 0.877 + d9-THC,
 Total CBD = CBDA * 0.877 + CBD, Total Cannabinoids = the sum of
 all cannabinoids tested, LOQ = Limit of Quantitation: the reported
 result is based on a sample weight with the applicable moisture
 content for that sample; unless otherwise stated all quality control
 samples performed within specifications established by the
 Laboratory.

Mycotoxins /

The estimation of uncertainty is: [Aflatoxin \pm 2 ppb] [Ochratoxins
 \pm 2 ppb] LOQ = Limit of Quantitation, the reported result is based
 on a sample weight with the applicable moisture content for that
 sample; unless otherwise stated all quality control samples per-
 formed within specifications established by the Laboratory

Microbials /

The estimation of uncertainty: Bile-tolerant gram negative \pm 14
 cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Posi-
 tive= Detected; unless otherwise stated all quality control samples
 performed within specifications established by the Laboratory.

Pesticides /

The estimation of uncertainty for pesticides is: [All analytes \pm 0.011
 ppm] [Except for Spinosyn: \pm 0.022, Cyfluthrin: \pm 0.008, Permethrins:
 \pm 0.022, Chlorfenapyr: \pm 0.038 ppm]

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.




Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA
 www.greengrowerlabs.com

Sample: GF41515600079715

Origination:	INFLORESCENCE	Sample Name:	BZO6DS25
License:	415156	Type:	Flower Unlotted
Address	3812 E BISMARCK AVE, SPOKANE, WA, 99217	Date Recieved:	1/24/2025

Potency



Cannabinoids

Analyte	Mass %
Δ 9-THC	1.2
THCa	24
Total THC	22
CBD	0.11
CBDA	< 0.10
Total CBD	0.11

MycoToxins

Analyte	Limit (PPB)	Unit (PPB)
Total Aflatoxins (B1, B2, G1, G2)	20	< 9
Ochratoxin A	20	< 11

Microbials

Analyte	Limit	Unit
STEC Shiga toxin-producing E. coli	Negative	Negative
Salmonella	Negative	Negative
BTGN Bile-Tolerant Gram-Negative Bacteria	10,000 (CFU/g)	< 10

Matt Heist
 Lab Director

Testing Summary

Date Tested: 1/24/2025

Water Activity (AW)	0.24	PASS
Foreign Matter PASS	Stems (%):	0.0
	IEH (ea.):	0.0
	Seeds or Other (%):	0.0
Pesticides:		PASS
Mycotoxins:		PASS
Microbials:		PASS

Analytical Methods

- Water Activity: *Rotronic Meter*
- Foreign Matter: *Visual Inspection*
- Pesticides & Mycotoxins: *LS- Ms / Ms*
- Microbials: *RT- qPCR & 3M Petrifilm*
- Potency: *HPLC UV-VIS Detector*

Analytical Information

Potency /

The estimation of uncertainty is: [THCA ± 0.31%] [THC ± 0.15%]
[CBDa ± 0.02%] [CBD ± 0.07%]. Total THC = THCa * 0.877 + d9-THC,
Total CBD = CBDa * 0.877 + CBD, Total Cannabinoids = the sum of
all cannabinoids tested, LOQ = Limit of Quantitation: the reported
result is based on a sample weight with the applicable moisture
content for that sample; unless otherwise stated all quality control
samples performed within specifications established by the
Laboratory.

Mycotoxins /

The estimation of uncertainty is: [Aflatoxin ± 2 ppb] [Ochratoxins
± 2 ppb] LOQ = Limit of Quantitation, the reported result is based
on a sample weight with the applicable moisture content for that
sample; unless otherwise stated all quality control samples per-
formed within specifications established by the Laboratory

Microbials /

The estimation of uncertainty: Bile-tolerant gram negative ± 14
cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Posi-
tive= Detected; unless otherwise stated all quality control samples
performed within specifications established by the Laboratory.

Pesticides /

The estimation of uncertainty for pesticides is: [All analytes ± 0.011
ppm] [Except for Spinosyn: ±0.022, Cyfluthrin: ±0.008, Permethrins:
±0.022, Chlorfenapyr: ±0.038 ppm]

This product has been tested by Green Grower Labs using validated
testing methodologies and a quality system as required by state law.
Values reported relate only to the product tested. Green Grower Labs
makes no claims as to the efficacy, safety or other risks associated
with any detected or non-detected levels of any compounds reported
herein. This Certificate shall not be reproduced except in full, with-
out the written approval of Green Grower Labs. Flower samples are
separated for the required field of testing, then homogenized before
testing using liquid nitrogen. The results in this report relate only to
the sample tested. All measurements have a degree of uncertainty. As
required per WAC 314-55-103 the estimation of uncertainty has been
calculated and reported here as a range. The range assumes a 95%
confidence interval.



Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA
www.greengrowerlabs.com

Sample: GF41515600079715

Origination:	INFLORESCENCE	Sample Name:	BZO6DS25
License:	415156	Type:	Flower Unlotted
Address	3812 E BISMARCK AVE, SPOKANE, WA, 99217	Date Recieved:	1/24/2025

Pesticides

Analyte	Limit(PPM)	MASS (PPM)	Analyte	Limit(PPM)	MASS (PPM)
Abamectin	0.5	< 0.42	ND	Malathion	0.20 < 0.03 ND
Acephate	0.4	< 0.10	ND	Metalaxyl	0.20 < 0.02 ND
Acequinocyl	2.0	< 0.15	ND	Methiocarb	0.20 < 0.02 ND
Acetamiprid	0.2	< 0.03	ND	Methomyl	0.40 < 0.02 ND
Aldicarb	0.40	< 0.01	ND	Methyl parathion	0.20 < 0.06 ND
Azoxystrobin	0.20	< 0.07	ND	MGK-264	0.20 < 0.13 ND
Bifenazate	0.20	< 0.02	ND	Myclobutanil	0.20 < 0.01 ND
Bifenthrin	0.20	< 0.16	ND	Naled	0.50 < 0.02 ND
Boscalid	0.40	< 0.02	ND	Oxamyl	1.0 < 0.01 ND
Carbaryl	0.20	< 0.06	ND	Paclobutrazol	0.40 < 0.02 ND
Carbofuran	0.20	< 0.03	ND	Permethrins ^a	0.20 < 0.05 ND
Chlorantraniliprole	0.20	< 0.03	ND	Phosmet	0.20 < 0.01 ND
Chlorfenapyr	1.0	< 0.53	ND	Piperonyl butoxide	2.0 < 0.02 ND
Chlorpyrifos	0.20	< 0.03	ND	Prallethrin	0.20 < 0.11 ND
Clofentezine	0.20	< 0.09	ND	Propiconazole	0.40 < 0.02 ND
Cyfluthrin	1.0	< 0.11	ND	Propoxur	0.20 < 0.03 ND
Cypermethrin	1.0	< 0.06	ND	Pyrethrins ^b	1.0 < 0.15 ND
Daminozide	1.0	< 0.29	ND	Pyridaben	0.20 < 0.02 ND
DDVP (Dichlorvos)	0.10	< 0.06	ND	Spinosad ^c	0.20 < 0.05 ND
Diazinon	0.20	< 0.02	ND	Spiromesifen	0.20 < 0.02 ND
Dimethoate	0.20	< 0.02	ND	Spirotetramat	0.20 < 0.03 ND
Ethoprophos	0.20	< 0.01	ND	Spiroxamine	0.40 < 0.02 ND
Etofenprox	0.40	< 0.07	ND	Tebuconazole	0.40 < 0.02 ND
Etoxazole	0.20	< 0.02	ND	Thiacloprid	0.20 < 0.01 ND
Fenoxycarb	0.20	< 0.02	ND	Thiamethoxam	0.20 < 0.01 ND
Fenpyroximate	0.40	< 0.04	ND	Trifloxystrobin	0.20 < 0.06 ND
Fipronil	0.40	< 0.01	ND	If a sample result shows a pesticide as detected and a numerical result as less than (example <0.02 ppm), this indicates the pesticide was detected, but not at a level that can be accurately measured. ND = Not Detected	
Flonicamid	1.0	< 0.06	ND		
Fludioxonil	0.40	< 0.02	ND		
Hexythiazox	1.0	< 0.06	ND		
Imazalil	0.20	< 0.01	ND		
Imidacloprid	0.40	< 0.03	ND	a Sum of Isomers: cis-Permethrin trans-Permethrin b Sum of Isomers: Pyrethrin I Pyrethrin II c Sum of Isomers: Spinosyn A Spinosyn D	
Kresoxim-methyl	0.40	< 0.02	ND		

Matt Heist
Matt Heist
Lab Director