

Testing Summary

Date Tested:

Microbials:

FAIL

Analytical Methods

- Microbials: RT- qPCR & 3M Petrifilm

Analytical Information

Microbials /

The estimation of uncertainty: Bile-tolerant gram negative ± 14 cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Positive= Detected; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA  
www.greengrowerlabs.com

Sample: GF41321005543720

Origination: Spencer's Mountain LCC      Sample Name: Bubble Hash  
License: 413210      Type: Non-Solvent Based Concentrate  
Address 1107 E 1st Ave, Spokane, WA 99202      Date Recieved: 4/16/2024

Microbials

Analyte	Limit	Unit
STEC Shiga toxin-producing E. coli	Negative	Negative
Salmonella	Negative	Negative
BTGN Bile-Tolerant Gram-Negative Bacteria	10,000 (CFU/g)	48000000

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.

Matt Heist  
Matt Heist  
Lab Director

## ➤ Testing Summary

Date Tested:

Pesticides:

PASS

## ➤ Analytical Methods

- Water Activity: *Rotronic Meter*
- Foreign Matter: *Visual Inspection*
- Pesticides & Mycotoxins: *LS- Ms / Ms*
- Microbials: *RT- qPCR & 3M Petrifilm*
- Potency: *HPLC UV-VIS Detector*

## ➤ Analytical Information

### Potency /

The estimation of uncertainty is: [THCA ± 0.31%] [THC ± 0.15%]

[CBDA ± 0.02%] [CBD ± 0.07%]. Total THC = THCa \* 0.877 + d9-THC,

Total CBD = CBDA \* 0.877 + CBD, Total Cannabinoids = the sum of

all cannabinoids tested, LOQ = Limit of Quantitation: the reported

result is based on a sample weight with the applicable moisture

content for that sample; unless otherwise stated all quality control

samples performed within specifications established by the

Laboratory.

### Mycotoxins /

The estimation of uncertainty is: [Aflatoxin ± 2 ppb] [Ochratoxins

± 2 ppb] LOQ = Limit of Quantitation, the reported result is based

on a sample weight with the applicable moisture content for that

sample; unless otherwise stated all quality control samples per-

formed within specifications established by the Laboratory

### Microbials /

The estimation of uncertainty: Bile-tolerant gram negative ± 14

cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Posi-

tive= Detected; unless otherwise stated all quality control samples

performed within specifications established by the Laboratory.

### Pesticides /

The estimation of uncertainty for pesticides is: [All analytes ± 0.011

ppm] [Except for Spinosyn: ± 0.022, Cyfluthrin: ± 0.008, Permethrins:

± 0.022, Chlorfenapyr: ± 0.038 ppm]

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law.

Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, with-out the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen.

The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.



# Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA

www.greengrowerlabs.com

## ➤ Sample: GF41321005543720

Origination:	Spencer's Mountain LCC	Sample Name:	Bubble Hash
License:	413210	Type:	Non-Solvent Based Concentrate
Address	1107 E 1st Ave, Spokane, WA 99202	Date Recieved:	4/16/2024

## ➤ Pesticides

Analyte	Limit(PPM)	MASS (PPM)	Analyte	Limit(PPM)	MASS (PPM)
Abamectin	0.5	< 0.42	ND	Malathion	0.20 < 0.03 ND
Acephate	0.4	< 0.10	ND	Metaxyl	0.20 < 0.02 ND
Acequinocyl	2.0	< 0.15	ND	Methiocarb	0.20 < 0.02 ND
Acetamiprid	0.2	< 0.03	ND	Methomyl	0.40 < 0.02 ND
Aldicarb	0.40	< 0.01	ND	Methyl parathion	0.20 < 0.06 ND
Azoxystrobin	0.20	< 0.07	ND	MGK-264	0.20 < 0.13 ND
Bifenazate	0.20	< 0.02	ND	Myclobutanil	0.20 < 0.01 ND
Bifenthrin	0.20	< 0.16	ND	Naled	0.50 < 0.02 ND
Boscalid	0.40	< 0.02	ND	Oxamyl	1.0 < 0.01 ND
Carbaryl	0.20	< 0.06	ND	Paclobutrazol	0.40 < 0.02 ND
Carbofuran	0.20	< 0.03	ND	Permethrins <sub>a</sub>	0.20 < 0.05 ND
Chlorantraniliprole	0.20	< 0.03	ND	Phosmet	0.20 < 0.01 ND
Chlorfenapyr	1.0	< 0.53	ND	Piperonyl butoxide	2.0 0.11 Detected
Chlorpyrifos	0.20	< 0.03	ND	Prallethrin	0.20 < 0.11 ND
Clofentezine	0.20	< 0.09	ND	Propiconazole	0.40 < 0.02 ND
Cyfluthrin	1.0	< 0.11	ND	Propoxur	0.20 < 0.03 ND
Cypermethrin	1.0	< 0.06	ND	Pyrethrins <sub>b</sub>	1.0 < 0.15 ND
Daminozide	1.0	< 0.29	ND	Pyridaben	0.20 < 0.02 ND
DDVP (Dichlorvos)	0.10	< 0.06	ND	Spinosad <sub>c</sub>	0.20 < 0.05 ND
Diazinon	0.20	< 0.02	ND	Spiromesifen	0.20 < 0.02 ND
Dimethoate	0.20	< 0.02	ND	Spirotetramat	0.20 < 0.03 ND
Ethoprophos	0.20	< 0.01	ND	Spiroxamine	0.40 < 0.02 ND
Etofenprox	0.40	< 0.07	ND	Tebuconazole	0.40 < 0.02 ND
Etoxazole	0.20	< 0.02	ND	Thiacloprid	0.20 < 0.01 ND
Fenoxycarb	0.20	< 0.02	ND	Thiamethoxam	0.20 < 0.01 ND
Fenpyroximate	0.40	< 0.04	ND	Trifloxystrobin	0.20 < 0.06 ND
Fipronil	0.40	< 0.01	ND		
Flonicamid	1.0	< 0.06	ND		
Fludioxonil	0.40	< 0.02	ND		
Hexythiazox	1.0	< 0.06	ND		
Imazalil	0.20	< 0.01	ND		
Imidacloprid	0.40	< 0.03	ND		
Kresoxim-methyl	0.40	< 0.02	ND		

If a sample result shows a pesticide as detected and a numerical result as less than (example <0.02 ppm), this indicates the pesticide was detected, but not at a level that can be accurately measured.

ND = Not Detected

*Matt Heist*  
Matt Heist  
Lab Director