## > Testing Summary Date Tested: 7/11/2024

Water Activity (AW):	0.35	PASS		
Foreign Matter: PASS	Stems (%):  IEH (ea.):  Seeds or Other (%):	0.0 0.0 0.0		
Pesticides:		PASS		
Mycotoxins:		PASS		
Microbials:	PASS			

## > Analytical Methods

- Water Activity: Rotronic Meter
- Foreign Matter: Visual Inspection
- Pesticides & Mycotoxins: LS- Ms / Ms
- Microbials: RT- qPCR & 3M Petrifilm
- Potency: HPLC UV-VIS Detector

## > Analytical Information

#### Potency /

The estimation of uncertainty is: [THCA  $\pm$  0.31%] [THC  $\pm$  0.15%] [CBDA  $\pm$  0.02%] [CBD  $\pm$  0.07%]. Total THC = THCa \* 0.877 + d9-THC, Total CBD = CBDa \* 0.877 + CBD, Total Cannabinoids = the sum of all cannabinoids tested, LOQ = Limit of Quantitation: the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

#### Mycotoxins /

The estimation of uncertainty is: [Aflatoxin  $\pm$  2 ppb] [Ochratoxins  $\pm$  2 ppb] LOQ = Limit of Quantitation, the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory

#### Microbials /

The estimation of uncertainty: Bile-tolerant gram negative  $\pm$  14 cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Positive= Detected; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

#### Pesticides /

The estimation of uncertainty for pesticides is: [All analytes  $\pm$  0.011 ppm] [Except for Spinosyn:  $\pm$ 0.022, Cyfluthrin:  $\pm$ 0.008, Permethrins:  $\pm$ 0.022, Chlorfenapyr:  $\pm$ 0.038 ppm]

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other if sks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.



# Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA www.greengrowerlabs.com

## > Sample: GF42469005516772


Origination: PHAT FORTY

License: 424690

Address 1511 E Sprague Ave Spokane, WA 99202

Date Recieved: 7/11/2024

### Potency



### > MycoToxins

Analyte	Limit <sub>(PPB)</sub>	Unit (PPB)	
Total Aflatoxins (B1, B2, G1, G2)	20	< 9	
Ochratoxin A	20	< 11	

#### > Microbials

Analyte 	Limit	Unit
STEC Shiga toxin-producing E. coli	Negative	Negative
Salmonella	Negative	Negative
BTGN Bile-Tolerant Gram-Negative Bacteria	10,000 (CFU/g)	100



## ➤ Testing Summary Date Tested: 7/11/2024

Water Activity (AW)	0.35	PASS		
Foreign Matter	Stems (%):	0.0		
PASS	IEH (ea.):	0.0		
	Seeds or Other (%):	0.0		
Pesticides:		PASS		
Mycotoxins:		PASS		
Microbials:		PASS		

## > Analytical Methods

- Water Activity: Rotronic Meter
- Foreign Matter: Visual Inspection
- Pesticides & Mycotoxins: LS- Ms / Ms
- Microbials: RT- qPCR & 3M Petrifilm
- Potency: HPLC UV-VIS Detector

#### > Analytical Information

#### Potency /

The estimation of uncertainty is: [THCA  $\pm$  0.31%] [THC  $\pm$  0.15%] [CBDA  $\pm$  0.02%] [CBD  $\pm$ 0.07%]. Total THC = THCa \* 0.877 + d9-THC, Total CBD = CBDa \* 0.877 + CBD, Total Cannabinoids = the sum of all cannabinoids tested, LOO = Limit of Quantitation; the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory

#### Mycotoxins /

The estimation of uncertainty is: [Aflatoxin  $\pm$  2 ppb] [Ochratoxins  $\pm 2$  ppb] LOQ = Limit of Quantitation, the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory

#### Microbials /

The estimation of uncertainty: Bile-tolerant gram negative  $\pm$  14 cfu/q. LOQ = Limit of Quantitation; Negative = Not Detected; Positive= Detected; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

#### Pesticides /

The estimation of uncertainty for pesticides is: [All analytes  $\pm$  0.011 ppm] [Except for Spinosyn: ±0.022, Cyfluthrin: ±0.008, Permethrins: ±0.022, Chlorfenapyr: ±0.038 ppm]

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.



# Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA www.greengrowerlabs.com

GF42469005516772 > Sample:

Origination: Sample Name: PHAT FORTY Sherbacio License: Type: Flower Lot 424690 1511 E Sprague Ave Spokane, WA 99202 Address Date Recieved: 7/11/2024

#### > Pesticides

Fludioxonil

Hexythiazox

Imidacloprid

Kresoxim-methyl

Imazalil

0.40

1.0

0.20

0.40

0.40

< 0.02

< 0.06

< 0.01

< 0.03

< 0.02

ND

ND

ND

ND

ND

Abamectin         0.5         < 0.42	Analyte	Limit(PPM)	MASS (PPM)		Analyte	Limit(PPM)	MASS (PPM)	)
Acequinocyl         2.0         < 0.15	Abamectin	0.5	< 0.42	ND	Malathion	0.20	< 0.03	ND
Acetamiprid         0.2         < 0.03         ND         Methomyl         0.40         < 0.02         ND           Aldicarb         0.40         < 0.01	Acephate	0.4	< 0.10	ND	Metalaxyl	0.20	< 0.02	ND
Aldicarb         0.40         < 0.01         ND         Methyl parathion         0.20         < 0.06         ND           Azoxystrobin         0.20         < 0.07	Acequinocyl	2.0	< 0.15	ND	Methiocarb	0.20	< 0.02	ND
Azoxystrobin 0.20 < 0.07 ND MGK-264 0.20 < 0.13 ND Bifenazate 0.20 < 0.02 ND Myclobutanil 0.20 < 0.01 ND Bifenthrin 0.20 < 0.16 ND Naled 0.50 < 0.02 ND Boscalid 0.40 < 0.02 ND Oxamyl 1.0 < 0.01 ND Carboryl 0.20 < 0.06 ND Paclobutrazol 0.40 < 0.02 ND Carbofuran 0.20 < 0.03 ND Permethrins 0.20 < 0.05 ND Chlorantraniliprole 0.20 < 0.03 ND Phosmet 0.20 < 0.01 ND Chlorenapyr 1.0 < 0.53 ND Piperonyl butoxide 2.0 0.02 Detected Chlorpyrifos 0.20 < 0.03 ND Propiconazole 0.40 < 0.02 ND Cyfluthrin 1.0 < 0.11 ND Propiconazole 0.40 < 0.02 ND Cyfluthrin 1.0 < 0.11 ND Propiconazole 0.40 < 0.02 ND Detected ND Pyrethrins 1.0 < 0.15 ND Daminozide 1.0 < 0.29 ND Pyridaben 0.20 < 0.03 ND Diazinon 0.20 < 0.02 ND Spiromesifen 0.20 < 0.03 ND Diazinon 0.20 < 0.02 ND Spiromesifen 0.20 < 0.02 ND Diazinon 0.20 < 0.02 ND Spiromesifen 0.20 < 0.03 ND Diazinon 0.20 < 0.02 ND Spiromesifen 0.20 < 0.03 ND Etocprophos 0.20 < 0.02 ND Spiromazole 0.40 < 0.02 ND Diazinon 0.20 < 0.02 ND Spiromesifen 0.20 < 0.03 ND Diazinon 0.20 < 0.02 ND Spiromesifen 0.20 < 0.03 ND Etocprophos 0.20 < 0.01 ND Spiromazole 0.40 < 0.02 ND Spiromazole 0.40 < 0.04 ND Spiromazole 0.40 < 0.06 ND Spiro	Acetamiprid	0.2	< 0.03	ND	Methomyl	0.40	< 0.02	ND
Bifenazate         0.20         < 0.02         ND         Myclobutanil         0.20         < 0.01         ND           Bifenthrin         0.20         < 0.16	Aldicarb	0.40	< 0.01	ND	Methyl parathion	0.20	< 0.06	ND
Bifenthrin         0.20         < 0.16         ND         Naled         0.50         < 0.02         ND           Boscalid         0.40         < 0.02	Azoxystrobin	0.20	< 0.07	ND	MGK-264	0.20	< 0.13	ND
Boscalid   0.40	Bifenazate	0.20	< 0.02	ND	Myclobutanil	0.20	< 0.01	ND
Carbaryl         0.20         < 0.06         ND         Paclobutrazol         0.40         < 0.02         ND           Carbofuran         0.20         < 0.03	Bifenthrin	0.20	< 0.16	ND	Naled	0.50	< 0.02	ND
Carbofuran         0.20         < 0.03         ND         Permethrins a         0.20         < 0.05         ND           Chlorantraniliprole         0.20         < 0.03	Boscalid	0.40	< 0.02	ND	Oxamyl	1.0	< 0.01	ND
Chlorantraniliprole         0.20         < 0.03         ND         Phosmet         0.20         < 0.01         ND           Chlorfenapyr         1.0         < 0.53	Carbaryl	0.20	< 0.06	ND	Paclobutrazol	0.40	< 0.02	ND
Chlorfenapyr         1.0         < 0.53         ND         Piperonyl butoxide         2.0         0.02         Detected           Chlorpyrifos         0.20         < 0.03	Carbofuran	0.20	< 0.03	ND	Permethrins a	0.20	< 0.05	ND
Chlorpyrifos         0.20 < 0.03         ND         Prallethrin         0.20 < 0.11         ND           Clofentezine         0.20 < 0.09	Chlorantraniliprole	0.20	< 0.03	ND	Phosmet	0.20	< 0.01	ND
ND	Chlorfenapyr	1.0	< 0.53	ND	Piperonyl butoxide	2.0	0.02	Detected
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Chlorpyrifos	0.20	< 0.03	ND	Prallethrin	0.20	< 0.11	ND
Cypermethrin         1.0         < 0.06         ND         Pyrethrins b         1.0         < 0.15         ND           Daminozide         1.0         < 0.29	Clofentezine	0.20	< 0.09	ND	Propiconazole	0.40	< 0.02	ND
Daminozide         1.0         < 0.29         ND         Pyridaben         0.20         < 0.02         ND           DDVP (Dichlorvos)         0.10         < 0.06	Cyfluthrin	1.0	< 0.11	ND	Propoxur	0.20	< 0.03	ND
DDVP (Dichlorvos)         0.10 < 0.06         ND         Spinosad c         0.20 < 0.05         ND           Diazinon         0.20 < 0.02	Cypermethrin	1.0	< 0.06	ND	Pyrethrins <sub>h</sub>	1.0	< 0.15	ND
Diazinon         0.20 < 0.02         ND         Spiromesifen         0.20 < 0.02         ND           Dimethoate         0.20 < 0.02	Daminozide	1.0	< 0.29	ND	Pyridaben	0.20	< 0.02	ND
Diazinon         0.20         < 0.02         ND         Spiromesifen         0.20         < 0.02         ND           Dimethoate         0.20         < 0.02	DDVP (Dichlorvos)	0.10	< 0.06	ND	Spinosad	0.20	< 0.05	ND
Ethoprophos         0.20         < 0.01         ND         Spiroxamine         0.40         < 0.02         ND           Etofenprox         0.40         < 0.07	Diazinon	0.20	< 0.02	ND		0.20	< 0.02	ND
Etofenprox 0.40 < 0.07 ND Tebuconazole 0.40 < 0.02 ND  Etoxazole 0.20 < 0.02 ND Thiacloprid 0.20 < 0.01 ND  Fenoxycarb 0.20 < 0.02 ND Thiamethoxam 0.20 < 0.01 ND  Fenpyroximate 0.40 < 0.04 ND Trifloxystrobin 0.20 < 0.06 ND  Fipronil 0.40 < 0.01 ND If a sample result shows a pesticide as detected and a numerical result as less the this indicates the pesticide was detected, but not at a level that can be ac	Dimethoate	0.20	< 0.02	ND	Spirotetramat	0.20	< 0.03	ND
Etoxazole 0.20 < 0.02 ND Thiacloprid 0.20 < 0.01 ND Fenoxycarb 0.20 < 0.02 ND Thiamethoxam 0.20 < 0.01 ND Fenoxycarb 0.40 < 0.04 ND Trifloxystrobin 0.20 < 0.06 ND Fipronil 0.40 < 0.01 ND If a sample result shows a pesticide as detected and a numerical result as less the this indicates the pesticide was detected, but not at a level that can be ac	Ethoprophos	0.20	< 0.01	ND	Spiroxamine	0.40	< 0.02	ND
Fenoxycarb 0.20 < 0.02 ND Thiamethoxam 0.20 < 0.01 ND  Fenpyroximate 0.40 < 0.04 ND Trifloxystrobin 0.20 < 0.06 ND  Fipronil 0.40 < 0.01 ND If a sample result shows a pesticide as detected and a numerical result as less the this indicates the pesticide was detected, but not at a level that can be ac	Etofenprox	0.40	< 0.07	ND	Tebuconazole	0.40	< 0.02	ND
Fenpyroximate 0.40 < 0.04 ND Trifloxystrobin 0.20 < 0.06 ND  Fipronil 0.40 < 0.01 ND If a sample result shows a pesticide as detected and a numerical result as less the this indicates the pesticide was detected, but not at a level that can be ac	Etoxazole	0.20	< 0.02	ND	Thiacloprid	0.20	< 0.01	ND
Fipronil 0.40 < 0.01 ND If a sample result shows a pesticide as detected and a numerical result as less the this indicates the pesticide was detected, but not at a level that can be ac	Fenoxycarb	0.20	< 0.02	ND	Thiamethoxam	0.20	< 0.01	ND
this indicates the pesticide was detected, but not at a level that can be ac	Fenpyroximate	0.40	< 0.04	ND	Trifloxystrobin	0.20	< 0.06	ND
	Fipronil	0.40	< 0.01	ND				
	Flonicamid	1.0	< 0.06	ND	ans maicates the pesticit			

nan (example <0.02 ppm), ccurately measured

