

Testing Summary

Date Tested: 1/30/2023

Analytical Methods

- Potency: HPLC UV-VIS Detector

Analytical Information

Potency /

The estimation of uncertainty is: [THCA \pm 0.31%] [THC \pm 0.15%]
[CBDA \pm 0.02%] [CBD \pm 0.07%]. Total THC = THCa * 0.877 + d9-
THC, Total CBD = CBDa * 0.877 + CBD, Total Cannabinoids = the
sum of all cannabinoids tested, LOQ = Limit of Quantitation; the
reported result is based on a sample weight with the applicable
moisture content for that sample; unless otherwise stated all
quality control samples performed within specifications
established by the Laboratory.

Microbials /

The estimation of uncertainty: Bile-tolerant gram negative \pm 14
cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Posi-
tive= Detected; unless otherwise stated all quality control
samples performed within specifications established by the
Laboratory.



Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA
www.greengrowerlabs.com

Sample: **11243547752235395**

Origination: **Grow Op**

Sample Name: Firecracker - Infused Preroll Forbidden OG
Chem 1g


License: **413287**

Type: **Marijuana Mix Infused**

Address: 2611 N WOODRUFF RD STE B, SPOKANE
VALLEY, WA, 992064138

Date Received: **1/30/2023**

Potency



Cannabinoids

Analyte	Mass (Mg / Unit)
Δ 9-THC	18
THCa	24
Total THC	39
CBD	0.82
CBDA	0.0
Total CBD	0.82

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.

Matt Heist

Matt Heist
Lab Director