

Testing Summary

Date Tested: 12/11/2023

Residual Solvents	PASS
Pesticides:	PASS
Mycotoxins:	PASS
Microbials:	PASS

Analytical Methods

- Residual Solvents: *Headspace GC-FID*
- Pesticides & Mycotoxins: *LS- Ms / Ms*
- Microbials: *RT- qPCR & 3M Petrifilm*
- Potency: *HPLC UV-VIS Detector*

Analytical Information

Potency /

The estimation of uncertainty is: [THCA \pm 0.31%] [THC \pm 0.15%]
[CBDA \pm 0.02%] [CBD \pm 0.07%]. Total THC = THCa * 0.877 + d9-THC,
Total CBD = CBDA * 0.877 + CBD, Total Cannabinoids = the sum of
all cannabinoids tested, LOQ = Limit of Quantitation: the reported
result is based on a sample weight with the applicable moisture
content for that sample; unless otherwise stated all quality control
samples performed within specifications established by the
Laboratory.

Mycotoxins /

The estimation of uncertainty is: [Aflatoxin \pm 2 ppb] [Ochratoxins
 \pm 2 ppb] LOQ = Limit of Quantitation, the reported result is based
on a sample weight with the applicable moisture content for that
sample; unless otherwise stated all quality control samples per-
formed within specifications established by the Laboratory

Microbials /

The estimation of uncertainty: Bile-tolerant gram negative \pm 14
cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Posi-
tive= Detected; unless otherwise stated all quality control samples
performed within specifications established by the Laboratory.

Pesticides /

The estimation of uncertainty for pesticides is: [All analytes \pm 0.011
ppm] [Except for Spinosyn: \pm 0.022, Cyfluthrin: \pm 0.008,
Permethrins: \pm 0.022, Chlorfenapyr: \pm 0.038 ppm]

Residual Solvents/

Residual Solvents the estimation of uncertainty is: [Acetone:
 \pm 2.4ppm] [Benzene: \pm 0.03ppm] [Butanes: \pm 1.4ppm] [Chloroform:
 \pm 0.01ppm] [Cyclohexane: \pm 2.3ppm] [Dichloromethane: \pm 2.3ppm]
[Ethyl-Acetate: \pm 2.2ppm] [Heptane: \pm 2.6ppm] [Hexanes: \pm 0.5ppm]
[Isopropanol: \pm 2.1ppm] [Methanol: \pm 2.3ppm] [Pentanes: \pm 0.9ppm]
[Propane: \pm 2.6ppm] [Toluene: \pm 2.5ppm] [Xylenes: \pm 0.8ppm]; LOQ
= Limit of Quantification, the reported result is based on a sample
weight with the applicable moisture content for that sample; un-
less otherwise stated all quality control samples performed within
specifications established by the Laboratory.

This product has been tested by Green Grower Labs using validated
testing methodologies and a quality system as required by state law.
Values reported relate only to the product tested. Green Grower Labs
makes no claims as to the efficacy, safety or other risks associated
with any detected or non-detected levels of any compounds reported
herein. This Certificate shall not be reproduced except in full, with-
out the written approval of Green Grower Labs. Flower samples are
separated for the required field of testing, then homogenized before
testing using liquid nitrogen. The results in this report relate only to
the sample tested. All measurements have a degree of uncertainty. As
required per WAC 314-55-103 the estimation of uncertainty has been
calculated and reported here as a range. The range assumes a 95%
confidence interval.



Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA
www.greengrowerlabs.com

Sample: **WA413287.INZEPX**

Origination: **Grow Op**

Sample Name: **Bulk Pen Oil**


License: **413287**

Type: **Food Grade Solvent Concentrate**

Address: 2611 N WOODRUFF RD STE B, SPOKANE VALLEY, WA, 992064

Date Received: **12/11/2023**

Potency



Cannabinoids

Analyte	Mass %
Δ 9-THC	90
THCa	< 0.10
Total THC	90
CBD	1.8
CBDA	0.15
Total CBD	1.9

MycoToxins

Analyte	Limit (PPB)	Unit (PPB)
Total Aflatoxins (B1, B2, G1, G2)	20	< 9
Ochratoxin A	20	< 11

Microbials

Analyte	Limit	Unit
STEC Shiga toxin-producing E. coli	Negative	Negative
Salmonella	Negative	Negative
BTGN Bile-Tolerant Gram-Negative Bacteria	1,000 (CFU/g)	< 10

Residual Solvents

Analyte	Limit(PPM)	MASS (PPM)		Analyte	Limit(PPM)	MASS (PPM)	
Propane	5000	< 16	PASS	Hexanes	290	< 12	PASS
Butanes	3880	< 14	PASS	Benzene	2	< 0.1	PASS
Cyclohexane	3000	< 31	PASS	Ethyl-Acetate	5000	< 52	PASS
Methanol	5000	< 16	PASS	Chloroform	2	< 0.1	PASS
Pentanes	5000	< 10	PASS	Heptane	5000	< 34	PASS
Acetone	5000	< 37	PASS	Toluene	890	< 77	PASS
Isopropanol	600	< 37	PASS	Xylenes	2170	< 238	PASS
Dichloromethane	290	< 12	PASS	Ethanol	5000	< 1	PASS

Matt Heist

Matt Heist
Lab Director

