

Testing Summary

Date Tested: 4/1/2025

Analytical Methods

- Potency: HPLC UV-VIS Detector

Analytical Information

Potency /

The estimation of uncertainty is: [THCA \pm 0.31%] [THC \pm 0.15%]
[CBDA \pm 0.02%] [CBD \pm 0.07%]. Total THC = THCa * 0.877 + d9-THC, Total CBD = CBDA * 0.877 + CBD, Total Cannabinoids = the sum of all cannabinoids tested, LOQ = Limit of Quantitation: the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

> HEAVY METALS

The estimation of uncertainty is: [Arsenic: \pm 0.12 ppm, Cadmium \pm 0.10 ppm, Lead \pm 0.11 ppm, Mercury \pm 0.10 ppm]. Heavy metals are not covered under 1502 Lab certification. All Heavy metals testing conforms to the WAC 314-55-103 Good Laboratory checklist and QA/QC requirements.



Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA
www.greengrowerlabs.com



Sample: **20440383779870010**

Origination: **Sweetwater Farms**

Sample Name: **Gummy Bearz Cloudburst**


License: **424256**

Type: **Cannabis Mix Infused**

Address: 10211 S. Spotted RD, BLDG A&B Cheney, WA 990049646

Date Received: **4/1/2025**

Potency



Cannabinoids

Analyte	Mass (Mg / Unit)
Δ 9-THC	1.2
THCa	58
Total THC	52
CBD	0.12
CBDA	< 0.10
Total CBD	0.12

NOTE// All intermediate products were tested for heavy metals

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.

Matt Heist

Matt Heist
Lab Director