> Testing Summary Date Tested: 6/3/2024

Water Activity (AW):	0.38	PASS		
Foreign Matter:	Stems (%):	0.0		
PASS	IEH (ea.):	0.0		
	Seeds or Other (%):	0.0		
Pesticides:		PASS		
Mycotoxins:		PASS		
Microbials:		PASS		

Analytical Methods

• Water Activity: Rotronic Meter

• Foreign Matter: Visual Inspection

Pesticides & Mycotoxins: LS- Ms / Ms

• Microbials: RT- qPCR & 3M Petrifilm

Potency: HPLC UV-VIS Detector

> Analytical Information

Potency /

The estimation of uncertainty is: [THCA \pm 0.31%] [THC \pm 0.15%] [CBDA \pm 0.02%] [CBD \pm 0.07%]. Total THC = THCa * 0.877 + d9-THC, Total CBD = CBDa * 0.877 + CBD, Total Cannabinoids = the sum of all cannabinoids tested, LOQ = Limit of Quantitation: the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins /

The estimation of uncertainty is: [Aflatoxin ± 2 ppb] [Ochratoxins ± 2 ppb] LOQ = Limit of Quantitation, the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Microbials /

The estimation of uncertainty: Bile-tolerant gram negative \pm 14 cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Positive= Detected; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Pesticides /

The estimation of uncertainty for pesticides is: [All analytes \pm 0.011 ppm] [Except for Spinosyn: \pm 0.022, Cyfluthrin: \pm 0.008, Permethrins: \pm 0.022, Chlorfenapyr: \pm 0.038 ppm]

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other itsks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.



Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA www.greengrowerlabs.com


> Sample: WA413287.INOK0Z

Origination: Grow Op Sample Name: GMO x Point Break

License: 413287 Type: Flower Lot

Address 2611 N WOODRUFF RD STE B, SPOKANE Date Recieved: 6/3/2024

Potency



> MycoToxins

Analyte	Limit _(PPB)	Unit (PPB)
Total Aflatoxins (B1, B2, G1, G2)	20	< 9
Ochratoxin A	20	< 11

Microbials

Analyte ————————————————————————————————————	Limit	Unit ———
STEC Shiga toxin-producing E. coli	Negative	Negative
Salmonella	Negative	Negative
BTGN Bile-Tolerant Gram-Negative Bacteria	10,000 (CFU/g)	< 10



Flower Lot

> Testing Summary Date Tested: 6/3/2024

Water Activity (AW)	0.38	PASS	
Foreign Matter	Stems (%):	0.0	
PASS	IEH (ea.):	0.0	
	Seeds or Other (%):	0.0	
Pesticides:	PASS		
Mycotoxins:		PASS	
Microbials:		PASS	

> Analytical Methods

- Water Activity: Rotronic Meter
- Foreign Matter: Visual Inspection
- Pesticides & Mycotoxins: LS- Ms / Ms
- Microbials: RT- qPCR & 3M Petrifilm
- Potency: HPLC UV-VIS Detector

> Analytical Information

Potency /

The estimation of uncertainty is: [THCA \pm 0.31%] [THC \pm 0.15%] [CBDA \pm 0.02%] [CBD \pm 0.07%]. Total THC = THCa * 0.877 + d9-THC, Total CBD = CBDa * 0.877 + CBD, Total Cannabinoids = the sum of all cannabinoids tested, LOO = Limit of Quantitation; the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Mycotoxins /

The estimation of uncertainty is: [Aflatoxin \pm 2 ppb] [Ochratoxins ± 2 ppb] LOQ = Limit of Quantitation, the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Microbials /

The estimation of uncertainty: Bile-tolerant gram negative \pm 14 cfu/q. LOQ = Limit of Quantitation; Negative = Not Detected; Positive= Detected; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Pesticides /

The estimation of uncertainty for pesticides is: [All analytes \pm 0.011 ppm] [Except for Spinosyn: ±0.022, Cyfluthrin: ±0.008, Permethrins: ±0.022, Chlorfenapyr: ±0.038 ppm]

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.



Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA www.greengrowerlabs.com

Type:

WA413287.INOK0Z > Sample:

413287

Origination: Sample Name: **Grow Op** GMO x Point Break

2611 N WOODRUFF RD STE B, SPOKANE VALLEY, WA, 992064138 Date Recieved: Address 6/3/2024

> Pesticides

Fludioxonil

Hexythiazox

Imidacloprid

Kresoxim-methyl

Imazalil

0.40

1.0

0.20

0.40

0.40

< 0.02

< 0.06

< 0.01

< 0.03

< 0.02

ND

ND

ND

ND

ND

License:

Abamectin 0.5 < 0.42	Analyte	Limit(PPM)	MASS (PPM)		Analyte	Limit(PPM)	MASS (PPM)	
Acequinocyl 2.0 < 0.15 ND Methiocarb 0.20 < 0.02 ND Acetamiprid 0.2 < 0.03	Abamectin	0.5	< 0.42	ND	Malathion	0.20	< 0.03	ND
Acetamiprid 0.2 < 0.03 ND Methomyl 0.40 < 0.02 ND Aldicarb 0.40 < 0.01	Acephate	0.4	< 0.10	ND	Metalaxyl	0.20	< 0.02	ND
Aldicarb 0.40 < 0.01 ND Methyl parathion 0.20 < 0.06 ND Azoxystrobin 0.20 < 0.07	Acequinocyl	2.0	< 0.15	ND	Methiocarb	0.20	< 0.02	ND
Azoxystrobin 0.20 < 0.07 ND MGK-264 0.20 < 0.13 ND Bifenazate 0.20 < 0.02	Acetamiprid	0.2	< 0.03	ND	Methomyl	0.40	< 0.02	ND
Bifenazate 0.20 < 0.02 ND Myclobutanil 0.20 < 0.01 ND Bifenthrin 0.20 < 0.16	Aldicarb	0.40	< 0.01	ND	Methyl parathion	0.20	< 0.06	ND
Bifenthrin 0.20 < 0.16 ND Naled 0.50 < 0.02 ND Boscalid 0.40 < 0.02	Azoxystrobin	0.20	< 0.07	ND	MGK-264	0.20	< 0.13	ND
Boscalid	Bifenazate	0.20	< 0.02	ND	Myclobutanil	0.20	< 0.01	ND
Carbaryl 0.20 < 0.06 ND Paclobutrazol 0.40 < 0.02 ND Carbofuran 0.20 < 0.03	Bifenthrin	0.20	< 0.16	ND	Naled	0.50	< 0.02	ND
Carbofuran 0.20 < 0.03 ND Permethrins a 0.20 < 0.05 ND Chlorantraniliprole 0.20 < 0.03	Boscalid	0.40	< 0.02	ND	Oxamyl	1.0	< 0.01	ND
Chlorantraniliprole 0.20 < 0.03 ND Phosmet 0.20 < 0.01 ND Chlorfenapyr 1.0 < 0.53	Carbaryl	0.20	< 0.06	ND	Paclobutrazol	0.40	< 0.02	ND
Chlorfenapyr 1.0 < 0.53 ND Piperonyl butoxide 2.0 < 0.02 ND Chlorpyrifos 0.20 < 0.03	Carbofuran	0.20	< 0.03	ND	Permethrins a	0.20	< 0.05	ND
Chlorpyrifos 0.20 < 0.03 ND Prallethrin 0.20 < 0.11 ND Clofentezine 0.20 < 0.09	Chlorantraniliprole	0.20	< 0.03	ND	Phosmet	0.20	< 0.01	ND
Clofentezine 0.20 < 0.09 ND Propiconazole 0.40 < 0.02 ND	Chlorfenapyr	1.0	< 0.53	ND	Piperonyl butoxide	2.0	< 0.02	ND
Cyfluthrin 1.0 < 0.11 ND Propoxur 0.20 < 0.03 ND Cypermethrin 1.0 < 0.06	Chlorpyrifos	0.20	< 0.03	ND	Prallethrin	0.20	< 0.11	ND
Cypermethrin 1.0 < 0.06 ND Pyrethrins b 1.0 < 0.15 ND Daminozide 1.0 < 0.29	Clofentezine	0.20	< 0.09	ND	Propiconazole	0.40	< 0.02	ND
Daminozide 1.0 < 0.29 ND Pyridaben 0.20 < 0.02 ND DDVP (Dichlorvos) 0.10 < 0.06	Cyfluthrin	1.0	< 0.11	ND	Propoxur	0.20	< 0.03	ND
DDVP (Dichlorvos) 0.10 < 0.06 ND Spinosad c 0.20 < 0.05 ND Diazinon 0.20 < 0.02	Cypermethrin	1.0	< 0.06	ND	Pyrethrins _h	1.0	< 0.15	ND
Diazinon 0.20 < 0.02 ND Spiromesifen 0.20 < 0.02 ND Dimethoate 0.20 < 0.02	Daminozide	1.0	< 0.29	ND	Pyridaben	0.20	< 0.02	ND
Dimethoate 0.20 < 0.02 ND Spirotestramat 0.20 < 0.03 ND Ethoprophos 0.20 < 0.01	DDVP (Dichlorvos)	0.10	< 0.06	ND	Spinosad	0.20	< 0.05	ND
Ethoprophos 0.20 < 0.01 ND Spirocettamate 0.20 < 0.02 ND Etofenprox 0.40 < 0.07	Diazinon	0.20	< 0.02	ND	Spiromesifen	0.20	< 0.02	ND
Etofenprox 0.40 < 0.07 ND Tebuconazole 0.40 < 0.02 ND Etoxazole 0.20 < 0.02	Dimethoate	0.20	< 0.02	ND	Spirotetramat	0.20	< 0.03	ND
Etoxazole 0.20 < 0.02 ND Thiacloprid 0.20 < 0.01 ND Fenoxycarb 0.20 < 0.02 ND Thiamethoxam 0.20 < 0.01 ND Fenoxycarb 0.40 < 0.04 ND Trifloxystrobin 0.20 < 0.06 ND Fipronil 0.40 < 0.01 ND If a sample result shows a pesticide as detected and a numerical result as less than this indicates the pesticide was detected, but not at a level that can be accurate.	Ethoprophos	0.20	< 0.01	ND	Spiroxamine	0.40	< 0.02	ND
Fenoxycarb 0.20 < 0.02 ND Thiamethoxam 0.20 < 0.01 ND a Fenoxycarb 0.40 < 0.04 ND Trifloxystrobin 0.20 < 0.06 ND Fipronil 0.40 < 0.01 ND If a sample result shows a pesticide as detected and a numerical result as less than this indicates the pesticide was detected, but not at a level that can be accurate.	Etofenprox	0.40	< 0.07	ND	Tebuconazole	0.40	< 0.02	ND
Fenpyroximate 0.40 < 0.04 ND Trifloxystrobin 0.20 < 0.06 ND Fipronil 0.40 < 0.01 ND If a sample result shows a pesticide as detected and a numerical result as less than this indicates the pesticide was detected, but not at a level that can be accurate.	Etoxazole	0.20	< 0.02	ND	Thiacloprid	0.20	< 0.01	ND
Fipronil 0.40 < 0.01 ND If a sample result shows a pesticide as detected and a numerical result as less than this indicates the pesticide was detected, but not at a level that can be accu	Fenoxycarb	0.20	< 0.02	ND	Thiamethoxam	0.20	< 0.01	ND [°]
this indicates the pesticide was detected, but not at a level that can be accu	Fenpyroximate	0.40	< 0.04	ND	Trifloxystrobin	0.20	< 0.06	ND
	Fipronil	0.40	< 0.01	ND				
	Flonicamid	1.0	< 0.06	ND	uiis iriuicates the pesticio			. can be accui

n (example <0.02 ppm), urately measured

