

TESTING SUMMARY

DATE RECIEVED: 11/21/2025
DATE REPORTED: 11/23/2025

MICROBIALS: PASS
ANALYTICAL METHODS

» MICROBIALS: RT-qPCR & 3M PETRIFILM

» ANALYTICAL INFO

> MICROBIALS

The estimation of uncertainty: 3M Petrifilm ± 14 cfu/g. LOQ = Limit of Quantitation; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Certificate of Analysis

Laboratory license: #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA
www.greengrowerlabs.com

Sample ID: 65382001024113742

Origination: Dogtown Pioneers Sample Name: Mary Jones - 12oz - MF Grape Soda - 100mg
License: 416538 Type: Liquid Edible
Address: 4645 N Swenson Rd Ste A Clayton, WA 99110 Sampling Date: 11/21/2025

> Microbials

Analyte	Limit	Unit
E.coli	Negative	Negative
Total Aerobic	< 100 (CFU/mL)	< 10
Total Combined Yeast and Molds	< 10 (CFU/mL)	< 10

Intermediate products tested for Heavy Metals
NMQA

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, with-out the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.

> 1 Unit: 473 mL

Matt Heist
Matt Heist
Lab Director