

Testing Summary

Date Tested: 3/20/2024

Analytical Methods

- Potency: HPLC UV-VIS Detector

Analytical Information

Potency /

The estimation of uncertainty is: [THCA \pm 0.31%] [THC \pm 0.15%]
[CBDA \pm 0.02%] [CBD \pm 0.07%]. Total THC = THCa * 0.877 + d9-
THC, Total CBD = CBDa * 0.877 + CBD, Total Cannabinoids = the
sum of all cannabinoids tested, LOQ = Limit of Quantitation; the
reported result is based on a sample weight with the applicable
moisture content for that sample; unless otherwise stated all
quality control samples performed within specifications
established by the Laboratory.

Microbials /

The estimation of uncertainty: Bile-tolerant gram negative \pm 14
cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Posi-
tive= Detected; unless otherwise stated all quality control
samples performed within specifications established by the
Laboratory.



Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA
www.greengrowerlabs.com

Sample: **19027135280179624**

Origination: Curations Corporation

Sample Name: Fritter Glitter


License: 41503

Type: Flower Lot

Address 1802 N Langley St., Spokane, WA 99212

Date Recieved: 3/20/2024

Potency



Cannabinoids

Analyte	Mass (Mg / Unit)
Δ 9-THC	0.14
THCa	19
Total THC	17
CBD	< 0.10
CBDA	< 0.10
Total CBD	0.00

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.

Matt Heist
Lab Director

Testing Summary

Date Tested: 3/20/2024

Analytical Methods

- Terpenes: *Headspace GC-FID*

Analytical Information

Terpenes/

The estimation of uncertainty is: [ALPHA PINENE 0.34, CAMPHENE 0.33, BETA MYRCENE 0.24, BETA PINENE 0.30, DELTA 3 CARENE 0.28, ~ D LIMONENE 0.50, LINALOOL 0.29, TERPINEOL 0.43, GERANIOL 0.69, CARYOPHYLLENE 0.56, HUMULENE 0.66]. LOQ = Limit of Quantification; The reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Terpenes are not covered under I502 Lab certification. All terpene testing conforms to the WAC 314-55-103 Good Laboratory checklist and QA/QC requirements.



Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA
www.greengrowerlabs.com

Sample: **19027135280179624**

Origination: **Curations Corporation**Sample Name: **Fritter Glitter**License: **41503**Type: **Flower Lot**Address: **1802 N Langley St., Spokane, WA 99212**Date Recieved: **3/20/2024**

Terpenes

Analyte	MASS(%)	MASS (mg/g)
• β -Myrcene	0.04	0.40
• δ -Limonene	0.21	2.10
• Linalool	0.03	0.30
β -Caryophyllene	0.31	3.10
β -Pinene	0.05	0.50
α -Pinene	0.06	0.60
α -Humulene	0.09	0.90
Camphene	0.00	0.00
3-Carene	0.00	0.00
Geraniol	0.00	0.00
Geraniol Terpinolene	0.00	0.00
TOTAL	0.8	7.9

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.

Matt Heist
Lab Director