Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA
www.greengrowerlabs.com

Testing Summary

Date Tested: 5/30/2023

Pesticides:	PASS
Mycotoxins:	PASS
Microbials:	PASS

Analytical Methods

- Pesticides & Mycotoxins: *LS- Ms / Ms*
- Microbials: *RT- qPCR & 3M Petrifilm*
- Potency: *HPLC UV-VIS Detector*

Analytical Information

Potency /

The estimation of uncertainty is: [THCA ± 0.31%] [THC ± 0.15%] [CBDA ± 0.02%] [CBD ±0.07%]. Total THC = THCa * 0.877 + d9-THC, Total CBD = CBDa * 0.877 + CBD, Total Cannabinoids = the sum of all cannabinoids tested, LOQ = Limit of Quantitation: the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins /

The estimation of uncertainty is: [Aflatoxin ± 2 ppb] [Ochratoxins ± 2 ppb] LOQ = Limit of Quantitation, the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Microbials /

The estimation of uncertainty: Bile-tolerant gram negative ± 14 cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Positive= Detected; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Pesticides /

The estimation of uncertainty for pesticides is: [All analytes ± 0.011 ppm] [Except for Spinosyn: ±0.022, Cyfluthrin: ±0.008, Permethrins: ±0.022, Chlorfenapyr: ±0.038 ppm]

Sample: GF42110305513934

Origination:	Firehouse Productions	Sample Name:	FireHouse Kief
License:	421103	Type:	Non-Solvent Based Concentrate
Address	3636 E Sanson Ave, Spokane, WA 99217	Date Recieved:	5/30/2023

Potency



Cannabinoids

Analyte	Mass %
Δ9-THC	1.3
THCa	64
Total THC	57
CBD	0.64
CBDA	0.18
Total CBD	0.80

MycoToxins

Analyte	Limit (PPB)	Unit (PPB)
Total Aflatoxins (B1, B2, G1, G2)	20	< 9
Ochratoxin A	20	< 11

Microbials

Analyte	Limit	Unit
STEC Shiga toxin-producing E. coli	Negative	Negative
Salmonella	Negative	Negative
BTGN Bile-Tolerant Gram-Negative Bacteria	1,000 (CFU/g)	0

Matt Heist
Lab Director

Testing Summary

Date Tested: 5/30/2023

Pesticides:	PASS

Analytical Methods

- Water Activity: *Rotronic Meter*
- Foreign Matter: *Visual Inspection*
- Pesticides & Mycotoxins: *LS- Ms / Ms*
- Microbials: *RT- qPCR & 3M Petrifilm*
- Potency: *HPLC UV-VIS Detector*

Analytical Information

Potency /

The estimation of uncertainty is: [THCA ± 0.31%] [THC ± 0.15%] [CBDA ± 0.02%] [CBD ±0.07%]. Total THC = THCa * 0.877 + d9-THC, Total CBD = CBDa * 0.877 + CBD, Total Cannabinoids = the sum of all cannabinoids tested, LOQ = Limit of Quantitation: the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins /

The estimation of uncertainty is: [Aflatoxin ± 2 ppb] [Ochratoxins ± 2 ppb] LOQ = Limit of Quantitation, the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Microbials /

The estimation of uncertainty: Bile-tolerant gram negative ± 14 cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Positive= Detected; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Pesticides /

The estimation of uncertainty for pesticides is: [All analytes ± 0.011 ppm] [Except for Spinosyn: ±0.022, Cyfluthrin: ±0.008, Permethrins: ±0.022, Chlorfenapyr: ±0.038 ppm]

Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA
www.greengrowerlabs.com

Sample: GF42110305513934

Origination:	Firehouse Productions	Sample Name:	FireHouse Kief
License:	421103	Type:	Non-Solvent Based Concentrate
Address	3636 E Sanson Ave, Spokane, WA 99217	Date Recieved:	5/30/2023

Pesticides

Analyte	Limit(PPM)	MASS (PPM)		Analyte	Limit(PPM)	MASS (PPM)	
Abamectin	0.5	< 0.42	ND	Malathion	0.20	< 0.03	ND
Acephate	0.4	< 0.10	ND	Metalaxyl	0.20	< 0.02	ND
Acequinocyl	2.0	< 0.15	ND	Methiocarb	0.20	< 0.02	ND
Acetamiprid	0.2	< 0.03	ND	Methomyl	0.40	< 0.02	ND
Aldicarb	0.40	< 0.01	ND	Methyl parathion	0.20	< 0.06	ND
Azoxystrobin	0.20	< 0.07	ND	MGK-264	0.20	< 0.13	ND
Bifenazate	0.20	< 0.02	ND	Myclobutanil	0.20	< 0.01	ND
Bifenthrin	0.20	0.2	Detected	Naled	0.50	< 0.02	ND
Boscalid	0.40	< 0.02	ND	Oxamyl	1.0	< 0.01	ND
Carbaryl	0.20	< 0.06	ND	Paclobutrazol	0.40	< 0.02	ND
Carbofuran	0.20	< 0.03	ND	Permethrins [a]	0.20	< 0.05	ND
Chlorantraniliprole	0.20	< 0.03	ND	Phosmet	0.20	< 0.01	ND
Chlorfenapyr	1.0	< 0.53	ND	Piperonyl butoxide	2.0	0.44	ND
Chlorpyrifos	0.20	< 0.03	ND	Prallethrin	0.20	< 0.11	ND
Clofentezine	0.20	< 0.09	ND	Propiconazole	0.40	< 0.02	ND
Cyfluthrin	1.0	< 0.11	ND	Propoxur	0.20	< 0.03	ND
Cypermethrin	1.0	< 0.06	ND	Pyrethrins [b]	1.0	< 0.15	ND
Daminozide	1.0	< 0.29	ND	Pyridaben	0.20	< 0.02	ND
DDVP (Dichlorvos)	0.10	< 0.06	ND	Spinosad [c]	0.20	< 0.05	ND
Diazinon	0.20	< 0.02	ND	Spiromesifen	0.20	< 0.02	ND
Dimethoate	0.20	< 0.02	ND	Spirotetramat	0.20	< 0.03	ND
Ethoprophos	0.20	< 0.01	ND	Spiroxamine	0.40	< 0.02	ND
Etofenprox	0.40	< 0.07	ND	Tebuconazole	0.40	< 0.02	ND
Etoxazole	0.20	< 0.02	ND	Thiacloprid	0.20	< 0.01	ND
Fenoxycarb	0.20	< 0.02	ND	Thiamethoxam	0.20	< 0.01	ND
Fenpyroximate	0.40	< 0.04	ND	Trifloxystrobin	0.20	< 0.06	ND
Fipronil	0.40	< 0.01	ND				
Flonicamid	1.0	< 0.06	ND				
Fludioxonil	0.40	< 0.02	ND				
Hexythiazox	1.0	< 0.06	ND				
Imazalil	0.20	< 0.01	ND				
Imidacloprid	0.40	< 0.03	ND				
Kresoxim-methyl	0.40	< 0.02	ND				

a Sum of Isomers: cis-Permethrin trans-Permethrin
b Sum of Isomers: Pyrethrin I Pyrethrin II
c Sum of Isomers: Spinosyn A Spinosyn D

If a sample result shows a pesticide as detected and a numerical result as less than (example <0.02 ppm), this indicates the pesticide was detected, but not at a level that can be accurately measured.

ND = Not Detected

Matt Heist
Lab Director