## ➤ Testing Summary Date Tested: 5/15/2024

| Water Activity (AW): | 0.3                    | PASS |  |  |
|----------------------|------------------------|------|--|--|
| Foreign Matter:      | Stems (%):             | 0.0  |  |  |
| PASS                 | IEH (ea.):             | 0.0  |  |  |
|                      | Seeds or<br>Other (%): | 0.0  |  |  |
| Pesticides:          |                        | PASS |  |  |
| Mycotoxins:          |                        | PASS |  |  |
| Microbials:          |                        | PASS |  |  |

## Analytical Methods

- Water Activity: Rotronic Meter
- Foreign Matter: Visual Inspection
- Pesticides & Mycotoxins: LS- Ms / Ms
- Microbials: RT- qPCR & 3M Petrifilm
- Potency: HPLC UV-VIS Detector

## > Analytical Information

### Potency /

The estimation of uncertainty is: [THCA  $\pm$  0.31%] [THC  $\pm$  0.15%] [CBDA  $\pm$  0.02%] [CBD  $\pm$  0.07%]. Total THC = THCa \* 0.877 + d9-THC, Total CBD = CBDa \* 0.877 + CBD, Total Cannabinoids = the sum of all cannabinoids tested, LOQ = Limit of Quantitation: the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Mycotoxins /

The estimation of uncertainty is: [Aflatoxin  $\pm$  2 ppb] [Ochratoxins  $\pm$  2 ppb] LOQ = Limit of Quantitation, the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory

### Microbials /

The estimation of uncertainty: Bile-tolerant gram negative  $\pm$  14 cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Positive= Detected; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Pesticides /

The estimation of uncertainty for pesticides is: [All analytes  $\pm$  0.011 ppm] [Except for Spinosyn:  $\pm$ 0.022, Cyfluthrin:  $\pm$ 0.008, Permethrins:  $\pm$ 0.022, Chlorfenapyr:  $\pm$ 0.038 ppm]

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other itsks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.



# Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA www.greengrowerlabs.com

## > Sample: WA413287.INIEJN


Origination: Grow Op

License: 413287

Address 2611 N WOODRUFF RD STE B, SPOKANE VALLEY, WA, 992064138

Date Recieved: 5/15/2024

### Potency



### > MycoToxins

| Limit(PPB) | Unit (PPB) |
|------------|------------|
| 20         | < 9        |
| 20         | < 11       |
|            | 20         |

### > Microbials

| Analyte<br>———————————————————————————————————— | Limit          | Unit<br>——— |
|-------------------------------------------------|----------------|-------------|
| STEC Shiga toxin-producing E. coli              | Negative       | Negative    |
| Salmonella                                      | Negative       | Negative    |
| BTGN Bile-Tolerant Gram-Negative Bacteria       | 10,000 (CFU/g) | < 10        |



## ➤ Testing Summary Date Tested: 5/15/2024

| Water Activity (AW) | 0.3                    | PASS |  |  |
|---------------------|------------------------|------|--|--|
| Foreign Matter      | Stems (%):             | 0.0  |  |  |
| PASS                | IEH (ea.):             | 0.0  |  |  |
|                     | Seeds or<br>Other (%): | 0.0  |  |  |
| Pesticides:         |                        | PASS |  |  |
| Mycotoxins:         | PAS                    |      |  |  |
| Microbials:         | PASS                   |      |  |  |

## > Analytical Methods

- Water Activity: Rotronic Meter
- Foreign Matter: Visual Inspection
- Pesticides & Mycotoxins: LS- Ms / Ms
- Microbials: RT- qPCR & 3M Petrifilm
- Potency: HPLC UV-VIS Detector

### > Analytical Information

### Potency /

The estimation of uncertainty is: [THCA  $\pm$  0.31%] [THC  $\pm$  0.15%] [CBDA  $\pm$  0.02%] [CBD  $\pm$ 0.07%]. Total THC = THCa \* 0.877 + d9-THC, Total CBD = CBDa \* 0.877 + CBD, Total Cannabinoids = the sum of all cannabinoids tested, LOO = Limit of Quantitation; the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory

### Mycotoxins /

The estimation of uncertainty is: [Aflatoxin  $\pm$  2 ppb] [Ochratoxins  $\pm 2$  ppb] LOQ = Limit of Quantitation, the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory

### Microbials /

The estimation of uncertainty: Bile-tolerant gram negative  $\pm$  14 cfu/q. LOQ = Limit of Quantitation; Negative = Not Detected; Positive= Detected; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Pesticides /

The estimation of uncertainty for pesticides is: [All analytes  $\pm$  0.011 ppm] [Except for Spinosyn: ±0.022, Cyfluthrin: ±0.008, Permethrins: ±0.022, Chlorfenapyr: ±0.038 ppm]

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.



# Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA www.greengrowerlabs.com

### **WA413287.INIEJN** > Sample:

Origination: Sample Name: **Grow Op** Gelato License: Type: Flower Lot 413287 2611 N WOODRUFF RD STE B, SPOKANE VALLEY, WA, 992064138 Date Recieved: Address 5/15/2024

### > Pesticides

Fludioxonil

Hexythiazox

Imidacloprid

Kresoxim-methyl

Imazalil

0.40

1.0

0.20

0.40

0.40

< 0.02

< 0.06

< 0.01

< 0.03

< 0.02

ND

ND

ND

ND

ND

| Abamectin         0.5         < 0.42                                                                                                                                                                                                                                                                                                                                   | Analyte             | Limit(PPM) | MASS (PPM) |    | Analyte                      | Limit(PPM) | MASS (PPM) |                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|------------|------------|----|------------------------------|------------|------------|-----------------|
| Acequinocyl         2.0         < 0.15         ND         Methiocarb         0.20         < 0.02         ND           Acetamiprid         0.2         < 0.03                                                                                                                                                                                                           | Abamectin           | 0.5        | < 0.42     | ND | Malathion                    | 0.20       | < 0.03     | ND              |
| Acetamiprid         0.2         < 0.03         ND         Methomyl         0.40         < 0.02         ND           Aldicarb         0.40         < 0.01                                                                                                                                                                                                               | Acephate            | 0.4        | < 0.10     | ND | Metalaxyl                    | 0.20       | < 0.02     | ND              |
| Aldicarb         0.40         < 0.01         ND         Methyl parathion         0.20         < 0.06         ND           Azoxystrobin         0.20         < 0.07                                                                                                                                                                                                     | Acequinocyl         | 2.0        | < 0.15     | ND | Methiocarb                   | 0.20       | < 0.02     | ND              |
| Azoxystrobin         0.20         < 0.07         ND         MGK-264         0.20         < 0.13         ND           Bifenazate         0.20         < 0.02                                                                                                                                                                                                            | Acetamiprid         | 0.2        | < 0.03     | ND | Methomyl                     | 0.40       | < 0.02     | ND              |
| Bifenazate         0.20         < 0.02         ND         Myclobutanil         0.20         < 0.01         ND           Bifenthrin         0.20         < 0.16                                                                                                                                                                                                         | Aldicarb            | 0.40       | < 0.01     | ND | Methyl parathion             | 0.20       | < 0.06     | ND              |
| Bifenthrin         0.20         < 0.16         ND         Naled         0.50         < 0.02         ND           Boscalid         0.40         < 0.02                                                                                                                                                                                                                  | Azoxystrobin        | 0.20       | < 0.07     | ND | MGK-264                      | 0.20       | < 0.13     | ND              |
| Boscalid                                                                                                                                                                                                                                                                                                                                                               | Bifenazate          | 0.20       | < 0.02     | ND | Myclobutanil                 | 0.20       | < 0.01     | ND              |
| Carbaryl         0.20         < 0.06         ND         Paclobutrazol         0.40         < 0.02         ND           Carbofuran         0.20         < 0.03                                                                                                                                                                                                          | Bifenthrin          | 0.20       | < 0.16     | ND | Naled                        | 0.50       | < 0.02     | ND              |
| Carbofuran         0.20         < 0.03         ND         Permethrins a         0.20         < 0.05         ND           Chlorantraniliprole         0.20         < 0.03                                                                                                                                                                                               | Boscalid            | 0.40       | < 0.02     | ND | Oxamyl                       | 1.0        | < 0.01     | ND              |
| Chlorantraniliprole         0.20         < 0.03         ND         Phosmet         0.20         < 0.01         ND           Chlorfenapyr         1.0         < 0.53                                                                                                                                                                                                    | Carbaryl            | 0.20       | < 0.06     | ND | Paclobutrazol                | 0.40       | < 0.02     | ND              |
| Chlorfenapyr         1.0         < 0.53         ND         Piperonyl butoxide         2.0         < 0.02         ND           Chlorpyrifos         0.20         < 0.03                                                                                                                                                                                                 | Carbofuran          | 0.20       | < 0.03     | ND | Permethrins a                | 0.20       | < 0.05     | ND              |
| Chlorpyrifos         0.20         < 0.03         ND         Prallethrin         0.20         < 0.11         ND           Clofentezine         0.20         < 0.09                                                                                                                                                                                                      | Chlorantraniliprole | 0.20       | < 0.03     | ND | Phosmet                      | 0.20       | < 0.01     | ND              |
| Clofentezine   0.20   < 0.09   ND   Propiconazole   0.40   < 0.02   ND                                                                                                                                                                                                                                                                                                 | Chlorfenapyr        | 1.0        | < 0.53     | ND | Piperonyl butoxide           | 2.0        | < 0.02     | ND              |
| Cyfluthrin         1.0         < 0.11         ND         Propoxur         0.20         < 0.03         ND           Cypermethrin         1.0         < 0.06                                                                                                                                                                                                             | Chlorpyrifos        | 0.20       | < 0.03     | ND | Prallethrin                  | 0.20       | < 0.11     | ND              |
| Cypermethrin         1.0         < 0.06         ND         Pyrethrins b         1.0         < 0.15         ND           Daminozide         1.0         < 0.29                                                                                                                                                                                                          | Clofentezine        | 0.20       | < 0.09     | ND | Propiconazole                | 0.40       | < 0.02     | ND              |
| Daminozide         1.0         < 0.29         ND         Pyridaben         0.20         < 0.02         ND           DDVP (Dichlorvos)         0.10         < 0.06                                                                                                                                                                                                      | Cyfluthrin          | 1.0        | < 0.11     | ND | Propoxur                     | 0.20       | < 0.03     | ND              |
| DDVP (Dichlorvos)         0.10         < 0.06         ND         Spinosad c         0.20         < 0.05         ND           Diazinon         0.20         < 0.02                                                                                                                                                                                                      | Cypermethrin        | 1.0        | < 0.06     | ND | Pyrethrins <sub>h</sub>      | 1.0        | < 0.15     | ND              |
| Diazinon         0.20         < 0.02         ND         Spiromesifen         0.20         < 0.02         ND           Dimethoate         0.20         < 0.02                                                                                                                                                                                                           | Daminozide          | 1.0        | < 0.29     | ND | Pyridaben                    | 0.20       | < 0.02     | ND              |
| Dimethoate         0.20         < 0.02         ND         Spirotestramat         0.20         < 0.03         ND           Ethoprophos         0.20         < 0.01                                                                                                                                                                                                      | DDVP (Dichlorvos)   | 0.10       | < 0.06     | ND | Spinosad                     | 0.20       | < 0.05     | ND              |
| Ethoprophos         0.20         < 0.01         ND         Spirocettamate         0.20         < 0.02         ND           Etofenprox         0.40         < 0.07                                                                                                                                                                                                      | Diazinon            | 0.20       | < 0.02     | ND | Spiromesifen                 | 0.20       | < 0.02     | ND              |
| Etofenprox         0.40         < 0.07         ND         Tebuconazole         0.40         < 0.02         ND           Etoxazole         0.20         < 0.02                                                                                                                                                                                                          | Dimethoate          | 0.20       | < 0.02     | ND | Spirotetramat                | 0.20       | < 0.03     | ND              |
| Etoxazole 0.20 < 0.02 ND Thiacloprid 0.20 < 0.01 ND  Fenoxycarb 0.20 < 0.02 ND Thiamethoxam 0.20 < 0.01 ND  Fenoxycarb 0.40 < 0.04 ND Trifloxystrobin 0.20 < 0.06 ND  Fipronil 0.40 < 0.01 ND If a sample result shows a pesticide as detected and a numerical result as less than this indicates the pesticide was detected, but not at a level that can be accurate. | Ethoprophos         | 0.20       | < 0.01     | ND | Spiroxamine                  | 0.40       | < 0.02     | ND              |
| Fenoxycarb 0.20 < 0.02 ND Thiamethoxam 0.20 < 0.01 ND a  Fenoxycarb 0.40 < 0.04 ND Trifloxystrobin 0.20 < 0.06 ND  Fipronil 0.40 < 0.01 ND If a sample result shows a pesticide as detected and a numerical result as less than this indicates the pesticide was detected, but not at a level that can be accurate.                                                    | Etofenprox          | 0.40       | < 0.07     | ND | Tebuconazole                 | 0.40       | < 0.02     | ND              |
| Fenpyroximate 0.40 < 0.04 ND Trifloxystrobin 0.20 < 0.06 ND  Fipronil 0.40 < 0.01 ND If a sample result shows a pesticide as detected and a numerical result as less than this indicates the pesticide was detected, but not at a level that can be accurate.                                                                                                          | Etoxazole           | 0.20       | < 0.02     | ND | Thiacloprid                  | 0.20       | < 0.01     | ND              |
| Fipronil 0.40 < 0.01 ND If a sample result shows a pesticide as detected and a numerical result as less than this indicates the pesticide was detected, but not at a level that can be accu                                                                                                                                                                            | Fenoxycarb          | 0.20       | < 0.02     | ND | Thiamethoxam                 | 0.20       | < 0.01     | ND <sup>°</sup> |
| this indicates the pesticide was detected, but not at a level that can be accu                                                                                                                                                                                                                                                                                         | Fenpyroximate       | 0.40       | < 0.04     | ND | Trifloxystrobin              | 0.20       | < 0.06     | ND              |
|                                                                                                                                                                                                                                                                                                                                                                        | Fipronil            | 0.40       | < 0.01     | ND |                              |            |            |                 |
|                                                                                                                                                                                                                                                                                                                                                                        | Flonicamid          | 1.0        | < 0.06     | ND | uiis iriuicates the pesticio |            |            | . can be accui  |

n (example <0.02 ppm), urately measured

