

## Testing Summary

Date Tested: 10/20/2023

## Analytical Methods

- Potency: HPLC UV-VIS Detector

## Analytical Information

### Potency /

The estimation of uncertainty is: [THCA  $\pm$  0.31%] [THC  $\pm$  0.15%]  
[CBDA  $\pm$  0.02%] [CBD  $\pm$  0.07%]. Total THC = THCa \* 0.877 + d9-THC, Total CBD = CBDa \* 0.877 + CBD, Total Cannabinoids = the sum of all cannabinoids tested, LOQ = Limit of Quantitation; the reported result is based on a sample weight with the applicable moisture content for that sample; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Microbials /

The estimation of uncertainty: Bile-tolerant gram negative  $\pm$  14 cfu/g. LOQ = Limit of Quantitation; Negative = Not Detected; Positive = Detected; unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



# Certificate of Analysis

Laboratory license #0012 | (509) 981-2266 | 124 E. Rowan Spokane, WA  
www.greengrowerlabs.com

Sample: **40455822230070708**

Origination: Washington Packaging and Processing

Sample Name: Blue Frost &amp; Glue Berry


License: 424045

Type: Cannabis Mix Infused

Address: 202 N Lee St Spokane, WA 99202

Date Received: 10/20/2023

## Potency



### Cannabinoids

Analyte	Mass (Mg / Unit)
$\Delta$ 9-THC	8.00
THCa	19.0
Total THC	25
CBD	0.23
CBDA	0.0
Total CBD	0.23

This product has been tested by Green Grower Labs using validated testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Green Grower Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Green Grower Labs. Flower samples are separated for the required field of testing, then homogenized before testing using liquid nitrogen. The results in this report relate only to the sample tested. All measurements have a degree of uncertainty. As required per WAC 314-55-103 the estimation of uncertainty has been calculated and reported here as a range. The range assumes a 95% confidence interval.

Matt Heist  
Lab Director