



Company: Acme Infrastructure

Attention: —

Phone: —

Email: projects@acme.local

Quote No: IS-T100-R1

Date: 26/05/2026

Project: TEMPLATE — Full-Feature Reference Quote

Estimator: Raj Pudasaini

Thank you for giving Initial Services the opportunity to tender the scoped requirements for the above-mentioned project. Initial Services holds an unrestricted licence for both demolition and asbestos removal. We acknowledge that Safety is a major priority and for this reason, we have a full-time in-house Workplace Health & Safety Officer. We pride ourselves on quality, workmanship, and on-time completion of all our contracts. We look forward to working with you on this and future projects.

Cost Summary

SCOPE	DESCRIPTION	AMOUNT (EX GST)
Demolition	Internal strip-out, structural demolition, slab removal, and masonry demolition	\$245,000
Asbestos Removal	Class A friable removal, Class B bonded removal, air monitoring, and Form 65	\$185,000
Civil Works	Trench excavation, service reinstatement, and hardstand works	\$92,000
Concrete Cutting & Coring	Wall saw cuts, core drilling for service penetrations, and surface grinding	\$38,000
TOTAL		\$560,000

COST OPTIONS

OPTION	DESCRIPTION	PRICE
Option A	Weekend works premium — all trades working Saturday 6am–2pm	\$18,500
Option B	Additional GPR scanning for post-tension slab investigation	\$4,200

PROVISIONAL SUMS

ITEM	DESCRIPTION	AMOUNT (EX GST)
P1	PS — unknown ACM discovered during strip-out works	\$25,000
P2	PS — rock or unexpected subsurface obstruction during excavation	\$15,000
TOTAL PROVISIONAL SUM		\$40,000

*If you have any queries regarding this quotation, please do not hesitate to contact:
Raj Pudasaini on 0421 140 248 or estimating@initialservices.net*

*All prices exclude GST. Add 10% if applicable.
This quote is valid for 30 days from the date of issue or the end of the current financial year, whichever is first.
Prepared by: Raj Pudasaini | estimating@initialservices.net
Payment terms: 25 days from date of invoice (BIFA compliant).*



Preliminary Works

- Detailed Project Management Plans and Safe Work Method Statements as required.
- Submission of a 'Form 65' as required by Workplace Health and Safety for Asbestos Removal works.
- Mobilisation and De-Mobilisation of labour, plant and equipment as required.

Referenced Drawings and Documents

- Demolition Plan — Ground Floor (DA-100 Rev C)
- Services Layout — Hydraulic + Electrical (ME-200 Rev B)
- Asbestos Register / Hazmat Survey — Building A (Rev 2, March 2026)

Scope of Works

ITEM	SCOPE OF WORKS	QTY	UNIT	NOTES
DEM1.1	Internal strip-out — partitions, ceilings, joinery, fixtures	750	sqm	
DEM1.2	Structural demolition — load-bearing masonry walls and lintels	120	sqm	
DEM1.3	Slab removal — 150mm reinforced concrete ground slab	85	sqm	
DEM1.4	Masonry demolition — non-load-bearing block walls	65	sqm	
CIV1.1	Trench excavation — stormwater and sewer services	60	lm	
CIV1.2	Service reinstatement — backfill, compact, and surface reinstate	60	lm	
CIV1.3	Hardstand works — new concrete to loading dock area	180	sqm	
ASB1.1	Class A friable removal — pipe lagging and duct insulation	55	Lm	
ASB1.2	Class B bonded removal — floor tiles, adhesive, eaves soffits	310	m ²	
ASB1.3	Air monitoring — background, control, and clearance sampling	15	samples	
ASB1.4	Form 65 submission and WH&S Qld notification	1	ea	
Other1.1	Concrete cutting — wall saw cuts to slab penetrations	24	lm	200mm RC slab — wall saw both sides
Other1.2	Core drilling — service penetrations through RC walls and slab	18	ea	150mm dia — GPR scan prior to each core
Other1.3	Concrete grinding / flush-cutting — trip hazard elimination	40	sqm	



PROJECT SPECIFIC ALLOWANCES

The following allowances have been included in this quotation:

- Standard working hours Monday to Friday 6:30am to 4:30pm unless otherwise stated
- All consumables, fuel, and waste disposal included in the quoted price
- All works to comply with relevant WHS, EPA, and Council regulations
- Safety signage, barriers, and exclusion zones as required

PROJECT SPECIFIC ASSUMPTIONS

— Item Demolition

- All services isolated and capped by others prior to demolition commencement.
- Slab thickness assumed 150mm maximum — variations priced separately.

— Item Asbestos Removal

- Asbestos register provided is current — IS not liable for unregistered ACM.
- Client to provide minimum 5 business days' notice for Class A commencement.

— Item Civil Works

- Dry conditions assumed — dewatering is excluded from this price.

— Item Concrete Cutting & Coring

- GPR scan included for core drilling locations only — full floor scan excluded.

— General

- Standard working hours: Monday–Friday 7am–3:30pm.
- Client to provide suitable vehicle access and laydown area.

PROJECT SPECIFIC EXCLUSIONS

- Engineering or structural design and certification.
- Traffic management plans and implementation.
- Building permits and council / regulatory fees.
- Hydraulic, electrical, mechanical, and fire services works.
- Soil contamination testing and remediation.
- After-hours or weekend works unless stated in cost options.
- Any works not specifically mentioned in this quotation.

TERMS AND CONDITIONS

1. DEFINITIONS

Contractor – The demolition contractor issuing this quotation. Client – The person or entity accepting the quotation. Works – The demolition and associated services described in the quotation. Quote – The written price, scope, and assumptions issued by the Contractor.

2. ACCEPTANCE OF QUOTE

The Client accepts the Quote by: a) signing or otherwise approving it; b) issuing a purchase order or confirmation (including email); or c) permitting the Contractor to commence the Works. These Terms & Conditions form part of the agreement upon acceptance.

3. LICENSING & COMPLIANCE

The Contractor warrants that it holds all licences required under the Queensland Building and Construction Commission Act, including any demolition or asbestos licences required for the Works. All Works will be performed in accordance with: Work Health & Safety Act 2011, Building Act 1975 (Qld), Environmental Protection legislation, relevant Australian Standards, and applicable Council regulations and permits.

4. GENERAL EXCLUSIONS

The Works are limited to the specific items listed in the Quote. Unless clearly included, the following are excluded: Dilapidation reports; Disconnection of utilities (water, power, gas, sewer, NBN); Services locating and/or surveying; Edge protections, platform scaffold, and/or chute; Access equipment and/or plant required to haul materials, equipment, and/or plant to and from work areas; Maintaining access and/or creating access necessary to the execution of this contract Scope of Works; HVAC decommissioning and/or removal; PIR/PUR/PU polyurethane/polystyrene demolition and/or removal; Hazardous and/or putrescible materials removal; Setting out; Engineering and/or propping; Structural demolition beyond what is stated; Temporary weather or waterproofing; Underground obstructions, tanks, footings, or slabs beyond what is stated; Traffic control, temporary works, site fencing, or engineering; Make-safe works or rectification of pre-existing damage or defects; Making good, patching, repairing, rectifying, or removing inundations; Floor and/or wall grinding or any other secondary floor/wall finishes; Concrete, blockwork, brick: cutting, coring, and/or flush cutting; Waterproofing removal; Protection of work to neighbouring properties and of remaining elements, unless expressly stated; Loose items removal and/or relocation; Working at heights; Vegetation and/or soil removal and/or reinstatement; Any works not expressly described in this Quote; and Restrictions imposed by other contractors or subcontractors.



5. SITE ACCESS & SERVICES

Unless clearly noted otherwise, the Contractor has priced the Works on the assumption that: Continuous and unrestricted access will be provided for all work areas; All utilities required to be disconnected will be disconnected before commencement and disconnection certificates made available prior to works commencing; Water and power will be supplied by the Client (P.C. item) including where applicable: 3-phase, 5-pin, 50-amp power within 20m of any robot demolition SoW, and/or 3-phase, 5-pin, 32-amp power within 20m of any high-frequency cutting and/or floor grinding SoW; A safe, clear area for loading and unloading plant and materials will be provided in close proximity to Contractor's work areas; Parking for Contractor vehicles will be provided; Secure, lockable site storage for tools, plant, and machinery will be provided for the duration of the Works; and No stairs, steps, or lifts are required to access work areas or load-out zones unless stated.

6. SITE CONDITIONS & PROTECTIONS

The Client will install permanent protections to remaining surfaces; The Client will remove or protect all salvageable items prior to commencement — any loose item remaining pertaining to Initial Services Scope of Works is deemed to be Initial Services property; The Client will provide site security (fencing, hoarding); No public or other trades will enter the demolition or load-out zones during working hours; No stand-down time is expected; Noise, vibration, and dust-generating work is permitted during working hours; and If environmental monitoring or controls are required, these will be provided by the Client.

7. OPERATIONAL ASSUMPTIONS

All permits, closures, service location certificates, and approvals are provided by the Client before commencement; Initial Services is responsible for temporary protections on areas directly adjacent to its Scope of Works as required; Use of trucks and/or skip bins for material load-out and deliveries; Demolished materials can be stockpiled on site for the duration of works; Hot works, noise and dust generating works are allowed with protections put in place by Client; The site will be safe and ready for demolition to commence without delay; and The Contractor may carry out the Works during normal working hours without restriction from neighbours, body corporates, councils, or other third parties.

8. SITE VISIT ALLOWANCE

Unless clearly noted otherwise, this Quote allows for completion of all Works in one (1) site visit only. Stand-downs, delays, or additional visits caused by the Client or third parties may be charged as a Variation.

9. VARIATIONS

A Variation includes any change requested by the Client or required due to hidden or unforeseen conditions, including but not limited to: hazardous materials, buried structures, additional disposal loads, restricted access, or additional machine hours. Variations will be: a) priced and issued in writing; and b) approved by the Client before proceeding (email approval is sufficient). If urgent for safety or structural reasons, the Contractor may proceed without prior approval, and the Client agrees to pay reasonable associated costs.

10. CLIENT RESPONSIBILITIES & SITE ACCESS

The Client must ensure: Safe, clear, and continuous access for machinery, trucks, and personnel; Utilities are disconnected prior to commencement; The site is free of occupants, vehicles, personal items, or obstructions; Boundaries, easements, and adjoining structures are identified; and Permits not expressly included in the Quote are obtained by the Client. Delays or additional costs caused by the Client or third parties may be charged as a Variation.

11. UTILITIES & SERVICES

The Client is responsible for arranging the disconnection of all utilities. If undocumented, live, or unexpected services are discovered, the Contractor may stop work until the issue is rectified and may charge reasonable additional costs.

12. HAZARDOUS MATERIALS & ENVIRONMENTAL REQUIREMENTS

If asbestos, contaminated soil, chemicals, or hazardous substances outside of what may have been included in this Quote are identified during the Works: Work will cease in the affected area; The Client will be notified; and Removal and disposal will be treated as a Variation. All waste will be disposed of at approved facilities in accordance with Queensland regulations.

13. SAFETY & WORK METHOD

Demolition is high-risk construction work. The Contractor will prepare and follow required Safe Work Method Statements (SWMS) and will control the site during the Works. The Client must not direct workers, interfere with operations, or enter the work zone without permission.

14. PERMITS & APPROVALS

Unless stated otherwise in the Quote: Council demolition permits are the Client's responsibility. The Contractor will provide licences, SWMS, and demolition plans required for such permits if requested.

15. DAMAGE TO PROPERTY

The Contractor will take reasonable care during the Works but is not responsible for: Existing defects or pre-existing structural damage; Damage caused by unmarked or unknown underground services; The movement or failure of adjoining structures; and Damage arising from inaccurate or incomplete information provided by the Client.

16. TIMING, WORKING HOURS & DELAYS

Unless where clearly noted otherwise, the Works are priced on the basis of standard working hours. No allowance is made for night works, weekend works, public holidays, or out-of-hours operations. The Contractor will make reasonable efforts to meet the program and will apply in writing for an extension of time if delayed by unforeseen circumstances, weather, site conditions, or factors beyond its control. The Contractor is not liable for delays caused by weather, utility providers, Council, other contractors, restricted access, industrial action, or external constraints. Additional costs arising from delays not caused by the Contractor may be charged as a Variation. Unless clearly noted otherwise, noise, vibration, dust-generating work is assumed permissible during working hours.

17. PAYMENT TERMS (BIFA COMPLIANT)

Payment claims may be issued under the Building Industry Fairness (Security of Payment) Act 2017 (Qld). Payment is due 25 days from the date of invoice. The Client must provide a Payment Schedule within the statutory timeframe. Failure to provide a Payment Schedule will make the full claimed amount payable. The Contractor may suspend work for non-payment. No retentions apply to the Works unless otherwise negotiated and confirmed in writing.

17A. FUEL PRICE ADJUSTMENT

The Quote is based on fuel prices not exceeding \$2.50 per litre. Should fuel prices exceed this amount during the execution of the Works, the Contractor reserves the right to charge the Client the additional cost difference incurred.

18. OWNERSHIP OF MATERIALS

All demolished materials, scrap, or salvage become the property of the Contractor unless stated otherwise in the Quote. Materials supplied by the Contractor remain its property until payment is received in full. In the event of non-payment, the Contractor reserves the right to remove materials from the site without further notice.

19. TERMINATION

Either party may terminate the agreement for substantial breach by providing written notice. Upon termination, the Client must pay for: Works completed to date; Approved Variations; and Reasonable demobilisation costs.

20. LIMITATION OF LIABILITY

To the extent permitted by law, the Contractor's liability is limited to the value of the contract. The Contractor is not liable for indirect, consequential, or financial losses incurred by the Client.

21. GOVERNING LAW

These Terms & Conditions are governed by the laws of Queensland, Australia. Disputes will be resolved in the appropriate Queensland jurisdiction.



ACCEPTANCE

By signing below, the client acknowledges they have read, understood and agree to the Terms and Conditions of this quotation.

FOR AND ON BEHALF OF:
ACME INFRASTRUCTURE

Signature

Full name

Date

Purchase order / Reference number