Package 'nandb'

November 4, 2018

Type Package

Title Number and Brightness Image Analysis

Version 1.0.1

Maintainer Rory Nolan <rorynoolan@gmail.com>

URL https://github.com/rorynolan/nandb

BugReports https://github.com/rorynolan/nandb/issues

Description Functions for calculation of molecular number and brightness from images, as detailed in Digman et al. 2008 <doi:10.1529/biophysj.107.114645>.

License BSD_3_clause + file LICENSE

LazyData TRUE

LinkingTo Rcpp

Imports Rcpp, filesstrings (>= 2.2.0), magrittr, autothresholdr (>= 1.2.0), dplyr, stringr, purrr, checkmate, detrendr (>= 0.5.0), ijtiff (>= 1.1.0), rlang, stats, MASS

RoxygenNote 6.0.1

Suggests knitr, rmarkdown, covr, testthat, tidyverse, abind

VignetteBuilder knitr

NeedsCompilation yes

Author Rory Nolan [aut, cre, cph],
Luis Alvarez [ctb],
Sergi Padilla-Parra [ctb, ths, cph]

Repository CRAN

Date/Publication 2018-05-08 15:26:39 UTC

R topics documented:

---

brightness   *Calculate brightness from image series.*

Description

Given a time stack of images, brightness() performs a calculation of the brightness for each pixel.

Usage

```
brightness(img, def, tau = NULL, thresh = NULL, filt = NULL,
  correct = FALSE, s = 1, offset = 0, readout_noise = 0,
  parallel = FALSE)
```

Arguments

img	A 4-dimensional array in the style of an [ijtiff_img](indexed by img[y, x, channel, frame]) or a 3-dimensional array which is a single channel of an [ijtiff_img](indexed by img[y, x, frame]).
def	A character. Which definition of brightness do you want to use, ″B″ or ″epsilon″?
tau	The tau parameter for *exponential filtering* detrending. This must be a positive number. Set this to "auto" to use Nolan's algorithm to automatically find a suitable value for this parameter (recommended). For multi-channel images, it is possible to have a different tau for each channel by specifying tau as a vector or list.
thresh	The threshold or thresholding method (see [autothresholdr::mean_stack_thresh()](#)) to use on the image prior to detrending and brightness calculations.
filt	Do you want to smooth (filt = 'mean') or median (filt = 'median') filter the number image using [smooth_filter()](#) or [median_filter()](#) respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option na_count = TRUE. If you want to smooth/median filter the number image in a

different way, first calculate the numbers without filtering (`filt = NULL`) using this function and then perform your desired filtering routine on the result.

correct	Apply the number/brightness correction detailed in equation 7 of Hur et al. (2014). This is another correction for the effects of bleaching and is needed in addition to the more conventional correction controlled by the `tau` parameter.
s	A number. The *S*-factor of microscope acquisition.
offset	Microscope acquisition parameters. See reference Dalal et al.
readout_noise	Microscope acquisition parameters. See reference Dalal et al.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use `parallel = TRUE`.

Value

A matrix, the brightness image.

References

Digman MA, Dalal R, Horwitz AF, Gratton E. Mapping the Number of Molecules and Brightness in the Laser Scanning Microscope. Biophysical Journal. 2008;94(6):2320-2332. doi: 10.1529/biophysj.107.114645.

Dalal, RB, Digman, MA, Horwitz, AF, Vetri, V, Gratton, E (2008). Determination of particle number and brightness using a laser scanning confocal microscope operating in the analog mode. Microsc. Res. Tech., 71, 1:69-81. doi: 10.1002/jemt.20526.

Hur K-H, Macdonald PJ, Berk S, Angert CI, Chen Y, Mueller JD (2014) Quantitative Measurement of Brightness from Living Cells in the Presence of Photodepletion. PLoS ONE 9(5): e97440. doi: 10.1371/journal.pone.0097440.

Examples

```
img <- ijtiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
ijtiff::display(img[, , 1, 1])
b <- brightness(img, "e", tau = NA, thresh = "Huang")
b <- brightness(img, "B", tau = 10, thresh = "tri")
```

---

brightness_folder	*Brightness calculations for every image in a folder.*

Description

Perform brightness() calculations on all tif images in a folder and save the resulting brightness images to disk.

Usage

```
brightness_folder(folder_path = ".", def, tau = NULL, thresh = NULL,
  filt = NULL, correct = FALSE, s = 1, offset = 0, readout_noise = 0,
  parallel = FALSE)
```

Arguments

folder_path	The path (relative or absolute) to the folder you wish to process.
def	A character. Which definition of brightness do you want to use, ″B″ or ″epsilon″?
tau	The tau parameter for *exponential filtering* detrending. This must be a positive number. Set this to "auto" to use Nolan's algorithm to automatically find a suitable value for this parameter (recommended). For multi-channel images, it is possible to have a different tau for each channel by specifying tau as a vector or list.
thresh	The threshold or thresholding method (see autothresholdr::mean_stack_thresh()) to use on the image prior to detrending and brightness calculations.
filt	Do you want to smooth (filt = 'mean') or median (filt = 'median') filter the number image using smooth_filter() or median_filter() respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option na_count = TRUE. If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
correct	Apply the number/brightness correction detailed in equation 7 of Hur et al. (2014). This is another correction for the effects of bleaching and is needed in addition to the more conventional correction controlled by the tau parameter.
s	A number. The S-factor of microscope acquisition.
offset	Microscope acquisition parameters. See reference Dalal et al.
readout_noise	Microscope acquisition parameters. See reference Dalal et al.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

See Also

number()

Examples

```
## Not run:
setwd(tempdir())
img <- ijtiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
ijtiff::write_tif(img, 'img1.tif')
ijtiff::write_tif(img, 'img2.tif')
brightness_folder(def = ″B″, tau = NA, thresh = ″Huang″, parallel = 2)

## End(Not run)
```

---

brightness_timeseries   *Create a brightness time-series.*

Description

Given a stack of images img, use the first frames_per_set of them to create one brightness image, the next frames_per_set of them to create the next brightness image and so on to get a time-series of brightness images.

Usage

```
brightness_timeseries(img, def, frames_per_set, tau = NULL, thresh = NULL,
  filt = NULL, correct = FALSE, s = 1, offset = 0, readout_noise = 0,
  parallel = FALSE)
```

Arguments

img	A 4-dimensional array in the style of an [ijtiff_img](indexed by img[y, x, channel, frame]) or a 3-dimensional array which is a single channel of an [ijtiff_img](indexed by img[y, x, frame]).
def	A character. Which definition of brightness do you want to use, ″B″ or ″epsilon″?
frames_per_set	The number of frames with which to calculate the successive brightnesses.
	This may discard some images, for example if 175 frames are in the input and `frames_per_set = 50`, then the last 25 are discarded. If bleaching correction is selected, it is performed on the whole image stack before the sectioning is done for calculation of numbers.
tau	The tau parameter for *exponential filtering* detrending. This must be a positive number. Set this to "auto" to use Nolan's algorithm to automatically find a suitable value for this parameter (recommended). For multi-channel images, it is possible to have a different `tau` for each channel by specifying `tau` as a vector or list.
thresh	The threshold or thresholding method (see [autothresholdr::mean_stack_thresh()]) to use on the image prior to detrending and brightness calculations.
filt	Do you want to smooth (`filt = 'mean'`) or median (`filt = 'median'`) filter the number image using [smooth_filter()] or [median_filter()] respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option `na_count = TRUE`. If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering (`filt = NULL`) using this function and then perform your desired filtering routine on the result.
correct	Apply the number/brightness correction detailed in equation 7 of Hur et al. (2014). This is another correction for the effects of bleaching and is needed in addition to the more conventional correction controlled by the `tau` parameter.
s	A number. The S-factor of microscope acquisition.
offset	Microscope acquisition parameters. See reference Dalal et al.
readout_noise	Microscope acquisition parameters. See reference Dalal et al.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use `parallel = TRUE`.

Value

An object of class [brightness_ts_img].

- If img is 3-dimensional (i.e. 1-channel), a 3-dimensional array arr is returned with arr[y, x, t] being pixel (x, y) of the tth brightness image in the brightness time series.

- If img is 4-dimensional (i.e. 2-channel), a 4-dimensional array arr is returned with arr[y, x, c, t] being pixel (x, y) of the cth channel of the tth brightness image in the brightness time series.

See Also

brightness().

Examples

```
img <- ijtiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
bts <- brightness_timeseries(img, "e", frames_per_set = 20,
                             tau = NA, thresh = "Huang", parallel = 2)
```

---

brightness_timeseries_folder

Brightness time-series calculations for every image in a folder.

Description

Perform brightness_timeseries() calculations on all tif images in a folder and save the resulting number images to disk.

Usage

```
brightness_timeseries_folder(folder_path = ".", def, frames_per_set,
  tau = NULL, thresh = NULL, filt = NULL, correct = FALSE, s = 1,
  offset = 0, readout_noise = 0, parallel = FALSE)
```

Arguments

folder_path	The path (relative or absolute) to the folder you wish to process.
def	A character. Which definition of brightness do you want to use, "B" or "epsilon"?
frames_per_set	The number of frames with which to calculate the successive brightnesses.
	This may discard some images, for example if 175 frames are in the input and frames_per_set = 50, then the last 25 are discarded. If bleaching correction is selected, it is performed on the whole image stack before the sectioning is done for calculation of numbers.
tau	The tau parameter for *exponential filtering* detrending. This must be a positive number. Set this to "auto" to use Nolan's algorithm to automatically find a suitable value for this parameter (recommended). For multi-channel images, it is possible to have a different tau for each channel by specifying tau as a vector or list.
thresh	The threshold or thresholding method (see autothresholdr::mean_stack_thresh()) to use on the image prior to detrending and brightness calculations.
filt	Do you want to smooth (filt = 'mean') or median (filt = 'median') filter the number image using smooth_filter() or median_filter() respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option na_count = TRUE. If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
correct	Apply the number/brightness correction detailed in equation 7 of Hur et al. (2014). This is another correction for the effects of bleaching and is needed in addition to the more conventional correction controlled by the tau parameter.

s	A number. The *S*-factor of microscope acquisition.
offset	Microscope acquisition parameters. See reference Dalal et al.
readout_noise	Microscope acquisition parameters. See reference Dalal et al.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

See Also

brightness_timeseries()

Examples

```
## Not run:
setwd(tempdir())
img <- ijtiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
ijtiff::write_tif(img, 'img1.tif')
ijtiff::write_tif(img, 'img2.tif')
brightness_timeseries_folder(def = "e", tau = NA, thresh = "Huang",
                             frames_per_set = 20, parallel = 2)

## End(Not run)
```

---

cc-nb-img-classes	*Cross-correlated number and brightness image classes.*

Description

The cc_number_img and cc_brightness_img classes are designed to hold objects which are images calculated from the *cross-correlated number and brightness* technique.

Usage

```
cc_number_img(img, thresh, tau, filt)

cc_brightness_img(img, thresh, tau, filt)
```

Arguments

img	The calculated cross-correlated number or brightness image.
thresh	A positive integer, possibly an object of class autothresholdr::th. If the different channels of the image had different thresholds, this argument may be specified as a vector or list (of positive integers, possibly objects of class autothresholdr::th), one element for each channel.
tau	A positive number with an attribute auto. If the different channels of the image had different taus, this argument may be specified as a list (of positive numbers with attributes auto), one element for each channel.
filt	A string, the filtering method used. Must be either "mean" or "median", or NA for no filtering. If the different channels of the image had different filters, this may be specified as a character vector, one element for each channel.

Details

An object of class cc_number_img or cc_brightness_img is a 4-dimensional array of real numbers
in the mould of an [ijtiff_img](indexed as img[y, x, channel, frame]) with 3 attributes:

thresh A positive integer, possibly an object of class [autothresholdr::th](detailing which threshold
and thresholding method was used in preprocessing (in the multi-channel case, one threshold
per channel is given).

tau A positive number indicating the tau parameter used for detrending with an attribute auto
which is a logical indicating whether or not the tau parameter was chosen automatically.

filt Was mean or median filtering used in postprocessing?

Value

An object of class cc_number_img or cc_brightness_img.

---

cc-nb-ts-img-classes   *Cross-correlated number and brightness time series image classes.*

Description

The cc_number_ts_img and cc_brightness_ts_img classes are designed to hold objects which
are images calculated from the *cross-correlated number and brightness* technique.

Usage

```
cc_number_ts_img(img, frames_per_set, thresh, tau, filt)

cc_brightness_ts_img(img, frames_per_set, thresh, tau, filt)
```

Arguments

img	The calculated cross-correlated number or brightness time series image series.
frames_per_set	The number of frames used in the calculation of each point in the cross-correlated number or brightness time series.
thresh	A positive integer, possibly an object of class [autothresholdr::th](. If the different channels of the image had different thresholds, this argument may be specified as a vector or list (of positive integers, possibly objects of class [autothresholdr::th](), one element for each channel.
tau	A positive number with an attribute auto. If the different channels of the image had different taus, this argument may be specified as a list (of positive numbers with attributes auto), one element for each channel.
filt	A string, the filtering method used. Must be either "mean" or "median", or NA for no filtering. If the different channels of the image had different filters, this may be specified as a character vector, one element for each channel.

Details

An object of class cc_number_ts_img or cc_brightness_ts_img is a 4-dimensional array of real numbers in the mould of an ijtiff_img with 3 attributes:

thresh A positive integer, possibly an object of class autothresholdr::th detailing which threshold and thresholding method was used in preprocessing (in the multi-channel case, one threshold per channel is given).

tau A positive number indicating the tau parameter used for detrending with an attribute auto which is a logical indicating whether or not the tau parameter was chosen automatically (in the multi-channel case, one tau per channel is given).

frames_per_set A positive integer detailing how many frames were used in the calculation of each point in the number or brightness time series.

Value

An object of class cc_number_ts_img or cc_brightness_ts_img.

See Also

cc_number_timeseries(), cc_brightness_timeseries().

---

cc_brightness *Cross-correlated brightness.*

Description

Given a time stack of images and two channels, calculate the cross-correlated brightness of those two channels for each pixel.

Usage

```
cc_brightness(img, ch1 = 1, ch2 = 2, tau = NULL, thresh = NULL,
  filt = NULL, parallel = FALSE)
```

Arguments

img A 4-dimensional array in the style of an ijtiff_img (indexed by img[y, x, channel, time]). To perform this on a file that has not yet been read in, set this argument to the path to that file (a string).

ch1 A natural number. The index of the first channel to use.

ch2 A natural number. The index of the second channel to use.

tau A vector of length 1 or 2. If this is specified, bleaching correction is performed with detrendr::img_detrend_exp() with parameter tau. If this is set to 'auto', then the value of tau is calculated automatically via detrendr::best_tau(). If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, tau[[1]] is used to detrend ch1 and tau[[2]] is used to detrend ch2.

thresh	Do you want to apply an intensity threshold prior to calculating cc_brightness (via [autothresholdr::mean_stack_thresh()](#))? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.
filt	Do you want to smooth (filt = 'smooth') or median (filt = 'median') filter the cross-correlated brightness image using [smooth_filter()](#) or [median_filter()](#) respectively? If selected, these are invoked here with a filter radius of 1 and with the option na_count = TRUE. A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated brightness image in a different way, first calculate the cross-correlated brightnesses without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

Value

A numeric matrix, the cross-correlated brightness image.

Examples

```
img <- ijtiff::read_tif(system.file("extdata", "two_ch.tif",
                                    package = "nandb"))
ijtiff::display(detrendr::mean_pillars(img[, , 1, ]))
ijtiff::display(detrendr::mean_pillars(img[, , 2, ]))
b <- brightness(img, def = "e", thresh = "Huang", filt = "median")
ijtiff::display(b[, , 1, 1])
ijtiff::display(b[, , 2, 1])
cc_b <- cc_brightness(img, tau = "auto", thresh = "Huang")
ijtiff::display(cc_b[, , 1, 1])
```

---

cc_brightness_folder   *Cross-correlated brightness calculations for every image in a folder.*

Description

Perform [cc_brightness()](#) calculations on all TIFF images in a folder and save the resulting images to disk.

Usage

```
cc_brightness_folder(folder_path = ".", ch1 = 1, ch2 = 2, tau = NULL,
  thresh = NULL, filt = NULL, parallel = FALSE)
```

Arguments

folder_path	The path (relative or absolute) to the folder you wish to process.
ch1	A natural number. The index of the first channel to use.
ch2	A natural number. The index of the second channel to use.

tau A vector of length 1 or 2. If this is specified, bleaching correction is performed with `detrendr::img_detrend_exp()` with parameter tau. If this is set to 'auto', then the value of tau is calculated automatically via `detrendr::best_tau()`. If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, `tau[[1]]` is used to detrend ch1 and `tau[[2]]` is used to detrend ch2.

thresh Do you want to apply an intensity threshold prior to calculating `cc_brightness` (via `autothresholdr::mean_stack_thresh()`)? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.

filt Do you want to smooth (`filt = 'smooth'`) or median (`filt = 'median'`) filter the cross-correlated brightness image using `smooth_filter()` or `median_filter()` respectively? If selected, these are invoked here with a filter radius of 1 and with the option `na_count = TRUE`. A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated brightness image in a different way, first calculate the cross-correlated brightnesses without filtering (`filt = NULL`) using this function and then perform your desired filtering routine on the result.

parallel Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use `parallel = TRUE`.

Examples

```
## Not run:
setwd(tempdir())
ijtiff::write_tif(img, 'a.tif')
ijtiff::write_tif(img, 'ab.tif')
cc_brightness_folder()
list.files()

## End(Not run)
```

---

cc_brightness_timeseries

Create a cross-correlated brightness time-series.

Description

Given a stack of images `img`, use the first `frames_per_set` of them to create one cross-correlated brightness image, the next `frames_per_set` of them to create the next and so on to get a time-series of cross-correlated brightness images.

Usage

```
cc_brightness_timeseries(img, frames_per_set, ch1 = 1, ch2 = 2, tau = NA,
  thresh = NULL, filt = NULL, parallel = FALSE)
```

Arguments

img	A 4-dimensional array in the style of an ijtiff_img (indexed by img[y, x, channel, time]). To perform this on a file that has not yet been read in, set this argument to the path to that file (a string).
frames_per_set	The number of frames with which to calculate the successive cross-correlated brightnesses.
	This may discard some images, for example if 175 frames are in the input and frames_per_set = 50, then the last 25 are discarded. If bleaching or/and thresholding are selected, they are performed on the whole image stack before the sectioning is done for calculation of cross-correlated brightnesses.
ch1	A natural number. The index of the first channel to use.
ch2	A natural number. The index of the second channel to use.
tau	A vector of length 1 or 2. If this is specified, bleaching correction is performed with detrendr::img_detrend_exp() with parameter tau. If this is set to 'auto', then the value of tau is calculated automatically via detrendr::best_tau(). If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, tau[[1]] is used to detrend ch1 and tau[[2]] is used to detrend ch2.
thresh	Do you want to apply an intensity threshold prior to calculating cc_brightness (via autothresholdr::mean_stack_thresh())? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.
filt	Do you want to smooth (filt = 'smooth') or median (filt = 'median') filter the cross-correlated brightness image using smooth_filter() or median_filter() respectively? If selected, these are invoked here with a filter radius of 1 and with the option na_count = TRUE. A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated brightness image in a different way, first calculate the cross-correlated brightnesses without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

Value

An array where the ith slice is the ith cross-correlated brightness image.

See Also

brightness().

Examples

```
img <- ijtiff::read_tif(system.file('extdata', 'two_ch.tif',
                        package = 'nandb'))
cc_bts <- cc_brightness_timeseries(img, 10, thresh = "Huang",
                                   filt = 'median', parallel = 2)
ijtiff::display(cc_bts[, , 1, 1])
```

cc_brightness_timeseries_folder

Cross-correlated brightness time-series calculations for every image in a folder.

Description

Perform `cc_brightness_timeseries()` calculations on all tif images in a folder and save the resulting images to disk.

Usage

```
cc_brightness_timeseries_folder(folder_path = ".", frames_per_set, ch1 = 1,
  ch2 = 2, tau = NULL, thresh = NULL, filt = NULL, parallel = FALSE)
```

Arguments

folder_path	The path (relative or absolute) to the folder you wish to process.
frames_per_set	The number of frames with which to calculate the successive cross-correlated brightnesses.
	This may discard some images, for example if 175 frames are in the input and `frames_per_set = 50`, then the last 25 are discarded. If bleaching or/and thresholding are selected, they are performed on the whole image stack before the sectioning is done for calculation of cross-correlated brightnesses.
ch1	A natural number. The index of the first channel to use.
ch2	A natural number. The index of the second channel to use.
tau	A vector of length 1 or 2. If this is specified, bleaching correction is performed with `detrendr::img_detrend_exp()` with parameter tau. If this is set to `'auto'`, then the value of tau is calculated automatically via `detrendr::best_tau()`. If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, `tau[[1]]` is used to detrend ch1 and `tau[[2]]` is used to detrend ch2.
thresh	Do you want to apply an intensity threshold prior to calculating `cc_brightness` (via `autothresholdr::mean_stack_thresh()`)? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.
filt	Do you want to smooth (`filt = 'smooth'`) or median (`filt = 'median'`) filter the cross-correlated brightness image using `smooth_filter()` or `median_filter()` respectively? If selected, these are invoked here with a filter radius of 1 and with the option `na_count = TRUE`. A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated brightness image in a different way, first calculate the cross-correlated brightnesses without filtering (`filt = NULL`) using this function and then perform your desired filtering routine on the result.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use `parallel = TRUE`.

See Also

cc_brightness_timeseries()

Examples

```
## Not run:
setwd(tempdir())
ijtiff::write_tif(img, 'a.tif')
ijtiff::write_tif(img, 'ab.tif')
cc_brightness_timeseries_folder(frames_per_set = 25)
list.files()

## End(Not run)
```

---

cc_number   *Cross-correlated number.*

Description

Given a time stack of images and two channels, calculate the cross-correlated number of those two channels for each pixel.

Usage

```
cc_number(img, ch1 = 1, ch2 = 2, tau = NULL, thresh = NULL,
  filt = NULL, parallel = FALSE)
```

Arguments

img	A 4-dimensional array in the style of an ijtiff_img (indexed by img[y, x, channel, time]). To perform this on a file that has not yet been read in, set this argument to the path to that file (a string).
ch1	A natural number. The index of the first channel to use.
ch2	A natural number. The index of the second channel to use.
tau	A vector of length 1 or 2. If this is specified, bleaching correction is performed with detrendr::img_detrend_exp() with parameter tau. If this is set to 'auto', then the value of tau is calculated automatically via detrendr::best_tau(). If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, tau[[1]] is used to detrend ch1 and tau[[2]] is used to detrend ch2.
thresh	Do you want to apply an intensity threshold prior to calculating cc_number (via autothresholdr::mean_stack_thresh())? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.

filt	Do you want to smooth (filt = 'smooth') or median (filt = 'median') filter the cross-correlated number image using [smooth_filter()](#) or [median_filter()](#) respectively? If selected, these are invoked here with a filter radius of 1 and with the option na_count = TRUE. A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated number image in a different way, first calculate the cross-correlated numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

Value

A numeric matrix, the cross-correlated number image.

Examples

```
img <- ijtiff::read_tif(system.file("extdata", "two_ch.tif",
                                    package = "nandb"))
ijtiff::display(detrendr::mean_pillars(img[, , 1, ]))
ijtiff::display(detrendr::mean_pillars(img[, , 2, ]))
n <- number(img, def = "n", thresh = "Huang", filt = "median")
ijtiff::display(n[, , 1, 1])
ijtiff::display(n[, , 2, 1])
cc_n <- cc_number(img, tau = "auto", thresh = "Huang")
ijtiff::display(cc_n[, , 1, 1])
```

---

cc_number_folder   *Cross-correlated number calculations for every image in a folder.*

Description

Perform [cc_number()](#) calculations on all TIFF images in a folder and save the resulting images to disk.

Usage

```
cc_number_folder(folder_path = ".", ch1 = 1, ch2 = 2, tau = NULL,
  thresh = NULL, filt = NULL, parallel = FALSE)
```

Arguments

folder_path	The path (relative or absolute) to the folder you wish to process.
ch1	A natural number. The index of the first channel to use.
ch2	A natural number. The index of the second channel to use.
tau	A vector of length 1 or 2. If this is specified, bleaching correction is performed with [detrendr::img_detrend_exp()](#) with parameter tau. If this is set to 'auto', then the value of tau is calculated automatically via [detrendr::best_tau()](#). If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, tau[[1]] is used to detrend ch1 and tau[[2]] is used to detrend ch2.

thresh   Do you want to apply an intensity threshold prior to calculating cc_number (via [autothresholdr::mean_stack_thresh()])? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.

filt   Do you want to smooth (filt = 'smooth') or median (filt = 'median') filter the cross-correlated number image using [smooth_filter()] or [median_filter()] respectively? If selected, these are invoked here with a filter radius of 1 and with the option na_count = TRUE. A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated number image in a different way, first calculate the cross-correlated numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.

parallel   Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

Examples

```
## Not run:
setwd(tempdir())
ijtiff::write_tif(img, 'a.tif')
ijtiff::write_tif(img, 'ab.tif')
cc_number_folder()
list.files()

## End(Not run)
```

---

cc_number_timeseries   *Create a cross-correlated number time-series.*

Description

Given a stack of images img, use the first frames_per_set of them to create one cross-correlated number image, the next frames_per_set of them to create the next and so on to get a time-series of cross-correlated number images.

Usage

```
cc_number_timeseries(img, frames_per_set, ch1 = 1, ch2 = 2, tau = NA,
  thresh = NULL, filt = NULL, parallel = FALSE)
```

Arguments

img   A 4-dimensional array in the style of an [ijtiff_img] (indexed by img[y, x, channel, time]). To perform this on a file that has not yet been read in, set this argument to the path to that file (a string).

frames_per_set The number of frames with which to calculate the successive cross-correlated numbers.

              This may discard some images, for example if 175 frames are in the input and frames_per_set = 50, then the last 25 are discarded. If bleaching or/and

thresholding are selected, they are performed on the whole image stack before the sectioning is done for calculation of cross-correlated numbers.

ch1   A natural number. The index of the first channel to use.

ch2   A natural number. The index of the second channel to use.

tau   A vector of length 1 or 2. If this is specified, bleaching correction is performed with `detrendr::img_detrend_exp()` with parameter tau. If this is set to 'auto', then the value of tau is calculated automatically via `detrendr::best_tau()`. If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, tau[[1]] is used to detrend ch1 and tau[[2]] is used to detrend ch2.

thresh   Do you want to apply an intensity threshold prior to calculating cc_number (via `autothresholdr::mean_stack_thresh()`)? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.

filt   Do you want to smooth (filt = 'smooth') or median (filt = 'median') filter the cross-correlated number image using `smooth_filter()` or `median_filter()` respectively? If selected, these are invoked here with a filter radius of 1 and with the option na_count = TRUE. A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated number image in a different way, first calculate the cross-correlated numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.

parallel   Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

Value

An array where the ith slice is the ith cross-correlated number image.

See Also

`number()`.

Examples

```
img <- ijtiff::read_tif(system.file('extdata', 'two_ch.tif',
                                    package = 'nandb'))
cc_nts <- cc_number_timeseries(img, 10, thresh = "Huang",
                               filt = 'median', parallel = 2)
ijtiff::display(cc_nts[, , 1, 1])
```

---

cc_number_timeseries_folder

Cross-correlated number time-series calculations for every image in a folder.

Description

Perform cc_number_timeseries() calculations on all tif images in a folder and save the resulting images to disk.

Usage

```
cc_number_timeseries_folder(folder_path = ".", frames_per_set, ch1 = 1,
  ch2 = 2, tau = NULL, thresh = NULL, filt = NULL, parallel = FALSE)
```

Arguments

folder_path	The path (relative or absolute) to the folder you wish to process.
frames_per_set	The number of frames with which to calculate the successive cross-correlated numbers.
	This may discard some images, for example if 175 frames are in the input and frames_per_set = 50, then the last 25 are discarded. If bleaching or/and thresholding are selected, they are performed on the whole image stack before the sectioning is done for calculation of cross-correlated numbers.
ch1	A natural number. The index of the first channel to use.
ch2	A natural number. The index of the second channel to use.
tau	A vector of length 1 or 2. If this is specified, bleaching correction is performed with detrendr::img_detrend_exp() with parameter tau. If this is set to 'auto', then the value of tau is calculated automatically via detrendr::best_tau(). If specified with length 1, that parameter is used to detrend both channels. If specified with length 2, tau[[1]] is used to detrend ch1 and tau[[2]] is used to detrend ch2.
thresh	Do you want to apply an intensity threshold prior to calculating cc_number (via autothresholdr::mean_stack_thresh())? If so, set your thresholding method here. If this is a single value, that same threshold will be applied to both channels. If this is a length-2 vector, then these two thresholds will be applied to channels 1 and 2 respectively. A value of NA for either channel gives no thresholding for that channel.
filt	Do you want to smooth (filt = 'smooth') or median (filt = 'median') filter the cross-correlated number image using smooth_filter() or median_filter() respectively? If selected, these are invoked here with a filter radius of 1 and with the option na_count = TRUE. A value of NA for either channel gives no thresholding for that channel. If you want to smooth/median filter the cross-correlated number image in a different way, first calculate the cross-correlated numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

See Also

cc_number_timeseries()

Examples

```
## Not run:
setwd(tempdir())
ijtiff::write_tif(img, 'a.tif')
ijtiff::write_tif(img, 'ab.tif')
cc_number_timeseries_folder(frames_per_set = 25)
list.files()

## End(Not run)
```

---

cross_var   *Calculate the* cross-variance *of two vectors.*

Description

The cross-variance function is defined in the reference.

Usage

```
cross_var(x, y)
```

Arguments

x   A numeric vector.

y   A numeric vector with the same length as x.

Value

A number

References

Digman, MA, Wiseman, PW, Choi, C, Horwitz, AR, Gratton, E (2009). Stoichiometry of molecular complexes at adhesions in living cells. Proc. Natl. Acad. Sci. U.S.A., 106, 7:2170-5.

Examples

```
cross_var(0:3, 2:5)
```

---

cross_var_pillars   *Calculate the* cross-variance *of corresponding pillars of 3d arrays.*

Description

The cross-variance function is defined in the reference.

Usage

```
cross_var_pillars(x, y)
```

Arguments

x   A 3-dimensional array.

y   A 3-dimensional array with the same dimensions as x.

Details

Pillar i, j of the 3-dimensional array arr is arr[i, j,].

Value

A matrix.

Examples

```
x <- array(1:27, dim = rep(3, 3))
y <- array(0:26, dim = rep(3, 3))
cross_var_pillars(x, y)
```

---

median_filter   *Smooth and median filters with options for handling NAs.*

Description

These are alternatives to EBImage::filter2() and EBImage::medianFilter() for smooth and
median filtering respectively. These functions have many options for dealing with NA values which
EBImage's functions lack.

Usage

```
median_filter(mat, size = 1L, na_rm = FALSE, na_count = FALSE)

smooth_filter(mat, size = 1L, na_rm = FALSE, na_count = FALSE)
```

Arguments

`mat`	A matrix (representing an image).
`size`	An integer; the median filter radius.
`na_rm`	Should NAs be ignored?
`na_count`	If this is TRUE, in each median calculation, if the majority of arguments are NAs, NA is returned but if the NAs are in the minority, they are ignored as in `median(x, na.rm = TRUE)`.

Details

The behavior at image boundaries is such as the source image has been padded with pixels whose values equal the nearest border pixel value.

Value

A matrix (the median filtered image).

Examples

```
m <- matrix(1:9, nrow = 3)
m[2:3, 2:3] <- NA
print(m)
median_filter(m)
median_filter(m, na_rm = TRUE)
median_filter(m, na_count = TRUE)

smooth_filter(m)
smooth_filter(m, na_rm = TRUE)
smooth_filter(m, na_count = TRUE)
```

---

nandb   *nandb: Number and brightness in R.*

Description

The nandb package gives functions for calculation of molecular number and brightness from images, as detailed in Digman et al. 2008. It comes with an implementation of the novel 'automatic detrending' technique.

References

Digman MA, Dalal R, Horwitz AF, Gratton E. Mapping the Number of Molecules and Brightness in the Laser Scanning Microscope. Biophysical Journal. 2008;94(6):2320-2332. doi: 10.1529/biophysj.107.114645.

nb-img-classes   *Number and brightness image classes.*

Description

The number_img and brightness_img classes are designed to hold objects which are images calculated from the *number and brightness* technique.

Usage

```
number_img(img, def, thresh, tau, filt)

brightness_img(img, def, thresh, tau, filt)
```

Arguments

img	The calculated number or brightness image.
def	The number or brightness definition used.
thresh	A positive integer, possibly an object of class autothresholdr::th. If the different channels of the image had different thresholds, this argument may be specified as a vector or list (of positive integers, possibly objects of class autothresholdr::th), one element for each channel.
tau	A positive number with an attribute auto. If the different channels of the image had different taus, this argument may be specified as a list (of positive numbers with attributes auto), one element for each channel.
filt	A string, the filtering method used. Must be either "mean" or "median", or NA for no filtering. If the different channels of the image had different filters, this may be specified as a character vector, one element for each channel.

Details

An object of class number_img or brightness_img is a 4-dimensional array of real numbers in the mould of an ijtiff_img (indexed as img[y, x, channel, frame]) with 4 attributes:

def Are we using the "N" or "n" definition of number, or the "B" or "epsilon" definition of brightness?

thresh A positive integer, possibly an object of class autothresholdr::th detailing which threshold and thresholding method was used in preprocessing (in the multi-channel case, one threshold per channel is given).

tau A positive number indicating the tau parameter used for detrending with an attribute auto which is a logical indicating whether or not the tau parameter was chosen automatically.

filt Was mean or median filtering used in postprocessing?

Value

An object of class number_img or brightness_img.

---

nb-ts-img-classes   *Number and brightness time series image classes.*

Description

The `number_ts_img` and `brightness_ts_img` classes are designed to hold objects which are images calculated from the *number and brightness* technique.

Usage

```
number_ts_img(img, def, frames_per_set, thresh, tau, filt)

brightness_ts_img(img, def, frames_per_set, thresh, tau, filt)
```

Arguments

img	The calculated number or brightness time series image series.
def	The number or brightness definition used.
frames_per_set	The number of frames used in the calculation of each point in the number or brightness time series.
thresh	A positive integer, possibly an object of class [autothresholdr::th](#). If the different channels of the image had different thresholds, this argument may be specified as a vector or list (of positive integers, possibly objects of class [autothresholdr::th](#)), one element for each channel.
tau	A positive number with an attribute `auto`. If the different channels of the image had different `tau`s, this argument may be specified as a list (of positive numbers with attributes `auto`), one element for each channel.
filt	A string, the filtering method used. Must be either `"mean"` or `"median"`, or `NA` for no filtering. If the different channels of the image had different filters, this may be specified as a character vector, one element for each channel.

Details

An object of class `number_ts_img` or `brightness_ts_img` is a 3- or 4-dimensional array of real numbers with 4 attributes:

def Are we using the `"N"` or `"n"` definition of number, or the `"B"` or `"epsilon"` definition of brightness?

thresh A positive integer, possibly an object of class [autothresholdr::th](#) detailing which threshold and thresholding method was used in preprocessing (in the multi-channel case, one threshold per channel is given).

tau A positive number indicating the tau parameter used for detrending with an attribute `auto` which is a logical indicating whether or not the tau parameter was chosen automatically (in the multi-channel case, one `tau` per channel is given).

frames_per_set A positive integer detailing how many frames were used in the calculation of each point in the number or brightness time series.

Value

An object of class `number_ts_img` or `brightness_ts_img`.

See Also

number_timeseries(), brightness_timeseries().

---

number *Calculate number from image series.*

Description

Given a time stack of images, number() performs a calculation of the number for each pixel.

Usage

```
number(img, def, tau = NULL, thresh = NULL, filt = NULL,
  correct = FALSE, s = 1, offset = 0, readout_noise = 0, gamma = 1,
  parallel = FALSE)
```

Arguments

img	A 4-dimensional array of images indexed by img[y, x, channel, frame] (an object of class ijtiff::ijtiff_img). The image to perform the calculation on. To perform this on a file that has not yet been read in, set this argument to the path to that file (a string).
def	A character. Which definition of number do you want to use, ″n″ or ″N″?
tau	The exponential detrending parameter to be passed to detrendr::img_detrend_exp(). This can be a positive number or ″auto″. Default is no detrending.
thresh	The threshold or thresholding method (see autothresholdr::mean_stack_thresh()) to use on the image prior to detrending and number calculations.
filt	Do you want to smooth (filt = 'mean') or median (filt = 'median') filter the number image using smooth_filter() or median_filter() respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option na_count = TRUE. If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
correct	Apply the number/brightness correction detailed in equation 7 of Hur et al. (2014). This is another correction for the effects of bleaching and is needed in addition to the more conventional correction controlled by the tau parameter.
s	A number. The S-factor of microscope acquisition.
offset, readout_noise	
	Microscope acquisition parameters. See reference Dalal et al.
gamma	Factor for correction of number n due to the illumination profile. The default (gamma = 1) has no effect. Changing gamma will have the effect of dividing the result by gamma, so the result with gamma = 0.5 is two times the result with gamma = 1. For a Gaussian illumination profile, use gamma = 0.3536; for a Gaussian-Lorentzian illumination profile, use gamma = 0.0760.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

Value

A matrix, the number image.

References

Digman MA, Dalal R, Horwitz AF, Gratton E. Mapping the Number of Molecules and Brightness in the Laser Scanning Microscope. Biophysical Journal. 2008;94(6):2320-2332. doi: 10.1529/biophysj.107.114645.

Dalal, RB, Digman, MA, Horwitz, AF, Vetri, V, Gratton, E (2008). Determination of particle number and brightness using a laser scanning confocal microscope operating in the analog mode. Microsc. Res. Tech., 71, 1:69-81. doi: 10.1002/jemt.20526.

Hur K-H, Macdonald PJ, Berk S, Angert CI, Chen Y, Mueller JD (2014) Quantitative Measurement of Brightness from Living Cells in the Presence of Photodepletion. PLoS ONE 9(5): e97440. doi: 10.1371/journal.pone.0097440.

Examples

```
img <- ijtiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
ijtiff::display(img[, , 1, 1])
num <- number(img, ″N″, tau = NA, thresh = ″Huang″)
num <- number(img, ″n″, tau = 10, thresh = ″tri″)
```

---

number_folder | *Number calculations for every image in a folder.*

Description

Perform number() calculations on all tif images in a folder and save the resulting number images to disk.

Usage

```
number_folder(folder_path = ″.″, def, tau = NULL, thresh = NULL,
  filt = NULL, s = 1, offset = 0, readout_noise = 0, gamma = 1,
  parallel = FALSE)
```

Arguments

folder_path	The path (relative or absolute) to the folder you wish to process.
def	A character. Which definition of number do you want to use, ″n″ or ″N″?
tau	The exponential detrending parameter to be passed to detrendr::img_detrend_exp(). This can be a positive number or ″auto″. Default is no detrending.
thresh	The threshold or thresholding method (see autothresholdr::mean_stack_thresh()) to use on the image prior to detrending and number calculations.
filt	Do you want to smooth (filt = 'mean') or median (filt = 'median') filter the number image using smooth_filter() or median_filter() respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option na_count = TRUE. If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.

s	A number. The *S*-factor of microscope acquisition.
offset	Microscope acquisition parameters. See reference Dalal et al.
readout_noise	Microscope acquisition parameters. See reference Dalal et al.
gamma	Factor for correction of number n due to the illumination profile. The default (gamma = 1) has no effect. Changing gamma will have the effect of dividing the result by gamma, so the result with gamma = 0.5 is two times the result with gamma = 1. For a Gaussian illumination profile, use gamma = 0.3536; for a Gaussian-Lorentzian illumination profile, use gamma = 0.0760.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

Note

Extreme number values (of magnitude greater than 3.40282e+38) will be written to the TIFF file as
NA, since TIFF files cannot handle such huge numbers.

See Also

number()

Examples

```
## Not run:
setwd(tempdir())
img <- ijtiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
ijtiff::write_tif(img, 'img2.tif')
number_folder(def = "n", tau = NA, thresh = "Huang", parallel = 2)

## End(Not run)
```

---

number_timeseries   *Create a number time-series.*

Description

Given a stack of images img, use the first frames_per_set of them to create one number image,
the next frames_per_set of them to create the next number image and so on to get a time-series of
number images.

Usage

```
number_timeseries(img, def, frames_per_set, tau = NULL, thresh = NULL,
  filt = NULL, correct = FALSE, s = 1, offset = 0, readout_noise = 0,
  gamma = 1, parallel = FALSE)
```

Arguments

img	A 4-dimensional array of images indexed by img[y, x, channel, frame] (an object of class ijtiff::ijtiff_img). The image to perform the calculation on. To perform this on a file that has not yet been read in, set this argument to the path to that file (a string).
def	A character. Which definition of number do you want to use, ″n″ or ″N″?
frames_per_set	The number of frames with which to calculate the successive numbers.
tau	The exponential detrending parameter to be passed to detrendr::img_detrend_exp(). This can be a positive number or ″auto″. Default is no detrending.
thresh	The threshold or thresholding method (see autothresholdr::mean_stack_thresh()) to use on the image prior to detrending and number calculations.
filt	Do you want to smooth (filt = 'mean') or median (filt = 'median') filter the number image using smooth_filter() or median_filter() respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option na_count = TRUE. If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
correct	Apply the number/brightness correction detailed in equation 7 of Hur et al. (2014). This is another correction for the effects of bleaching and is needed in addition to the more conventional correction controlled by the tau parameter.
s	A number. The S-factor of microscope acquisition.
offset	Microscope acquisition parameters. See reference Dalal et al.
readout_noise	Microscope acquisition parameters. See reference Dalal et al.
gamma	Factor for correction of number n due to the illumination profile. The default (gamma = 1) has no effect. Changing gamma will have the effect of dividing the result by gamma, so the result with gamma = 0.5 is two times the result with gamma = 1. For a Gaussian illumination profile, use gamma = 0.3536; for a Gaussian-Lorentzian illumination profile, use gamma = 0.0760.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

Details

This may discard some images, for example if 175 frames are in the input and frames_per_set = 50, then the last 25 are discarded. If bleaching correction is selected, it is performed on the whole image stack before the sectioning is done for calculation of numbers.

Value

An object of class number_ts_img.

- If img is 3-dimensional (i.e. 1-channel), a 3-dimensional array arr is returned with arr[y, x, t] being pixel (x, y) of the tth number image in the number time series.
- If img is 4-dimensional (i.e. 2-channel), a 4-dimensional array arr is returned with arr[y, x, c, t] being pixel (x, y) of the cth channel of the tth number image in the number time series.

See Also

number().

Examples

```
img <- ijtiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
nts <- number_timeseries(img, "n", frames_per_set = 20,
                         tau = NA, thresh = "Huang", parallel = 2)
```

---

number_timeseries_folder

Number time-series calculations for every image in a folder.

Description

Perform number_timeseries() calculations on all tif images in a folder and save the resulting number images to disk.

Usage

```
number_timeseries_folder(folder_path = ".", def, frames_per_set, tau = NULL,
  thresh = NULL, filt = NULL, s = 1, offset = 0, readout_noise = 0,
  gamma = 1, parallel = FALSE)
```

Arguments

folder_path	The path (relative or absolute) to the folder you wish to process.
def	A character. Which definition of number do you want to use, "n" or "N"?
frames_per_set	The number of frames with which to calculate the successive numbers.
tau	The exponential detrending parameter to be passed to detrendr::img_detrend_exp(). This can be a positive number or "auto". Default is no detrending.
thresh	The threshold or thresholding method (see autothresholdr::mean_stack_thresh()) to use on the image prior to detrending and number calculations.
filt	Do you want to smooth (filt = 'mean') or median (filt = 'median') filter the number image using smooth_filter() or median_filter() respectively? If selected, these are invoked here with a filter radius of 1 (with corners included, so each median is the median of 9 elements) and with the option na_count = TRUE. If you want to smooth/median filter the number image in a different way, first calculate the numbers without filtering (filt = NULL) using this function and then perform your desired filtering routine on the result.
s	A number. The S-factor of microscope acquisition.
offset	Microscope acquisition parameters. See reference Dalal et al.
readout_noise	Microscope acquisition parameters. See reference Dalal et al.
gamma	Factor for correction of number n due to the illumination profile. The default (gamma = 1) has no effect. Changing gamma will have the effect of dividing the result by gamma, so the result with gamma = 0.5 is two times the result with gamma = 1. For a Gaussian illumination profile, use gamma = 0.3536; for a Gaussian-Lorentzian illumination profile, use gamma = 0.0760.
parallel	Would you like to use multiple cores to speed up this function? If so, set the number of cores here, or to use all available cores, use parallel = TRUE.

Note

Extreme number values (of magnitude greater than 3.40282e+38) will be written to the TIFF file as NA, since TIFF files cannot handle such huge numbers.

See Also

[number_timeseries()](#)

Examples

```
## Not run:
setwd(tempdir())
img <- ijtiff::read_tif(system.file('extdata', '50.tif', package = 'nandb'))
ijtiff::write_tif(img, 'img1.tif')
ijtiff::write_tif(img, 'img2.tif')
number_timeseries_folder(def = "n", tau = NA, thresh = "Huang",
                         frames_per_set = 20, parallel = 2)

## End(Not run)
```

Index