Playmaker Picks

Discord, website, research tools and API usage
Updated November 8, 2026

🚀 Start here and check your access

Run /start for private getting-started steps or /membership_status to check feature eligibility. Use the same Discord account linked to Whop. These commands do not buy, extend or grant access.

Access	Available features
Public / ROOKIE	Website settled results, capper directory, public sports scores and schedules, plus the configured free Discord channels. No unsettled premium selections.
Verified HIGHROLLER paid / eligible trial	Enrollment is live: one membership with three automatically renewing options: $19.99 every 1 month, $49.99 every 3 months, or $199.99 every 12 months (USD). Every option includes a seven-day free trial for eligible first-time subscribers; switching options does not grant another trial. The full selected interval price bills after the trial and renews at that interval until canceled in Whop. Cancel before the trial ends to avoid the first charge. Three-month and annual prices are not monthly installments. Published current picks, member stats and Member Bet Vault require verified access and enabled features.
OPERATOR / Owner	Team research: website Data Models and NFL Matchup Lab, and Discord /model in Laboratory. Paid/trial membership alone does not unlock these tools. Owner-only /api is a separate cache-refresh tool.

Features depend on current verification, configured channels and deployment. An approved Discord research exception can grant complimentary member picks and research/API tools without granting Owner or OPERATOR administration. It still requires provider-verified Discord login and age verification, and does not bypass account ownership or editing permissions. Adults must be 21+ or the higher local legal age. Playmaker provides analysis and tracking, not sportsbook wagering or guaranteed profits.

📷 Recording a play from an image

Cappers post personal betting-slip images in Capper_plays (1513186440278704178). Open the bot's review controls, check selections, odds and units (maximum 3u), and use Edit bet or Enter units if needed. Plays over 3u are rejected and excluded from the public settled record. Press Confirm and record only after checking the extracted data. These plays credit the individual capper and feed that capper's website homepage, never the official team tracker. Their cards use the same generated-image layout as official picks: the original uncropped slip above, bet details below-left, and matching cached team/player artwork or the server icon below-right. Cappers can upload a transparent frame from their website page editor, generate and download a sample card before saving, and use that frame on new capper plays. The sample is not a tracked play; changing or removing a frame does not change older cards. The embed retains the capper's name and avatar, the image is labeled CAPPER TRACKING, and personal plays still do not create BANGs. Settlements and edits regenerate the image from privately stored originals; text-only plays show a no-slip panel. Existing posts are not bulk-reposted.

Confirmation creates one tracked card in Capper_plays, normally replacing the upload. React on that card, not the deleted upload or review prompt. If reposting fails, a new card is published without deleting the upload; the new card is tracked. There is no extra official or confirmation-channel copy.

✍️ Recording a play manually

Use /play in Capper_plays when you have no image. You need the capper role and any configured official-role permissions. Follow the input form for units (maximum 3u), selections and American odds; multi-leg plays collect the remaining legs and calculate combined odds. The resulting personal card stays in Capper_plays. Official plays cannot bypass slip review through this command.

⭐ Slip reviews and official picks

Create one post per slip in the private capper forum (1565167115726618686). Put the matchup in its title and one slip image in the opening post; keep confirmation, voting and discussion inside that post's thread. No separate native poll is needed. The bot reads the selection, odds and any explicitly readable event start. Press Confirm details + set cutoff, then Open form (within three minutes), correct every leg if needed, and enter the earliest event start and your voting cutoff with a date and timezone offset, such as 2026-10-22T18:55-04:00. Missing event times must be entered by the author; they are never guessed. For a parlay, confirm the earliest leg's start.

The author's confirmation counts as one Yes and freezes the eligible human capper roster. The cutoff must be in the future and strictly before the earliest event starts; it cannot be moved after review opens. Discord displays times in each viewer's local timezone. The bot mentions the capper role once when review opens and sends one reminder to outstanding responders in the last two minutes.

React on the bot's linked review card with □ Support or □ Oppose, or use Pass / not reviewed for unfamiliar sports or no research. Only the frozen eligible roster counts. Both reactions mean an unresolved response: remove one to choose. Pass removes your visible reactions. The author is counted once and can cancel before the review locks. Chat agreement does not become a response. No response is not a No.

Responses lock at the author's cutoff or earlier once everyone eligible has responded. The bot checks pending reviews every 15 seconds. A play qualifies only with the author plus at least one additional supporter, and total Yes greater than total No. Additional supporters determine the stake: 1 = 1u; 2 = 2u; 3 or more = 3u maximum. These rules intentionally replace whole-roster majority approval. An early qualifying reaction shows only a projected stake, not an official pick. Ratings remain 1u = 3 stars; 2u = 4 stars; 3u = 5 stars, not win probabilities.

Qualified plays publish automatically; unqualified or tied reviews remain personal only and do not automatically create a personal tracking record. There is no forced daily official quota. Submit personal plays through Capper_plays for individual tracking. No one can submit another capper's response or silently override the stake. Editing or deleting the original slip invalidates the review and requires a fresh submission and fresh responses.

Official cards and the member website show supported, opposed, passed and missing counts with the saved official stake. Unanimous among respondents is not the same as Unanimous team approval, which requires every eligible capper's Yes. The original sportsbook image remains the capper's personal wager and may show a different stake. Saved official units drive website picks, tracking and settlement; published stakes cannot be changed through later reactions or independent unit edits.

Team plays still require the original capper's written justification. After an official slip publishes, the bot tags its submitting capper in team-discussion (1328130555568455710), the configured CONFIRMATION_CHANNEL_ID, with Add / edit insight. Press it, then Open form within three minutes. The required form accepts 1-2000 nonblank characters and saves to the website's play insights, not the slip text. The original capper, while still on the verified capper roster, can also add or edit the insight on the official website card. The pick remains bot-owned under Official Playmaker Picks; supporters and other Owners cannot impersonate the submitting capper. Justification is collected after publication; a failed request alerts staff without reposting or invalidating the official pick. Use /request_insights for missing requests after reconciling any uncertain notification.

Approved picks are posted in Official_Playmaker_Plays (1560077460488458392) using only the bot's own name and avatar, never a capper's identity, and mention the HIGHROLLER role. The bot generates one fixed-width image inside the embed: the original uncropped slip spans the top, bet details occupy the lower-left panel, and a matching team logo or player portrait occupies the lower-right panel. Artwork is matched from cached API data only; ambiguous selections, parlays, and unavailable player images use the server icon. The server must have an icon configured. Image descriptions retain the selection text. Official plays count toward the automatic team unit summary, not individual capper records.

When an Official Playmaker Picks play is settled as a win by reaction, /settle, or a confirmed settlement suggestion, the bot automatically posts a BANG in Winning Slips (1328168927812911165) and tags HIGHROLLER. It uses the same generated-card layout: original slip above, stake/odds/net profit in units and the team's gold-star rating below-left,

artwork below-right, and a link to the original pick. Capper-tracked plays do not create BANGs.

Reopening or correcting a play updates its existing BANG with a prominent correction instead of deleting it. The image remains inside the embed; corrections and subsequent wins never send another role ping. A one-minute durable event scan catches saved result changes, including maintenance-script settlements or interrupted bot updates; it does not replay historical wins on deployment. Pending live events wait while testing mode is enabled. Test-mode corrections and messages stay isolated from live channels.

Staff recovery tools are private and restricted to server managers or configured operators in the configured server. Use /bang_status play_id: to inspect claimed, delivered, failed, or uncertain delivery. Inspect Winning Slips before recovery: /bang_recover play_id: message_id: links an existing bot-owned BANG without resending or pinging; /bang_retry play_id: confirmed_no_message:true is only for cases where staff has checked that no BANG exists. Active claims require a ten-minute wait. Failed or uncertain sends are never automatically resent. A missing/deleted tracked message requires staff review, not automatic replacement.

BANG deployment: stop the old bot, apply 20261017000000_bang_delivery_recovery.sql after the existing BANG and capper/ballot migrations, then deploy and restart the updated bot so its staff commands sync. The migration adds private original-slip/artwork storage for regeneration and a durable result-event queue, and replaces the old BANG RPCs. Existing delivered messages and uncertain claims are retained. Old posts are not bulk-redrawn: available originals are captured when a card is next refreshed or settled. Startup checks validate the Official Picks and Winning Slips channels, HIGHROLLER role and mentionability, required posting/image/history permissions, and migration availability; failures alert staff. WINNING_SLIPS_CHANNEL_ID selects the destination; the legacy DISCORD_PLATINUM_ROLE_ID setting selects HIGHROLLER.

Daily 3:00 AM Eastern cleanup deletes completed capper forum posts only after saving and reading back their private record. The owner/bot-only records forum (1565170427851047053) has one dated post per Eastern submission date, containing authors, bet details, original slips, review decisions and linked official betting results. Results still open show Pending and update every five minutes after settlement or corrections; untracked personal bets are never guessed as wins or losses. The attached text is an archive-time snapshot; the record message carries the current result. Posts awaiting confirmation, open voting, interrupted publication or uncertain record delivery are preserved. Private saved originals, responses, roster snapshots and decisions survive cleanup and restarts. If reaction availability is interrupted across a cutoff, staff must reconcile rather than guess when reactions arrived. Reviews still open before their deadline reconcile visible reactions after reconnecting. Event-start checks block late official posts. Failed or uncertain sends alert staff and are never automatically republished.

Forum deployment: apply 20261028000000_capper_forum_records.sql and 20261028010000_capper_forum_guide.sql after prior migrations, set CAPPER_BALLOT_CHANNEL_ID=1565167115726618686 and CAPPER_RECORD_CHANNEL_ID=1565170427851047053 in the bot environment, then restart one bot instance. Existing environment values override the new defaults. Hide the ballot forum from everyone except cappers/staff/bot, and the records forum from everyone except the owner/bot. Grant the bot View Channel, Read Message History, Send Messages/Create Posts, Send Messages in Threads, Attach Files, Embed Links, Add Reactions, Manage Messages and Manage Threads in the relevant forums. Disable required tags in the records forum. Review controls recover using their saved thread IDs, including old text-channel reviews. If a record send is interrupted, inspect Discord before manually linking its thread_id in capper_review_record_days or record_message_id in capper_review_records; never clear a sending marker or delete the original without verifying the record.

Compatibility upgrade: apply 20261029000000_discord_compatibility.sql and 20261029010000_discord_compatibility_guide.sql, install the updated requirements (discord.py 2.7.1 through 2.7.x), and restart one bot instance. Run staff-only /bot_health to check forum privacy/permissions, requested intents, database readiness, queue depth and worker status. Enable Message Content and Server Members intents in Discord's Developer Portal; the command cannot independently verify Portal toggles. The ballot forum permits the configured capper role, owner, bot and administrators; the records forum permits only owner, bot and administrators. Use explicit member access for the owner, or a verified owner-only role. Disable required tags in both forums. Incorrect/inaccessible forum configuration backs off for five minutes; /bot_health explicitly retries checks.

Read the pinned READ FIRST submission notice before uploading. Use one static JPEG, PNG or WebP of at most 10 MB and under 16 megapixels; processed files must also fit the server upload limit. Crop names, account IDs, balances and barcodes yourself. The bot strips metadata and sends normalized image data to OpenAI for extraction/inference, not training on Discord content. Check all extracted details before confirmation. New posts are handled through Gateway events with a bounded queue and five-minute fallback reconciliation. Invalid unchanged submissions receive one warning, including after restarts; edit the opening post to retry. If the notice delivery is uncertain, link the verified notice thread in capper_forum_notices; never blindly reset its sending marker.

Evidence retention: completed, resolved reviews keep original screenshots and detailed submission archives for 365 days after the later of review completion and bet resolution. Pending/unresolved items and unverified source deletion remain protected. The bot verifies removal of private archive attachments and tracked official/result-announcement screenshot cards, scrubs database image copies and original notes, and retains capper/Discord ID, bet, approval and result summaries. Old migrated records start a conservative new clock. Corrections/reopens requeue record updates and protect evidence not already expired; deleted evidence is never recreated. Result updates process changed records, not the entire historical archive. Expiry is retryable, and partial failures alert staff. Copies downloaded by others and provider backups are outside this deletion workflow. For access, correction or deletion requests contact the server owner or support@playmakersportsanalytics.com. This schedule applies to capper reviews, not the separate member vault.

Slip-review deployment: stop the old bot and reconcile pending or interrupted native ballots. Apply all prior migrations, then 20261022000000_slip_reviews.sql, 20261022010000_slip_review_current_picks.sql, and the generated 20261022020000_slip_review_guide.sql. Deploy the bot and website together, then restart. Cutover holds old pending ballots for reconciliation and starts new image intake at migration time; historical decisions and units are not recalculated. Ensure TRACKER_ROLE_ID identifies eligible cappers. The bot needs member/message-content and reaction intents, read history, send messages, embeds, attachments, add reactions, manage messages (reaction removal/cleanup), and capper-role mention permissions. Approval reactions are separate from grading reactions. The member feed retains access checks and exposes totals, never individual responses or the private original image. Staff must reconcile saved decisions, plays and Discord posts before recovery; corrections to a live selection require a fresh review.

Also apply 20261022030000_official_capper_insights.sql and 20261022040000_official_capper_insights_guide.sql before deploying the original-author insight workflow. These retain personal-play insight permissions, add original slip-author permission checks for team insights, and expose only the current viewer's editing permission. Historical team picks without a verifiable submitting capper are not assigned a guessed author. Ensure the bot can send messages and mention the submitting capper in team-discussion.

The displayed tracking era starts October 14, 2026, at midnight Eastern. Team and capper stats, settled website ledgers, and current-pick displays exclude plays created before that time, even if they settle later. Historical records and Discord posts are retained. The persistent tracking_display_settings.starts_at setting controls this boundary; /tracker_start can further narrow Discord totals by settlement date but does not erase the retained archive.

✅ Settling a play with reactions

React directly on the tracked play card in Official_Playmaker_Plays or Capper_plays. A personal play's author or Discord Owner can settle by reaction; team plays are bot-owned, so a Discord Owner grades them by reaction. An OPERATOR role alone does not authorize settling another author's play. Officials can use the /settle picker. Reactions on unrelated messages/channels are ignored.

Icon	Result	What happens
✅	Win	Settles immediately and updates the card
❌	Loss	Settles immediately and updates the card
🅿️	Void	No change to your unit total
🌓	Partial	Not processed by reaction — use /settle instead

Tracker and personal tools

Command	What it does
/update_tracker	Officials/moderators refresh the Unit Summary and reconcile missed reactions. The tracker also refreshes automatically every hour, Eastern Time.
/rankings	Posts the current team ranking summary.
/summary	Posts the official team unit summary only, without individual capper rankings. Use the configured team-stats channel.
/capper_tracker [capper:]	Privately requests individual capper totals and monthly breakdown, optionally for one capper. This tracker is never automatically displayed.
/play_results	Search published settled official team plays by Eastern date range, sport and grade. Browse ten per page; original-post links appear when accessible.
/mystats	Privately shows individual capper-play, Tail and Vault records. Use its share button to publish to the eligible Free or VIP Chat destination. Tail stats use the play's risk units, not your personal stake.
/vault_leaderboard	Shows this month's member Vault records. Vault results are separate from the official capper ledger.
/tracker_start date_value:show	Shows the date the tracker is currently counting from.

Commands for officials

Command	What it does
/settle	Opens a paginated list of open official plays. Select a play, then choose its result. Use this for partials or when the tracked message cannot be reacted to. The card's Play # identifies the record.
/regrade	Select a play from the last two days, then enter remaining legs, new American odds and an optional note. Regraded plays count as zero units.
/unsettle	Select a play settled in the last seven days to reopen an accidental or incorrect settlement. Confirm before applying it.
/edit_play	Select an open official play and edit units, team, selections and leg odds in a modal. Ownership and role checks still apply.
/recap	Officials/moderators preview the previous weekly or monthly recap privately. With post:true, weekly recaps replace the existing WEEKLY_RECAP_MESSAGE_ID message in the results channel; monthly recaps post a new message. Weekly updates never create a replacement if the configured message is missing or inaccessible. Scheduled recaps run at 10 AM Eastern on Mondays and on the first day of the month.
/request_insights	Staff can request author insight for up to 50 open picks missing an insight request. Insight is capper-written analysis, not automatically extracted slip text.
/test [image:]	Officials run system diagnostics or parse an attached slip without recording a play.

Automatic settlement suggestions

Every 15 minutes the bot checks supported full-game moneyline, spread and total legs against cached final scores. It posts a suggested WIN/LOSS/VOID in the confirmation channel. An authorized official/moderator must Confirm; Dismiss leaves the play unchanged. Props and unmatched or unsupported games require manual grading. A suggestion is not an automatic official settlement.

🏦 Member Bet Vault and Tail tracking

Eligible members submit in the configured Member Bet Vault channel: attach exactly one static JPEG, PNG or WebP betting-slip image, up to 10 MB. Put units in the caption when needed, then follow the confirmation and settlement controls. The channel is submission-only; read the response before completing your entry.

Monthly challenge: the member with the most winning tickets receives one free month of Highroller. All members tied for the most wins receive the prize. Each whole ticket counts as exactly one win or one loss, regardless of its number of legs, odds or units risked. Pushes and voids count as neither. There is no submission cap.

Only positive American whole-ticket odds (+100 or higher) qualify; individual parlay legs may have negative odds. Negative-odds tickets and their vault cards are removed, with a notice that deletes after 60 seconds. Upload notices cannot be truly ephemeral in Discord; confirmation and review responses are private. Both the upload and confirmation must occur strictly before the earliest leg starts. A moderator must supply evidence for every start time that cannot be matched automatically; unverified or late entries cannot count or be settled as challenge results.

Use /vault_challenge in the vault to see provisional standings, or pass month:YYYY-MM for an earlier month. The calendar month follows the original Discord upload timestamp in America/New_York, not the settlement date. Historical tickets without a recorded upload timestamp are excluded. Staff must resolve outstanding entries, verify the final leaders and fulfill the free month; the command does not automatically grant membership.

Deployment: apply 20261025000000_member_vault_monthly_challenge.sql before restarting the bot. Moderator settlement includes a separate audited start-time verification control. Enter one timezone-aware ISO timestamp per leg in ticket order, including already matched legs; API-verified start times cannot be overridden. Evidence remains private, and a late ticket is rejected rather than awarded points.

Use the Tail control under an official play to register a tail; use /mystats to see your record. Member Vault entries do not become official capper picks. Access failures, missing units or unclear slip data must be resolved before confirming.

🌐 Website: results, picks and profiles

Visit playmakersportsanalytics.com. The homepage and /results ledger show official team picks only, ten results per page with sport filters on the dedicated page. Individual capper homepage metrics and results use Capper_plays only. Published current picks include both team and personal plays with separate attribution. Test plays, open selections and private account data are excluded from the public settled ledger.

This guide is available on the website at /guide, through the Guide (team only) navigation link. Only verified OPERATOR/Owner accounts can open it; paid/trial access alone is insufficient. The page uses the same tab-session access checks as the research tools, and its content RPC checks current access on every fetch.

/cappers lists current verified OPERATOR cappers, with public profiles and settled performance. /picks contains published open picks for verified member/team access. Filter by sport or capper, and open the insight control where available.

Account > View public profile opens your separate member profile. Leave Avatar image URL blank to follow the latest Discord login photo; after changing your Discord avatar, sign out and back in to sync it. Your own Discord avatar URL is treated as automatic, not a frozen custom image. Other custom HTTPS image URLs remain overrides. This does not change the separately managed capper-page artwork.

On /account, sign in with Discord, complete age verification, check membership, edit your profile, choose sports/capper follows, and manage alert preferences. The personalized homepage uses those follows. A preference does not guarantee delivery of every alert.

Verified capper page owners can edit their own page appearance and their own open-pick insights. A verified Owner can edit all capper pages and personal-play insights. Team slip justification belongs only to its original submitting capper, even when another user holds Owner. Available appearance controls include colors, heading font, bio, social links, avatar, banner and section order. Saving or uploading can fail explicitly; verify the saved result.

Active website access is verified once per browser tab and retained across navigation/reloads until the tab closes. No 30-second or focus role refresh runs. Sign-out, account/profile changes and membership expiry invalidate it. A removed role blocks new protected database requests even if previously viewed content remains in the tab. The browser cache cannot grant server access.

Website sports center and NFL Matchup Lab

The public sports board and sport pages show cached schedules, scores and update times, with links to each sport center. Coverage varies; empty, unsupported and failed feeds are labeled. The browser reads Supabase caches, not API-Sports directly. A sync timestamp is not proof of an instant live score.

OPERATOR/Owner members can use /nfl/lab for matchup records, home/away splits, last-five form, scoring averages and rest context. NFL efficiency panels add nflverse offensive/defensive EPA per play and success rates over up to ten prior regular-season games; at least three are required. Same-day games are excluded from efficiency history.

Enter American odds, stake and an optional your estimated probability for implied/break-even probability, payout and conditional expected profit. The calculator is not a sportsbook odds feed. CSV exports include matchup summaries, game history and calculator data. NFL efficiency is descriptive: it does not recalibrate the score-only model.

Website Data Models: six competitions

Open /models with verified OPERATOR/Owner access. Choose NFL, NBA, MLB, NHL, NCAA Football or NCAA Men's Basketball, then choose an upcoming matchup. The NFL Lab link appears only under the NFL tab.

The page shows stored projections from the Playmaker ratings model (ratings-v2), refreshed by the bot every 30 minutes. A game stays listed until one hour after its scheduled start.

Ratings: every team carries offensive and defensive ratings that update after each game, adjusted for opponent strength and a learned home advantage, and partially regressed between seasons. At least three prior games per team and 30 league games are required; otherwise no projection is shown.

Learned adjustments: rest days and back-to-backs, travel distance between venues, and outdoor weather (temperature, wind and precipitation from Open-Meteo) for NFL, MLB, NHL and NBA venues. NCAA has no venue data, so it has no travel or weather adjustment. NFL play-by-play efficiency (EPA) is used only when it improves the backtest; it currently does not.

NFL injuries: players listed Out or Doubtful reduce their team's projection using fixed position weights (QB weighted most). This is a heuristic, not a depth-chart model.

Probabilities: hockey and baseball use a Poisson score model; football and basketball use a calibrated normal margin.

Market comparison: the consensus sportsbook moneyline (no-vig), spread and total are shown beside the model with the model edge, cover and over probabilities. Market prices are never inputs to the projection.

Track record: a walk-forward backtest projects each past game using only information available before it, tunes on the earlier half and reports the later half against the old score-only baseline (Brier score, log loss, accuracy, margin and total error, plus calibration buckets).

Unresolved provider teams and NFL preseason games are excluded. Duplicate fixtures are merged across provider IDs/seasons by teams and exact start time so selections and history count the matchup once. Scored finals take precedence over duplicate schedule rows; fresher data is preferred.

These are experimental estimates, not betting recommendations. Injury, weather and odds feeds can be incomplete; historical weather only covers the last 92 days; odds cannot be backtested. Read sample sizes, update times and the track record.

Laboratory /model: fresh league and game data

Current OPERATOR/Owner members run /model only in Laboratory, configured by CONFIRMATION_CHANNEL_ID=1328130555568455710. Paid/trial access alone is not enough.

1. Choose one of the six model leagues from the dropdown.

2. In the modal, enter a game date as YYYY-MM-DD in Eastern time and an optional team filter.

3. The bot refreshes the selected league's current and prior seasons from API-Sports, follows all reported pages and saves the refreshed games. This spends shared API allowance.

4. Choose a game from the paginated dropdown; use Previous/Next for more than 25 choices.

5. Type POST in the confirmation modal. The finished model is posted publicly in Laboratory; the picker remains private.

The report includes projected scores and win probability, the market comparison (consensus line, model edge, cover and over), inputs (rest, travel, weather, NFL injuries), prior-game samples, the league's backtest track record, provider refresh time and request count. It uses the same ratings model as the website. Snapshot/picker controls expire after three minutes and cannot publish twice. Roles, channel and picker owner are rechecked. If refresh fails, no stale cached model is posted as a success.

/league_model: every game in a league on one date

Run /league_model in Laboratory, choose the league from the dropdown, then pick a date from the suggestions (yesterday through the next two weeks, Eastern time) or type it as YYYY-MM-DD. The bot uses stored league history and stored model inputs (no API allowance), runs the ratings model and posts one model-card image per game as a regular Laboratory message. Each card shows the projection, market comparison, inputs and track record. Games without enough history show an explicit no-projection card.

Member stats commands: cached versus refreshed

Command	Purpose
/schedule sport: [team:]	Seven-day cached schedule, optionally filtered by team.
/results sport: [team:]	Recent provider game results, optionally filtered by team. This is not /play_results, which searches official betting-play settlements.
/teamstats sport: team:	Recent team form and scoring from available cached games, not guaranteed season standings.
/matchup sport: team: opponent:	Upcoming matchup context from the sports cache, not the Laboratory probability model.
/gamestats sport: league: game: [player:]	Choose league/game suggestions and optionally a player/driver for game-specific reports.
/playerstats sport: league: player:	Current/previous season player or driver reports; choose the league and name suggestions.

These commands reply privately and require verified paid/trial access or allowed staff access. Available sports, players and endpoints vary. Without refresh:true they use cached data only and show update times. With refresh:true, live calls require enabled refresh/budget settings and consume your member allowance; player/season lookups may need multiple calls. Previous-season player data can be reused from cache.

For /schedule, /results, /teamstats and /matchup, refresh:true updates today's UTC-date feed only; other dates stay cached. For /gamestats it refreshes the selected game's player snapshot; /playerstats uses current/previous-season scope. Neither refresh mode expands provider subscription coverage.

API reference for website and bot integrations

Website requests go to the configured Supabase project at /rest/v1/rpc/FUNCTION_NAME. Use the public publishable/anon key for the project and the signed-in user's access token for protected RPCs, never a service-role key. Functions with “public” in their names can still require team authorization.

Supabase RPC	Access and request body
public_settled_results	Public settled official ledger. No arguments: {}.

Supabase RPC	Access and request body
public_nfl_games / public_nfl_standings / public_nfl_data_status	Public NFL schedule, standings and freshness. No arguments: {}.
website_member_access	Signed-in account's verified membership/team access. No arguments: {}. This is an access check, not a role-grant endpoint.
member_current_picks	Verified member/team access; published open picks only. No arguments: {}.
public_nfl_model_games / public_nfl_team_efficiency	Verified OPERATOR/Owner research. No arguments: {}.
public_sport_model_events	Verified OPERATOR/Owner research. Example NBA body: {"p_sport_slug":"basketball","p_league_id":"12"}.
operator_sport_model_projections	Verified OPERATOR/Owner research. Stored ratings-model projections with market comparison and inputs. Body: {"p_competition":"nfl"}; other keys are basketball:12 (NBA), baseball:1 (MLB), hockey:57 (NHL), ncaa:2 (NCAA Football) and basketball:116 (NCAA Men's Basketball).
operator_sport_model_backtest	Verified OPERATOR/Owner research. The league's latest walk-forward backtest report. Body: {"p_competition":"hockey:57"}.
operator_user_guide	Verified OPERATOR/Owner guide content. No arguments: {}. Returns HTML text; the underlying content table is not accessible to browser accounts.

With the existing authenticated Supabase JavaScript client, an NBA model-history page is requested as:

supabase.rpc('public_sport_model_events', { p_sport_slug: 'basketball', p_league_id: '12' }).order('start_at').order('event_id').range(0, 999)

Check the returned error before using data. Fetch successive 1,000-row ranges until a raw page contains fewer than 1,000 rows; filtering unresolved teams must not determine whether another provider-history page exists.

Model competition	Server-side API-Sports GET request
NFL / NCAA Football	https://v1.american-football.api-sports.io/games · league=1 for NFL, league=2 for NCAA · season=YYYY.
NBA / NCAA Men's Basketball	https://v1.basketball.api-sports.io/games · league=12 for NBA, league=116 for NCAA · season=YYYY-YYYY.
MLB	https://v1.baseball.api-sports.io/games · league=1 · season=YYYY.
NHL	https://v1.hockey.api-sports.io/games · league=57 · season=starting year.

Bot requests authenticate with the server-only x-apisports-key header. Initial season calls omit page; subsequent calls add page only when paging is reported. Owner /api also uses leagues and teams directory endpoints, teams/statistics where supported, and per-game statistics endpoints. NFL/NCAA/basketball team detail uses games/statistics/teams?id=GAME_ID; NFL/NCAA player detail uses games/statistics/players?id=GAME_ID. Soccer uses fixtures and fixture-scoped statistics instead of games.

Use /model, /api or the enabled member refresh commands for normal operations. Ad-hoc direct provider calls bypass this application's reservation accounting and still consume provider quota. Do not expose the provider key in browser code. Confirm provider licensing for public display and downloads before rollout.

🔑 Owner /api: refresh a team season cache

Only the Discord Owner role can run /api sport: season: in the configured server. Choose a sport and provider season, then choose a league and team by name from paginated dropdowns. This refreshes available team-season caches; it does not produce a /model prediction.

Provider formats differ: NFL/NCAA football/MLB use calendar-year seasons; NHL uses the starting year (2025 for 2025-26); basketball uses split-year text such as 2025-2026. Coverage depends on the selected sport and subscription.

The refresh loads the team directory, season schedule, available season-team summaries and supported per-game team/player statistics. NFL/NCAA have no season-summary endpoint in this tool. Other endpoints depend on coverage. Directory queries and detail calls spend shared quota too. Review the completion report: PARTIAL / FAILED means a complete refresh is not claimed. Pickers expire after three minutes; refresh work has a 12-minute interaction limit. Saved components remain cached after failure, but retrying starts again and spends quota again.



API calls, limits and freshness

Action	Provider calls and limits
Website browsing / CSV exports	Reads stored Supabase data; no direct API-Sports calls. It does not force a provider refresh.
Member stats without refresh	Cached only; no live provider request.
Member stats with refresh:true	Five requests per user per UTC day across products, 20 member requests per product/day, and a five-minute per-product cooldown. Multi-call lookups count each request, not just one command.
Staff /model, Owner /api and automated sync	Use the shared automated allowance, not the member five-request allowance. /model refreshes both seasons and every reported page; /api may call multiple endpoints. Only one /model refresh runs at a time.
Shared provider ceiling	7,500 reserved API-Sports requests per UTC day across all products and system/member usage. Existing usage counts. Bot restart does not reset it. Other apps using the same provider key are not counted by this bot.
Model inputs (automated)	Shared automated allowance. League odds refresh hourly for NBA, MLB, NHL and NCAA basketball (one paged league request); NFL and NCAA Football odds are one request per upcoming game every six hours. NFL injuries and rosters refresh every six hours for teams playing within eight days. Weather comes from Open-Meteo every three hours (not API-Sports quota). Backtests rerun daily at 6:45 AM Eastern.
nflverse NFL efficiency	Separate free nflreadpy/nflverse feed, not API-Sports quota. Bot synchronization updates the stored efficiency panels; feed availability still matters.

API-Sports calls reserve allowance before network access, so failed calls can still consume a reservation. The provider's own quota and subscription rules also apply. Daily budget resets at midnight UTC (8 PM Eastern during daylight time; 7 PM during standard time). Manual refresh does not guarantee that the source has newer data.

Automated history backfill resumes saved cursors; routine NFL and multi-sport syncs maintain caches. NFL score checks occur every 15 minutes only during cached game windows. Do not interpret every page load or command as a live provider poll.

Capper play identity and artwork

Capper Plays posts use the capper's display name and avatar as their top-level Discord webhook identity, without repeating that identity inside the embed. Discord still labels them as app-generated messages; they are not messages sent from the capper's personal account. Official Playmaker Picks keep the bot's identity. The bot needs Manage Webhooks in Capper Plays. Only the bot-owned Playmaker Capper Plays webhook is used for posting and grading edits.

Generated cards retain the original slip above the details and use cached team logos or player artwork below-right. Parlays combine available artwork for up to ten legs. If a game is missing, an exact, unambiguous cached team logo can still be used. A misread sport can be recovered for artwork from a unique full matchup/date match without changing grading metadata. Unknown or ambiguous artwork retains the server-icon fallback; unavailable logos are not guessed. Saved fallback cards can pick up newly available team logos on the next card refresh without nesting the generated image.

Grading, reopen/regrade refreshes and Tail controls support these webhook posts. Updating an old bot-authored post to a capper identity requires replacement, not an in-place author edit: preserve tracking and ballot references before deleting the original, and suppress new role/user pings during maintenance. Restart the updated bot before migrating pending

cards so grading can edit the replacement posts.

HIGHROLLER member stats dashboard

Open Sports > Member stats (HIGHROLLER) at /stats. Verified active paid/trial members and existing team/research access can use it; Discord identity, age verification, membership freshness and launch gates remain enforced server-side. It does not grant staff research, models, edges, odds feeds or live refresh privileges.

Search the full six-league game cache by team, matchup words, game ID, status and local date range. Through date includes the full day; clear dates to remove boundaries. Results are 20 per page in a scrollable list. Compare last 5/10 completed scored games before kickoff, including home/away splits. Samples are bounded to the latest 100 combined team games, not complete seasons.

Player research uses up to ten cached team-game snapshots and excludes logs at/after kickoff from averages. Enter a threshold for over/under/push counts; missing statistics are not zero. NFL/NCAA football and basketball have adapters; MLB/NHL player logs are unavailable. No live prop odds or predictions are provided.

Save up to 100 teams and players to a private, account-specific watchlist. Team shortcuts search games; player shortcuts select the league and preselect that player when opening a game with their cached logs. Expired members cannot read or modify their watchlist until access is restored. Cache reads and reloads do not spend API credits; the five-request live-refresh allowance is unchanged.

Phone-friendly capper research tools

Open /tools on your phone, sign in with Discord, choose a sport, search a team/date, and tap a matchup. Owners approve selected cappers in /integrations. No API key or technical setup is needed on the phone. Active integration keys also qualify unless the Owner explicitly blocks website research access.

Review cached recent form, supported player logs and thresholds, available NFL injuries, venue weather, market snapshots and approved Playmaker model summaries. Every feed is timestamped; missing injury coverage does not mean no injuries. Current reports are not historical pregame evidence. This page does not unlock staff model internals, backtests or administration. Use the explicit team-pull button to refresh supported provider data.

Add your own sportsbook line or injury notes, optionally read a screenshot, review the extracted text, and press Analyze matchup. User material is unverified and must include a source/date when available. Screenshots are sent to OpenAI for extraction and are not saved to the website database; remove private information first. AI analysis may be wrong and never guarantees a result.

The Playmaker model card shows stored pregame projected scores, projected total and two-sided win estimates where available, with sample sizes, model version and timestamps. These are estimates, not guarantees, regulation-only three-way prices or live sportsbook odds. Started/finished games do not show these predictions. A successful team pull queues recalculation using the newly saved cache; the page shows Recalculating model... and waits before reloading the report. The Python bot must be running the queue worker. A failed/unavailable worker is an explicit error, not a successful refresh; do not repeat a provider pull just to check a pending model. Older projections remain flagged. Only the selected team's data is fetched. Unchanged inputs may produce the same scores, and insufficient inputs remain unavailable. Recalculation uses no additional provider calls or AI actions. AI can explain the stored estimates but will not invent missing ones.

NHL starting goalies: coverage is currently unknown, not confirmed. API-Sports Hockey v1 does not document a starting-lineup/goalie-confirmation feed. Prior appearances and roster membership do not establish tonight's starter. A verified confirmation source is still required.

Enter a team name and choose Upcoming season to search all remaining scheduled games, including the current and any cached next season, with no end-date cutoff. This works for NFL, NBA, MLB, NHL, college football and college hoops. Completed, live, postponed and canceled games are excluded. The scope stays selected when you change teams, press Find games, switch leagues or turn pages. Entering a game date switches back to date search. Only cached schedules are

searched; unpublished or unsynced fixtures are not fetched. An empty result is not proof that the team has no future games.

Use Upcoming 14 days to search today through the next 13 days (including games already played today). Search all cached dates also includes previous seasons; completed games are labeled historical. Opening one does not select the team's next fixture. A completed game cannot receive a newly generated pregame prediction. Recent form is measured before the selected matchup, not before today; an empty panel means no eligible earlier scored games are cached, not that the team has never played.

To pull fresh team data, open a matchup, choose Team to refresh, then tap Pull latest team data. This updates the selected team's games for that matchup's season and available NFL injuries, saves them, and reloads the report. Weather, odds and player logs retain their existing cache timestamps; they are not refreshed by this button. Data pulls have their own limit of 50 per capper and 500 shared per UTC day, with 15 seconds between pulls. NFL pulls use two provider calls; other leagues use one. The shared 7,500-provider-call daily ceiling also applies.

Separately, AI extraction and analysis each count toward 50 AI actions per capper and 500 shared AI actions per UTC day, with 15 seconds between AI actions. Failed provider attempts still count against the applicable allowance; there are no automatic retries. Cached browsing does not spend either allowance or API-Sports requests. Scrambled SportsDataIO trial data is excluded.

Private capper API integrations

Owners can open Sports > API integrations at /integrations to create a private, revocable key for a chosen verified capper's own server-side system. The recipient must sign in with Discord and complete age verification first. Keys are shown only once and must not be shared publicly or put in browser code. This is an authenticated API endpoint, not a Discord posting webhook.

These integration calls bypass ordinary member quotas and cooldowns but retain the shared 7,500-request UTC-day safety cap and provider limits. One HTTP request forwards one API-Sports data GET. Failures and uncertain timeouts still consume budget; no automatic retries or refunds. Owner-issued keys do not grant website administration, editing or model access. See Capper_API.md for deployment, parameters and integration examples.

Capper research workspace

Find games by team or matchup name, game ID, status and local From/Through dates, combined with the league selector. Through date includes the entire day. Clear a date to remove that boundary. Searches read the full available cache without spending live provider credits. Results show 20 games per page in a bounded, scrollable list; use Previous/Next games for more results. Missing games require cache ingestion, not repeated searches.

Open Sports > Capper research workspace at /research. Access requires verified OPERATOR/Owner research access or an approved research exception; ordinary paid or trial membership does not unlock this workspace. The six leagues match Models: NFL, NBA, MLB, NHL, NCAA football and NCAA men's basketball.

Matchup shows cached team scoring form, head-to-head results, model projections and available injury reports. Player research shows cached logs, home/away/opponent splits, averages and over/under counts against a threshold you enter; it is not a live player-prop odds feed or a complete season sample. Individual-player adapters cover NFL, NCAA football and basketball, not MLB/NHL. Injury ingestion currently covers NFL only and follows the existing scheduled model-input job; refreshing the game does not refresh injuries. Missing records are unavailable, not zero or a healthy roster.

Odds compares bookmaker markets in decimal format with raw implied probability, including bookmaker margin. The model's stored consensus edge is separate from these quotes and may have a different timestamp; do not assume different market names or settlement rules are equivalent. Performance filters published settled capper bets by capper, sport, market and settlement window. Parlays count once, void stake is excluded from ROI, and partial results use the settlement ledger's net-unit convention. The current tracking-display cutoff applies; at most 10,000 latest results are returned.

Loading or reloading the cache makes no provider request. A live refresh enters a durable bot queue, with a five-minute cooldown per event/data type and one request per user per minute, plus all existing shared daily/member limits. Non-football odds reserve five requests upfront for a bounded league/season scan; unused reservations are not refunded. Other refreshes reserve one. No matching odds on those pages is reported as unavailable, not a successful update. Provider subscription coverage can prevent a result even when a call consumes budget.

The bot must run the research worker. Pending requests expire after 15 minutes. Interrupted in-flight requests are marked failed after 10 minutes rather than replayed automatically; inspect cache timestamps before requesting again. Status/error messages appear in Refresh activity, which polls the cache while your account has active requests.

🛠️ Deployment checklist for staff

Keep API keys and the Supabase service-role key on the bot server only, never in website VITE variables. Configure GUILD_ID, the required role/channel settings, API_SPORTS_KEY and API_SPORTS_BUDGET_ENABLED=true. Set OPEN_METEO_API_KEY for model weather; without it, weather adjustments are skipped. MEMBER_STATS_REFRESH_ENABLED controls member on-demand refresh, not /model.

On the Linux bot host:

```
cd /opt/discord-bot
git pull
./.venv/bin/python3 -m pip install -r requirements.txt
systemctl restart discord-bot.service
journalctl -u discord-bot.service --since "2 minutes ago" --no-pager
```

Install dependencies only when requirements change or packages are missing, and always into the service's virtual environment. Use -r for requirements.txt; python3 is the server executable. nflreadpy>=0.1.5 is the supported minimum in the requirements.

In Supabase SQL Editor, apply the relevant migrations in order after their prerequisites: 20261011170000_sports_model_history.sql, 20261011180000_nflverse_team_efficiency.sql, 20261011193500_shared_api_daily_budget.sql, 20261011214000_operator_research_access.sql and 20261014120000_sport_model_projections.sql (model inputs, projections and backtests; then restart the bot so it fills them). Pulling Git does not execute SQL. Deploy the website separately; a bot restart does not publish frontend fixes.

For the protected website guide, apply 20261011230000_operator_user_guide.sql after the research-access migration. Its table stores this guide privately and its RPC checks current OPERATOR/Owner access. Deploy the frontend to expose /guide; no bot restart is needed for this page.

For the capper workspace, apply 20261017020000_capper_research_workspace.sql after 20261017010000_website_research_exception.sql and the model/cache/tracking migrations. Deploy the frontend and restart the updated bot to process live refreshes. Provider credentials stay server-side. Update the stored protected guide from the canonical HTML when publishing documentation changes.

After restart, check the command-sync log for /model. Verify a live refresh in Laboratory and the website with a real eligible account. Automated tests do not prove production provider coverage, purchases or Discord role mappings.

🔑 Commands for operators and server managers

Command	What it does
/tracker_start date_value:YYYY-MM-DD	Counts only plays settled on or after this date, for example 2026-09-28. Everything earlier is hidden from the tracker but is never deleted.
/tracker_start date_value:clear	Counts every play again.
/testing enabled:true	Enables the automatic image test-channel flow, which parses without recording. Manual /play is not a database-free dry run.
/testing enabled:false	Returns to normal recording.

Both settings revert to their .env defaults when the bot restarts. Set TRACKER_START_DATE or TESTING in .env to make a change permanent.

How units are scored

Wins pay the true price of the bet. Risking 2 units at +250 and winning returns +5 units; the same 2 units at −110 returns +1.82 units. A loss always costs the full amount risked. Voids and regrades count as zero. Your record displays as wins-losses, and the net unit figure reflects actual profit rather than a flat win count.

If something does not appear

Check the bot, role, channel, account identity and source update time. If a play will not settle by reaction, use the authorized /settle picker. Expired controls require rerunning the command. For website errors, deploy the latest frontend and reload; use Retry when offered.

Sports-data failure alerts name a job; check its traceback before retrying. A shared-allowance denial is not fixed by restarting. A model can legitimately have insufficient history or no matching game. Unresolved-team and duplicate counts are data-quality notices, not fabricated estimates. Provider or database errors must not be treated as empty successful results.

Discord compatibility and privacy

Submit one static JPEG, PNG or WebP slip per private forum post, at most 10 MB and under 16 megapixels. Read the pinned READ FIRST notice; crop names, account IDs, balances and barcodes before upload. Images are normalized and sent to OpenAI for extraction/inference, not model training by this bot. Check the extracted details before confirming. Press Confirm details + set cutoff, then Open form within three minutes. Insight forms also use a second Open form button to avoid interaction timeouts.

At 3 AM Eastern, completed reviews are privately recorded before source deletion. Original screenshots and detailed submission archives expire 365 days after review completion and bet resolution, whichever is later. Pending/unresolved items and unverified source deletion are protected. Tracked official-pick and result-announcement screenshot cards are replaced with bet/result summaries; database image copies and original notes are scrubbed. Capper/Discord ID, bet details, decisions and results remain. Older migrated records start a new conservative clock. Corrections/reopens requeue updates; expired evidence is never recreated. Downloads and independent-provider backups cannot be recalled. Contact the owner or support@playmakersportsanalytics.com for access, correction or deletion requests. This policy does not set member-vault retention.

Staff can run /bot_health for privacy, permissions, requested intents, database and worker status. Portal Message Content/Server Members toggles require manual verification. Disable required tags in both forums. Ballot access: configured capper role, owner, bot and administrators. Records: owner, bot and administrators only. Forum configuration errors back off five minutes. New submissions use bounded event intake with five-minute reconciliation. Invalid unchanged posts receive one warning across restarts; edit the opening post to retry. Uncertain notice/record sends require staff to link verified Discord IDs, never blind retries.

Key settings: GUILD_ID · OFFICIAL_CHANNEL_ID · IMAGE_INPUT_CHANNEL_ID · CONFIRMATION_CHANNEL_ID · MEMBER_BET_CHANNEL_ID · API_SPORTS_KEY · API_SPORTS_BUDGET_ENABLED · MEMBER_STATS_REFRESH_ENABLED · OPEN_METEO_API_KEY · TRACKER_START_DATE

Weather data by Open-Meteo.com, CC-BY 4.0.
nflverse data attribution: nflverse / nflreadpy, CC-BY 4.0.