

Numerical Methods in Mathematical Finance.

Project:

Valuation and Sensitivities of a Bermudan Option using a Monte-Carlo Simulation of Local and Stochastic Volatility Models

Christian P. Fries
email@christian-fries.de

Alessandro Sgarabottolo
sgarabottolo@math.lmu.de

Niklas Weber
weber@math.lmu.de

June 30, 2026

Version 0.1 (9.0.1)

Abstract

The following are the exercises for the project homework of the lecture *Numerical Methods in Mathematical Finance*, which is part of the final exam.

The project is conducted at the LMU quantLab, but may be prepared at home.

Support is provided by

Christian Fries, email@christian-fries.de

Niklas Weber weber@math.lmu.de

Alessandro Sgarabottolo sgarabottolo@math.lmu.de

Resources and further details can be found at

<http://www.christian-fries.de/finmath/lecture26.1/project/>

Contents

1	Introduction	3
1.1	Aim of the Project	3
1.2	Evaluation of the Project Results	3
1.3	Submission of the Solution	4
1.4	Working with the Git Repository	4
2	Theoretical Background	5
2.1	Bermudan Options	5
2.2	Bermudan Equity Options	5
2.3	Heston Model - Stochastic Volatility Model	6
2.4	Local Volatility Models	6
2.4.1	Local Volatility and Implied Volatility	7
2.5	Local Volatility Models	7
2.5.1	CEV Model	7
2.6	Difference of Local Volatility and Stochastic Volatility	7
3	Software Tools and Libraries	8
3.1	finmath lib	8
3.2	Apache commons-math	8
3.3	Visualization of Results	8
4	Stochastic Volatility and Bermudan Options	9
4.1	Task: Valuation of a Bermudan Option under a Stochastic Volatility Model . . .	9
5	Control Variates and Bermudan Options	10
5.1	Task: Control Variate for (Equity) Bermudan Options	10
6	Valuation of More General Bermudan Options	12
6.1	Task: Implement a Valuation of a Generalized Bermudan Option	12
6.2	Task: Implement a Valuation of a Bermudan Option on a Series of Asian Options	13
6.3	Task: Testing	14
7	Sensitivities and Bermudan Options	15
7.1	Task: Calculate Sensitivities of a Bermudan Option	15
8	Remarks	16
	References	17

1 Introduction

In this project, we combine three aspects: the valuation of Bermudan options, the approximation of partial derivatives (sensitivities), and stochastic volatility models. We consider combinations of these aspects exhibiting some interesting problems:

- The valuation of a Bermudan option: Improving the valuation using a control variate. The valuation of a Bermudan option on an Asian underlying, where a sensible choice of basis functions should be made.
- The calculation of sensitivities of a Bermudan option: Here, you may explore a neat trick to improve the accuracy.
- The valuation of a Bermudan option under a stochastic volatility model. Here again, a sensible choice of basis functions should be made.

You do not need to complete all tasks.

1.1 Aim of the Project

The aim of the project is to perform a *collaborative development* of the algorithms, including theory, documentation, analysis, and testing.

Your project solution should consider

- writing clean, concise, elegant, and easy-to-understand code, avoiding code duplication (**DRY**)
- writing unit tests (e.g. using JUnit)
- documenting the code (e.g. using JavaDoc).

It is not the primary aim to get an accurate solution.

When designing the code, you may consider:

- Your solution should try to follow the *open-closed principle*: open for extension, closed for modification. Example: consider extending the model from one asset to many assets.
- The type hierarchy of your models, products and tests should follow the *Liskov substitution principle*: Examples: products can be valued with different models; tests can be run with different models and products.

1.2 Evaluation of the Project Results

To successfully pass the review of the project, we may ask you to give a short presentation of part of the solution and answer a set of project-related questions.

Note: The implementation part of the project can be solved very elegantly using object-oriented implementation techniques requiring only a few lines of new code. We encourage you to discuss your ideas in order to improve your solution.

1.3 Submission of the Solution

Each working group will receive its own password-protected Git repository.

The solution has to be submitted to the repository 24 hours before the first presentation date that has been agreed upon.

We will ask each group to present some parts of their solution and perform a short evaluation.

1.4 Working with the Git Repository

For an introduction to Git, we recommend <https://try.github.io/>.

Remark

DON'T PANIC. WE WILL TRY TO ASSIST YOU!

THIS IS A FIRST DRAFT. CHECK FOR UPDATES!

2 Theoretical Background

2.1 Bermudan Options

A financial product is called *Bermudan* if it has multiple exercise dates (options), i.e., there are times T_i at which the holder of a Bermudan may choose between different payments or financial products (underlyings).

A more formal definition of the Bermudan option is given in the following definition:

Let $\{T_i\}_{i=1,\dots,n}$ denote a set of exercise dates and $\{V_{\text{underl},i}\}_{i=1,\dots,n}$ a corresponding set of financial products, which we call underlyings. The Bermudan option is the right to receive at one and only one of the times T_i the corresponding underlying $V_{\text{underl},i}$ (with $i = 1, \dots, n$) or to receive nothing.

Anticipating the result that the optimal exercise is to choose the maximum of the exercise and non-exercise value, we find that at each exercise date T_i , the optimal strategy compares the value of the product upon exercise with the value of the product upon non-exercise and chooses the larger one. Thus the value of the Bermudan is given recursively

$$\underbrace{V_{\text{berm}}(\{T_i, \dots, T_n\}; T_i)}_{\substack{\text{Bermudan with} \\ \text{exercise dates} \\ T_i, \dots, T_n}} := \max \left(\underbrace{V_{\text{berm}}(\{T_{i+1}, \dots, T_n\}; T_i)}_{\substack{\text{Bermudan with} \\ \text{exercise dates} \\ T_{i+1}, \dots, T_n}}, \underbrace{V_{\text{underl},i}(T_i)}_{\substack{\text{Product} \\ \text{received upon} \\ \text{exercise at } T_i}} \right),$$

where $V_{\text{berm}}(\{\}; T_n) := 0$ and $V_{\text{underl},i}(T_i)$ denotes the value of the underlying $V_{\text{underl},i}$ at exercise date T_i .

2.2 Bermudan Equity Options

A simple example of the Bermudan option on a stock S is given by

$$V_{\text{underl},i}(T_i) := N_i \cdot (S(T_i) - K_i),$$

where N_i is the notional, here a unitless constant, and K_i is the strike price, a constant in currency units.

This financial product is implemented in *finmath lib* in

```
net.finmath.montecarlo.assetderivativevaluation.products.BermudanOption
```

Remark: This implementation implements the backward algorithm, but offers two different ways of determining exercise: one by estimating the conditional expectation, the other by maximizing a parameter entering the exercise strategy.

2.3 Heston Model - Stochastic Volatility Model

The Heston model is an extension of the Black-Scholes model where the volatility parameter is stochastic. In the Heston model, the stock S follows the SDE

$$\begin{aligned} dS(t) &= rS(t)dt + \sqrt{V(t)}S(t)dW_1 & S(0) &= S_0 \\ dV(t) &= \kappa(\theta - V(t))dt + \xi\sqrt{V(t)}dW_2 & V(0) &= \sigma^2 \\ dW_1dW_2 &= \rho dt, \end{aligned}$$

with

$$dN(t) = rN(t)dt \quad N(0) = N_0$$

under the corresponding martingale measure $\mathbb{Q}^N$. The Heston model has the parameters

- S_0 : initial value of the stock,
- r : interest rate (constant),
- σ : initial value of the volatility,
- ξ : volatility of volatility,
- κ : mean reversion speed of the volatility,
- θ : mean reversion level of the volatility,
- ρ : correlation of volatility (squared) and stock.

Obviously, for $\xi = \kappa = 0$ the model is identical to the Black-Scholes model with constant volatility σ and for $\xi = 0$ the model is identical to the Black-Scholes model with time-dependent (but non-stochastic) volatility.

There is an implementation of the Heston model in the class `HestonModel` in the package `net.finmath.montecarlo.assetderivativeevaluation`.

2.4 Local Volatility Models

A local volatility model is a model where the volatility is a function of time t and the current value of the underlying $S(t)$. Since $S(t)$ is a random variable, the volatility can be random (stochastic), but in contrast to a Heston model, the volatility does not have an independent Brownian driver dW_2 .

The local volatility model is

$$dS(t) = rS(t)dt + \sigma_{\text{loc}}(t, S(t))dW(t), \quad S(0) = S_0.$$

2.4.1 Local Volatility and Implied Volatility

It is important to distinguish local volatility and implied volatility: The local volatility σ_{loc} is a model parameter – it may be a function of (t, S) (simulation time t and the state of the process $S = S(t)$).

The implied volatility comes as "implied Black-Scholes volatility" or "implied Bachelier volatility" and is an alternative description of the value of a call option $C(T, K)$, where T is the maturity and K is the strike. The implied volatility is a function of (T, K) .

For a given call option value $C(T, K)$, the implied Black-Scholes volatility $\sigma^L(T, K)$ is the value that has to be used as constant volatility in the Black-Scholes model (formula) to obtain the value $C(T, K)$ (invert the Black-Scholes formula). The superscript L is for *lognormal*.

For a given call option value $C(T, K)$, the implied Bachelier volatility $\sigma^N(T, K)$ is the value that has to be used as constant volatility in the Bachelier model (formula) to obtain the value $C(T, K)$ (invert the Bachelier formula). The superscript N is for *normal*.

You can find conversions from volatility to value and back in the class

```
net.finmath.functions.AnalyticFormulas.
```

2.5 Local Volatility Models

2.5.1 CEV Model

The CEV model assumes the local volatility to be

$$\sigma_{\text{loc}}(t, S) = S^\beta, \quad \text{for } 0 \leq \beta \leq 1.$$

2.6 Difference of Local Volatility and Stochastic Volatility

Note that, if you calculate a local volatility function from option values $C(T, K)$ that are generated from a (Heston) stochastic volatility model, then the local volatility model and the stochastic volatility model produce the same option values, but they are still different (in other aspects).

3 Software Tools and Libraries

3.1 finmath lib

- You should implement your solution using the interfaces provided in finmath lib. This is just to make your solutions interoperable. Please check out the version at <https://github.com/finmath/finmath-lib>
- You may use anything else from finmath lib and if your solution is very short due to heavy reuse of existing code, then this is good.
- You may also re-write classes, if you see a good reason.

3.2 Apache commons-math

- The Apache commons-math library contains a **SobolSequenceGenerator**. Since commons-math is a dependency in finmath-lib, including finmath-lib will make commons-math available to you.

3.3 Visualization of Results

- We provide a small project that allows you to easily create plots in Java at <https://github.com/finmath/finmath-lib-plot-extensions>. The project provides wrapper code for JFreeChart, JFreeSVG, JZY3D, and iText.

4 Stochastic Volatility and Bermudan Options

Remark: You may choose to skip this exercise. It is not required in later exercises, except in Exercise 3.

4.1 Task: Valuation of a Bermudan Option under a Stochastic Volatility Model

Exercise 1 (Bermudan Option under a Stochastic Volatility Model):

1. Value a Bermudan option under a stochastic volatility model, e.g., the Heston model. Analyse how the valuation depends on
 - the model parameters,
 - the choice of the regression basis functions of the conditional expectation estimator (using linear regression).
2. **(a little bit more advanced, optional):** Value the same Bermudan option under a CEV model, where you try to choose the parameters of the CEV model such that the implied volatility of the European options is as similar as possible to that of the stochastic volatility model. The idea here is that we have two models which generate (almost) the same values (prices) for European options, but different values for Bermudan options.

Remark: You may use the following model parameters as starting values for your experiments:

$$S_0 = 100, r = 5\%, \sigma = 30\%, \kappa = 0.2, \theta = \sigma^2, \xi = 20\%, \rho = 0$$

Notes:

- Note that for the estimate of the conditional expectation, we use a basis function that contains the information available at the time of decision. In other words: it tries to approximate the filtration. In a stochastic volatility model like the Heston model, we have *two* Brownian drivers - one for S and one for V . This suggests that you might get a better result if V is part of your basis function. Maybe it could be interesting to investigate the impact?
- There is a design issue here: What are good designs to provide the basis functions for different models?

5 Control Variates and Bermudan Options

5.1 Task: Control Variate for (Equity) Bermudan Options

The exercises in this section focus on the implementation of a *control variate* and combine it with *Bermudan options* and *sensitivities (partial derivatives)*. They do not require special knowledge about the internal implementation of the Bermudan option. You can use the Bermudan option implemented in *finmath lib* in

```
net.finmath.montecarlo.assetderivativevaluation.products.BermudanOption
```

as a “black box”. The valuation gives you the random variable X for which you can define the control.

Exercise 2 (Control Variate for a Bermudan Option):

1. Implement a generic control variate for a Bermudan option under the Black-Scholes model.
2. Perform numerical experiments illustrating the variance reduction (if any) of the method.

Notes:

- This exercise is also a bit about software design. You could create a generic class for your control that just consumes the Bermudan option.
- The constructor of your control could use the Bermudan option as an argument, then ask that Bermudan option for the `double[] exerciseDates`, `double[] notionals`, `double[] strikes` via the corresponding getter methods (e.g., `double[] getExerciseDates()`), then use that to build a control variate.
- If the class implementing the controlled Bermudan option holds a reference to the Bermudan option, its `getValue` method may first call the Bermudan’s `getValue` method to build the uncontrolled random variable X , then calculate the controlled one.

Exercise 3 (Control Variate for a Bermudan Option under a Heston Model):

In the lecture, it was mentioned that the variance reduction via a control variate has the disadvantage of being model-dependent. This appears obvious because the control requires knowledge of the analytic value of $E(Y)$. However, the random variable Y could be the valuation of a different product under a different model, such that both the product and the model are close to the original product and the original model.

1. Implement a generic control variate for a Bermudan option under the Heston model, where the control performs the valuation under a Black-Scholes model whose parameters are chosen such that the model is presumably close to the Heston model.
2. Perform numerical experiments illustrating the variance reduction (if any) of the method.
3. Optional: Does the method work if you calculate the volatility of the Black-Scholes model numerically by valuing a European option under the Heston model (via Monte-Carlo), and then calculate the implied volatility from that Monte-Carlo value? (If it does not work, why?)

Exercise 4 (Control Variate for the Delta of a Bermudan Option):

1. Implement a generic control variate for the Delta sensitivity of a Bermudan option under the Black-Scholes model. The Delta sensitivity is the partial derivative of the valuation with respect to the initial value of the stock, i.e., $\frac{\partial V(0)}{\partial S(0)}$.
2. Perform numerical experiments illustrating the variance reduction (if any) of the method.

6 Valuation of More General Bermudan Options

6.1 Task: Implement a Valuation of a Generalized Bermudan Option

Exercise 5 (Generalized Bermudan Option Valuation via Regression Method):

1. Implement a Bermudan option valuation under an

`AssetModelMonteCarloSimulationModel`

using a general design that allows passing different underlyings. Implement the interface

`AssetMonteCarloProduct`

with a Bermudan option taking a List of exercise times $\{T_i \mid i = 1, \dots, n\}$ and a List of underlying products $\{V_{\text{underl},i} \mid i = 1, \dots, n\}$ implementing

`AssetMonteCarloProduct.`

2. Implement the backward algorithm using the conditional expectation estimator `MonteCarloConditionalExpectationRegression` with a set of basis functions.
3. Compare your result with that of the `BermudanOption` that is already part of the library.

Notes:

- You may consider different ways of providing suitable basis functions. This might be useful for other exercises.

6.2 Task: Implement a Valuation of a Bermudan Option on a Series of Asian Options

Exercise 6 (Bermudan Option on a Series of Asian Options):

1. Implement a Bermudan option valuation under an

`AssetModelMonteCarloSimulationModel.`

That is: the model simulates the value of a single stock.

For that, implement a Bermudan option where the underlying products into which the Bermudan may exercise at one (and at most one) exercise time are Asian options. That is

- the product constructor takes a List of exercise times $\{T_i^e \mid i = 1, \dots, n\}$.
- the product constructor takes a List of payment times $\{T_i^p \mid i = 1, \dots, n\}$.
- the product constructor takes a List of option strikes $\{K_i \mid i = 1, \dots, n\}$.
- the product constructor takes a List of Lists of averaging times $\{T_{i,j}^a \mid j = 1, \dots, m_i; i = 1, \dots, n\}$.
- The Bermudan allows exercise at time T_i^e into an Asian option paying $\max(A_i - K_i, 0)$ at T_i^p , where $A_i := \frac{1}{m_i} \sum_{j=1}^{m_i} S(T_{i,j}^a)$.
- You may assume that $T_i^e = T_i^p$ and that $T_{i,m_i}^a \leq T_i^p$.

2. Implement the interface

`AssetMonteCarloProduct`

that allows you to value your product with a given

`AssetModelMonteCarloSimulationModel.`

3. Implement a more general version that allows $T_i^e < T_i^p$ (that is, $T_{i,m_i}^a > T_i^e$ is allowed).

Notes:

- If you struggle with creating an implementation as general as the one above, feel free to implement a simpler version of the product. We will honour your efforts.
- If you implement the more general version in item 2, that counts as a solution of item 1 (no need to do both).
- You may try to reduce the coding and use the solution of the previous exercise (if you did that one).

6.3 Task: Testing

Exercise 7 (Unit Test for a Bermudan Option):

1. Write unit tests for your Bermudan option implementation.

Notes:

- Think about good test cases. Do you know “limit cases” where the product agrees with some other product of which you have an independent implementation? Do you know “limit cases” where you know an analytic formula?

7 Sensitivities and Bermudan Options

7.1 Task: Calculate Sensitivities of a Bermudan Option

Exercise 8 (Sensitivities of a Bermudan Option):

1. Calculate the partial derivative of the (Monte-Carlo) valuation of a Bermudan option with respect to some of the model parameters, e.g., the initial value of the stock (*the delta*).
2. Think about improving the accuracy of the approximation. Implement your ideas and analyse the accuracy of your numerical approximation of the partial derivative.
 - Do you know a random variable that should stay constant under an infinitesimal shift of the model/product parameters, but for which keeping it fixed could result in a variance reduction?
3. Calculate the vega sensitivity (here we mean the partial derivative with respect to the parameter σ in the Black-Scholes or Heston model). Analyse the dependence on the strike(s).

8 Remarks

In all exercises, try to analyse your solution by checking how the quantities (valuations, sensitivities) depend on model and product parameters. Visualize the result. Interpret your results. In your presentation, focus on plots and analysis from which you can draw conclusions or raise open questions.

References

- [1] FRIES, CHRISTIAN P.: finmath lib - source code repository.
<https://www.finmath.net/finmath-lib/>.
FRIES, CHRISTIAN P.: finmath lib - API documentation.
<https://javadoc.io/doc/net.finmath/finmath-lib/6.0.0/net.finmath.lib/module-summary.html>.

17 pages. 0 figures. 0 tables.