AzurESky "ensure quality of test"	**PROVISION OF EQUIPMENT, SERVICES, AND SUPPLIES CHECKLIST**		
	Document no: ASMF6.6.3		
	Compiled by:	**Tshepo Maponya - Laboratory Supervisor**	
	Approved by:	**Nonhlanhla Msibi - Operations Manager**	

Supplier name: Micron Equip

Supplier contact: andile@micronequip.com

Product/service supplied:

The laboratory has designated Micron Equip as the exclusive vendor for the procurement, servicing, and calibration of the equipment outlined in the Table below:

Equipment	Description	Calibration Required?
25mm Crusher	25mm 3-phase jaw crusher, capable of crushing ±50mm coal down to size -25mm. The crusher must have adjustable jaws, have a guard mesh housing all mechanical components, and a ±100mm receiving mouth.	No, efficiency to be conducted by the lab
10mm Crusher	10mm 3-phase jaw crusher, capable of crushing ±25mm coal down to size ±25mm. The crusher must have adjustable jaws, have a guard mesh housing all mechanical components, and a ±50mm receiving mouth	No, efficiency to be conducted by the lab
3mm Crusher	3mm 3-phase jaw crusher, capable of crushing ±10mm coal down to size ±3mm. The crusher must have adjustable jaws, have a guard mesh housing all mechanical components, and a ±20mm receiving mouth.	No, efficiency to be conducted by the lab
Pulverisers	Pulverisers capable of milling coal from -3mm to -212µm. They must either use a cross-beat or hammers, possess a 212µm sieve with a receiver. Both 3-phase & 2-phase are acceptable.	No, efficiency to be conducted by the lab.
Homogenizer	A 3-phase homogenizer capable of processing a 210 L drum of pulverised coal.	No, efficiency done by the lab.
Oven	A 700L-1400L oven capable of reaching temperatures of 110-120 ºC with ±2 heating fans.	Yes, at setpoints 40ºC & 107ºC

CONTROLLED DOC

	PROVISION OF EQUIPMENT, SERVICES, AND SUPPLIES CHECKLIST	
	Document no: ASMF6.6.3	
Compiled by:	**Tshepo Maponya - Laboratory Supervisor**	
Approved by:	**Nonhlanhla Msibi - Operations Manager**	

Oven	A 50L oven capable of reaching temperatures of ±110ºC.	Yes, at setpoint 107ºC
Furnace	A muffle furnace capable of reaching temperatures of up to ±815ºC	Yes, at setpoints 500ºC & 815ºC, ramping profile.
Furnace	A muffle furnace capable of reaching temperatures of up to ±900ºC.	Yes, at setpoint 900ºC
Sieve Screens	- Sieve screens with a 450mm circumference and sizes in mm (50,40,25,22.4,10,6,4.75,3,1,0.5). - Sieve screen with ±100mm circumference and size 212µm. - 450mm circumference receiver. - ±100mm circumference receiver.	No, verification done by the lab.
Drycal Calorimeter System	- Drycal Single Vessel Calorimeter System - Single Vessel Drycal Calorimeter Complete with: 1 x Computer complete 1 x Calorimeter 1x Controller box 2x Bombs 1x Filling station 1x Cooler/ washer 1x Circulation Tank 1x UPS 1x Startup seal kit 1x Operation manual - Water Chiller System Complete - Drycal Oxygen Regulator Complete Fittings & Piping - Drycal Crucibles - Benzoic Acid Tablets, mass at ±0.5g, CV at 26.423 MJ/KG	No, calibration to be done by the lab using Benzoic acid tablets.

CONTROLLED DOC

Effective date	Rev status	Next review date
05/2026	00	05/2029

AzurESky "ensure quality of test"	**PROVISION OF EQUIPMENT, SERVICES, AND SUPPLIES CHECKLIST**	
	Document no: ASMF6.6.3	
Compiled by:	**Tshepo Maponya - Laboratory Supervisor**	
Approved by:	**Nonhlanhla Msibi - Operations Manager**	

Analytical Balance	Capacity: 120g Readability: 0.1mg Pan Size: 80mm x 80mm	Yes
Top Pan Scale	Capacity: 8000g Readability: 0.1g Pan Size: 300mm x 210mm	Yes
Platform Scale	Capacity: 150kg Readability: 10g Pan Size: 400mm x 500mm	Yes
Mass Pieces	Class F1 Weights(100g,50g,20g,10g,5g,1g,0.5g) Mass Piece Cast Iron (20kg, 10kg, 5kg)	Yes
Cone & Quarter Cross	A cone & quarter steel cross at ±7m for both the legs	No
Desiccator	±20L desiccator, with moisture-absorbing silica gel desiccants.	No

Note: Consumables for any equipment purchased at Micron shall also be purchased at Micron Equip.

To be filled by the service provider

I, Andile Simelane on behalf of **Micron Equip** hereby mandate that **Micron Equip** will be able to undertake the Supply, Maintenance & Calibration of the aforementioned equipment.

Signature: 

Date: 14.05.2025

To Be Filled By Azuresky Pty Ltd

Competence & Acceptance Criteria

Effective date	Rev status	Next review date
05/2026	00	05/2029

CONTROLLED DOC

AzurESky "ensure quality of test"	**PROVISION OF EQUIPMENT, SERVICES, AND SUPPLIES CHECKLIST**	
	Document no: ASMF6.6.3	
Compiled by:	**Tshepo Maponya - Laboratory Supervisor**	
Approved by:	**Nonhlanhla Msibi - Operations Manager**	

The overall competence & acceptance criteria required for the purchase & calibration of equipment is a SANAS accreditation (mass & temperature metrology) & ± 5 years of supply, servicing & calibration of equipment.

Remarks: This appointment is based on Micron Equips' demonstrated technical competence and a proven track record of reliability established through previous institutional engagements. Consequently, Micron Equip is recognised as a SANAS-accredited, pre-approved, trusted supplier for all laboratory technical requirements.

Supplier approval

☒ **Approved**
☐**Conditionally Approved (e.g., for low-risk items or pending documents)**
☐**Not Approved**

Evaluator Name: Tshepo Maponya

Signature: 
Date: 15-05-2026

CONTROLLED DOC