South African Supplier RFQ List

Coal Washability / Float-and-Sink Laboratory Equipment

Purpose: Request quotations from South African laboratory equipment suppliers for equipment required to establish a coal washability / float-and-sink testing capability.
Application: Coal laboratory testing
Reference: SANS 7936:2010 / applicable controlled laboratory procedure
Procurement location: Gauteng, South Africa

1. Supplier Contact List

#	Supplier	Email	Telephone	Location	RFQ Status
1	**Labequip**	sales@leslab.co.za	+27 11 865 4515	Alberton	To contact
2	**Archimedes Laboratory Solutions**	info@archlabs.co.za	+27 11 425 6837	Benoni	To contact
3	**Wirsam Scientific & Precision Equipment**	wirsamjb@wirsam.com	+27 11 482 1060	Richmond, Johannesburg	To contact
4	**Dick King Laboratory Supplies**	info@dickkinglabs.co.za	+27 11 499 9400	Selby South, Johannesburg	To contact
5	**Reflecta Lab Supplies**	sales@reflecta.co.za	+27 11 913 8060	Benrose, Johannesburg	To contact
6	**Effective Laboratory Supplies**	sales@effectivelab.co.za	+27 11 434 1450	Selby, Johannesburg	To contact
7	**Rauserv**	Sales email to be confirmed	+27 11 613 5616	Steeledale, Johannesburg	Phone first
8	**CC Imelmann (Pty) Ltd**	sales@ccils.co.za	+27 11 680 5670/1	Robertsham, Johannesburg	To contact
9	**Selectech Lab Equipment Supplier**	sales@selectech.co.za	+27 11 475 8565	Honeydew Ridge, Roodepoort	To contact

2. What We Are Requesting

We are establishing a laboratory capability for **coal washability / float-and-sink testing**. The immediate priority is to source suitable **precision hydrometers and associated laboratory equipment**.

The hydrometer set should provide coverage across these ranges:

Required range (SG)
1.20–1.30

Required range (SG)
1.30–1.40
1.40–1.50
1.50–1.60
1.60–1.70
1.70–1.80
1.80–1.90
1.90–2.00

Preferred hydrometer requirements

- Laboratory precision hydrometer
- M100 or M50 type, subject to suitability for the application
- Scale division of **0.002 SG or finer**
- Clearly stated accuracy/error limit
- Clearly stated reference temperature
- Manufacturer and model identified
- Calibration certificate available where applicable
- Traceability information
- Suitable for measuring separation-medium density used in coal float-and-sink testing

> **Important:** Do not assume that a generic hydrometer is suitable. Please provide the manufacturer's technical specification or datasheet for the proposed instrument.

---

3. Supporting Equipment

Where available, please also quote for equipment associated with the washability setup, including:

Density measurement

- Hydrometer cylinders
- Measuring cylinders
- Suitable storage/protective cases

Separation

- Float-and-sink/separation vessel
- Mesh baskets
- Mesh screens
- Recovery tools
- Suitable strainers

Sample preparation

- Laboratory test sieves

- Sieve lid
- Receiving pan
- Sample trays
- Sample containers

Measurement

- Laboratory balance
- Thermometer/temperature probe
- Other relevant measurement equipment

Drying

- Laboratory drying oven
- Drying trays
- Desiccator, where applicable

General laboratory equipment

- Funnels
- Mixing/stirring equipment
- Storage containers
- Cleaning equipment
- PPE
- Spill-control equipment

If your company does not supply all of these items, please quote for the items you can supply and identify any items outside your product range.

---

4. Information Required in the Quotation

For each proposed item, please provide:

1. Manufacturer
2. Model number
3. Product description
4. Measurement range/capacity
5. Scale division/readability
6. Accuracy/error specification
7. Reference temperature, where applicable
8. Calibration certificate availability
9. Traceability information
10. Product datasheet
11. Unit price excluding VAT
12. VAT
13. Unit price including VAT
14. Delivery cost
15. Stock availability
16. Estimated lead time
17. Warranty

18. Country of manufacture
19. Recommended accessories
20. Any applicable minimum order quantity

5. Hydrometer-Specific Information

Range

Please confirm whether you can supply each of the following ranges:

- 1.20–1.30 SG
- 1.30–1.40 SG
- 1.40–1.50 SG
- 1.50–1.60 SG
- 1.60–1.70 SG
- 1.70–1.80 SG
- 1.80–1.90 SG
- 1.90–2.00 SG

Technical specification

Please state:

- Scale division
- Accuracy/error
- Reference temperature
- Hydrometer length
- Applicable standard/specification
- Calibration method
- Certificate type
- Traceability
- Manufacturer
- Model

Accessories

Please recommend suitable:

- Hydrometer cylinders
- Protective storage cases
- Other accessories required for correct use

6. Request for Alternatives

If you do not stock the exact specification requested, please do not simply substitute a generic product. Instead, please provide:

1. Your closest technically suitable alternative
2. Full technical specification
3. Manufacturer

4. Model
5. Explanation of the difference
6. Price
7. Lead time
8. Calibration/certification information

This will allow the laboratory to conduct a proper technical evaluation.

---

7. Standard RFQ Email

Subject: RFQ – Precision Hydrometers & Coal Washability Laboratory Equipment

Dear Sales Team,

I am writing on behalf of our laboratory to request a quotation for equipment required to establish a **coal washability / float-and-sink testing capability**.

The laboratory is currently developing its equipment requirements and would like to obtain quotations from suitable South African suppliers.

Our immediate priority is a set of **precision laboratory hydrometers** suitable for measuring the density of separation media used in coal float-and-sink testing.

Required hydrometer ranges

Please quote for the following ranges:

- 1.20–1.30 SG
- 1.30–1.40 SG
- 1.40–1.50 SG
- 1.50–1.60 SG
- 1.60–1.70 SG
- 1.70–1.80 SG
- 1.80–1.90 SG
- 1.90–2.00 SG

Preferred technical requirements

We are looking for laboratory precision hydrometers with:

- M100 or M50 type specification, where applicable
- Scale division of 0.002 SG or finer
- Clearly stated accuracy/error limit
- Clearly stated reference temperature
- Manufacturer and model identification
- Calibration certificate and/or traceability documentation where available
- Suitable technical documentation/datasheet

The application is **coal float-and-sink / washability testing**, with the laboratory procedure referencing **SANS 7936:2010**.

Please confirm whether you can supply hydrometers suitable for this application and provide the manufacturer's technical datasheet for the proposed products.

Please also quote for suitable accessories

Where available, please include:

- Hydrometer cylinders
- Protective storage cases
- Laboratory measuring cylinders
- Suitable separation vessels
- Mesh baskets/screens
- Laboratory sieves
- Laboratory balance
- Thermometer/temperature measurement equipment
- Drying oven
- Drying trays
- Sample containers
- Other equipment you would recommend for a coal washability laboratory setup

If you cannot supply all of the above, please quote for the items within your product range.

Please include the following in your quotation

- Manufacturer
- Model number
- Technical specification
- Measurement range
- Scale division/readability
- Accuracy/error
- Reference temperature
- Calibration/certificate options
- Stock availability
- Lead time
- Unit price excluding VAT
- VAT
- Total price including VAT
- Delivery cost to Gauteng
- Warranty
- Country of manufacture
- Product datasheets

We are currently conducting a technical and commercial supplier comparison, so complete technical information would be appreciated.

Please also indicate if you are an authorised distributor or representative for the proposed manufacturer.

Kind regards,

Gift Nkosinathi Chisali
Laboratory / Technical Procurement
South Africa

---

8. Rauserv — Phone Request

For Rauserv, confirm the sales email address by telephone before sending the RFQ.

Telephone: +27 11 613 5616

Suggested wording:

> Good morning. I am looking for the email address for your laboratory equipment sales department. We are requesting quotations for precision hydrometers and laboratory equipment for a coal washability/float-and-sink testing setup. Could you please provide me with the appropriate sales or quotations email address?

Once they provide the email address, send the standard RFQ above.

9. Supplier Response Tracker

Use the following table to track the RFQs.

Supplier	Email sent	Response	Hydrometers available	Technical datasheet	Calibration	Quote received	Lead time	Follow-up
Labequip	☐							
Archimedes	☐							
Wirsam	☐							
Dick King	☐							
Reflecta	☐							
Effective Laboratory Supplies	☐							
Rauserv	☐							
CC Imelmann	☐							
Selectech	☐							

10. Important Procurement Control

All suppliers should receive **essentially the same technical requirement**. This allows quotations to be compared fairly.

Do not change the specification simply because one supplier has a cheaper product.

The evaluation should follow:

```
TECHNICAL REQUIREMENT
        ↓
SUPPLIER RESPONSE
        ↓
TECHNICAL COMPLIANCE
```

```
        ↓
CALIBRATION / TRACEABILITY
        ↓
AVAILABILITY
        ↓
PRICE
        ↓
DELIVERY
        ↓
SUPPLIER SELECTION
```

The lowest price should only be considered **after technical suitability has been established**.

---

11. Procurement Target

The immediate objective is to obtain enough supplier responses to establish:

- What equipment is actually available in South Africa
- Which manufacturers are represented locally
- Which hydrometer specifications can be supplied
- Whether calibration certificates are available
- Current pricing
- Stock availability
- Lead times
- Local technical support
- Availability of supporting washability equipment

Once the quotations are received, consolidate them into a **technical and commercial comparison matrix** before management makes the final purchasing decision.