sanas South African National Accreditation System

NON-CONFORMANCE, CORRECTIVE ACTION AND CLEARANCE REPORT

SANAS No.: **T1195**

Organisation Name: **Azuresky Laboratory**

NC Report Number: **AB08**

Area/Scope Assessed: **Management Requirements**

Assessor / Inspector / Expert: **A. Bougart**

PART 1: DETAILED OBSERVATION

At the time of the assessment, it was observed that Document ASMF 7.17 had a revision 01 with effective date of 02/2026, but there was no evidence that version 00 was made obsolete. All documents are accessible to all personnel with editable versions accessible. Furthermore, ASMF 7.17 was revised and no records for personnel acknowledgement forms as per ASDP001 point 4.1.

Signed (Representative):

Signed (Team Leader / Inspector): A. Bougart

MAJOR: [X] MINOR: [ ]

Reference No. of relevant Guide / Standard / Requirement: **ISO/IEC 17025 requirement 8.3.2**

Date: **08/04/2026**

PART 2: ROOT CAUSE ANALYSIS

(Provide an analysis of the extent and cause of the nonconformity)

-> incomplete document lifecycle procedure

-> inadequate IT permissions management

-> Administrative Oversight

PART 3: CORRECTIVE ACTION TAKEN

(Clearly indicate what corrective action was taken, and attach supportig evidence of implementation)

-> Immediate correction (Document cleanup)

-> Implementation of access controls

-> Retrospective Acknowledgement & System improvement

Date: 16/04/2026

Signed (Representative):

PART 4: CORRECTIVE ACTION VERIFIED AND CLEARED

(Comment on whether the corrective action is sufficient and appropriate)

Date:

Signed: Assessor / Inspector/Expert:

PART 5: FOLLOW-UP AT NEXT ASSESSMENT

(Comment on the implementation of the corrective actions)

Date:

Signed: Assessor / Inspector/Expert:


©SANAS

AS001MF

07/25

ROOT CAUSE ANALYSIS FORM

IRQ NO: AB08



SUPERVISOR

AS004MF 07/25

BRAINSTORMING FORM

IRQ no: AB08

Brainstorming team

Mosipho Hlongwane
Keitumetse Maleka
Thepo Maponya
Ofiso Nyambi

What went wrong? ASMF 7.17. had a revision 01 with effective date of 02/2026, but there was no evidence that version 00 was made obsolete. All docs are accessible to all personnel with editable versions. Furthermore, there is no acknowledgement from personnel as per ASD0001 4.1.

Why 1? Why there was not version 00 for ASMF7.17? The document was there but personnel failed to retrieve the document at the time of audit.

Document control.

Why 1? Why the docs accessible to all personnel? Personnel (general) only have access to parts of the system that allows them to do daily activities (e.g. technology forms, procedures). The server and master files are only accessible to management. Personnel failed to demonstrate that the docs are not accessible to the general staff.

Why 1? Why the was no acknowledgement form signed.

⇒ Oversight on management side after updating the procedure.

Supervisor:

AS009MF 04/26

Additional Space for NC's

IRQ no: AB08

Extent of the NC: The issue was triggered by the update of ASMF 7.17 in 02/2026. A review of other recent document updates (rev 01 and above) indicates that the failure to archive obsolete versions & collective staff acknowledgements is a systematic gap in the document control workflow rather than an isolated incident.

Root cause:

1. Incomplete document ~~lifecycle~~ lifecycle: While ASP001 point 4.1. defines the requirement for acknowledgment, the QMS lacks a formal "release checklist" that prevents a new revision from being published until previous version is moved to the ~~obsolete~~ "obsolete" folder & training records signed.
2. Inadequate IT permissions Management: The document storage system was configured with open "Read/write" access for all staff to facilitate collaboration. However, the system failed to distinguish between "working drafts" and "controlled master copies", allowing editable versions to remain accessible to unauthorised personnel.
3. Administrative oversight: Lab supervisor/Lab Manager focused on technical content of revision 01 but overlooked the administrative close-out of revision 00 due to lack of an automated reminder or a physical "obsolete" stamp/archive process.

Corrective action taken

1. Version 00 of ASMF 7.17. has been moved to a restricted "obsolete" folder. The current active version (04) has been clearly mark as the only valid controlled copy.
2. The server hierarchy has been restructured. General personnel "read only" PDF access to Allied docs. Editable word/excel versions are now restricted to a secure folder accessible to management only.
3. Briefing session was held for all relevant personnel regarding changes in ASMF 7.17, personnel have signed acknowledgement forms as per ASD001 to ensure awareness of current methodology.
4. Draft a memorandum that explains what to do (steps to follow) when updating a document into a new version.

Supervisor: [signature]

AzurESky	ATTENDANCE REGISTER		
	Document no:	Version:	Page:
	ASMF 17043-8.4.1	0	1
	Compiled by:	Sifiso Nyambi - Laboratory Manager	
	Approved by:	Nonhlanhla Msibi - Operations Manager	
Date:	16/04/2024		
Chair:	Sifiso	Scribe	
Subject:	Revision of document ASMF 7.17 (Current V 04) & intro of doc 8.3. guidelines to updating documents.		
Absent:			

Present	Cell Number	Designation	Signature	Email address
K. Moleka	071 724 9031	lab analyst		Keitumetsa@azuresky.it.com
S Nyambi	072 174 1852	Lab Manager		Sifiso@azuresky.it.com.
TMJ Maponya	076 455 0692	Lab Supervisor		tshepo@azuresky.it.com
N.N Hlongwane	0728732558	Lab Analyst		nosipho@azuresky.it.com,
N. Msibi	082 868 149	Ops Manager		nonhlanhla@azuresky.it.com

~~ASMF 7.0~~ ASMF 7.17 Archived in obsolete folder



16/04/2026

AzurESky "ensure quality of test"	**Updating procedures and/or forms**		
	Document no: 8.3 Memo		
	Compiled by:	**Tshepo Maponya - Laboratory Supervisor**	
	Approved by:	**Nonhlanhla Msibi - Operations Manager**	

GUIDELINE MEMO

Subject: Procedure for Updating Controlled Documents (Procedures, Memos, and Forms)
Document No: 8.3
Revision: 00
Effective Date: 16/04/2026
Next Review Date: 04/2029

1. Purpose

The purpose of this guideline is to define a standardized and controlled approach for updating management system documents, including procedures, critical memos, and forms, to ensure traceability, version control, and compliance with quality management system requirements.

2. Scope

This guideline applies to all controlled documents within the Conformity Assessment Body (CAB), including but not limited to:

- Procedures
- Work Instructions
- Critical Memos
- Forms and Templates (where revision tables are necessary)

3. Responsibilities

- **Management:** Authorisation of document changes and final approval

CONTROLLED DOCUMENT

Revision	Initial Date	Next Rev Date
00	04/2026	04/2029

AzurESky "ensure quality of test"	**Updating procedures and/or forms**		
	Document no: 8.3 Memo		
	Compiled by:	**Tshepo Maponya - Laboratory Supervisor**	
	Approved by:	**Nonhlanhla Msibi - Operations Manager**	

4. Procedure for Updating Documents

When any controlled document requires revision, the following steps shall be strictly followed:

Step 1: Archiving of Current Version

- The existing (approved) version of the document shall be **copied and stored in the designated "Obsolete Documents" folder**.
- The obsolete document shall be clearly identifiable to prevent unintended use.

Step 2: Update Document Control Information

- Amend the following fields in the document:
  - **Revision Number / Version**
  - **Revision Date (Current Update Date)**
  - **Next Review Date**

Step 3: Implement Required Changes

- Proceed to **update, amend, or modify** the document content as required.
- Ensure all changes are accurate, clear, and aligned with applicable standards and operational requirements.

Step 4: Update Revision History Table

- Navigate to the **Revision Table** and record the following details:
  - Revision Number
  - Description of Changes Made
  - Reason for Change
  - Date of Change

Controlled Document

AzurESky "ensure quality at last"	**Updating procedures and/or forms**		
	Document no: 8.3 Memo		
	Compiled by:	**Tshepo Maponya - Laboratory Supervisor**	
	Approved by:	**Nonhlanhla Msibi - Operations Manager**	

5. Control Measures

- No document shall be updated without proper authorisation.
- Only the latest approved version shall be available for use.
- All changes must be fully traceable through the revision history (which can be found in the rev table).

6. Compliance Reference

This guideline aligns with the requirements of:

- **ISO/IEC 17025:2017 – Clause 8.3 (Control of Management System Documents)**

7. Records

The following records shall be maintained:

- Obsolete document archive
- Updated controlled document

Revision

Revision no	Content changed	Reason for revision	Date changed

Revision	Initial Date	Next Rev Date
00	04/2026	04/2029

CONTROLLED DOCUMENT